General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.

- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.

- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.

- This document is paginated as submitted by the original source.

- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

Produced by the NASA Center for Aerospace Information (CASI)

(NASA-CR-150407) SRB-3D SOLID ROCKET BOOSTER PERFORMANCE PREDICTION PROGRAM. VOLUME 2: SAMPLE CASE (Northrop Services, Inc., Huntsville, Ala.) 348 p HC A15/MF A01 CSCL 21H G3/20

N77-32231

Unclas 49104

TN-275-1673

JULY 1976

SRB-IIID SOLID ROCKET BOOSTER PERFORMANCE PREDICTION PROGRAM

VOLUME II

SAMPLE CASE

OCT 1977 RECEIVED NASA STI FACILITY

Submitted To:

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
GEORGE C. MARSHALL SPACE FLIGHT CENTER
Science and Engineering Directorate

Under Contract NAS8-31644

Submitted By:

NORTHROP SERVICES, INC.

P. O. BOX 1484 Huntsville, Alabama 35807 (205) 837-0580

TN-275-1673

SRB-IIID SOLID ROCKET BOOSTER PERFORMANCE PREDICTION PROGRAM VOLUME II – SAMPLE CASE

by

J. C. Winkler

PREPARED FOR:

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
GEORGE C. MARSHALL SPACE FLIGHT CENTER
SYSTEMS ANALYSIS AND INTEGRATION LABORATORY

Under Contract NAS8–31644

REVIEWED AND APPROVED BY:

J. T. Lyons, Leader
Systems Performance Unit

NORTHROP SERVICES, INC.
HUNTSVILLE, ALABAMA

FOREWORD

This document presents work performed by Northrop Services, Inc., Huntsville, Alabama, while under contract to the Science and Engineering Directorate of Marshall Space Flight Center (NAS8-31644). This task was conducted in response to the requirements of Schedule Order 1.7.5, Amendment No. 1, Task No. 1. Mr. J. R. Redus, EL-24, is the Technical Coordinator.

TABLE OF CONTENTS

Section	Title	Page
	FOREWORD	ii
	LIST OF ILLUSTRATIONS	iv
I	INTRODUCTION	1-1
II	INPUT DATA	2-1
III	SRB-IIID SAMPLE CASE RESULTS	3-1

LIST OF ILLUSTRATIONS

Figure	Title	Page
1-1	MOTOR CONFIGURATION USED IN SAMPLE CASE	1-2
2-1	SAMPLE CASE INPUT DATA	2-2

Section I

INTRODUCTION

This document contains Volume II of a set of three volumes which describe the SRB-IIID program. Volume I contains the SRB-IIID engineering description and users information manual, Volume II contains the sample case prediction, and Volume III contains the program listing and programmers information.

The sample case presented in this volume is an asymmetrical eight sector thermal gradient performance prediction for the solid rocket motor shown in Figure 1-1. This motor is the Thiokol TC-227A-75 grain design and the initial grain geometry is assumed to be symmetrical about the motors longitudinal axis.

Thermal data used in this sample case were furnished by MSFC.*

* Winkler, J. C., "Results of Thermal Effects Study/KSC Hot Case", Northrop Services, Inc., Huntsville, Alabama, Informal Memorandum, 9275-76-60, June 16, 1976.



REFERENCE PLANE LONGITUDINAL LOCATIONS

1	0.0 (SIMULATED FORE TANGENT PLANE 180 INCHES DOWNSTREAM OF ACTUAL FTP)								
2	116.761	5	403.048	8	463.204	11	746.346		
3	116.771	6	427.051	9	726.191	12	794.831	14	1040.791
4	143.919	7	427.061	10	746.336	13	854.781	15	1084.171

Figure 1-1. MOTOR CONFIGURATION USED IN SAMPLE CASE

Section II

INPUT DATA

The input data used in this sample case are reproduced in Figure 2-1 exactly as they were read in. The sector thermal data are shown as the last few cards in the list starting with the variable NSCTRS.

```
CARD IMAGE OF INPUT DATA FOR CASE  1
CONTROL DATA CARDS
 $INPUT1
 TITLE(1)=6HSRB-11,6HID  SA,6HMPLE C,6HASE  1,6H8 SECT,6HOR THE,6HRMAL G,
 TITLE(8)=6HRADIEN,6HT)  7/,6H76    ,
 NPLOT=1,
 NSCARD=1,
 MITOT=7358.,
 $END
18H DATA CARDS
 $18DATA
 AINCIN(1)=0.0,116.761,116.771,143.919,403.048,427.051,427.061,463.204,726.191,
 746.336,746.346,794.831,854.781,1040.791,1084.171,
 HCO=1084.171,
 ANO(1)=15.8.0,
 RF(1,1)=
 72.384,72.384,72.384,72.314,72.214,72.214,72.214,72.314,72.214,72.214,72.214,
 RF(12,1)=
 72.180,72.130,71.344,71.139,
 RI(1,1)=
 28.727,29.110,29.110,28.980,30.750,31.185,31.185,28.950,30.750,31.185,31.185,
 RI(12,1)=
 30.910,31.567,40.320,41.680,
 SA(1)=116.761,427.051,746.336,
 SB(1)=116.771,427.061,746.346,
 DELZ=15.,
 HHR=201.14,
 SLTBRN(1)=3*3.0,
 KPLANE=15,
 BH=1.,
 AOHM=90.,
 BTADE=0.0,
 DHI=42.0,
 BN=1.,
 DNI=90.,
 AONM=90.,
 DLRF=0.01,
 AKU(1)=5000.,
 AKR(2)=0.03783,0.35,
 AKR(36)=0.03783,0.35,
 REFTEM=60.0,
 BLKTEM=0.0,
 SIGMAP=0.000975,
 AKSLOT(1)=0.03783,0.35,
 SLTBRN(1)=3*3.,
 DELF=0.06345,
 CM=0.9595,
 DELH=22.81,
 ERBAR=0.0078,
```

Figure 2-1. SAMPLE CASE INPUT DATA

```
EREXP=0.86,
PONBAR=634.,
PA=14.778,
TAUMNA=29.46,
TAUMNB=20.67,
HSUBMG=27.854,
HFCOR=-3335.,
NPH=5,
PHST(I)=14.77,405.,810.,848.,860.,
TIMEPH(I)=0.0,0.25,0.50,0.75,1.0,
R=55.35,
NCSTR=7,
PRESS(I)=0.,200.,400.,600.,800.,1000.,2000.,
TCUMB(I)=5907.,5984.,6054.,6116.,6163.,2*6191.,
AMWG(I)=27.96,28.096,28.217,28.322,28.404,2*28.458,
GAMAG(I)=1.15914,1.15933,1.15953,1.15972,1.15992,2*1.16011,
CSTR(I)=5072.2,5089.9,5104.7,5116.6,5125.6,2*5131.6,
STFLAG=1.,
DELTST=0.25,
DELTSS=2.0,
PRTISS=4.0,
DELTTO=0.50,
PRTITO=1.0,
TIMAX=120.0,
TST=1.,
ANITW=2.0,
AN2=17.9,
THETEX=11.2,
DE=145.645,
DT=54.43,
NCONT=1,
PRTFLG=1.,
PHI=29.556,
NSUBMG=1,
TA1B(I)=2539.,3514.,4547.,5637.,6783.,7985.,9245.,2*10470.,
TA2B(I)=853.,1787.,2826.,3884.,5034.,6240.,7417.,2*8666.,
TAUNB(I)=0.,3.,6.,9.,12.,15.,18.,20.8,50.,
THSUB(I)=41.5,43.8,44.6,48.6,48.6,45.0,48.0,
TXSUB(I)=0.0,1.0,3.0,22.0,40.0,40.5,44.72,
NPSUB=7,
NPA=33,
TIMEPA(I)=0.0,4.,8.,12.,16.,20.,24.,28.,32.,36.,40.,44.,48.,52.,56.,60.,64.,
          68.,72.,76.,80.,84.,88.,92.,96.,100.,104.,108.,112.,116.,120.,124.,
          1000.,
TBLPA(I)=14.778,14.708,14.493,14.132,13.625,12.972,12.194,11.306,10.328,
         9.306,8.271,7.243,6.264,5.34,4.5,3.736,3.049,2.451,1.944,1.521,1.174,
         0.903,0.681,0.507,0.375,0.278,0.201,0.146,0.104,0.076,0.056,2*0.035,
NGEOHD=50,
TAUHD(I)=
   .0000000   ,   .1000000*01,   .2000000*01,   .3000000*01,   .4000000*01,
   .5000000*01,   .6000000*01,   .7000000*01,   .8000000*01,   .8500000*01,
   .8800000*01,   .8810000*01,   .9000000*01,   .9500000*01,   .9810000*01,
   .1000000*02,   .1081000*02,   .1100000*02,   .1181000*02,   .1200000*02,
   .1281000*02,   .1300000*02,   .1400000*02,   .1481000*02,   .1500000*02,
   .1600000*02,   .1681000*02,   .1700000*02,   .1781000*02,   .1800000*02,
   .1881000*02,   .1900000*02,   .1960000*02,   .1963800*02,   .1964800*02,
```

Figure 2-1. SAMPLE CASE INPUT DATA (Continued)

```
   .2000000+02,   .2200000+02,   .2400000+02,   .2600000+02,   .2800000+02,
   .3000000+02,   .3200000+02,   .3400000+02,   .3600000+02,   .3800000+02,
   .4000000+02,   .4200000+02,   .4364700+02,   .4365700+02,   .5000000+02,
ABHD(1)=
   .1963625+06,   .1992819+06,   .1996675+06,   .1997799+06,   .1962201+06,
   .1925525+06,   .1892787+06,   .1850205+06,   .1807487+06,   .1766137+06,
   .1719924+06,   .1704647+06,   .1551024+06,   .1457076+06,   .1439015+06,
   .1405634+06,   .1268925+06,   .1238614+06,   .1122951+06,   .1096236+06,
   .9819881+05,   .9551628+05,   .8141196+05,   .7006291+05,   .6738955+05,
   .5368681+05,   .4348506+05,   .4127281+05,   .3281297+05,   .3104130+05,
   .2456551+05,   .2312928+05,   .1844226+05,   .1818823+05,   .1812474+05,
   .1792891E+05,  .1727109E+05,  .1555129E+05,  .1427304E+05,  .1325105E+05,
   .1172903E+05,  .1034889E+05,  .9028650E+04,  .7567119E+04,  .6010700E+04,
   .4449982E+04,  .2880665E+04,  .3611584E+03,  .7629394E-05,  .0000E,
NGEOMN=22,
TAUN(1)=0.,2.,4.,6.,8.,10.,12.,14.,16.,17.,18.,19.,20.,20.670,21.,22.,23.,24.,
26.,28.,29.46,50.,
ABNA(1)=9279.,9608.,9979.,10351.,10656.,10988.,11397.,11729.,12088.,12239.,
12389.,12559.,12729.,12450.,10500.,6649.,5500.,4646.,2892.,1148.,2.0.0,
ABNB(1)=14209.,14696.,14708.,14487.,13964.,13263.,12289.,11300.,9726.,8650.,
7390.,5500.,3050.,9*0.0,
VCHINP=3362642.14,
VCNINP=1040420.,
VCNINA=441001.,
VCNINB=599419.,
VFHO=2831295.1,
VFNO=505126.,
VFNOA=264736.,
VFNOB=240390.,
NGEO(1)=32,
NGEO( 2)=   24,
NGEO(3)=24,
NGEO(4)=24,
NGEO( 5)=   23,
NGEO( 6)=   23,
NGEO( 7)=24,
NGEO( 8)=24,
NGEO( 9)=   23,
NGEO(10)=   23,
NGEO(11)=23,
NGEO(12)=23,
NGEO(13)=   23,
NGEO(14)=   18,
NGEO(15)=   19,
APORT(1)=
                                        0.25926E 04,0.26622E 04,0.26622E 04,
0.26384E 04,0.29706E 04,0.30552E 04,0.30552E 04,0.30552E 04,0.26330E 04,0.29706E 04,
0.30552E 04,0.30552E 04,0.30016E 04,0.31305E 04,0.51073E 04,0.54576E 04,
RPL  (1,1)=0.,1.,2.,3.,4.,5.,6.,7.,8.,8.8,9.,10.,11.,12.,14.,16.,18.,19.6,20.,
22.,24.,26.,28.,30.,32.,34.,36.,38.,40.,42.,43.647,43.657,
ALPPL(1,1)=180.5,186.8,193.1,199.4,205.6,211.9,218.2,224.5,230.8,235.8,237.1,
           243.3,249.6,255.9,268.5,281.0,293.6,299.9,306.2,318.7,331.3,343.9,
           356.4,369.0,381.6,394.1,406.7,419.3,431.8,444.4,454.7,0.0,
RPL(1,2)=
0.0         , 0.20000E 01, 0.40000E 01, 0.60000E 01, 0.80000E 01, 0.10000E 02,
0.12000E 02, 0.14000E 02, 0.16000E 02, 0.18000E 02, 0.20000E 02, 0.22000E 02,
```

Figure 2-1. SAMPLE CASE INPUT DATA (Continued)

```
0.24000E 02, 0.26000E 02, 0.28000E 02, 0.30000E 02, 0.32000E 02, 0.34000E 02,
0.36000E 02, 0.38000E 02, 0.40000E 02, 0.42000E 02, 0.43264E 02, 0.43274E 02,
ALPPL(1, 2)=
0.18290E 03, 0.19547E 03, 0.20804E 03, 0.22060E 03, 0.23317E 03, 0.24574E 03,
0.25830E 03, 0.27087E 03, 0.28343E 03, 0.29600E 03, 0.30857E 03, 0.32113E 03,
0.33370E 03, 0.34627E 03, 0.35883E 03, 0.37140E 03, 0.38397E 03, 0.39653E 03,
0.40910E 03, 0.42166E 03, 0.43423E 03, 0.44680E 03, 0.45474E 03, 0.0        ,
RPL  (1,3)=0.,2.,4.,6.,8.,10.,12.,14.,16.,18.,20.,22.,24.,26.,28.,30.,32.,34.,
36.,38.,40.,42.,43.324,43.334,
ALPPL(1,3)=248.5,235.2,232.2,234.6,240.4,251.2,262.6,272.6,283.3,291.4,296.7,
           307.0,315.3,321.7,327.4,335.8,339.9,345.2,349.5,264.7,-118.2,-346.2,
           -454.0,0.0,
RPL  (1,4)=0.,2.,4.,6.,8.,10.,12.,14.,16.,18.,20.,22.,24.,26.,28.,30.,32.,34.,
36.,38.,40.,42.,43.324,43.334,
ALPPL(1,4)=182.1,194.7,207.2,219.8,232.4,244.9,257.5,270.1,282.6,295.2,307.8,
           320.3,332.9,345.5,358.0,370.6,383.2,395.7,408.3,420.9,433.4,446.0,
           454.0,0.0,
RPL(1,5)=
0.0        , 0.20000E 01, 0.40000E 01, 0.60000E 01, 0.80000E 01, 0.10000E 02,
0.12000E 02, 0.14000E 02, 0.16000E 02, 0.18000E 02, 0.20000E 02, 0.22000E 02,
0.24000E 02, 0.26000E 02, 0.28000E 02, 0.30000E 02, 0.32000E 02, 0.34000E 02,
0.36000E 02, 0.38000E 02, 0.40000E 02, 0.41463E 02, 0.41464E 02,
ALPPL(1, 5)=
0.19887E 03, 0.21144E 03, 0.22400E 03, 0.23657E 03, 0.24913E 03, 0.26170E 03,
0.27427E 03, 0.28683E 03, 0.29940E 03, 0.31197E 03, 0.32453E 03, 0.33710E 03,
0.34967E 03, 0.36223E 03, 0.37480E 03, 0.38736E 03, 0.39993E 03, 0.41250E 03,
0.42506E 03, 0.43763E 03, 0.45020E 03, 0.45367E 03, 0.0        ,
RPL(1,6)=
0.0        , 0.20000E 01, 0.40000E 01, 0.60000E 01, 0.80000E 01, 0.10000E 02,
0.12000E 02, 0.14000E 02, 0.16000E 02, 0.18000E 02, 0.20000E 02, 0.22000E 02,
0.24000E 02, 0.26000E 02, 0.28000E 02, 0.30000E 02, 0.32000E 02, 0.34000E 02,
0.36000E 02, 0.38000E 02, 0.40000E 02, 0.41019E 02, 0.41029E 02,
ALPPL(1, 6)=
0.19594E 03, 0.20851E 03, 0.22107E 03, 0.23364E 03, 0.24621E 03, 0.25877E 03,
0.27134E 03, 0.28391E 03, 0.29647E 03, 0.30904E 03, 0.32160E 03, 0.33417E 03,
0.34674E 03, 0.35930E 03, 0.37187E 03, 0.38444E 03, 0.39700E 03, 0.40957E 03,
0.42214E 03, 0.43470E 03, 0.44727E 03, 0.45367E 03, 0.0        ,
RPL  (1, 7)=0.,2.,4.,6.,8.,10.,12.,14.,16.,18.,20.,22.,24.,26.,28.,30.,32.,34.,
36.,38.,40.,42.,43.354,43.364,
ALPPL(1, 7)=369.9,377.2,387.3,396.5,403.9,413.8,415.6,420.2,428.2,434.4,442.4,
           450.2,457.1,463.8,355.4,155.8,52.5,-36.7,-129.4,-228.9,-320.1,
           -413.4,-454.3,0.0,
RPL  (1, 8)=0.,2.,4.,6.,8.,10.,12.,14.,16.,18.,20.,22.,24.,26.,28.,30.,32.,34.,
36.,38.,40.,42.,43.354,43.364,
ALPPL(1, 8)=181.9,194.5,207.0,219.6,232.2,244.7,257.3,269.9,282.4,295.0,307.6,
           320.1,332.7,345.3,357.8,370.4,383.0,395.5,408.1,420.7,433.2,445.8,
           454.3,0.0,
RPL(1,9)=
0.0        , 0.20000E 01, 0.40000E 01, 0.60000E 01, 0.80000E 01, 0.10000E 02,
0.12000E 02, 0.14000E 02, 0.16000E 02, 0.18000E 02, 0.20000E 02, 0.22000E 02,
0.24000E 02, 0.26000E 02, 0.28000E 02, 0.30000E 02, 0.32000E 02, 0.34000E 02,
0.36000E 02, 0.38000E 02, 0.40000E 02, 0.41454E 02, 0.41464E 02,
ALPPL(1, 9)=
0.19321E 03, 0.20577E 03, 0.21834E 03, 0.23091E 03, 0.24347E 03, 0.25604E 03,
0.26861E 03, 0.28117E 03, 0.29374E 03, 0.30631E 03, 0.31887E 03, 0.33144E 03,
0.34400E 03, 0.35657E 03, 0.36914E 03, 0.38170E 03, 0.39427E 03, 0.40684E 03,
```

Figure 2-1. SAMPLE CASE INPUT DATA (Continued)

```
0.41940E 03, 0.43197E 03, 0.44454E 03, 0.45367E 03, 0.0
RPL(1,10)=
0.0         , 0.20000E 01, 0.40000E 01, 0.60000E 01, 0.80000E 01, 0.10000E 02,
0.12000E 02, 0.14000E 02, 0.16000E 02, 0.18000E 02, 0.20000E 02, 0.22000E 02,
0.24000E 02, 0.26000E 02, 0.28000E 02, 0.30000E 02, 0.32000E 02, 0.34000E 02,
0.36000E 02, 0.38000E 02, 0.40000E 02, 0.41019E 02, 0.41029E 02,
ALPPL(1,10)=
0.19594E 03, 0.20851E 03, 0.22107E 03, 0.23364E 03, 0.24621E 03, 0.25877E 03,
0.27134E 03, 0.28391E 03, 0.29647E 03, 0.30904E 03, 0.32160E 03, 0.33417E 03,
0.34674E 03, 0.35930E 03, 0.37187E 03, 0.38444E 03, 0.39700E 03, 0.40957E 03,
0.42214E 03, 0.43470E 03, 0.44727E 03, 0.45367E 03, 0.0         ,
RPL  (1,11)=0.,2.,4.,6.,8.,10.,12.,14.,16.,18.,20.,22.,24.,26.,28.,30.,32.,
34.,36.,38.,40.,41.019,41.029,
ALPPL(1,11)=349.4,349.5,354.6,362.5,371.6,380.8,385.7,393.5,403.2,412.3,420.7,
            428.9,437.7,446.2,367.2,219.3,149.0,87.6,5.9,-130.2,-338.3,-453.5,
            0.0,
RPL  (1,12)=0.,2.,4.,6.,8.,10.,12.,14.,16.,18.,20.,22.,24.,26.,28.,30.,32.,
34.,36.,38.,40.,41.26,41.27,
ALPPL(1,12)=194.2,206.8,219.4,231.9,244.5,257.0,269.6,282.2,294.7,307.3,319.9,
            332.4,345.0,357.6,370.1,382.7,395.3,407.8,420.4,433.0,445.5,453.5,
            0.0,
RPL(1,13)=
0.0         , 0.20000E 01, 0.40000E 01, 0.60000E 01, 0.80000E 01, 0.10000E 02,
0.12000E 02, 0.14000E 02, 0.16000E 02, 0.18000E 02, 0.20000E 02, 0.22000E 02,
0.24000E 02, 0.26000E 02, 0.28000E 02, 0.30000E 02, 0.32000E 02, 0.34000E 02,
0.36000E 02, 0.38000E 02, 0.40000E 02, 0.40553E 02, 0.40563E 02,
ALPPL(1,13)=
0.19834E 03, 0.21091E 03, 0.22347E 03, 0.23604E 03, 0.24861E 03, 0.26117E 03,
0.27374E 03, 0.28631E 03, 0.29887E 03, 0.31144E 03, 0.32400E 03, 0.33657E 03,
0.34914E 03, 0.36170E 03, 0.37427E 03, 0.38684E 03, 0.39940E 03, 0.41197E 03,
0.42454E 03, 0.43710E 03, 0.44967E 03, 0.45314E 03, 0.0         ,
RPL(1,14)=
0.0         , 0.20000E 01, 0.40000E 01, 0.60000E 01, 0.80000E 01, 0.10000E 02,
0.12000E 02, 0.14000E 02, 0.16000E 02, 0.18000E 02, 0.20000E 02, 0.22000E 02,
0.24000E 02, 0.26000E 02, 0.28000E 02, 0.30000E 02, 0.31014E 02, 0.31024E 02,
ALPPL(1,14)=
0.25334E 03, 0.26590E 03, 0.27847E 03, 0.29104E 03, 0.30360E 03, 0.31617E 03,
0.32874E 03, 0.34130E 03, 0.35387E 03, 0.36644E 03, 0.37900E 03, 0.39157E 03,
0.40413E 03, 0.41670E 03, 0.42927E 03, 0.44183E 03, 0.44820E 03, 0.0         ,
RPL(1,15)=
0.0         , 0.20000E 01, 0.40000E 01, 0.60000E 01, 0.80000E 01, 0.10000E 02,
0.12000E 02, 0.14000E 02, 0.16000E 02, 0.18000E 02, 0.20000E 02, 0.20790E 02,
0.20800E 02, 0.22800E 02, 0.24800E 02, 0.26800E 02, 0.28800E 02, 0.29449E 02,
0.29459E 02,
ALPPL(1,15)=
0.26188E 03, 0.27445E 03, 0.28702E 03, 0.29958E 03, 0.31215E 03, 0.32471E 03,
0.33728E 03, 0.34985E 03, 0.36241E 03, 0.37498E 03, 0.38755E 03, 0.39251E 03,
0.39257E 03, 0.40514E 03, 0.41771E 03, 0.43027E 03, 0.44284E 03, 0.44692E 03,
0.0         ,
ABN(1)=23488.,24304.,24747.,24838.,24620.,24251.,23686.,23029.,21814.,20889.,
       19779.,18059.,15779.,12450.,10500.,6649.,5500.,4646.,2892.,1148.,2*0.0,
NSCTRS=8,
NAKEND=3,
NAKMED=16,
TAUMED(1)=0.,4.,8.,12.,14.,16.,18.,20.,21.4,25.4,29.4,33.4,37.4,39.4,41.4,50.0,
TEMMED(1)=3*79.6,79.5,79.2,80.4,81.7,3*79.5,2*79.3,79.9,81.8,86.9,90.0,
```

Figure 2-1. SAMPLE CASE INPUT DATA (Continued)

```
 NTAB(1)=8.15,
 TABI(1,1)=0.0,0.5,1.5,2.5,3.5,4.5,5.5,6.5,7.5,8.5,12.75,20.25,27.75,35.25,45.0,
 TABD(1,1)=90.1,87.5,83.8,81.4,80.1,79.7,79.8,79.9,80.0,80.1,5*80.2,
 TABI(1,2)=0.0,0.5,1.5,2.5,3.5,4.5,5.5,6.5,7.5,8.5,12.75,20.25,27.75,35.25,45.0,
 TABD(1,2)=94.1,91.4,86.1,82.8,81.2,2*80.7,80.9,81.1,81.2,81.4,81.2,81.1,2*81.0,
 TABI(1,3)=0.0,0.5,1.5,2.5,3.5,4.5,5.5,6.5,7.5,8.5,12.75,20.25,27.75,35.25,45.0,
 TABD(1,3)=93.6,90.0,85.0,82.2,80.9,80.5,80.6,80.8,81.0,81.1,81.2,2*81.0,2*80.9,
 TABI(1,4)=0.0,0.5,1.5,2.5,3.5,4.5,5.5,6.5,7.5,8.5,12.75,20.25,27.75,35.25,45.0,
 TABD(1,4)=88.2,85.4,82.3,80.5,79.6,79.5,79.6,79.8,79.9,80.0,80.1,2*80.0,2*79.9,
 TABI(1,5)=0.0,0.5,1.5,2.5,3.5,4.5,5.5,6.5,7.5,8.5,12.75,20.25,27.75,35.25,45.0,
 TABD(1,5)=82.1,81.0,79.6,78.7,78.3,78.2,78.3,78.4,78.5,78.6,3*78.7,78.8,78.9,
 TABI(1,6)=0.0,0.5,1.5,2.5,3.5,4.5,5.5,6.5,7.5,8.5,12.75,20.25,27.75,35.25,45.0,
 TABD(1,6)=81.6,80.7,79.4,78.5,78.0,2*77.9,78.0,78.1,78.2,5*78.3,
 TABI(1,7)=0.0,0.5,1.5,2.5,3.5,4.5,5.5,6.5,7.5,8.5,12.75,20.25,27.75,35.25,45.0,
 TABD(1,7)=82.1,80.9,79.5,78.6,78.1,77.9,78.0,78.1,2*78.2,78.3,4*78.4,
 TABI(1,8)=0.0,0.5,1.5,2.5,3.5,4.5,5.5,6.5,7.5,8.5,12.75,20.25,27.75,35.25,45.0,
 TABD(1,8)=83.0,81.9,80.2,79.1,78.5,2*78.3,78.5,2*78.6,2*78.8,3*78.9,
 NAKAFT=14,
 TAUAFT(1)=0.0,2.25,9.75,17.25,21.5,22.5,23.5,24.5,25.5,26.5,27.5,28.5,29.5,30.,
 TEMAFT(1)=4*79.6,79.5,79.4,79.3,79.2,79.1,79.3,80.2,82.0,84.9,86.9,
 SEND
CASE END

ALL DATA CARDS FOR THIS CASE HAVE BEEN TRANSFERED TO DISK
```

Figure 2-1. SAMPLE CASE INPUT DATA (Concluded)

Section III

SRB-IIID SAMPLE CASE RESULTS

This section presents the prediction results for the sample case. The first portion of the listing shows the initial motor geometry and case control constants. The time solution results of the internal ballistics simulation follow this portion of the listing. The calculation time intervals used in the simulation were as follows:

(1) 0.25 second interval during the start transient

(2) 2.0 second interval during mainstage (steady-state)

(3) 0.50 second interval during tailoff.

In order to reduce the size of the resulting printed output, the motor performance and increment dividing plane data printouts were suppressed for every other calculation time point during the steady state and tailoff portions of the simulation. A complete listing showing the results of each time point calculation for this sample case is on file with EL-24 at MSFC.

```
*****************************************************************
*                                                               *
* SPACE SHUTTLE SOLID ROCKET BOOSTER PERFORMANCE EVALUATION MODEL *
*                                                               *
* SRB-IIID  SAMPLE CASE  (8 SECTOR THERMAL GRADIENT)  7/76      *
*                                                               *
*****************************************************************
```

THESE ARE THE INITIAL VALUES FOR CASE 1

PROGRAM CONSTANTS

```
CURVE FIT CONSTANTS
CSCOEF(1)=    4735.2300
CSCOEF(2)=    .95469550-01
CSCOEF(3)=   -.35990200-04

INERT MASS CURVE FIT COEFFICIENTS
COEINT(1)=    .00000000
COEINT(2)=    1.7724571
COEINT(3)=   -2.1492405
COEINT(4)=    1.1124630
COEINT(5)=    .26027876

GENERAL PROGRAM INDICATORS
LIST1=          T
NCARD =         0
NCASES=         1
NF    =         1
NLEAIS=         0
NPLOT =         1
NSI   =         4
NTAPE =         0
NSTAPE=         0
NSCARD=         1

INERT MASS-ISP(SI1)=    190.00000

TOTAL INERT MASS(MITOT)=    7358.0000
```

ORIGINAL PAGE IS OF POOR QUALITY

CYLINDRICAL SECTION INITIAL GEOMETRY

SECTOR FUEL RADIUS (RF)

RF \ SECTOR	1	2	3	4	5	6	7	8
1	72.3840	72.3840	72.3840	72.3840	72.3840	72.3840	72.3840	72.3840
2	72.3840	72.3840	72.3840	72.3840	72.3840	72.3840	72.3840	72.3840
3	72.3840	72.3840	72.3840	72.3840	72.3840	72.3840	72.3840	72.3840
4	72.3140	72.3140	72.3140	72.3140	72.3140	72.3140	72.3140	72.3140
5	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140
6	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140
7	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140
8	72.3140	72.3140	72.3140	72.3140	72.3140	72.3140	72.3140	72.3140
9	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140
10	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140
11	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140	72.2140
12	72.1800	72.1800	72.1800	72.1800	72.1800	72.1800	72.1800	72.1800
13	72.1300	72.1300	72.1300	72.1300	72.1300	72.1300	72.1300	72.1300
14	71.3440	71.3440	71.3440	71.3440	71.3440	71.3440	71.3440	71.3440
15	71.1390	71.1390	71.1390	71.1390	71.1390	71.1390	71.1390	71.1390

[redacted]

CYLINDRICAL SECTION INITIAL GEOMETRY

SECTOR PORT RADIUS (RI)

RP \ SECTOR	1	2	3	4	5	6	7	8
1	28.7270	28.7270	28.7270	28.7270	28.7270	28.7270	28.7270	28.7270
2	29.1100	29.1100	29.1100	29.1100	29.1100	29.1100	29.1100	29.1100
3	29.1100	29.1100	29.1100	29.1100	29.1100	29.1100	29.1100	29.1100
4	28.9800	28.9800	28.9800	28.9800	28.9800	28.9800	28.9800	28.9800
5	30.7500	30.7500	30.7500	30.7500	30.7500	30.7500	30.7500	30.7500
6	31.1850	31.1850	31.1850	31.1850	31.1850	31.1850	31.1850	31.1850
7	31.1850	31.1850	31.1850	31.1850	31.1850	31.1850	31.1850	31.1850
8	28.9500	28.9500	28.9500	28.9500	28.9500	28.9500	28.9500	28.9500
9	30.7500	30.7500	30.7500	30.7500	30.7500	30.7500	30.7500	30.7500
10	31.1850	31.1850	31.1850	31.1850	31.1850	31.1850	31.1850	31.1850
11	31.1850	31.1850	31.1850	31.1850	31.1850	31.1850	31.1850	31.1850
12	30.9100	30.9100	30.9100	30.9100	30.9100	30.9100	30.9100	30.9100
13	31.5670	31.5670	31.5670	31.5670	31.5670	31.5670	31.5670	31.5670
14	40.3200	40.3200	40.3200	40.3200	40.3200	40.3200	40.3200	40.3200
15	41.6800	41.6800	41.6800	41.6800	41.6800	41.6800	41.6800	41.6800

CYLINDRICAL SECTION INITIAL GEOMETRY

SECTOR PORT AREA (APRTSC)

RP	SECTOR 1	2	3	4	5	6	7	8
1	324.0750	324.0750	324.0750	324.0750	324.0750	324.0750	324.0750	324.0750
2	332.7750	332.7750	332.7750	332.7750	332.7750	332.7750	332.7750	332.7750
3	332.7750	332.7750	332.7750	332.7750	332.7750	332.7750	332.7750	332.7750
4	329.8000	329.8000	329.8000	329.8000	329.8000	329.8000	329.8000	329.8000
5	371.3250	371.3250	371.3250	371.3250	371.3250	371.3250	371.3250	371.3250
6	381.9000	381.9000	381.9000	381.9000	381.9000	381.9000	381.9000	381.9000
7	381.9000	381.9000	381.9000	381.9000	381.9000	381.9000	381.9000	381.9000
8	329.1250	329.1250	329.1250	329.1250	329.1250	329.1250	329.1250	329.1250
9	371.3250	371.3250	371.3250	371.3250	371.3250	371.3250	371.3250	371.3250
10	381.9000	381.9000	381.9000	381.9000	381.9000	381.9000	381.9000	381.9000
11	381.9000	381.9000	381.9000	381.9000	381.9000	381.9000	381.9000	381.9000
12	375.2000	375.2000	375.2000	375.2000	375.2000	375.2000	375.2000	375.2000
13	391.3125	391.3125	391.3125	391.3125	391.3125	391.3125	391.3125	391.3125
14	638.4125	638.4125	638.4125	638.4125	638.4125	638.4125	638.4125	638.4125
15	682.2000	682.2000	682.2000	682.2000	682.2000	682.2000	682.2000	682.2000

HEAD END

DEI	BE	AOEM	NEND	DELH
4.2000000+01	1.0000000+00	9.0000000+01	1	2.2810000+01

RE1	ALFEM	ALFE	RE2	HE1	HE2	HEO	HER
2.1000000+01	1.5707963+00	1.2764448+00	2.1000000+01	0.0000000	6.9270798+01	6.9270798+01	6.9270798+01

VFEO	VCE	TAUEO	TAUE1	CAE	CBE	CCCE	CCVE
0.0000000	7.9213087+05	8.6248240+01	0.0000000	0.0000000	0.0000000	2.0957773+04	0.0000000

CDCE	CDVE	CECE	CEVE
8.6022646+05	8.4000000+01	9.2423780+06	2.0957773+04

NOZZLE END

DEI	BE	AOEM	NEND	DELH
9.0000000+01	1.0000000+00	9.0000000+01	2	2.2810000+01

RE1	ALFEM	ALFE	RE2	HE1	HE2	HEO	HER
4.5000000+01	1.5707963+00	8.8593657-01	4.5000000+01	0.0000000	5.5097706+01	5.5097706+01	7.7907706+01

VFEO	VCE	TAUEO	TAUE1	CAE	CBE	CCCE	CCVE
2.8312951+06	1.0634843+06	6.0983642+01	0.0000000	0.0000000	0.0000000	2.0243029+04	0.0000000

CDCE	CDVE	CECE	CEVE
1.8218726+06	1.8000000+02	4.0992133+07	2.0243029+04

IGNITION TIME, TIME (S) .00000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	.00000000	.00000000
TOTAL VACUUM THRUST (N,LBF)	FTVAC	.00000000	.00000000
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	.00000000	.00000000
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.00000000	.00000000
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	.00000000	.00000000
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.00000000	.00000000
THRUST COEFFICIENT	CF	.00000000	.00000000
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	.00000000	.00000000
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	.00000000	.00000000
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	.00000000	.00000000
INERT MASS REMAINING (KG,LBM)	MIR	3337.5326	7357.9999
TOTAL BURN AREA (M**2,IN**2)	ABTOT	533.79879	827389.79
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	289.46873	17664466.
PROPELLANT MASS REMAINING (KG,LBM)	WF	506878.30	1117475.4
TOTAL GAS MASS (KG,LBM)	WGTOT	2.3476711	5.1757287
RATIO OF SPECIFIC HEATS	GAMA	1.1591540	1.1591540
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.687001	27.970049
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1546.4052	5073.5078
MAXIMUM CHAMBER MACH NUMBER	AMPN	.00000000	.00000000
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	10189072.	14.778000
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.00000000	.00000000
BURN AREA (M**2,IN**2)	AHH	126.68523	196362.50
BURN RATE (M/S,IN/S)	RBZ(1)	.00000000	.00000000
DISTANCE BURNED (M,IN)	TAUZ(1)	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFH	46.396614	2831295.1
GAS VOLUME (M**3,IN**3)	VPH	8.7072178	531347.03
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3284.8275	5912.6895
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	143.54997	222502.90
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	248.41008	385036.40
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	234.79459	14328045.
GAS VOLUME (M**3,IN**3)	VP	55.645667	3395706.9
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	10189072.	14.778000
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.00000000	.00000000
BURN AREA (M**2,IN**2)	AAN	15.153518	23488.000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.00000000	.00000000
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.00000000	.00000000
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.00000000	.00000000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFN	8.2775321	505126.00
GAS VOLUME (M**3,IN**3)	VPN	8.7718971	535294.00
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3284.8275	5912.6895
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	5.1281238	7948.6079
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5011842	2326.8401
EXPANSION RATIO	EPR	7.1600242	7.1600242
PRESSURE RATIO	PEPO	1.0000000	1.0000000
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.00000000	.00000000
NUMBER OF PRESSURE ITERATIONS	ANLOPS	1.0000000	1.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	14.78	14.78	5912.69	.00	.000	180.50	2592.60	.00	.00	.00	.0000	.000	.0000	.000
15.000	14.78	14.78	5912.69	.00	.000	180.81	2601.49	.00	.00	.00	.0000	.000	.0000	.000
30.000	14.78	14.78	5912.69	.00	.000	181.12	2610.39	.00	.00	.00	.0000	.000	.0000	.000
45.000	14.78	14.78	5912.69	.00	.000	181.42	2619.31	.00	.00	.00	.0000	.000	.0000	.000
60.000	14.78	14.78	5912.69	.00	.000	181.73	2628.25	.00	.00	.00	.0000	.000	.0000	.000
75.000	14.78	14.78	5912.69	.00	.000	182.04	2637.20	.00	.00	.00	.0000	.000	.0000	.000
90.000	14.78	14.78	5912.69	.00	.000	182.35	2646.17	.00	.00	.00	.0000	.000	.0000	.000
105.000	14.78	14.78	5912.69	.00	.000	182.66	2655.15	.00	.00	.00	.0000	.000	.0000	.000
116.761	14.78	14.78	5912.69	.00	.000	182.90	2662.20	.00	.00	.00	.0000	.000	.0000	.000
116.771	14.78	14.78	5912.69	.00	.000	248.50	2662.20	.00	.00	.00	.0000	.000	.0000	.000
131.771	14.78	14.78	5912.69	.00	.000	211.81	2649.04	.00	.00	.00	.0000	.000	.0000	.000
143.919	14.78	14.78	5912.69	.00	.000	182.10	2638.40	.00	.00	.00	.0000	.000	.0000	.000
158.919	14.78	14.78	5912.69	.00	.000	183.07	2657.09	.00	.00	.00	.0000	.000	.0000	.000
173.919	14.78	14.78	5912.69	.00	.000	184.04	2675.85	.00	.00	.00	.0000	.000	.0000	.000
188.919	14.78	14.78	5912.69	.00	.000	185.01	2694.68	.00	.00	.00	.0000	.000	.0000	.000
203.919	14.78	14.78	5912.69	.00	.000	185.98	2713.57	.00	.00	.00	.0000	.000	.0000	.000
218.919	14.78	14.78	5912.69	.00	.000	186.95	2732.53	.00	.00	.00	.0000	.000	.0000	.000
233.919	14.78	14.78	5912.69	.00	.000	187.92	2751.55	.00	.00	.00	.0000	.000	.0000	.000
248.919	14.78	14.78	5912.69	.00	.000	188.90	2770.64	.00	.00	.00	.0000	.000	.0000	.000
263.919	14.78	14.78	5912.69	.00	.000	189.87	2789.79	.00	.00	.00	.0000	.000	.0000	.000
278.919	14.78	14.78	5912.69	.00	.000	190.84	2809.01	.00	.00	.00	.0000	.000	.0000	.000
293.919	14.78	14.78	5912.69	.00	.000	191.81	2828.30	.00	.00	.00	.0000	.000	.0000	.000
308.919	14.78	14.78	5912.69	.00	.000	192.78	2847.65	.00	.00	.00	.0000	.000	.0000	.000
323.919	14.78	14.78	5912.69	.00	.000	193.75	2867.07	.00	.00	.00	.0000	.000	.0000	.000
338.919	14.78	14.78	5912.69	.00	.000	194.72	2886.56	.00	.00	.00	.0000	.000	.0000	.000
353.919	14.78	14.78	5912.69	.00	.000	195.69	2906.11	.00	.00	.00	.0000	.000	.0000	.000
368.919	14.78	14.78	5912.69	.00	.000	196.66	2925.72	.00	.00	.00	.0000	.000	.0000	.000
383.919	14.78	14.78	5912.69	.00	.000	197.63	2945.40	.00	.00	.00	.0000	.000	.0000	.000
398.919	14.78	14.78	5912.69	.00	.000	198.60	2965.15	.00	.00	.00	.0000	.000	.0000	.000
403.048	14.78	14.78	5912.69	.00	.000	198.87	2970.60	.00	.00	.00	.0000	.000	.0000	.000
418.048	14.78	14.78	5912.69	.00	.000	197.04	3023.33	.00	.00	.00	.0000	.000	.0000	.000
427.061	14.78	14.78	5912.69	.00	.000	195.94	3055.20	.00	.00	.00	.0000	.000	.0000	.000
427.061	14.78	14.78	5912.69	.00	.000	369.90	3055.20	.00	.00	.00	.0000	.000	.0000	.000
442.061	14.78	14.78	5912.69	.00	.000	291.88	2876.17	.00	.00	.00	.0000	.000	.0000	.000
457.061	14.78	14.78	5912.69	.00	.000	213.85	2702.54	.00	.00	.00	.0000	.000	.0000	.000
463.204	14.78	14.78	5912.69	.00	.000	181.90	2633.00	.00	.00	.00	.0000	.000	.0000	.000
478.204	14.78	14.78	5912.69	.00	.000	182.55	2651.71	.00	.00	.00	.0000	.000	.0000	.000
493.204	14.78	14.78	5912.69	.00	.000	183.19	2670.48	.00	.00	.00	.0000	.000	.0000	.000
508.204	14.78	14.78	5912.69	.00	.000	183.84	2689.32	.00	.00	.00	.0000	.000	.0000	.000
523.204	14.78	14.78	5912.69	.00	.000	184.48	2708.23	.00	.00	.00	.0000	.000	.0000	.000
538.204	14.78	14.78	5912.69	.00	.000	185.13	2727.20	.00	.00	.00	.0000	.000	.0000	.000
553.204	14.78	14.78	5912.69	.00	.000	185.77	2746.24	.00	.00	.00	.0000	.000	.0000	.000
568.204	14.78	14.78	5912.69	.00	.000	186.42	2765.35	.00	.00	.00	.0000	.000	.0000	.000
583.204	14.78	14.78	5912.69	.00	.000	187.06	2784.52	.00	.00	.00	.0000	.000	.0000	.000
598.204	14.78	14.78	5912.69	.00	.000	187.71	2803.76	.00	.00	.00	.0000	.000	.0000	.000
613.204	14.78	14.78	5912.69	.00	.000	188.35	2823.06	.00	.00	.00	.0000	.000	.0000	.000

628.204	14.78	14.78	5912.69	.00	.000	189.00	2842.43	.00	.00	.00	.0000	.000	.0000	.000
643.204	14.78	14.78	5912.69	.00	.000	189.64	2861.87	.00	.00	.00	.0000	.000	.0000	.000
658.204	14.78	14.78	5912.69	.00	.000	190.29	2881.37	.00	.00	.00	.0000	.000	.0000	.000
673.204	14.78	14.78	5912.69	.00	.000	190.93	2900.94	.00	.00	.00	.0000	.000	.0000	.000
688.204	14.78	14.78	5912.69	.00	.000	191.58	2920.58	.00	.00	.00	.0000	.000	.0000	.000
703.204	14.78	14.78	5912.69	.00	.000	192.22	2940.28	.00	.00	.00	.0000	.000	.0000	.000
718.204	14.78	14.78	5912.69	.00	.000	192.87	2960.05	.00	.00	.00	.0000	.000	.0000	.000
726.191	14.78	14.78	5912.69	.00	.000	193.21	2970.60	.00	.00	.00	.0000	.000	.0000	.000
741.191	14.78	14.78	5912.69	.00	.000	195.24	3033.48	.00	.00	.00	.0000	.000	.0000	.000
746.336	14.78	14.78	5912.69	.00	.000	195.94	3055.20	.00	.00	.00	.0000	.000	.0000	.000
746.346	14.78	14.78	5912.69	.00	.000	349.40	3055.20	.00	.00	.00	.0000	.000	.0000	.000
761.346	14.78	14.78	5912.69	.00	.000	301.39	3038.57	.00	.00	.00	.0000	.000	.0000	.000
776.346	14.78	14.78	5912.69	.00	.000	253.37	3021.98	.00	.00	.00	.0000	.000	.0000	.000
791.346	14.78	14.78	5912.69	.00	.000	205.36	3005.44	.00	.00	.00	.0000	.000	.0000	.000
799.831	14.78	14.78	5912.69	.00	.000	194.20	3001.60	.00	.00	.00	.0000	.000	.0000	.000
809.831	14.78	14.78	5912.69	.00	.000	195.24	3033.60	.00	.00	.00	.0000	.000	.0000	.000
824.831	14.78	14.78	5912.69	.00	.000	196.27	3065.76	.00	.00	.00	.0000	.000	.0000	.000
839.831	14.78	14.78	5912.69	.00	.000	197.31	3098.10	.00	.00	.00	.0000	.000	.0000	.000
854.781	14.78	14.78	5912.69	.00	.000	198.34	3130.50	.00	.00	.00	.0000	.000	.0000	.000
869.781	14.78	14.78	5912.69	.00	.000	202.78	3272.07	.00	.00	.00	.0000	.000	.0000	.000
884.781	14.78	14.78	5912.69	.00	.000	207.21	3416.76	.00	.00	.00	.0000	.000	.0000	.000
899.781	14.78	14.78	5912.69	.00	.000	211.65	3564.59	.00	.00	.00	.0000	.000	.0000	.000
914.781	14.78	14.78	5912.69	.00	.000	216.08	3715.55	.00	.00	.00	.0000	.000	.0000	.000
929.781	14.78	14.78	5912.69	.00	.000	220.52	3869.64	.00	.00	.00	.0000	.000	.0000	.000
944.781	14.78	14.78	5912.69	.00	.000	224.95	4026.86	.00	.00	.00	.0000	.000	.0000	.000
959.781	14.78	14.78	5912.69	.00	.000	229.39	4187.21	.00	.00	.00	.0000	.000	.0000	.000
974.781	14.78	14.78	5912.69	.00	.000	233.82	4350.68	.00	.00	.00	.0000	.000	.0000	.000
989.781	14.78	14.78	5912.69	.00	.000	238.26	4517.29	.00	.00	.00	.0000	.000	.0000	.000
1004.781	14.78	14.78	5912.69	.00	.000	242.69	4687.03	.00	.00	.00	.0000	.000	.0000	.000
1019.781	14.78	14.78	5912.69	.00	.000	247.13	4859.90	.00	.00	.00	.0000	.000	.0000	.000
1034.781	14.78	14.78	5912.69	.00	.000	251.56	5035.90	.00	.00	.00	.0000	.000	.0000	.000
1040.791	14.78	14.78	5912.69	.00	.000	253.34	5107.30	.00	.00	.00	.0000	.000	.0000	.000
1055.791	14.78	14.78	5912.69	.00	.000	256.29	5227.11	.00	.00	.00	.0000	.000	.0000	.000
1070.791	14.78	14.78	5912.69	.00	.000	259.25	5348.31	.00	.00	.00	.0000	.000	.0000	.000
1084.171	14.78	14.78	5912.69	.00	.000	261.88	5457.60	.00	.00	.00	.0000	.000	.0000	.000
AFT(A)	14.78	14.78	5912.69	.00	.000	.....	5457.60	.00	.00	.00	.0000	.000	....	.....
AFT(B)	14.78	14.78	5912.69	.00	.000	.....	2538.00	.00	.00	.00	.0000	.000	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	1.4778+01	1.4778+01	0.0000	0.0000	1.6460+04	0.0000	1.2902+05	0.0000	0.0000	0.0000
AFT	1.1677+02	1.4778+01	1.4778+01	5.9127+03	0.0000	1.6460+04	0.0000	0.0000	0.0000	0.0000	0.0000

GAS BUILDUP IN SLOT, DW/DT = 0.0000

FOREWARD	4.2705+02	1.4778+01	1.4778+01	0.0000	0.0000	1.6383+04	0.0000	1.2801+05	0.0000	0.0000	0.0000
AFT	4.2706+02	1.4778+01	1.4778+01	5.9127+03	0.0000	1.6383+04	0.0000	0.0000	0.0000	0.0000	0.0000

GAS BUILDUP IN SLOT, DW/DT = 0.0000

FOREWARD	7.4634+02	1.4778+01	1.4778+01	0.0000	0.0000	1.6383+04	0.0000	1.2801+05	0.0000	0.0000	0.0000
AFT	7.4635+02	1.4778+01	1.4778+01	5.9127+03	0.0000	1.6383+04	0.0000	0.0000	0.0000	0.0000	0.0000

GAS BUILDUP IN SLOT, DW/DT = 0.0000

IGNITION TIME, TIME (S) .25000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	4664889.2	1048708.8
TOTAL VACUUM THRUST (N,LBF)	FTVAC	5759738.9	1294840.8
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	33126.393	7447.1094
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	583111.15	131088.60
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.10144	257.10144
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	719967.36	161855.10
THRUST COEFFICIENT	CF	1.6341994	1.6341994
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	2266.6500	4997.1078
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	283.33125	624.63847
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	17.778695	39.195312
INERT MASS REMAINING (KG,LBM)	MIR	3333.0880	7348.2011
TOTAL BURN AREA (M**2,IN**2)	ABTOT	285.30871	442353.39
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	289.46873	17664466.
PROPELLANT MASS REMAINING (KG,LBM)	WF	506515.00	1116674.4
TOTAL GAS MASS (KG,LBM)	WGTOT	178.42708	393.36437
RATIO OF SPECIFIC HEATS	GAMA	1.1595347	1.1595347
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.800267	28.219625
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1554.5711	5100.2988
MAXIMUM CHAMBER MACH NUMBER	AMPN	.40588777	.40588777
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.27923767+09	405.00000
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	36178342.	52.472250
BURN AREA (M**2,IN**2)	AHH	126.68523	196362.50
BURN RATE (M/S,IN/S)	RBZ(1)	.60231337-02	.23713125
DISTANCE BURNED (M,IN)	TAUZ(1)	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFH	46.396614	2831295.1
GAS VOLUME (M**3,IN**3)	VPH	8.7072178	531347.03
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3345.9318	6022.6772
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	143.54997	222502.90
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	234.79459	14328045.
GAS VOLUME (M**3,IN**3)	VP	55.645667	3395706.9
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.23478013+09	340.51979
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	30621150.	44.412223
BURN AREA (M**2,IN**2)	AAN	15.153518	23488.000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.56213406-02	.22131262
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.56213406-02	.22131262
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.00000000	.00000000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFN	8.2775321	505126.00
GAS VOLUME (M**3,IN**3)	VPN	8.7718971	535294.00
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3351.6451	6032.9612
PORT AREA, NOZ ENT (M**2,IN**2)	AZA	5.1281238	7948.6079
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5011926	2326.8532
EXPANSION RATIO	EPR	7.1599839	7.1599839
PRESSURE RATIO	PEPO	.21626636-01	.21626636-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.28998767-01	.28998767-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	5.0000000	5.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	405.00	375.23	6022.68	917.72	.262	180.50	2592.60	2706.02	2915.51	209.49	.2340	.000	.0000	.000
15.000	389.65	374.27	6022.11	925.66	.264	180.81	2601.49	2732.09	40.23	14.17	.2309	.000	.0000	.000
30.000	388.92	373.32	6021.54	933.42	.266	181.12	2610.39	2757.65	39.75	14.18	.2307	.000	.0000	.000
45.000	388.19	372.37	6020.97	941.20	.268	181.42	2619.31	2783.24	39.78	14.19	.2305	.000	.0000	.000
60.000	387.45	371.40	6020.40	948.99	.271	181.73	2628.25	2808.85	39.81	14.20	.2303	.000	.0000	.000
75.000	386.71	370.43	6019.82	956.81	.273	182.04	2637.20	2834.47	39.84	14.22	.2301	.000	.0000	.000
90.000	385.97	369.45	6019.23	964.65	.275	182.35	2646.17	2860.12	39.87	14.23	.2298	.000	.0000	.000
105.000	385.22	368.47	6018.64	972.51	.277	182.66	2655.15	2885.79	39.90	14.24	.2296	.000	.0000	.000
116.761	384.62	367.69	6018.16	978.68	.279	182.90	2662.20	2905.92	31.31	11.17	.2294	.000	.0000	.000
116.771	384.62	367.69	6018.17	978.66	.279	248.50	2662.20	2905.87	.00	.06	.2292	.000	.0000	.000
131.771	384.03	366.44	6016.61	998.86	.285	211.81	2649.04	2941.89	50.22	14.19	.2292	.000	.0000	.000
143.919	383.62	365.55	6015.49	1013.14	.289	182.10	2638.40	2965.26	34.78	11.41	.2290	.000	.0000	.000
158.919	383.08	364.92	6015.23	1016.42	.290	183.07	2657.09	2990.96	39.77	14.08	.2288	.000	.0000	.000
173.919	382.55	364.30	6014.96	1019.71	.291	184.04	2675.85	3016.76	39.96	14.15	.2286	.000	.0000	.000
188.919	382.01	363.67	6014.70	1023.00	.292	185.01	2694.68	3042.67	40.14	14.23	.2285	.000	.0000	.000
203.919	381.47	363.04	6014.44	1026.29	.293	185.98	2713.57	3068.69	40.33	14.30	.2284	.000	.0000	.000
218.919	380.93	362.41	6014.17	1029.59	.294	186.95	2732.53	3094.83	40.52	14.38	.2282	.000	.0000	.000
233.919	380.39	361.78	6013.91	1032.89	.295	187.92	2751.55	3121.08	40.70	14.45	.2281	.000	.0000	.000
248.919	379.85	361.15	6013.64	1036.20	.296	188.90	2770.64	3147.44	40.89	14.53	.2279	.000	.0000	.000
263.919	379.31	360.52	6013.37	1039.51	.297	189.87	2789.79	3173.91	41.07	14.60	.2278	.000	.0000	.000
278.919	378.77	359.89	6013.10	1042.83	.297	190.84	2809.01	3200.49	41.26	14.68	.2277	.000	.0000	.000
293.919	378.22	359.26	6012.83	1046.15	.298	191.81	2828.30	3227.18	41.44	14.75	.2275	.000	.0000	.000
308.919	377.68	358.62	6012.56	1049.48	.299	192.78	2847.65	3253.98	41.63	14.83	.2274	.000	.0000	.000
323.919	377.13	357.98	6012.29	1052.81	.300	193.75	2867.07	3280.89	41.81	14.90	.2272	.000	.0000	.000
338.919	376.59	357.35	6012.01	1056.15	.301	194.72	2886.56	3307.92	42.00	14.98	.2271	.000	.0000	.000
353.919	376.04	356.71	6011.74	1059.49	.302	195.69	2906.11	3335.05	42.18	15.05	.2270	.000	.0000	.000
368.919	375.49	356.07	6011.46	1062.84	.303	196.66	2925.72	3362.29	42.36	15.12	.2268	.000	.0000	.000
383.919	374.95	355.43	6011.18	1066.19	.304	197.63	2945.40	3389.63	42.55	15.20	.2267	.000	.0000	.000
398.919	374.40	354.79	6010.90	1069.54	.305	198.60	2965.15	3417.09	42.73	15.27	.2265	.000	.0000	.000
403.048	374.13	354.50	6010.79	1070.82	.306	198.87	2970.60	3424.67	11.79	4.22	.2264	.000	.0000	.000
418.048	373.55	354.28	6011.59	1061.29	.303	197.04	3023.33	3451.86	42.65	15.45	.2263	.000	.0000	.000
427.051	373.21	354.16	6012.06	1055.52	.301	195.94	3055.20	3467.86	25.40	9.40	.2263	.000	.0000	.000
427.061	373.21	354.16	6012.07	1055.49	.301	369.90	3055.20	3467.80	.00	.06	.2263	.000	.0000	.000
442.061	372.53	350.01	6003.82	1151.23	.329	291.88	2876.17	3523.86	71.25	15.20	.2263	.000	.0000	.000
457.061	372.04	345.52	5994.24	1253.26	.358	213.85	2702.54	3564.08	54.36	14.13	.2253	.000	.0000	.000
463.204	371.94	343.61	5989.90	1296.91	.371	181.90	2633.00	3575.94	17.34	5.49	.2243	.000	.0000	.000
478.204	371.21	342.80	5989.59	1300.00	.372	182.55	2651.71	3601.58	38.86	13.22	.2239	.000	.0000	.000
493.204	370.48	342.00	5989.28	1303.04	.372	183.19	2670.48	3627.24	38.95	13.29	.2237	.000	.0000	.000
508.204	369.75	341.20	5988.97	1306.08	.373	183.84	2689.32	3652.94	39.05	13.35	.2235	.000	.0000	.000
523.204	369.02	340.40	5988.66	1309.11	.374	184.48	2708.23	3678.69	39.16	13.41	.2233	.000	.0000	.000
538.204	368.29	339.60	5988.35	1312.13	.375	185.13	2727.20	3704.49	39.26	13.47	.2231	.000	.0000	.000
553.204	367.56	338.80	5988.04	1315.14	.376	185.77	2746.24	3730.32	39.37	13.53	.2230	.000	.0000	.000
568.204	366.83	338.00	5987.73	1318.15	.377	186.42	2765.35	3756.20	39.47	13.59	.2228	.000	.0000	.000
583.204	366.11	337.21	5987.42	1321.15	.378	187.06	2784.52	3782.12	39.58	13.66	.2226	.000	.0000	.000
598.204	365.38	336.41	5987.11	1324.14	.379	187.71	2803.76	3808.08	39.68	13.72	.2224	.000	.0000	.000
613.204	364.66	335.62	5986.80	1327.13	.379	188.35	2823.06	3834.09	39.78	13.78	.2222	.000	.0000	.000

628.204	363.93	334.83	5986.50	1330.11	.380	189.00	2842.43	3860.14	39.89	13.84	.2220	.000	.0000	.000
643.204	363.21	334.03	5986.19	1333.09	.381	189.64	2851.87	3886.23	39.99	13.90	.2219	.000	.0000	.000
658.204	362.49	333.24	5985.88	1336.06	.382	190.29	2881.37	3912.36	40.09	13.96	.2217	.000	.0000	.000
673.204	361.76	332.46	5985.57	1339.03	.383	190.93	2900.94	3938.53	40.20	14.02	.2215	.000	.0000	.000
688.204	361.04	331.67	5985.26	1341.99	.384	191.58	2920.58	3964.75	40.30	14.08	.2213	.000	.0000	.000
703.204	360.32	330.88	5984.95	1344.95	.385	192.22	2940.28	3991.01	40.40	14.14	.2211	.000	.0000	.000
718.204	359.60	330.09	5984.64	1347.90	.385	192.87	2960.05	4017.30	40.50	14.20	.2209	.000	.0000	.000
726.191	358.94	329.37	5984.34	1350.70	.386	193.21	2970.60	4031.32	21.60	7.58	.2208	.000	.0000	.000
741.191	358.09	329.38	5986.32	1331.77	.381	195.24	3033.48	4057.71	40.79	14.40	.2206	.000	.0000	.000
746.336	357.81	329.39	5986.99	1325.36	.379	195.94	3055.20	4066.77	14.08	5.01	.2206	.000	.0000	.000
746.346	357.81	329.39	5986.99	1325.33	.379	349.40	3055.20	4066.74	.09	.05	.2206	.000	.0000	.000
761.346	356.94	327.21	5983.53	1358.39	.388	301.39	3038.57	4120.48	68.31	14.57	.2206	.000	.0000	.000
776.346	356.20	325.29	5980.38	1387.80	.397	253.37	3021.98	4164.25	58.17	14.40	.2201	.000	.0000	.000
791.346	355.60	323.64	5977.59	1413.24	.404	205.36	3005.44	4198.00	48.00	14.25	.2196	.000	.0000	.000
794.831	355.48	323.30	5977.00	1418.58	.406	194.20	3001.60	4204.41	9.69	3.29	.2192	.000	.0000	.000
809.831	354.67	322.71	5977.39	1415.10	.405	195.24	3033.60	4230.82	40.62	14.20	.2191	.000	.0000	.000
824.831	353.87	322.13	5977.77	1411.65	.404	196.27	3065.76	4257.31	40.82	14.33	.2190	.000	.0000	.000
839.831	353.08	321.56	5978.15	1408.23	.403	197.31	3098.10	4283.87	41.01	14.45	.2189	.000	.0000	.000
854.781	352.29	320.99	5978.52	1404.85	.402	198.34	3130.50	4310.41	41.06	14.52	.2187	.000	.0000	.000
869.781	351.74	322.97	5984.88	1345.57	.385	202.78	3272.07	4337.14	41.74	15.01	.2186	.000	.0000	.000
884.781	351.22	324.71	5990.51	1290.87	.369	207.21	3416.76	4364.08	42.70	15.76	.2191	.000	.0000	.000
899.781	350.73	326.22	5995.51	1240.29	.354	211.65	3564.59	4391.27	43.71	16.52	.2195	.000	.0000	.000
914.781	349.92	327.19	5999.84	1194.66	.341	216.08	3715.55	4418.70	44.71	17.28	.2198	.000	.0000	.000
929.781	349.19	328.05	6003.75	1151.97	.329	220.52	3869.64	4446.36	45.70	18.04	.2201	.000	.0000	.000
944.781	348.52	328.83	6007.29	1111.95	.317	224.95	4026.86	4474.21	46.67	18.82	.2203	.000	.0000	.000
959.781	347.91	329.53	6010.50	1074.36	.307	229.39	4187.21	4502.24	47.64	19.61	.2205	.000	.0000	.000
974.781	347.34	330.15	6013.42	1038.99	.296	233.82	4350.68	4530.43	48.61	20.42	.2206	.000	.0000	.000
989.781	346.82	330.72	6016.08	1005.64	.287	238.26	4517.29	4558.77	49.58	21.24	.2208	.000	.0000	.000
1004.781	346.34	331.23	6018.51	974.17	.278	242.69	4687.03	4587.24	50.54	22.07	.2209	.000	.0000	.000
1019.781	345.89	331.69	6020.74	944.40	.269	247.13	4859.90	4615.82	51.50	22.92	.2210	.000	.0000	.000
1034.781	345.47	332.11	6022.78	916.22	.261	251.56	5035.90	4644.50	52.46	23.78	.2211	.000	.0000	.000
1040.791	345.31	332.27	6023.56	905.32	.258	253.34	5107.30	4656.02	21.29	9.77	.2212	.000	.0000	.000
1055.791	344.96	332.36	6024.64	889.97	.254	256.29	5227.11	4684.82	53.66	24.86	.2213	.000	.0000	.000
1070.791	344.61	332.44	6025.66	875.10	.249	259.25	5348.31	4713.66	54.28	25.44	.2213	.000	.0000	.000
1084.171	344.31	332.50	6026.53	862.23	.246	261.88	5457.60	4739.42	48.95	23.19	.2213	.000	.0000	.000
AFT(A)	340.53	326.90	5996.59	930.96	.266	.....	7948.61	4997.11	130.30	57.16	.2213	.000	....	.....
AFT(B)	340.53	340.45	6032.96	-70.71	.020	.....	2538.00	184.55	199.53	14.98	.2213	.000	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	3.8462+02	3.6769+02	6.0182+03	1.5829+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	2.9059+03
AFT	1.1677+02	3.8462+02	3.6769+02	6.0182+03	1.5828+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	2.9059+03

GAS BUILDUP IN SLOT, DW/DT = 5.8738-02

FOREWARD	4.2705+02	3.7321+02	3.5416+02	6.0121+03	1.9684+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.4679+03
AFT	4.2706+02	3.7321+02	3.5416+02	6.0121+03	1.9684+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.4678+03

GAS BUILDUP IN SLOT, DW/DT = 5.6289-02

FOREWARD	7.4634+02	3.5781+02	3.2939+02	5.9870+03	2.4716+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0668+03
AFT	7.4635+02	3.5781+02	3.2939+02	5.9870+03	2.4716+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0667+03

GAS BUILDUP IN SLOT, DW/DT = 5.2401-02

IGNITION TIME, TIME (S) .50000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10596360.	2382156.5
TOTAL VACUUM THRUST (N,LBF)	FTVAC	11690885.	2628215.6
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	92779.857	20857.742
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	2490767.2	559946.76
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.79596	257.79596
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	2901295.4	652237.15
THRUST COEFFICIENT	CF	1.6375851	1.6375851
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4574.5549	10085.167
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	1138.4819	2509.9229
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	49.794276	109.77759
INERT MASS REMAINING (KG,LBM)	MIR	3320.6394	7320.7567
TOTAL BURN AREA (M**2,IN**2)	ABTOT	285.74817	442910.54
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	289.05111	17638981.
PROPELLANT MASS REMAINING (KG,LBM)	WF	505493.34	1114422.0
TOTAL GAS MASS (KG,LBM)	WGTOT	358.30218	789.92110
RATIO OF SPECIFIC HEATS	GAMA	1.1599295	1.1599295
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.885062	28.406700
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1560.7701	5120.6368
MAXIMUM CHAMBER MACH NUMBER	AMPN	.39722908	.39722908
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.55847534+09	810.00000
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.14089247+09	204.34725
BURN AREA (M**2,IN**2)	AHH	126.79689	196535.57
BURN RATE (M/S,IN/S)	RBZ(1)	.10870246-01	.42796243
DISTANCE BURNED (M,IN)	TAUZ(1)	.15057834-02	.59282812-01
PROPELLANT VOLUME (M**3,IN**3)	VFH	46.205770	2819649.1
GAS VOLUME (M**3,IN**3)	VPH	8.8980620	542993.06
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3408.8481	6135.9265
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	143.78320	222864.40
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	234.56912	14315506.
GAS VOLUME (M**3,IN**3)	VP	55.851216	3408250.3
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.47552204+09	689.68641
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.11940892+09	173.18800
BURN AREA (M**2,IN**2)	AAN	15.168082	23510.574
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.10189071-01	.40114453
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.10189071-01	.40114453
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.14053351-02	.55328156-01
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.14053351-02	.55328156-01
PROPELLANT VOLUME (M**3,IN**3)	VFN	8.2562261	503825.83
GAS VOLUME (M**3,IN**3)	VPN	8.7932030	536594.17
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3409.3778	6136.8801
PORT AREA, NOZ ENT (M**2,IN**2)	AZA	5.1397368	7966.6080
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5013186	2327.0486
EXPANSION RATIO	EPR	7.1593828	7.1593828
PRESSURE RATIO	PEPO	.21607906-01	.21607906-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.41061602-01	.41061602-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	4.0000000	4.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	810.00	758.92	6135.93	850.38	.241	180.87	2603.31	5031.57	5276.62	245.04	.4231	.059	.0000	.000
15.000	783.73	757.34	6135.35	858.94	.243	181.18	2612.17	5089.38	72.90	15.09	.4183	.058	.0000	.000
30.000	782.63	755.76	6134.78	867.35	.246	181.49	2621.05	5146.43	72.17	15.12	.4180	.058	.0000	.000
45.000	781.52	754.17	6134.20	875.77	.248	181.79	2629.94	5203.52	72.24	15.15	.4177	.058	.0000	.000
60.000	780.40	752.57	6133.62	884.19	.251	182.10	2638.85	5260.66	72.31	15.17	.4174	.058	.0000	.000
75.000	779.26	750.95	6133.03	892.62	.253	182.41	2647.78	5317.83	72.37	15.20	.4171	.058	.0000	.000
90.000	778.12	749.32	6132.43	901.06	.255	182.71	2656.72	5375.05	72.44	15.23	.4168	.057	.0000	.000
105.000	776.97	747.68	6131.83	909.50	.258	183.02	2665.67	5432.31	72.51	15.25	.4165	.057	.0000	.000
116.761	776.05	746.38	6131.35	916.13	.260	183.26	2672.70	5477.22	56.89	11.98	.4161	.057	.0000	.000
116.771	776.05	746.38	6131.45	914.75	.259	248.12	2676.43	5477.16	.00	.06	.4159	.057	.0000	.000
131.771	775.24	744.38	6129.97	935.10	.265	211.84	2661.17	5552.91	91.03	15.28	.4159	.057	.0000	.000
143.919	774.69	742.89	6128.88	949.81	.269	182.46	2648.83	5603.81	63.17	12.27	.4155	.057	.0000	.000
158.919	773.22	741.14	6128.49	954.95	.271	183.43	2667.58	5661.00	72.32	15.13	.4152	.057	.0000	.000
173.919	771.74	739.39	6128.11	960.10	.272	184.40	2686.39	5718.45	72.65	15.19	.4149	.057	.0000	.000
188.919	770.26	737.63	6127.71	965.26	.274	185.37	2705.26	5776.17	72.97	15.26	.4145	.057	.0000	.000
203.919	768.77	735.86	6127.32	970.43	.275	186.34	2724.21	5834.15	73.29	15.32	.4142	.057	.0000	.000
218.919	767.28	734.08	6126.92	975.62	.277	187.31	2743.21	5892.38	73.61	15.38	.4138	.057	.0000	.000
233.919	765.78	732.30	6126.52	980.81	.278	188.28	2762.28	5950.88	73.93	15.44	.4135	.057	.0000	.000
248.919	764.28	730.52	6126.12	986.02	.280	189.25	2781.42	6009.64	74.25	15.50	.4131	.057	.0000	.000
263.919	762.77	728.72	6125.71	991.25	.281	190.22	2800.63	6068.65	74.57	15.56	.4128	.057	.0000	.000
278.919	761.25	726.92	6125.30	996.49	.283	191.19	2819.90	6127.92	74.89	15.61	.4124	.057	.0000	.000
293.919	759.73	725.12	6124.89	1001.74	.284	192.17	2839.23	6187.46	75.20	15.67	.4121	.057	.0000	.000
308.919	758.21	723.30	6124.47	1007.00	.286	193.14	2858.63	6247.25	75.52	15.73	.4117	.057	.0000	.000
323.919	756.68	721.48	6124.05	1012.28	.287	194.11	2878.09	6307.29	75.83	15.79	.4113	.057	.0000	.000
338.919	755.14	719.66	6123.63	1017.58	.289	195.08	2897.63	6367.60	76.15	15.84	.4110	.057	.0000	.000
353.919	753.60	717.82	6123.20	1022.89	.290	196.05	2917.22	6428.16	76.46	15.90	.4106	.057	.0000	.000
368.919	752.05	715.98	6122.77	1028.22	.292	197.02	2936.89	6488.97	76.77	15.95	.4102	.057	.0000	.000
383.919	750.50	714.14	6122.34	1033.56	.293	197.99	2956.61	6550.04	77.08	16.01	.4099	.057	.0000	.000
398.919	748.94	712.29	6121.90	1038.92	.295	198.96	2976.41	6611.37	77.39	16.06	.4095	.057	.0000	.000
403.048	748.51	711.78	6121.78	1040.40	.295	199.23	2981.87	6628.29	21.35	4.43	.4091	.057	.0000	.000
418.048	747.50	711.36	6122.43	1032.48	.293	197.39	3034.49	6689.25	77.21	16.25	.4090	.057	.0000	.000
427.051	746.91	711.13	6122.82	1027.68	.291	196.30	3066.29	6725.36	45.99	9.88	.4089	.057	.0000	.000
427.061	746.91	711.13	6123.11	1024.08	.290	370.11	3076.13	6725.30	.00	.06	.4089	.057	.0000	.000
442.061	745.73	703.62	6115.19	1117.97	.317	292.14	2892.80	6834.05	128.87	16.13	.4089	.057	.0000	.000
457.061	744.90	695.14	6105.92	1218.71	.346	214.18	2714.67	6921.45	98.38	14.97	.4074	.056	.0000	.000
463.204	744.73	691.49	6101.69	1262.05	.359	182.25	2643.21	6947.06	31.41	5.81	.4057	.056	.0000	.000
478.204	743.47	690.00	6101.29	1266.01	.360	182.90	2661.95	7003.49	70.42	13.99	.4049	.056	.0000	.000
493.204	742.22	688.52	6100.90	1269.93	.361	183.54	2680.75	7060.01	70.58	14.06	.4046	.056	.0000	.000
508.204	740.96	687.04	6100.51	1273.83	.362	184.19	2699.62	7116.66	70.78	14.13	.4043	.056	.0000	.000
523.204	739.71	685.55	6100.12	1277.73	.363	184.83	2718.55	7173.43	70.97	14.20	.4040	.056	.0000	.000
538.204	738.45	684.07	6099.73	1281.61	.364	185.48	2737.55	7230.32	71.17	14.28	.4037	.056	.0000	.000
563.204	737.20	682.59	6099.34	1285.48	.365	186.12	2756.62	7287.33	71.36	14.35	.4034	.056	.0000	.000
568.204	735.94	681.11	6098.94	1289.34	.366	186.77	2775.75	7344.46	71.55	14.42	.4031	.056	.0000	.000
583.204	734.69	679.63	6098.55	1293.19	.367	187.41	2794.95	7401.72	71.75	14.49	.4028	.056	.0000	.000
598.204	733.43	678.16	6098.16	1297.03	.369	188.06	2814.22	7459.10	71.94	14.56	.4025	.056	.0000	.000
613.204	732.17	676.68	6097.77	1300.86	.370	188.70	2833.55	7516.59	72.13	14.63	.4022	.056	.0000	.000

628.204	730.92	675.20	6097.38	1304.68	.371	189.35	2852.94	7574.21	72.32	14.70	.4019	.056	.0000	.000
643.204	729.66	673.73	6096.99	1308.50	.372	189.99	2872.41	7631.95	72.51	14.78	.4015	.055	.0000	.000
658.204	728.41	672.26	6096.59	1312.30	.373	190.63	2891.93	7689.81	72.70	14.85	.4012	.055	.0000	.000
673.204	727.15	670.78	6096.20	1316.09	.374	191.28	2911.53	7747.79	72.89	14.92	.4009	.055	.0000	.000
688.204	725.89	669.31	6095.81	1319.88	.375	191.92	2931.19	7805.88	73.08	14.99	.4006	.055	.0000	.000
703.204	724.64	667.84	6095.41	1323.66	.376	192.57	2950.91	7864.10	73.27	15.06	.4003	.055	.0000	.000
718.204	723.38	666.37	6095.02	1327.42	.377	193.21	2970.71	7922.43	73.46	15.13	.4000	.055	.0000	.000
726.191	722.26	665.09	6094.71	1330.40	.378	193.56	2981.27	7953.53	39.19	8.08	.3997	.055	.0000	.000
741.191	720.76	665.16	6096.55	1312.75	.373	195.59	3044.26	8012.17	73.99	15.35	.3994	.055	.0000	.000
746.336	720.27	665.19	6097.16	1306.78	.371	196.29	3066.01	8032.38	25.55	5.34	.3994	.055	.0000	.000
746.346	720.27	665.19	6097.58	1302.61	.370	349.40	3074.47	8032.33	.00	.06	.3995	.055	.0000	.000
761.346	719.04	661.71	6094.19	1335.39	.380	301.49	3055.18	8140.40	123.74	15.67	.3995	.055	.0000	.000
776.346	718.04	658.32	6091.04	1364.99	.388	253.58	3035.73	8230.35	105.44	15.48	.3987	.055	.0000	.000
791.346	717.30	655.42	6088.20	1391.14	.396	205.68	3016.71	8302.12	87.07	15.30	.3980	.055	.0000	.000
794.831	717.16	654.82	6087.59	1396.71	.397	194.53	3012.25	8316.19	17.60	3.53	.3974	.055	.0000	.000
809.831	715.74	653.75	6087.88	1394.09	.396	195.58	3044.30	8374.71	73.76	15.25	.3973	.055	.0000	.000
824.831	714.34	652.69	6088.16	1391.49	.396	196.62	3076.52	8433.44	74.12	15.38	.3970	.055	.0000	.000
839.831	712.95	651.64	6088.44	1388.92	.395	197.65	3108.91	8492.39	74.47	15.52	.3968	.055	.0000	.000
854.781	711.57	650.59	6088.72	1386.40	.394	198.68	3141.36	8551.35	74.57	15.61	.3966	.055	.0000	.000
869.781	710.59	654.44	6094.83	1329.23	.378	203.12	3283.31	8611.04	75.81	16.12	.3964	.055	.0000	.000
884.781	709.66	657.80	6100.24	1276.52	.363	207.55	3428.37	8671.67	77.54	16.92	.3972	.055	.0000	.000
899.781	708.79	660.75	6105.04	1227.79	.349	211.99	3576.54	8733.32	79.37	17.72	.3979	.055	.0000	.000
914.781	707.33	662.68	6109.22	1183.78	.336	216.43	3727.81	8795.97	81.18	18.53	.3985	.055	.0000	.000
929.781	706.01	664.40	6112.99	1142.66	.324	220.86	3882.19	8859.60	82.97	19.34	.3989	.055	.0000	.000
944.781	704.80	665.95	6116.40	1104.16	.313	225.30	4039.68	8924.17	84.74	20.17	.3993	.055	.0000	.000
959.781	703.69	667.34	6119.49	1068.04	.303	229.73	4200.28	8989.66	86.50	21.01	.3996	.055	.0000	.000
974.781	702.67	668.60	6122.30	1034.10	.293	234.17	4363.98	9056.04	88.25	21.87	.3999	.055	.0000	.000
989.781	701.73	669.72	6124.86	1002.15	.284	238.60	4530.80	9123.31	90.00	22.74	.4002	.055	.0000	.000
1004.781	700.85	670.74	6127.20	972.03	.276	243.04	4700.72	9191.43	91.75	23.62	.4004	.055	.0000	.000
1019.781	700.03	671.67	6129.34	943.59	.267	247.47	4873.74	9260.40	93.49	24.52	.4006	.055	.0000	.000
1034.781	699.27	672.50	6131.31	916.70	.260	251.91	5049.88	9330.19	95.23	25.44	.4008	.055	.0000	.000
1040.791	698.98	672.82	6132.06	906.31	.257	253.69	5121.32	9358.38	38.65	10.45	.4010	.055	.0000	.000
1055.791	698.33	672.99	6133.06	892.19	.253	256.64	5241.31	9429.19	97.39	26.58	.4011	.055	.0000	.000
1070.791	697.71	673.14	6134.01	878.53	.249	259.59	5362.68	9500.52	98.53	27.20	.4011	.055	.0000	.000
1084.171	697.16	673.26	6134.82	866.72	.246	262.23	5472.10	9564.57	88.85	24.79	.4011	.055	.0000	.000
AF1(A)	689.71	662.11	6098.78	936.12	.266	.....	7966.61	10085.17	236.41	61.11	.4011	.055	....	.....
AF1(B)	689.71	689.57	6136.88	-65.57	.019	.....	2556.00	345.30	362.00	16.70	.4011	.055	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FORWARD	1.1675+02	7.7605+02	7.4638+02	6.1314+03	1.4876+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	5.4772+03
AFT	1.1677+02	7.7614+02	7.4647+02	6.1315+03	1.4874+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	5.4772+03

GAS BUILDUP IN SLOT, DW/DT = 6.2278-02

FORWARD	4.2705+02	7.4691+02	7.1113+02	6.1228+03	1.9234+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7254+03
AFT	4.2706+02	7.4717+02	7.1137+02	6.1231+03	1.9228+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7253+03

GAS BUILDUP IN SLOT, DW/DT = 5.8535-02

FORWARD	7.4634+02	7.2027+02	6.6519+02	6.0972+03	2.4456+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	8.0324+03
AFT	7.4635+02	7.2063+02	6.6553+02	6.0976+03	2.4445+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	8.0323+03

GAS BUILDUP IN SLOT, DW/DT = 5.5302-02

IGNITION TIME, TIME (S) .75000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	1145637.	257549.2
TOTAL VACUUM THRUST (N,LBF)	FTVAC	1255057.	282148.5
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	115954.34	26067.573
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	5247358.9	1179653.2
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.99257	257.99257
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	5931477.9	1333449.3
THRUST COEFFICIENT	CF	1.6396975	1.6396975
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4898.3856	10799.092
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	2322.5994	5120.4552
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	62.231854	137.19775
INERT MASS REMAINING (KG,LBM)	MIR	3305.0814	7286.4573
TOTAL BURN AREA (M**2,IN**2)	ABTOT	286.39837	443918.37
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	288.29455	17592813.
PROPELLANT MASS REMAINING (KG,LBM)	WF	504207.80	1111587.9
TOTAL GAS MASS (KG,LBM)	WGTOT	385.80504	850.55453
RATIO OF SPECIFIC HEATS	GAMA	1.1599656	1.1599656
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.889716	28.416960
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1561.4510	5122.8709
MAXIMUM CHAMBER MACH NUMBER	AMPN	.38579373	.38579373
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.58467542+09	848.00000
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.28378631+09	411.59725
BURN AREA (M**2,IN**2)	AHH	126.99840	196847.92
BURN RATE (M/S,IN/S)	RBZ(1)	.10282324-01	.40481591
DISTANCE BURNED (M,IN)	TAUZ(1)	.42233448-02	.16627342
PROPELLANT VOLUME (M**3,IN**3)	VFH	45.860918	2798604.9
GAS VOLUME (M**3,IN**3)	VPH	9.2429140	564037.22
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3414.1343	6145.4418
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	144.20549	223518.96
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	234.21608	14292742.
GAS VOLUME (M**3,IN**3)	VP	56.224286	3431016.4
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.50975334+09	739.33472
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.24256834+09	351.81564
BURN AREA (M**2,IN**2)	AAN	15.199479	23551.490
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.97185936-02	.38262180
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.97185936-02	.38262180
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.39526029-02	.15561429
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.39526029-02	.15561429
PROPELLANT VOLUME (M**3,IN**3)	VFN	8.2175554	501466.00
GAS VOLUME (M**3,IN**3)	VPN	8.8318738	538954.01
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3415.8859	6148.5946
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	5.1607860	7999.2344
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5015500	2327.4071
EXPANSION RATIO	EPR	7.1582800	7.1582800
PRESSURE RATIO	PEPO	.21610336-01	.21610336-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.38222494-01	.38222494-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	3.0000000	3.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	848.00	802.05	6145.44	785.02	.222	181.55	2622.70	4939.51	5007.33	67.82	.4009	.166	.0000	.000
15.000	824.47	800.68	6144.86	794.34	.225	181.85	2631.52	5006.91	69.33	1.93	.3970	.162	.0000	.000
30.000	823.63	799.32	6144.28	803.54	.228	182.16	2640.37	5073.71	68.75	1.94	.3968	.162	.0000	.000
45.000	822.78	797.94	6143.70	812.73	.230	182.46	2649.22	5140.57	68.82	1.96	.3965	.162	.0000	.000
60.000	821.91	796.55	6143.11	821.92	.233	182.76	2658.09	5207.50	68.90	1.97	.3963	.162	.0000	.000
75.000	821.04	795.14	6142.51	831.10	.235	183.07	2666.98	5274.48	68.97	1.99	.3960	.162	.0000	.000
90.000	820.16	793.72	6141.90	840.29	.238	183.37	2675.88	5341.52	69.04	2.00	.3958	.162	.0000	.000
105.000	819.26	792.28	6141.29	849.47	.241	183.68	2684.80	5408.62	69.11	2.01	.3956	.162	.0000	.000
116.761	818.56	791.15	6140.81	856.67	.243	183.91	2691.80	5461.27	54.23	1.59	.3953	.161	.0000	.000
116.771	818.56	791.15	6141.04	853.17	.242	247.43	2702.19	5461.26	.00	.01	.3951	.161	.0000	.000
131.771	818.07	789.56	6139.61	874.26	.248	211.89	2683.19	5545.53	86.36	2.10	.3951	.161	.0000	.000
143.919	817.77	788.25	6138.52	889.88	.252	183.12	2667.82	5604.00	60.13	1.66	.3948	.161	.0000	.000
158.919	816.58	786.72	6138.10	895.88	.254	184.08	2686.65	5670.92	68.97	2.05	.3946	.161	.0000	.000
173.919	815.39	785.17	6137.68	901.88	.255	185.05	2705.55	5738.14	69.29	2.07	.3943	.161	.0000	.000
188.919	814.19	783.62	6137.25	907.87	.257	186.02	2724.51	5805.66	69.61	2.09	.3941	.161	.0000	.000
203.919	812.98	782.06	6136.82	913.86	.259	186.99	2743.54	5873.47	69.92	2.11	.3938	.161	.0000	.000
218.919	811.77	780.50	6136.39	919.84	.261	187.96	2762.63	5941.58	70.24	2.14	.3935	.161	.0000	.000
233.919	810.55	778.92	6135.95	925.83	.262	188.93	2781.79	6009.97	70.55	2.16	.3932	.160	.0000	.000
248.919	809.32	777.34	6135.51	931.81	.264	189.90	2801.01	6078.66	70.87	2.18	.3930	.160	.0000	.000
263.919	808.08	775.75	6135.07	937.79	.266	190.87	2820.30	6147.63	71.18	2.20	.3927	.160	.0000	.000
278.919	806.84	774.15	6134.63	943.77	.267	191.84	2839.65	6216.89	71.49	2.23	.3924	.160	.0000	.000
293.919	805.59	772.54	6134.18	949.75	.269	192.81	2859.06	6286.44	71.80	2.25	.3921	.160	.0000	.000
308.919	804.33	770.93	6133.73	955.73	.271	193.78	2878.55	6356.28	72.11	2.27	.3918	.160	.0000	.000
323.919	803.07	769.30	6133.28	961.71	.273	194.75	2898.09	6426.41	72.42	2.30	.3915	.160	.0000	.000
338.919	801.80	767.67	6132.83	967.69	.274	195.72	2917.70	6496.81	72.73	2.32	.3912	.160	.0000	.000
353.919	800.52	766.04	6132.37	973.67	.276	196.69	2937.38	6567.51	73.03	2.34	.3910	.159	.0000	.000
368.919	799.23	764.39	6131.91	979.66	.278	197.66	2957.12	6638.48	73.34	2.37	.3907	.159	.0000	.000
383.919	797.94	762.74	6131.45	985.64	.279	198.63	2976.92	6709.74	73.65	2.39	.3904	.159	.0000	.000
398.919	796.64	761.08	6130.98	991.63	.281	199.60	2996.80	6781.28	73.95	2.41	.3901	.159	.0000	.000
403.048	796.28	760.62	6130.85	993.28	.282	199.87	3002.28	6801.01	20.40	.67	.3898	.159	.0000	.000
418.048	795.39	760.19	6131.33	987.10	.280	198.04	3054.70	6872.36	73.80	2.45	.3897	.159	.0000	.000
427.051	794.17	759.23	6131.55	984.29	.279	196.94	3086.40	6914.85	43.96	1.48	.3896	.159	.0000	.000
427.061	794.17	759.23	6132.28	974.85	.276	370.48	3113.98	6914.84	.00	.01	.3894	.159	.0000	.000
442.061	793.11	752.32	6124.95	1065.98	.302	292.63	2922.91	7035.16	122.91	2.59	.3896	.159	.0000	.000
457.061	792.36	743.92	6116.28	1164.72	.331	214.78	2736.63	7126.72	93.93	2.36	.3882	.158	.0000	.000
463.204	792.22	740.26	6112.27	1207.55	.343	182.89	2661.73	7155.85	30.03	.90	.3867	.157	.0000	.000
478.204	791.10	738.82	6111.82	1212.29	.344	183.54	2680.52	7221.05	67.37	2.17	.3860	.157	.0000	.000
493.204	789.99	737.39	6111.37	1216.98	.345	184.18	2699.37	7286.40	67.52	2.18	.3858	.157	.0000	.000
508.204	788.88	735.96	6110.92	1221.66	.347	184.82	2718.29	7351.91	67.72	2.20	.3855	.157	.0000	.000
523.204	787.77	734.53	6110.47	1226.32	.348	185.47	2737.28	7417.60	67.91	2.22	.3852	.157	.0000	.000
538.204	786.65	733.10	6110.02	1230.96	.350	186.11	2756.33	7483.47	68.10	2.23	.3850	.157	.0000	.000
553.204	785.54	731.67	6109.57	1235.59	.351	186.76	2775.45	7549.50	68.28	2.25	.3847	.157	.0000	.000
568.204	784.42	730.24	6109.12	1240.21	.352	187.40	2794.63	7615.71	68.47	2.26	.3844	.156	.0000	.000
583.204	783.30	728.81	6108.67	1244.81	.353	188.04	2813.88	7682.09	68.66	2.28	.3842	.156	.0000	.000
598.204	782.18	727.38	6108.22	1249.39	.355	188.69	2833.19	7748.65	68.85	2.30	.3839	.156	.0000	.000
613.204	781.06	725.95	6107.77	1253.97	.356	189.33	2852.57	7815.37	69.04	2.31	.3836	.156	.0000	.000

628.204	779.94	724.52	6107.32	1258.52	.357	189.98	2872.01	7882.27	69.23	2.33	.3834	.156	.0000	.000
643.204	778.82	723.09	6106.87	1263.07	.359	190.62	2891.52	7949.33	69.41	2.35	.3831	.156	.0000	.000
658.204	777.69	721.66	6106.42	1267.60	.360	191.26	2911.10	8016.57	69.60	2.36	.3829	.156	.0000	.000
673.204	776.57	720.23	6105.97	1272.12	.361	191.91	2930.74	8083.97	69.79	2.38	.3826	.156	.0000	.000
688.204	775.44	718.79	6105.51	1276.63	.363	192.55	2950.45	8151.55	69.97	2.40	.3823	.155	.0000	.000
703.204	774.32	717.36	6105.06	1281.12	.364	193.20	2970.22	8219.29	70.16	2.41	.3821	.155	.0000	.000
718.204	773.19	715.93	6104.61	1285.61	.365	193.84	2990.06	8287.20	70.34	2.43	.3818	.155	.0000	.000
726.191	772.21	714.76	6104.29	1288.71	.366	194.18	3000.64	8323.43	37.53	1.30	.3815	.155	.0000	.000
741.191	770.86	714.89	6105.91	1272.64	.361	196.22	3063.83	8391.81	70.86	2.48	.3813	.155	.0000	.000
746.336	770.41	714.93	6106.46	1267.21	.360	196.91	3085.65	8415.42	24.47	.86	.3813	.155	.0000	.000
746.346	770.41	714.93	6107.45	1256.27	.357	349.41	3109.36	8415.41	.00	.01	.3813	.155	.0000	.000
761.346	768.81	711.46	6104.11	1290.52	.367	301.69	3085.29	8530.90	118.18	2.68	.3815	.155	.0000	.000
776.346	767.50	707.49	6100.84	1322.30	.376	253.97	3061.23	8629.10	100.78	2.59	.3807	.155	.0000	.000
791.346	766.41	703.92	6097.77	1351.40	.384	206.26	3037.19	8709.92	83.30	2.49	.3799	.154	.0000	.000
799.831	766.39	703.36	6097.19	1357.35	.386	195.17	3031.61	8726.20	16.85	.56	.3793	.154	.0000	.000
809.831	765.11	702.34	6097.32	1355.62	.385	196.21	3063.76	8794.39	70.63	2.44	.3792	.154	.0000	.000
824.831	763.84	701.33	6097.50	1353.92	.385	197.24	3096.87	8862.90	70.97	2.46	.3790	.154	.0000	.000
839.831	762.57	700.32	6097.68	1352.26	.384	198.28	3128.55	8931.72	71.31	2.49	.3788	.154	.0000	.000
854.781	761.33	699.32	6097.85	1350.63	.384	199.31	3161.09	9000.62	71.41	2.51	.3786	.154	.0000	.000
869.781	760.42	703.19	6103.51	1296.41	.368	203.74	3303.74	9070.63	72.60	2.59	.3784	.154	.0000	.000
884.781	759.56	706.59	6108.51	1246.44	.354	208.18	3449.45	9142.18	74.25	2.70	.3791	.154	.0000	.000
899.781	758.06	708.83	6112.85	1201.51	.341	212.61	3598.24	9215.37	75.98	2.79	.3798	.154	.0000	.000
914.781	756.70	710.83	6116.74	1159.68	.329	217.05	3750.09	9290.18	77.70	2.89	.3802	.155	.0000	.000
929.781	755.46	712.62	6120.24	1120.65	.318	221.49	3905.00	9366.55	79.38	3.01	.3806	.155	.0000	.000
944.781	754.33	714.23	6123.42	1084.15	.307	225.92	4062.98	9444.48	81.06	3.13	.3809	.155	.0000	.000
959.781	753.29	715.68	6126.29	1049.95	.298	230.36	4224.03	9523.96	82.74	3.26	.3812	.155	.0000	.000
974.781	752.33	716.98	6128.90	1017.86	.289	234.80	4388.14	9605.00	84.41	3.38	.3815	.155	.0000	.000
989.781	751.44	718.15	6131.29	987.70	.280	239.23	4555.32	9687.57	86.08	3.51	.3817	.155	.0000	.000
1004.781	750.62	719.21	6133.46	959.31	.272	243.67	4725.57	9771.68	87.74	3.64	.3819	.155	.0000	.000
1019.781	749.84	720.17	6135.46	932.55	.264	248.10	4898.88	9857.32	89.41	3.77	.3821	.155	.0000	.000
1034.781	749.12	721.04	6137.29	907.28	.257	252.54	5075.25	9944.48	91.06	3.90	.3823	.155	.0000	.000
1040.791	748.86	721.37	6137.98	897.53	.254	254.32	5146.78	9979.84	36.96	1.60	.3825	.156	.0000	.000
1055.791	748.24	721.54	6138.88	884.77	.251	257.27	5267.10	10068.90	93.12	4.06	.3825	.156	.0000	.000
1070.791	747.65	721.70	6139.73	872.47	.247	260.22	5388.76	10158.96	94.21	4.15	.3826	.156	.0000	.000
1084.171	747.14	721.82	6140.46	861.85	.244	262.86	5498.43	10240.12	84.95	3.78	.3826	.156	.0000	.000
AFT(A)	739.35	709.76	6110.10	936.83	.266	.....	7999.23	10799.09	225.89	9.38	.3826	.156	....	.....
AFT(B)	739.43	739.30	6148.59	-59.97	.017	.....	2588.63	342.46	345.88	3.42	.3826	.156	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU; IN.	#SLOT LB/SEC
FOREWARD	1.1676+02	8.1856+02	7.9115+02	6.1408+03	1.4009+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	5.4613+03
AFT	1.1677+02	8.1878+02	7.9136+02	6.1410+03	1.4006+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	5.4613+03

GAS BUILDUP IN SLOT, DW/DT = 7.3626-03

FOREWARD	4.2705+02	7.9417+02	7.5923+02	6.1316+03	1.8543+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.9148+03
AFT	4.2706+02	7.9485+02	7.5988+02	6.1323+03	1.8529+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.9148+03

GAS BUILDUP IN SLOT, DW/DT = 7.9062-03

FOREWARD	7.4634+02	7.7041+02	7.1493+02	6.1065+03	2.3867+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	8.4154+03
AFT	7.4635+02	7.7131+02	7.1577+02	6.1074+03	2.3843+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	8.4154+03

GAS BUILDUP IN SLOT, DW/DT = 8.1700-03

IGNITION TIME, TIME (S) 1.0000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	11568150.	2600623.6
TOTAL VACUUM THRUST (N,LBF)	FTVAC	12662027.	2846536.9
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	112095.61	25200.095
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	8125424.4	1826668.1
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.65899	257.65899
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	9083053.0	2041951.6
THRUST COEFFICIENT	CF	1.6390292	1.6390292
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4950.9873	10915.059
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	3553.7710	7834.7240
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	60.160900	132.63208
INERT MASS REMAINING (KG,LBM)	MIR	3290.0412	7253.2993
TOTAL BURN AREA (M**2,IN**2)	ABTOT	287.01643	444876.37
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	287.57443	17548868.
PROPELLANT MASS REMAINING (KG,LBM)	WF	502955.76	1108827.6
TOTAL GAS MASS (KG,LBM)	WGTOT	394.82161	870.43265
RATIO OF SPECIFIC HEATS	GAMA	1.1599770	1.1599770
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.891186	28.420200
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1561.5436	5123.1746
MAXIMUM CHAMBER MACH NUMBER	AMPN	.38275920	.38275920
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.59294912+09	860.00000
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.43098938+09	625.09724
BURN AREA (M**2,IN**2)	AHH	127.18902	197143.37
BURN RATE (M/S,IN/S)	RBZ(1)	.10221573-01	.40242413
DISTANCE BURNED (M,IN)	TAUZ(1)	.67939257-02	.26747739
PROPELLANT VOLUME (M**3,IN**3)	VFH	45.534214	2778668.2
GAS VOLUME (M**3,IN**3)	VPH	9.5696182	583973.94
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3415.6930	6148.2474
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	144.60776	224142.48
SLOMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	233.85961	14270989.
GAS VOLUME (M**3,IN**3)	VP	56.580732	3452768.1
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.51440566+09	746.08234
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.37058822+09	537.49277
BURN AREA (M**2,IN**2)	AAN	15.219658	23590.518
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.96451408-02	.37972996
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.96451408-02	.37972996
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.63822512-02	.25126974
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.63822512-02	.25126974
PROPELLANT VOLUME (M**3,IN**3)	VFN	8.1806076	499211.30
GAS VOLUME (M**3,IN**3)	VPN	8.8688215	541208.70
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3416.7615	6150.1707
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	5.1808633	8030.3543
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5017955	2327.7878
EXPANSION RATIO	EPR	7.1571094	7.1571094
PRESSURE RATIO	PEPO	.21614359-01	.21614359-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	3.0000000	3.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	860.00	815.47	6148.25	766.54	.217	182.19	2641.10	4936.66	4987.42	50.76	.3987	.267	.0000	.000
15.000	837.20	814.15	6147.69	775.77	.220	182.49	2649.70	5005.09	69.19	.76	.3950	.262	.0000	.000
30.000	836.40	812.83	6147.13	784.88	.222	182.79	2658.72	5072.98	68.64	.76	.3948	.261	.0000	.000
45.000	835.59	811.50	6146.56	793.99	.225	183.09	2667.55	5140.93	68.72	.76	.3946	.261	.0000	.000
60.000	834.76	810.16	6145.99	803.10	.227	183.39	2676.40	5208.96	68.79	.76	.3943	.261	.0000	.000
75.000	833.93	808.80	6145.41	812.20	.230	183.69	2685.26	5277.05	68.86	.77	.3941	.261	.0000	.000
90.000	833.09	807.42	6144.82	821.30	.233	184.00	2694.13	5345.22	68.94	.77	.3939	.261	.0000	.000
105.000	832.24	806.03	6144.23	830.39	.235	184.30	2703.02	5413.46	69.01	.77	.3936	.260	.0000	.000
116.761	831.56	804.93	6143.76	837.52	.237	184.54	2710.01	5467.00	54.16	.61	.3934	.260	.0000	.000
116.771	831.56	804.93	6144.11	832.13	.236	246.77	2726.60	5467.00	.00	.00	.3932	.260	.0000	.000
131.771	831.18	803.54	6142.68	853.73	.242	211.94	2704.12	5552.00	85.84	.84	.3933	.260	.0000	.000
143.919	830.96	802.28	6141.58	869.09	.246	183.74	2685.93	5611.30	59.95	.65	.3930	.260	.0000	.000
158.919	829.82	800.80	6141.17	875.85	.248	184.71	2704.85	5679.40	68.88	.78	.3928	.260	.0000	.000
173.919	828.68	799.31	6140.76	881.81	.250	185.68	2723.83	5747.81	69.20	.79	.3925	.259	.0000	.000
188.919	827.53	797.81	6140.35	887.76	.251	186.64	2742.88	5816.53	69.52	.80	.3922	.259	.0000	.000
203.919	826.37	796.30	6139.93	893.71	.253	187.61	2761.99	5885.57	69.84	.81	.3920	.259	.0000	.000
218.919	825.21	794.79	6139.51	899.66	.255	188.58	2781.16	5954.90	70.15	.81	.3917	.259	.0000	.000
233.919	824.04	793.26	6139.09	905.60	.257	189.55	2800.40	6024.55	70.47	.82	.3915	.259	.0000	.000
248.919	822.86	791.73	6138.66	911.54	.258	190.52	2819.71	6094.51	70.78	.83	.3912	.259	.0000	.000
263.919	821.68	790.19	6138.23	917.48	.260	191.49	2839.08	6164.77	71.09	.83	.3909	.258	.0000	.000
278.919	820.49	788.65	6137.80	923.41	.262	192.46	2858.51	6235.33	71.41	.84	.3907	.258	.0000	.000
293.919	819.29	787.09	6137.37	929.35	.263	193.43	2878.00	6306.20	71.72	.85	.3904	.258	.0000	.000
308.919	818.09	785.53	6136.93	935.28	.265	194.40	2897.57	6377.38	72.03	.85	.3901	.258	.0000	.000
323.919	816.87	783.96	6136.49	941.22	.267	195.37	2917.19	6448.85	72.34	.86	.3899	.258	.0000	.000
338.919	815.66	782.38	6136.05	947.15	.268	196.34	2936.88	6520.63	72.65	.87	.3896	.257	.0000	.000
353.919	814.43	780.80	6135.61	953.08	.270	197.31	2956.63	6592.71	72.95	.88	.3893	.257	.0000	.000
368.919	813.20	779.20	6135.16	959.02	.272	198.28	2976.45	6665.09	73.26	.88	.3890	.257	.0000	.000
383.919	811.96	777.60	6134.71	964.95	.273	199.24	2996.33	6737.77	73.57	.89	.3888	.257	.0000	.000
398.919	810.72	776.00	6134.26	970.89	.275	200.21	3016.28	6810.75	73.87	.90	.3885	.257	.0000	.000
403.048	810.37	775.55	6134.13	972.52	.276	200.48	3021.78	6830.88	20.38	.25	.3882	.256	.0000	.000
418.048	809.51	775.13	6134.57	966.79	.274	198.65	3074.03	6903.70	73.73	.91	.3881	.256	.0000	.000
427.051	808.34	774.19	6134.77	964.16	.273	197.55	3105.61	6947.07	43.92	.55	.3881	.256	.0000	.000
427.061	808.33	774.19	6135.86	949.51	.269	370.83	3150.07	6947.07	.00	.00	.3879	.256	.0000	.000
442.061	807.29	767.74	6128.79	1039.84	.295	293.09	2951.64	7068.56	122.58	1.08	.3881	.256	.0000	.000
457.061	806.55	759.39	6120.33	1138.44	.323	215.34	2757.62	7161.37	93.76	.95	.3868	.255	.0000	.000
463.204	806.41	755.72	6116.40	1181.47	.335	183.50	2679.44	7191.04	30.01	.35	.3853	.254	.0000	.000
478.204	804.68	753.62	6115.86	1187.28	.337	184.14	2698.28	7257.57	67.35	.81	.3846	.254	.0000	.000
493.204	802.96	751.52	6115.31	1193.07	.339	184.79	2717.18	7324.27	67.49	.79	.3842	.254	.0000	.000
508.204	801.23	749.42	6114.77	1198.87	.340	185.43	2736.16	7391.17	67.66	.77	.3839	.253	.0000	.000
523.204	799.49	747.31	6114.22	1204.68	.342	186.08	2755.19	7458.26	67.83	.74	.3835	.253	.0000	.000
538.204	797.76	745.20	6113.66	1210.49	.344	186.72	2774.29	7525.54	68.00	.72	.3831	.253	.0000	.000
553.204	796.02	743.08	6113.11	1216.31	.345	187.36	2793.46	7593.02	68.17	.69	.3827	.253	.0000	.000
568.204	794.27	740.96	6112.55	1222.13	.347	188.01	2812.69	7660.68	68.33	.67	.3824	.253	.0000	.000
583.204	792.52	738.84	6111.98	1227.96	.349	188.65	2831.99	7728.54	68.50	.64	.3820	.252	.0000	.000
598.204	790.77	736.71	6111.42	1233.80	.350	189.29	2851.35	7796.59	68.67	.61	.3816	.252	.0000	.000
613.204	789.02	734.58	6110.85	1239.65	.352	189.94	2870.78	7864.83	68.83	.59	.3812	.252	.0000	.000

628.204	787.26	732.44	6110.27	1245.51	.354	190.58	2890.27	7933.27	68.99	.56	.3808	.252	.0000	.000
643.204	785.50	730.31	6109.70	1251.37	.355	191.22	2929.83	8001.89	69.16	.53	.3804	.252	.0000	.000
658.204	783.74	728.16	6109.12	1257.25	.357	191.87	2929.45	8070.71	69.32	.50	.3800	.251	.0000	.000
673.204	782.64	726.75	6108.66	1261.89	.358	192.51	2949.13	8139.70	69.48	.49	.3797	.251	.0000	.000
688.204	781.54	725.33	6108.19	1266.53	.360	193.15	2968.88	8208.86	69.65	.49	.3794	.251	.0000	.000
703.204	780.44	723.91	6107.73	1271.15	.361	193.80	2988.70	8278.21	69.84	.49	.3791	.251	.0000	.000
718.204	779.34	722.49	6107.27	1275.75	.362	194.44	3008.58	8347.73	70.02	.50	.3789	.251	.0000	.000
726.191	778.39	721.35	6106.96	1278.88	.363	194.78	3019.20	8384.82	37.35	.27	.3786	.250	.0000	.000
741.191	777.07	721.46	6108.53	1263.18	.359	196.82	3082.56	8454.85	70.54	.50	.3784	.250	.0000	.000
746.336	776.63	721.51	6109.05	1257.88	.357	197.51	3104.45	8479.03	24.36	.17	.3784	.250	.0000	.000
746.346	776.62	721.51	6110.67	1240.54	.352	349.41	3142.67	8479.03	.00	.00	.3784	.250	.0000	.000
761.346	775.10	718.53	6107.23	1276.14	.362	301.88	3114.05	8595.69	117.33	.67	.3787	.250	.0000	.000
776.346	773.85	714.48	6103.83	1309.55	.372	254.35	3085.42	8695.21	100.14	.61	.3779	.250	.0000	.000
791.346	772.82	710.78	6100.59	1340.55	.381	206.81	3056.80	8777.51	82.86	.56	.3771	.249	.0000	.000
794.831	772.84	710.24	6099.92	1346.91	.383	195.77	3050.15	8794.17	16.77	.12	.3765	.249	.0000	.000
809.831	771.59	709.23	6100.08	1345.36	.382	196.80	3082.38	8863.97	70.32	.52	.3764	.249	.0000	.000
824.831	770.35	708.22	6100.24	1343.84	.382	197.04	3114.78	8934.11	70.66	.52	.3762	.249	.0000	.000
839.831	769.12	707.22	6100.40	1342.36	.381	198.87	3147.35	9004.58	71.00	.53	.3760	.249	.0000	.000
854.781	767.90	706.23	6100.55	1340.91	.381	199.90	3179.98	9075.15	71.09	.53	.3758	.248	.0000	.000
869.781	767.01	710.07	6106.39	1287.43	.366	204.34	3323.29	9146.88	72.27	.54	.3756	.248	.0000	.000
884.781	766.17	713.43	6111.00	1238.14	.352	208.77	3469.64	9220.23	73.91	.56	.3763	.249	.0000	.000
899.781	764.70	715.66	6115.24	1193.81	.339	213.21	3619.01	9295.28	75.63	.58	.3769	.249	.0000	.000
914.781	763.36	717.65	6119.06	1152.53	.327	217.65	3771.40	9372.00	77.33	.61	.3774	.250	.0000	.000
929.781	762.15	719.43	6122.50	1114.03	.316	222.08	3926.82	9450.38	79.00	.63	.3777	.250	.0000	.000
944.781	761.04	721.03	6125.61	1078.04	.306	226.52	4085.27	9530.40	80.67	.65	.3781	.250	.0000	.000
959.781	760.02	722.47	6128.43	1044.33	.296	230.96	4246.75	9612.07	82.34	.67	.3783	.250	.0000	.000
974.781	759.08	723.76	6130.99	1012.71	.287	235.39	4411.25	9695.37	83.99	.69	.3786	.251	.0000	.000
989.781	758.20	724.93	6133.33	982.99	.279	239.83	4578.78	9780.31	85.65	.71	.3789	.251	.0000	.000
1004.781	757.39	725.98	6135.46	955.02	.271	244.27	4749.33	9866.89	87.30	.73	.3791	.251	.0000	.000
1019.781	756.63	726.94	6137.42	928.66	.263	248.70	4922.91	9955.08	88.95	.75	.3793	.251	.0000	.000
1034.781	755.92	727.80	6139.21	903.79	.256	253.14	5099.52	10044.91	90.59	.77	.3794	.251	.0000	.000
1040.791	755.65	728.12	6139.89	894.20	.253	254.92	5171.13	10081.35	36.76	.31	.3796	.251	.0000	.000
1055.791	755.05	728.30	6140.77	881.69	.250	257.87	5291.76	10173.19	92.64	.80	.3796	.251	.0000	.000
1070.791	754.47	728.45	6141.60	869.64	.246	260.82	5413.70	10266.10	93.71	.81	.3797	.251	.0000	.000
1084.171	753.97	728.57	6142.31	859.24	.243	263.46	5523.60	10349.86	84.50	.74	.3797	.251	.0000	.000
AFT(A)	746.10	716.23	6111.66	937.08	.266	.....	8030.35	10915.06	224.56	1.85	.3797	.251	....	.....
AFT(B)	746.10	745.98	6150.17	-58.74	.017	.....	2619.75	342.48	343.82	1.34	.3797	.251	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	8.3156+02	8.0493+02	6.1438+03	1.3789+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	5.4670+03
AFT	1.1677+02	8.3191+02	8.0527+02	6.1441+03	1.3784+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	5.4670+03

GAS BUILDUP IN SLOT, DW/DT = 2.2722-03

FOREWARD	4.2705+02	8.0834+02	7.7419+02	6.1348+03	1.8277+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.9471+03
AFT	4.2706+02	8.0937+02	7.7518+02	6.1359+03	1.8257+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.9471+03

GAS BUILDUP IN SLOT, DW/DT = 2.4605-03

FOREWARD	7.4634+02	7.7663+02	7.2151+02	6.1091+03	2.3836+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	8.4790+03
AFT	7.4635+02	7.7812+02	7.2289+02	6.1107+03	2.3797+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	8.4790+03

GAS BUILDUP IN SLOT, DW/DT = 1.0780-03

IGNITION TIME, TIME (S) 5.0000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	12625973.	2838431.7
TOTAL VACUUM THRUST (N,LBF)	FTVAC	13711976.	3082579.8
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	108543.70	24401.594
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	57052513.	12825915.
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.91144	257.91144
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	62372588.	14021916.
THRUST COEFFICIENT	CF	1.6371197	1.6371197
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	5363.1118	11823.638
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	24390.930	53772.797
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	58.254615	128.42944
INERT MASS REMAINING (KG,LBM)	MIR	3054.0237	6732.9698
TOTAL BURN AREA (M**2,IN**2)	ABTOT	295.56058	458119.82
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	275.73896	16826623.
PROPELLANT MASS REMAINING (KG,LBM)	WF	481983.78	1062592.3
TOTAL GAS MASS (KG,LBM)	WGTOT	496.10751	1093.7298
RATIO OF SPECIFIC HEATS	GAMA	1.1600255	1.1600255
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.897434	28.433975
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1562.3474	5125.8115
MAXIMUM CHAMBER MACH NUMBER	AMPN	.34255745	.34255745
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.62812690+09	911.02106
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.29002580+10	4206.4686
BURN AREA (M**2,IN**2)	AHH	128.79114	199626.67
BURN RATE (M/S,IN/S)	RBZ(1)	.19486458-01	.41285269
DISTANCE BURNED (M,IN)	TAUZ(1)	.48123755-01	1.8946360
PROPELLANT VOLUME (M**3,IN**3)	VFH	40.235303	2455308.9
GAS VOLUME (M**3,IN**3)	VPH	14.868528	907333.25
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3422.3247	6160.1845
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	151.14019	234267.77
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	227.93268	13909306.
GAS VOLUME (M**3,IN**3)	VP	62.507933	3814468.1
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.55642973+09	807.03310
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.25346372+10	3676.1804
BURN AREA (M**2,IN**2)	AAN	15.629248	24225.382
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.30161736-01	.40006834
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.10195128-01	.40138298
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.45860538-01	1.8055330
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.45936163-01	1.8085104
PROPELLANT VOLUME (M**3,IN**3)	VFN	7.5709711	462009.00
GAS VOLUME (M**3,IN**3)	VPN	9.4784580	578411.00
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3424.3771	6163.8788
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	5.5077158	8536.9766
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5052522	2333.1456
EXPANSION RATIO	EPR	7.1406737	7.1406737
PRESSURE RATIO	PEPO	.21676978-01	.21676978-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	911.02	873.29	6160.18	682.32	.193	192.43	2945.79	5241.11	5265.04	23.93	.4157	1.895	.0000	.000
15.000	891.66	872.16	6159.72	690.92	.195	192.71	2954.55	5316.42	75.62	.31	.4126	1.873	.0000	.000
30.000	890.98	871.01	6159.25	699.51	.198	193.00	2963.33	5391.82	75.71	.31	.4124	1.872	.0000	.000
45.000	890.29	869.85	6158.77	708.09	.200	193.28	2972.13	5467.30	75.79	.31	.4122	1.871	.0000	.000
60.000	889.60	868.67	6158.29	716.67	.203	193.56	2980.93	5542.86	75.87	.31	.4120	1.870	.0000	.000
75.000	888.89	867.48	6157.80	725.24	.205	193.84	2989.76	5618.48	75.94	.31	.4118	1.869	.0000	.000
90.000	888.17	866.28	6157.31	733.80	.208	194.12	2998.59	5694.18	76.02	.31	.4116	1.868	.0000	.000
105.000	887.45	865.07	6156.81	742.36	.210	194.41	3007.45	5769.96	76.09	.32	.4114	1.867	.0000	.000
116.761	886.87	864.11	6156.42	749.06	.212	194.63	3014.40	5829.42	59.71	.25	.4112	1.866	.0000	.000
116.771	886.85	865.56	6157.87	724.02	.205	236.10	3114.15	5829.42	.00	.00	.4113	1.865	.0000	.000
131.771	886.21	863.20	6156.16	753.46	.213	212.75	3044.88	5916.91	87.85	.36	.4113	1.865	.0000	.000
143.919	885.72	861.25	6154.71	777.50	.220	193.84	2988.73	5981.06	64.42	.27	.4109	1.864	.0000	.000
158.919	884.75	859.95	6154.36	783.15	.222	194.80	3009.07	6056.72	75.97	.31	.4106	1.863	.0000	.000
173.919	883.78	858.65	6154.01	788.79	.223	195.76	3029.46	6132.70	76.29	.31	.4104	1.862	.0000	.000
188.919	882.79	857.34	6153.66	794.42	.225	196.73	3049.90	6209.01	76.63	.32	.4102	1.860	.0000	.000
203.919	881.80	856.02	6153.30	800.04	.226	197.69	3070.40	6285.66	76.96	.32	.4099	1.859	.0000	.000
218.919	880.81	854.70	6152.95	805.66	.228	198.65	3090.95	6362.63	77.30	.32	.4097	1.858	.0000	.000
233.919	879.80	853.36	6152.59	811.26	.230	199.61	3111.55	6439.94	77.63	.32	.4095	1.857	.0000	.000
248.919	878.80	852.03	6152.23	816.86	.231	200.57	3132.21	6517.58	77.96	.32	.4093	1.856	.0000	.000
263.919	877.78	850.68	6151.87	822.46	.233	201.53	3152.92	6595.54	78.29	.33	.4090	1.854	.0000	.000
278.919	876.76	849.32	6151.51	828.05	.234	202.49	3173.68	6673.84	78.62	.33	.4088	1.853	.0000	.000
293.919	875.73	847.96	6151.14	833.63	.236	203.45	3194.50	6752.47	78.95	.33	.4086	1.852	.0000	.000
308.919	874.70	846.60	6150.77	839.20	.238	204.41	3215.37	6831.42	79.28	.33	.4084	1.851	.0000	.000
323.919	873.66	845.22	6150.40	844.78	.239	205.38	3236.29	6910.70	79.61	.33	.4081	1.849	.0000	.000
338.919	872.61	843.84	6150.03	850.34	.241	206.34	3257.27	6990.30	79.94	.33	.4079	1.848	.0000	.000
353.919	871.56	842.45	6149.66	855.91	.242	207.30	3278.29	7070.24	80.27	.34	.4077	1.847	.0000	.000
368.919	870.50	841.05	6149.28	861.47	.244	208.26	3299.38	7150.49	80.59	.34	.4074	1.846	.0000	.000
383.919	869.44	839.65	6148.90	867.02	.245	209.22	3320.51	7231.07	80.92	.34	.4072	1.844	.0000	.000
398.919	868.37	838.24	6148.52	872.57	.247	210.18	3341.70	7311.98	81.25	.34	.4070	1.843	.0000	.000
403.048	868.07	837.85	6148.41	874.10	.247	210.45	3347.55	7334.30	22.42	.09	.4067	1.842	.0000	.000
418.048	867.33	837.32	6148.59	871.49	.247	208.61	3396.80	7415.06	81.10	.34	.4067	1.841	.0000	.000
427.061	866.40	836.49	6148.67	870.39	.246	207.51	3426.60	7463.18	48.33	.20	.4066	1.841	.0000	.000
427.061	866.17	841.28	6153.74	793.02	.224	376.62	3742.58	7463.18	.00	.00	.4072	1.842	.0000	.000
442.061	865.28	834.20	6147.44	888.11	.251	300.59	3425.70	7593.89	131.24	.53	.4072	1.842	.0000	.000
457.061	864.56	825.22	6138.98	1001.63	.284	224.56	3107.13	7695.12	101.64	.42	.4060	1.836	.0000	.000
463.204	864.44	820.91	6134.66	1054.96	.299	193.42	2976.17	7727.99	33.02	.14	.4045	1.829	.0000	.000
478.204	862.99	819.09	6134.20	1060.40	.301	194.05	2995.77	7802.19	74.52	.32	.4038	1.825	.0000	.000
493.204	861.54	817.27	6133.75	1065.81	.302	194.68	3015.43	7876.54	74.66	.32	.4034	1.824	.0000	.000
508.204	860.08	815.45	6133.29	1071.22	.304	195.32	3035.15	7951.06	74.85	.32	.4031	1.822	.0000	.000
523.204	858.61	813.62	6132.84	1076.61	.305	195.95	3054.92	8025.77	75.03	.32	.4028	1.821	.0000	.000
538.204	857.15	811.79	6132.38	1082.00	.307	196.58	3074.75	8100.66	75.21	.32	.4025	1.819	.0000	.000
553.204	855.68	809.96	6131.92	1087.39	.308	197.21	3094.64	8175.73	75.40	.33	.4022	1.817	.0000	.000
568.204	854.20	808.12	6131.46	1092.77	.310	197.85	3114.59	8250.99	75.58	.33	.4019	1.816	.0000	.000
583.204	852.72	806.28	6130.99	1098.14	.311	198.48	3134.59	8326.42	75.76	.33	.4015	1.814	.0000	.000
598.204	851.24	804.43	6130.53	1103.51	.313	199.11	3154.66	8402.03	75.94	.33	.4012	1.812	.0000	.000
613.204	849.75	802.58	6130.06	1108.87	.314	199.74	3174.78	8477.82	76.12	.33	.4009	1.811	.0000	.000

628.204	848.26	800.73	6129.59	1114.23	.316	200.37	3194.95	8553.79	76.30	.33	.4006	1.809	.0000	.000
643.204	846.77	798.87	6129.12	1119.58	.317	201.01	3215.19	8629.94	76.48	.34	.4003	1.807	.0000	.000
658.204	845.27	797.01	6128.64	1124.93	.319	201.64	3235.48	8706.26	76.66	.34	.3999	1.806	.0000	.000
673.204	843.77	795.15	6128.17	1130.28	.321	202.27	3255.83	8782.76	76.84	.34	.3996	1.804	.0000	.000
688.204	842.26	793.28	6127.69	1135.63	.322	202.90	3276.23	8859.44	77.02	.34	.3993	1.802	.0000	.000
703.204	840.75	791.41	6127.21	1140.97	.324	203.53	3296.70	8936.29	77.19	.34	.3989	1.801	.0000	.000
718.204	839.24	789.53	6126.73	1146.31	.325	204.17	3317.22	9013.32	77.37	.34	.3986	1.800	.0000	.000
726.191	838.43	788.54	6126.47	1149.15	.326	204.50	3328.17	9054.39	41.26	.18	.3983	1.798	.0000	.000
741.191	837.33	788.56	6127.61	1136.50	.322	206.54	3394.59	9131.94	77.89	.35	.3981	1.797	.0000	.000
746.336	836.36	787.93	6127.91	1133.14	.321	207.24	3417.50	9158.70	26.89	.12	.3981	1.797	.0000	.000
746.346	836.07	794.84	6135.58	1043.41	.296	349.49	3683.76	9158.70	.00	.00	.3992	1.799	.0000	.000
761.346	835.05	789.98	6131.43	1093.01	.310	304.93	3583.57	9282.51	124.33	.52	.3992	1.799	.0000	.000
776.346	834.19	784.99	6126.95	1143.87	.324	260.38	3483.12	9389.35	107.29	.46	.3984	1.795	.0000	.000
791.346	833.49	779.87	6122.13	1196.06	.339	215.82	3382.41	9479.14	90.18	.40	.3975	1.792	.0000	.000
794.831	834.04	779.41	6121.07	1207.26	.343	205.47	3358.97	9497.55	18.49	.08	.3966	1.788	.0000	.000
809.831	832.98	778.49	6121.15	1206.44	.342	206.49	3392.69	9574.93	77.74	.35	.3965	1.788	.0000	.000
824.831	831.92	777.57	6121.22	1205.65	.342	207.52	3426.56	9652.67	78.10	.36	.3963	1.787	.0000	.000
839.831	830.87	776.66	6121.30	1204.89	.342	208.54	3460.57	9730.77	78.45	.36	.3962	1.786	.0000	.000
854.781	829.84	775.75	6121.37	1204.16	.342	209.56	3494.61	9808.95	78.54	.36	.3960	1.785	.0000	.000
869.781	828.35	778.16	6125.50	1159.83	.329	214.00	3648.75	9888.39	79.80	.36	.3958	1.784	.0000	.000
884.781	827.02	780.30	6129.18	1118.85	.317	218.45	3805.26	9969.52	81.51	.37	.3963	1.788	.0000	.000
899.781	825.80	782.19	6132.47	1080.89	.306	222.89	3964.15	10052.40	83.27	.38	.3966	1.790	.0000	.000
914.781	824.69	783.88	6135.43	1045.63	.296	227.33	4125.42	10137.03	85.02	.40	.3970	1.792	.0000	.000
929.781	823.68	785.38	6138.09	1012.80	.287	231.78	4289.07	10223.39	86.77	.41	.3973	1.794	.0000	.000
944.781	822.74	786.72	6140.50	982.17	.278	236.22	4455.10	10311.48	88.51	.42	.3976	1.795	.0000	.000
959.781	821.87	787.92	6142.69	953.52	.270	240.66	4623.50	10401.30	90.25	.43	.3978	1.797	.0000	.000
974.781	821.06	788.99	6144.68	926.69	.262	245.11	4794.28	10492.84	91.98	.44	.3980	1.798	.0000	.000
989.781	820.30	789.96	6146.50	901.50	.255	249.55	4967.43	10586.11	93.71	.44	.3982	1.799	.0000	.000
1004.781	819.59	790.82	6148.16	877.82	.249	253.99	5142.97	10681.09	95.44	.45	.3984	1.800	.0000	.000
1019.781	818.93	791.60	6149.68	855.52	.242	258.43	5320.88	10777.79	97.16	.46	.3985	1.801	.0000	.000
1034.781	818.30	792.30	6151.08	834.49	.236	262.88	5501.17	10876.21	98.88	.47	.3987	1.802	.0000	.000
1040.791	817.42	791.90	6151.57	827.08	.234	264.66	5574.07	10916.12	40.10	.19	.3988	1.802	.0000	.000
1055.791	816.87	792.02	6152.27	816.26	.231	267.61	5699.70	11016.64	101.00	.48	.3987	1.802	.0000	.000
1070.791	816.34	792.13	6152.93	805.88	.228	270.57	5826.23	11118.28	102.12	.49	.3987	1.802	.0000	.000
1084.171	815.88	792.21	6153.53	796.97	.226	273.21	5939.85	11209.88	92.04	.44	.3988	1.802	.0000	.000
AFT(A)	807.05	774.58	6126.38	940.13	.267	.....	8536.98	11823.64	243.08	1.12	.4001	1.806	....	.....
AFT(B)	807.06	806.96	6163.88	-49.45	.014	.....	3126.37	371.80	373.09	1.29	.4014	1.809	....	.....

SLOT INTERFACE CATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU. IN.	WSLOT LB/SEC
FOREWARD 1.1676+02	8.8687+02	8.6411+02	6.1564+03	1.3718+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	5.8294+03
AFT 1.1677+02	8.8837+02	8.6556+02	6.1579+03	1.3698+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	5.8294+03

GAS BUILDUP IN SLOT, DW/DT = 2.2980-04

FOREWARD 4.2705+02	8.6640+02	8.3649+02	6.1487+03	1.8205+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	7.4632+03
AFT 4.2706+02	8.7136+02	8.4128+02	6.1537+03	1.8116+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	7.4632+03

GAS BUILDUP IN SLOT, DW/DT = 2.7496-04

FOREWARD 7.4634+02	8.3636+02	7.8793+02	6.1279+03	2.3637+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	9.1587+03
AFT 7.4635+02	8.4369+02	7.9484+02	6.1356+03	2.3461+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	9.1587+03

GAS BUILDUP IN SLOT, DW/DT = 3.7542-04

IGNITION TIME, TIME (S) 9.0000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	13002157.	2923001.2
TOTAL VACUUM THRUST (N,LBF)	FTVAC	14069522.	3162954.4
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	98118.502	22057.917
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.10838923+09	24366869.
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	258.03492	258.03492
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.11801875+09	26531671.
THRUST COEFFICIENT	CF	1.6351487	1.6351487
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	5507.4095	12141.760
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	46165.716	101777.98
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	52.659488	116.09430
INERT MASS REMAINING (KG,LBM)	MIR	2837.6302	6255.9037
TOTAL BURN AREA (M**2,IN**2)	ABTOT	301.51258	467345.43
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	263.31940	16068736.
PROPELLANT MASS REMAINING (KG,LBM)	WF	460113.45	1014376.5
TOTAL GAS MASS (KG,LBM)	WGTOT	581.29623	1281.5388
RATIO OF SPECIFIC HEATS	GAMA	1.1600306	1.1600306
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.898092	28.435425
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1562.5274	5126.4023
MAXIMUM CHAMBER MACH NUMBER	AMPN	.30792456	.30792456
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.63182892+09	916.39038
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.54238716+10	7866.6608
BURN AREA (M**2,IN**2)	AHH	127.63244	197830.69
BURN RATE (M/S,IN/S)	RBZ(1)	.10542032-01	.41504062
DISTANCE BURNED (M,IN)	TAUZ(1)	.90147423-01	3.5491112
PROPELLANT VOLUME (M**3,IN**3)	VFH	34.840416	2126092.7
GAS VOLUME (M**3,IN**3)	VPH	20.263415	1236549.5
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3424.9973	6164.9951
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	157.99844	244898.07
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	221.55169	13519914.
GAS VOLUME (M**3,IN**3)	VP	68.889188	4203876.2
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.57000919+09	826.72845
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.47909285+10	6948.6544
BURN AREA (M**2,IN**2)	AAN	15.881701	24616.686
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.10255818-01	.40377235
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.10281476-01	.40478251
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.86623855-01	3.4103880
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.86825047-01	3.4183089
PROPELLANT VOLUME (M**3,IN**3)	VFN	6.9272993	422729.74
GAS VOLUME (M**3,IN**3)	VPN	10.122130	617690.27
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3425.9261	6166.6669
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	5.8507273	9068.6455
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5095247	2339.7679
EXPANSION RATIO	EPR	7.1204633	7.1204633
PRESSURE RATIO	PEPO	.21757380-01	.21757380-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	1.0000000	1.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FONE	916.39	886.58	6165.00	602.17	.170	202.79	3272.56	5212.89	5236.79	23.90	.4172	3.549	.0000	.000
15.000	901.04	885.63	6164.61	610.31	.173	203.08	3281.65	5292.70	80.11	.30	.4148	3.527	.0000	.000
30.000	900.48	884.67	6164.21	618.44	.175	203.36	3290.77	5372.61	80.21	.30	.4146	3.525	.0000	.000
45.000	899.92	883.70	6163.81	626.55	.177	203.64	3299.89	5452.60	80.29	.30	.4145	3.523	.0000	.000
60.000	899.35	882.72	6163.41	634.66	.179	203.92	3309.03	5532.67	80.37	.30	.4143	3.521	.0000	.000
75.000	898.76	881.73	6163.00	642.76	.182	204.20	3318.18	5612.81	80.45	.30	.4141	3.520	.0000	.000
90.000	898.18	880.72	6162.59	650.85	.184	204.48	3327.34	5693.04	80.53	.30	.4140	3.518	.0000	.000
105.000	897.58	879.71	6162.17	658.93	.186	204.77	3336.52	5773.35	80.61	.30	.4138	3.516	.0000	.000
116.761	897.10	878.90	6161.84	665.27	.188	204.99	3343.72	5836.36	63.25	.24	.4137	3.514	.0000	.000
116.771	897.07	880.49	6163.42	634.48	.179	232.93	3500.49	5836.36	.00	.00	.4138	3.514	.0000	.000
131.771	896.56	878.39	6161.87	664.76	.188	217.02	3398.87	5924.63	88.60	.34	.4138	3.514	.0000	.000
143.919	896.15	876.59	6160.51	690.22	.195	204.14	3316.50	5991.51	67.14	.25	.4134	3.511	.0000	.000
158.919	895.36	875.50	6160.21	695.72	.197	205.10	3338.31	6071.69	80.49	.30	.4131	3.509	.0000	.000
173.919	894.56	874.41	6159.91	701.20	.198	206.06	3360.16	6152.20	80.82	.31	.4130	3.507	.0000	.000
188.919	893.76	873.31	6159.60	706.67	.200	207.02	3382.05	6233.06	81.16	.31	.4128	3.505	.0000	.000
203.919	892.94	872.21	6159.30	712.13	.201	207.97	3403.98	6314.25	81.50	.31	.4126	3.503	.0000	.000
218.919	892.13	871.09	6158.99	717.57	.203	208.93	3425.96	6395.77	81.84	.31	.4124	3.501	.0000	.000
233.919	891.30	869.97	6158.68	723.01	.205	209.89	3447.98	6477.64	82.18	.31	.4122	3.498	.0000	.000
248.919	890.48	868.85	6158.37	728.44	.206	210.85	3470.04	6559.84	82.52	.31	.4120	3.496	.0000	.000
263.919	889.64	867.71	6158.06	733.86	.208	211.81	3492.14	6642.38	82.86	.32	.4119	3.494	.0000	.000
278.919	888.80	866.57	6157.74	739.26	.209	212.76	3514.28	6725.26	83.19	.32	.4117	3.492	.0000	.000
293.919	887.96	865.43	6157.43	744.66	.211	213.72	3536.47	6808.47	83.53	.32	.4115	3.490	.0000	.000
308.919	887.11	864.28	6157.11	750.05	.212	214.68	3558.70	6892.02	83.87	.32	.4113	3.488	.0000	.000
323.919	886.25	863.12	6156.79	755.43	.214	215.64	3580.97	6975.90	84.20	.32	.4111	3.486	.0000	.000
338.919	885.39	861.95	6156.47	760.81	.215	216.59	3603.28	7060.11	84.54	.32	.4109	3.484	.0000	.000
353.919	884.52	860.78	6156.15	766.17	.217	217.55	3625.63	7144.65	84.87	.33	.4107	3.482	.0000	.000
368.919	883.65	859.60	6155.82	771.53	.218	218.51	3648.03	7229.53	85.21	.33	.4105	3.479	.0000	.000
383.919	882.77	858.41	6155.49	776.88	.220	219.47	3670.46	7314.74	85.54	.33	.4103	3.477	.0000	.000
398.919	881.88	857.22	6155.16	782.23	.221	220.43	3692.94	7400.29	85.87	.33	.4101	3.475	.0000	.000
403.048	881.64	856.89	6155.07	783.70	.222	220.69	3699.14	7423.89	23.69	.09	.4099	3.473	.0000	.000
418.048	880.43	855.70	6155.05	784.09	.222	218.85	3745.28	7509.29	85.74	.33	.4099	3.472	.0000	.000
427.051	879.72	855.00	6155.05	784.15	.222	217.75	3773.21	7560.19	51.40	.20	.4097	3.471	.0000	.000
427.061	879.24	860.93	6161.38	674.00	.191	384.65	4364.10	7560.19	.00	.00	.4105	3.475	.0000	.000
442.061	878.47	859.83	6156.09	767.12	.217	309.50	3927.32	7695.29	135.61	.51	.4105	3.475	.0000	.000
457.061	877.73	846.45	6148.44	884.53	.250	234.35	3482.62	7801.02	106.13	.41	.4095	3.464	.0000	.000
463.204	877.59	842.17	6144.28	942.28	.267	203.57	3298.22	7835.77	34.89	.14	.4081	3.451	.0000	.000
478.204	876.41	840.65	6143.89	947.56	.268	204.20	3318.62	7914.59	79.12	.31	.4074	3.445	.0000	.000
493.204	875.23	839.13	6143.49	952.82	.270	204.82	3339.07	7993.54	79.27	.31	.4071	3.442	.0000	.000
508.204	874.04	837.60	6143.10	958.07	.271	205.45	3359.58	8072.69	79.46	.31	.4069	3.439	.0000	.000
523.204	872.85	836.07	6142.70	963.30	.273	206.07	3380.13	8152.03	79.65	.31	.4066	3.436	.0000	.000
538.204	871.65	834.53	6142.30	968.53	.274	206.70	3400.73	8231.56	79.84	.32	.4064	3.434	.0000	.000
553.204	870.45	832.99	6141.90	973.74	.276	207.33	3421.38	8311.28	80.04	.32	.4061	3.431	.0000	.000
568.204	869.25	831.44	6141.50	978.94	.277	207.95	3442.08	8391.19	80.23	.32	.4058	3.428	.0000	.000
583.204	868.04	829.89	6141.10	984.13	.279	208.58	3462.83	8471.28	80.42	.32	.4056	3.425	.0000	.000
598.204	866.83	828.34	6140.70	989.32	.280	209.21	3483.63	8551.57	80.60	.32	.4053	3.422	.0000	.000
613.204	865.61	826.78	6140.29	994.49	.282	209.83	3504.48	8632.04	80.79	.32	.4050	3.419	.0000	.000

628.204	864.39	825.22	6139.89	999.65	.283	210.46	3525.38	8712.70	80.98	.32	.4048	3.416	.0000	.000
643.204	863.17	823.65	6139.48	1004.81	.285	211.08	3546.33	8793.54	81.17	.33	.4045	3.413	.0000	.000
658.204	861.94	822.08	6139.07	1009.96	.286	211.71	3567.33	8874.57	81.36	.33	.4042	3.410	.0000	.000
673.204	860.71	820.51	6138.66	1015.10	.288	212.34	3588.37	8955.79	81.54	.33	.4040	3.407	.0000	.000
688.204	859.47	818.93	6138.25	1020.23	.289	212.96	3609.47	9037.19	81.73	.33	.4037	3.405	.0000	.000
703.204	858.23	817.35	6137.83	1025.35	.291	213.59	3630.62	9118.77	81.92	.33	.4034	3.402	.0000	.000
718.204	856.98	815.77	6137.42	1030.47	.292	214.22	3651.81	9200.54	82.10	.33	.4031	3.399	.0000	.000
726.191	856.32	814.92	6137.20	1033.19	.293	214.55	3663.12	9244.15	43.78	.18	.4029	3.397	.0000	.000
741.191	855.42	814.85	6138.01	1023.20	.290	216.58	3732.69	9326.45	82.64	.34	.4027	3.395	.0000	.000
746.336	854.64	814.31	6138.23	1020.46	.289	217.27	3756.67	9354.85	28.52	.12	.4027	3.395	.0000	.000
746.346	854.05	822.91	6147.72	894.68	.253	353.07	4246.57	9354.85	.00	.00	.4041	3.401	.0000	.000
761.346	853.27	818.32	6143.75	949.42	.269	310.51	4076.23	9481.96	127.61	.50	.4041	3.402	.0000	.000
776.346	852.59	813.32	6139.23	1007.95	.286	267.95	3905.36	9592.66	111.14	.44	.4033	3.395	.0000	.000
791.346	852.01	807.83	6134.07	1070.89	.304	225.39	3733.98	9686.87	94.59	.38	.4024	3.388	.0000	.000
794.831	851.91	806.50	6132.77	1086.22	.308	215.50	3694.08	9706.39	19.59	.08	.4015	3.380	.0000	.000
809.831	851.03	805.66	6132.77	1086.18	.308	216.51	3729.33	9788.57	82.52	.34	.4013	3.379	.0000	.000
824.831	850.16	804.84	6132.77	1086.17	.308	217.52	3764.70	9871.09	82.86	.34	.4011	3.378	.0000	.000
839.831	849.29	804.01	6132.77	1086.17	.308	218.53	3800.18	9953.97	83.22	.34	.4010	3.376	.0000	.000
854.781	848.42	803.19	6132.77	1086.20	.308	219.54	3835.66	10036.92	83.30	.34	.4008	3.375	.0000	.000
869.781	847.25	805.13	6135.98	1048.09	.297	223.99	4000.98	10121.16	84.59	.35	.4007	3.373	.0000	.000
884.781	846.18	806.83	6138.83	1012.96	.287	228.44	4168.00	10207.11	86.30	.36	.4010	3.378	.0000	.000
899.781	845.21	808.33	6141.38	980.50	.278	232.89	4336.71	10294.81	88.07	.37	.4013	3.382	.0000	.000
914.781	844.31	809.66	6143.67	950.42	.269	237.34	4507.12	10384.26	89.83	.38	.4016	3.385	.0000	.000
929.781	843.48	810.83	6145.74	922.48	.261	241.79	4679.22	10475.46	91.59	.39	.4018	3.388	.0000	.000
944.781	842.71	811.88	6147.60	896.45	.254	246.24	4853.02	10568.40	93.34	.40	.4020	3.391	.0000	.000
959.781	841.99	812.80	6149.30	872.16	.247	250.69	5028.51	10663.09	95.09	.41	.4022	3.393	.0000	.000
974.781	841.31	813.63	6150.84	849.44	.240	255.14	5205.70	10759.51	96.83	.41	.4024	3.395	.0000	.000
989.781	840.67	814.36	6152.25	828.16	.234	259.58	5384.58	10857.66	98.57	.42	.4025	3.397	.0000	.000
1004.781	840.07	815.02	6153.54	808.18	.229	264.03	5565.15	10957.54	100.31	.43	.4026	3.398	.0000	.000
1019.781	839.51	815.60	6154.72	789.39	.223	268.48	5747.43	11059.16	102.05	.43	.4027	3.400	.0000	.000
1034.781	838.97	816.13	6155.81	771.69	.218	272.93	5931.39	11162.50	103.78	.44	.4028	3.401	.0000	.000
1040.791	838.22	815.77	6156.19	765.40	.217	274.71	6005.58	11204.39	42.07	.18	.4029	3.402	.0000	.000
1055.791	837.74	815.63	6156.75	756.15	.214	277.67	6136.35	11309.86	105.91	.45	.4029	3.402	.0000	.000
1070.791	837.28	815.88	6157.27	747.31	.211	280.63	6267.57	11416.44	107.04	.45	.4029	3.402	.0000	.000
1084.171	836.11	815.13	6157.67	740.47	.209	283.26	6385.00	11512.48	96.44	.40	.4029	3.402	.0000	.000
AFT(A)	826.75	793.28	6130.09	943.19	.267	.....	9068.65	12141.76	252.85	1.02	.4038	3.410	....	.....
AFT(B)	826.75	826.69	6166.67	-41.89	.012	.....	3658.04	377.45	378.76	1.31	.4048	3.418	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FORWARD	1.1676+02	8.9710+02	8.7896+02	6.1618+03	1.3514+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	5.8364+03
AFT	1.1677+02	8.9873+02	8.8049+02	6.1634+03	1.3493+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	5.8364+03

GAS BUILDUP IN SLOT, DW/DT = 9.6525-05

FORWARD	4.2705+02	8.7972+02	8.5500+02	6.1560+03	1.8060+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	7.5602+03
AFT	4.2706+02	8.8582+02	8.6093+02	6.1614+03	1.7954+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	7.5602+03

GAS BUILDUP IN SLOT, DW/DT = 1.4527-04

FORWARD	7.4634+02	8.5464+02	8.1431+02	6.1382+03	2.3400+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	9.3549+03
AFT	7.4635+02	8.6367+02	8.2291+02	6.1477+03	2.3191+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	9.3549+03

GAS BUILDUP IN SLOT, DW/DT = 2.2467-04

IGNITION TIME, TIME (S) 13.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	13215663.	2970999.2
TOTAL VACUUM THRUST (N,LBF)	FTVAC	14253570.	3204329.9
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	86983.089	19554.576
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.16082226+09	36154283.
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	258.11901	258.11901
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.17466503+09	39266260.
THRUST COEFFICIENT	CF	1.6332944	1.6332944
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	5584.2836	12311.238
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	68351.686	150689.67
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	46.683193	102.91882
INERT MASS REMAINING (KG,LBM)	MIR	2644.9816	5831.1863
TOTAL BURN AREA (M**2,IN**2)	ABTOT	304.76236	472382.61
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	250.64688	15295411.
PROPELLANT MASS REMAINING (KG,LBM)	WF	437834.74	965260.37
TOTAL GAS MASS (KG,LBM)	WGTOT	664.01837	1463.9099
RATIO OF SPECIFIC HEATS	GAMA	1.1600292	1.1600292
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.897918	28.435042
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1562.6129	5126.6829
MAXIMUM CHAMBER MACH NUMBER	AMPN	.27842044	.27842044
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.63085106+09	914.97211
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.79502094+10	11530.804
BURN AREA (M**2,IN**2)	AHH	123.78804	191871.84
BURN RATE (M/S,IN/S)	RBZ(1)	.10565043-01	.41594658
DISTANCE BURNED (M,IN)	TAUZ(1)	.13234673	5.2105014
PROPELLANT VOLUME (M**3,IN**3)	VFH	29.542475	1802792.4
GAS VOLUME (M**3,IN**3)	VPH	25.561357	1559849.7
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3426.7759	6168.1967
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	164.97946	255718.67
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	214.83330	13109932.
GAS VOLUME (M**3,IN**3)	VP	75.607844	4613873.7
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.57645996+09	836.08450
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.70838879+10	10274.311
BURN AREA (M**2,IN**2)	AAN	15.994872	24792.101
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.10302821-01	.40562289
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.10322029-01	.40637910
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.12769487	5.0273492
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.12799170	5.0390435
PROPELLANT VOLUME (M**3,IN**3)	VFN	6.2711124	382686.76
GAS VOLUME (M**3,IN**3)	VPN	10.778317	657733.24
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3426.6656	6167.9982
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	6.2107736	9626.7185
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5138750	2346.5109
EXPANSION RATIO	EPR	7.1000010	7.1000018
PRESSURE RATIO	PEPO	.21839683-01	.21839683-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	914.97	892.12	6168.20	525.73	.149	213.21	3617.89	5060.17	5083.16	23.00	.4175	5.211	.0000	.000
15.000	903.16	891.34	6167.87	533.51	.151	213.49	3627.35	5144.27	84.41	.30	.4157	5.187	.0000	.000
30.000	902.71	890.54	6167.54	541.29	.153	213.77	3636.82	5228.47	84.50	.30	.4156	5.185	.0000	.000
45.000	902.25	889.74	6167.21	549.05	.155	214.05	3646.30	5312.76	84.59	.30	.4154	5.182	.0000	.000
60.000	901.78	888.93	6166.87	556.80	.157	214.33	3655.79	5397.13	84.67	.31	.4153	5.180	.0000	.000
75.000	901.31	888.10	6166.53	564.54	.160	214.61	3665.29	5481.58	84.76	.31	.4152	5.178	.0000	.000
90.000	900.83	887.27	6166.18	572.26	.162	214.89	3674.80	5566.11	84.84	.31	.4150	5.175	.0000	.000
105.000	900.34	886.42	6165.83	579.98	.164	215.17	3684.33	5650.73	84.92	.31	.4149	5.173	.0000	.000
116.761	899.95	885.75	6165.55	586.03	.166	215.39	3691.80	5717.13	66.64	.24	.4148	5.170	.0000	.000
116.771	899.91	887.10	6166.88	555.96	.157	233.60	3886.37	5717.13	.00	.00	.4149	5.170	.0000	.000
131.771	899.48	885.37	6165.64	584.23	.165	223.07	3763.01	5806.96	90.16	.33	.4149	5.171	.0000	.000
143.919	899.94	884.67	6164.53	607.75	.172	214.55	3663.00	5876.65	69.95	.26	.4146	5.166	.0000	.000
158.919	899.30	883.77	6164.27	613.20	.173	215.50	3686.31	5961.17	84.83	.31	.4145	5.163	.0000	.000
173.919	898.65	882.86	6164.00	618.62	.175	216.45	3709.65	6046.03	85.18	.32	.4143	5.160	.0000	.000
188.919	898.00	881.94	6163.74	624.03	.176	217.40	3733.03	6131.24	85.53	.32	.4142	5.157	.0000	.000
203.919	897.34	881.02	6163.47	629.43	.178	218.36	3756.43	6216.79	85.87	.32	.4140	5.155	.0000	.000
218.919	896.67	880.09	6163.20	634.81	.180	219.31	3779.86	6302.69	86.21	.32	.4139	5.152	.0000	.000
233.919	896.00	879.15	6162.93	640.18	.181	220.26	3803.32	6388.92	86.56	.32	.4137	5.149	.0000	.000
248.919	895.33	878.21	6162.66	645.54	.183	221.22	3826.81	6475.50	86.90	.32	.4136	5.146	.0000	.000
263.919	894.65	877.26	6162.39	650.88	.184	222.17	3850.33	6562.42	87.24	.33	.4134	5.144	.0000	.000
278.919	893.96	876.31	6162.11	656.21	.186	223.12	3873.89	6649.67	87.58	.33	.4132	5.141	.0000	.000
293.919	893.27	875.35	6161.84	661.53	.187	224.07	3897.47	6737.27	87.93	.33	.4131	5.138	.0000	.000
308.919	892.58	874.38	6161.56	666.84	.189	225.03	3921.08	6825.21	88.27	.33	.4129	5.135	.0000	.000
323.919	891.88	873.40	6161.28	672.13	.190	225.98	3944.72	6913.48	88.61	.33	.4128	5.132	.0000	.000
338.919	891.17	872.42	6161.00	677.41	.192	226.93	3968.39	7002.10	88.95	.33	.4126	5.129	.0000	.000
353.919	890.46	871.44	6160.72	682.69	.193	227.88	3992.09	7091.05	89.29	.34	.4124	5.126	.0000	.000
368.919	889.74	870.44	6160.43	687.95	.195	228.84	4015.83	7180.34	89.63	.34	.4123	5.123	.0000	.000
383.919	889.02	869.45	6160.15	693.20	.196	229.79	4039.59	7269.96	89.96	.34	.4121	5.121	.0000	.000
398.919	888.29	868.44	6159.86	698.45	.198	230.74	4063.38	7359.92	90.30	.34	.4120	5.118	.0000	.000
403.048	888.09	868.16	6159.78	699.89	.198	231.01	4069.93	7384.74	24.91	.09	.4118	5.115	.0000	.000
418.048	887.17	867.16	6159.67	701.80	.199	229.16	4112.92	7474.57	90.17	.34	.4117	5.114	.0000	.000
427.051	886.63	866.56	6159.62	702.86	.199	228.06	4138.96	7528.12	53.76	.20	.4116	5.112	.0000	.000
427.061	886.00	872.37	6165.89	578.18	.164	392.45	5003.10	7528.12	.00	.00	.4124	5.119	.0000	.000
442.061	885.31	867.31	6161.61	665.87	.188	318.32	4447.10	7667.11	139.50	.52	.4124	5.119	.0000	.000
457.061	884.59	859.96	6155.07	780.52	.221	244.20	3876.99	7777.00	110.31	.42	.4116	5.105	.0000	.000
463.204	884.42	856.04	6151.36	838.70	.237	213.84	3639.44	7813.55	36.69	.14	.4104	5.086	.0000	.000
478.204	883.46	854.77	6151.01	843.93	.239	214.46	3660.68	7896.81	83.58	.32	.4097	5.077	.0000	.000
493.204	882.51	853.49	6150.66	849.14	.240	215.08	3681.96	7980.22	83.73	.32	.4095	5.073	.0000	.000
508.204	881.54	852.21	6150.31	854.33	.242	215.70	3703.29	8063.82	83.93	.32	.4093	5.069	.0000	.000
523.204	880.57	850.92	6149.96	859.50	.243	216.32	3724.65	8147.62	84.12	.32	.4091	5.066	.0000	.000
538.204	879.60	849.63	6149.61	864.67	.245	216.94	3746.06	8231.62	84.32	.32	.4089	5.062	.0000	.000
553.204	878.62	848.33	6149.26	869.81	.246	217.56	3767.50	8315.81	84.52	.33	.4086	5.058	.0000	.000
568.204	877.64	847.03	6148.91	874.95	.248	218.18	3788.99	8400.20	84.71	.33	.4084	5.054	.0000	.000
583.204	876.65	845.72	6148.55	880.07	.249	218.80	3810.52	8484.78	84.91	.33	.4082	5.050	.0000	.000
598.204	875.67	844.42	6148.20	885.18	.251	219.42	3832.09	8569.55	85.10	.33	.4080	5.046	.0000	.000
613.204	874.67	843.10	6147.84	890.28	.252	220.03	3853.70	8654.51	85.30	.33	.4078	5.042	.0000	.000

628.204	873.67	841.78	6147.48	895.36	.254	220.65	3875.35	8739.67	85.49	.33	.4075	5.038	.0000	.000
643.204	872.67	840.46	6147.12	900.43	.255	221.27	3897.04	8825.02	85.68	.33	.4073	5.035	.0000	.000
658.204	871.66	839.14	6146.76	905.50	.256	221.89	3918.77	8910.56	85.88	.33	.4071	5.031	.0000	.000
673.204	870.65	837.81	6146.40	910.55	.258	222.51	3940.55	8996.30	86.07	.34	.4069	5.027	.0000	.000
688.204	869.64	836.47	6146.04	915.59	.259	223.13	3962.36	9082.22	86.26	.34	.4066	5.023	.0000	.000
703.204	868.62	835.13	6145.67	920.62	.261	223.75	3984.22	9168.34	86.45	.34	.4064	5.019	.0000	.000
718.204	867.60	833.79	6145.31	925.64	.262	224.37	4006.11	9254.64	86.64	.34	.4062	5.015	.0000	.000
726.191	867.05	833.07	6145.11	928.30	.263	224.70	4017.79	9300.66	46.21	.18	.4060	5.012	.0000	.000
741.191	866.31	832.92	6145.68	920.56	.261	226.72	4090.55	9387.52	87.20	.34	.4058	5.009	.0000	.000
746.336	865.68	832.47	6145.83	918.41	.260	227.41	4115.59	9417.48	30.08	.12	.4058	5.009	.0000	.000
746.346	864.92	841.05	6155.29	776.95	.220	358.63	4822.68	9417.48	.00	.00	.4072	5.021	.0000	.000
761.346	864.28	836.96	6151.78	832.26	.236	317.47	4584.21	9547.99	131.01	.50	.4072	5.022	.0000	.000
776.346	863.68	832.32	6147.65	892.97	.253	276.31	4344.97	9662.52	114.97	.44	.4065	5.012	.0000	.000
791.346	863.16	827.02	6142.74	960.16	.272	235.15	4104.96	9760.99	98.85	.39	.4057	5.001	.0000	.000
794.831	863.07	825.69	6141.47	976.83	.277	225.59	4049.09	9781.55	20.64	.08	.4048	4.990	.0000	.000
809.831	861.70	824.27	6141.35	978.31	.277	226.60	4085.82	9868.29	87.08	.34	.4046	4.988	.0000	.000
824.831	860.34	822.85	6141.24	979.79	.278	227.61	4122.63	9955.37	87.42	.35	.4043	4.986	.0000	.000
839.831	858.98	821.44	6141.12	981.30	.278	228.63	4159.54	10042.78	87.76	.35	.4041	4.983	.0000	.000
854.781	857.63	820.03	6141.01	982.80	.278	229.64	4196.41	10130.23	87.80	.35	.4038	4.981	.0000	.000
869.781	856.69	821.56	6143.51	949.99	.269	234.09	4373.06	10218.97	89.09	.36	.4036	4.979	.0000	.000
884.781	855.82	822.69	6145.73	919.83	.260	238.54	4550.70	10309.40	90.81	.37	.4039	4.985	.0000	.000
899.781	855.03	824.05	6147.72	892.03	.253	243.00	4729.33	10401.60	92.57	.38	.4041	4.990	.0000	.000
914.781	854.27	825.07	6149.50	866.33	.245	247.45	4908.96	10495.55	94.34	.39	.4043	4.994	.0000	.000
929.781	853.61	825.97	6151.10	842.51	.238	251.90	5089.57	10591.25	96.09	.39	.4045	4.998	.0000	.000
944.781	852.96	826.76	6152.56	820.37	.232	256.35	5271.18	10688.70	97.85	.40	.4046	5.001	.0000	.000
959.781	852.36	827.46	6153.87	799.76	.226	260.81	5453.79	10787.88	99.60	.41	.4048	5.004	.0000	.000
974.781	851.79	828.07	6155.07	780.52	.221	265.26	5637.38	10888.81	101.35	.42	.4049	5.007	.0000	.000
989.781	851.25	828.62	6156.17	762.54	.216	269.71	5821.97	10991.48	103.09	.42	.4050	5.009	.0000	.000
1004.781	850.74	829.10	6157.17	745.69	.211	274.17	6007.55	11095.88	104.83	.43	.4051	5.011	.0000	.000
1019.781	850.25	829.52	6158.09	729.89	.206	278.62	6194.12	11202.02	106.57	.44	.4052	5.013	.0000	.000
1034.781	849.79	829.89	6158.93	715.03	.202	283.07	6381.69	11309.89	108.31	.44	.4052	5.015	.0000	.000
1040.791	849.16	829.57	6159.23	709.72	.201	284.86	6457.12	11353.59	43.89	.18	.4053	5.016	.0000	.000
1055.791	847.95	828.78	6159.63	702.53	.199	287.81	6593.09	11463.60	110.45	.44	.4053	5.016	.0000	.000
1070.791	846.79	828.01	6160.01	695.70	.197	290.77	6729.04	11574.72	111.56	.44	.4051	5.016	.0000	.000
1084.171	845.78	827.34	6160.33	689.89	.195	293.40	6850.29	11674.77	100.44	.39	.4050	5.016	.0000	.000
AFT(A)	836.10	802.04	6131.57	946.20	.268	.....	9626.72	12311.24	261.75	.99	.4056	5.027	....	.....
AFT(B)	836.11	836.06	6168.00	-35.78	.010	.....	4216.11	375.72	377.03	1.31	.4064	5.039	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	8.9995+02	8.8575+02	6.1656+03	-1.3144+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	5.7171+03
AFT	1.1677+02	9.0132+02	8.8710+02	6.1669+03	1.3127+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	5.7171+03

GAS BUILDUP IN SLOT, DW/DT = 4.7237-05

FOREWARD	4.2705+02	8.8663+02	8.6656+02	6.1596+03	1.7757+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	7.5281+03
AFT	4.2706+02	8.9257+02	8.7237+02	6.1659+03	1.7657+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	7.5281+03

GAS BUILDUP IN SLOT, DW/DT = 1.0048-04

FOREWARD	7.4634+02	8.6568+02	8.3247+02	6.1458+03	2.3071+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	9.4175+03
AFT	7.4635+02	8.7461+02	8.4105+02	6.1553+03	2.2871+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	9.4175+03

GAS BUILDUP IN SLOT, DW/DT = 1.6315-04

IGNITION TIME, TIME (S) 17.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	13396965.	3011757.6
TOTAL VACUUM THRUST (N,LBF)	FTVAC	14394594.	3236033.4
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	76688.169	17240.186
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.21407886+09	48126843.
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	258.16031	258.16031
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.23199540+09	52154641.
THRUST COEFFICIENT	CF	1.6315995	1.6315995
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	5644.6118	12449.239
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	90822.759	200229.91
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	41.157984	90.737823
INERT MASS REMAINING (KG,LBM)	MIR	2474.9356	5456.2990
TOTAL BURN AREA (M**2,IN**2)	ABTOT	307.73206	476985.65
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	237.79805	14511327.
PROPELLANT MASS REMAINING (KG,LBM)	WF	415273.47	915521.28
TOTAL GAS MASS (KG,LBM)	WGTOT	744.15251	1640.5755
RATIO OF SPECIFIC HEATS	GAMA	1.1600240	1.1600240
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.897246	28.433559
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1562.6742	5126.8839
MAXIMUM CHAMBER MACH NUMBER	AMPN	.25361626	.25361626
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.62706441+09	909.48004
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.10466494+11	15180.366
BURN AREA (M**2,IN**2)	AHH	119.72291	185570.88
BURN RATE (M/S,IN/S)	RBZ(1)	.10563926-01	.41590261
DISTANCE BURNED (M,IN)	TAUZ(1)	.17460940	6.8743860
PROPELLANT VOLUME (M**3,IN**3)	VFH	24.397974	1488855.7
GAS VOLUME (M**3,IN**3)	VPH	30.705858	1873786.4
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3427.7299	6169.9139
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	172.03293	266651.58
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	207.78979	12680111.
GAS VOLUME (M**3,IN**3)	VP	82.651625	5043711.6
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.58108005+09	842.78536
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.94003699+10	13634.084
BURN AREA (M**2,IN**2)	AAN	15.976219	24763.190
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.10336955-01	.40696674
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.10350899-01	.40751572
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.16894913	6.6515408
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.16931748	6.6660427
PROPELLANT VOLUME (M**3,IN**3)	VFN	5.6102899	342360.89
GAS VOLUME (M**3,IN**3)	VPN	11.439139	698059.11
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3427.1955	6168.9518
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	6.5803761	10199.603
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5182731	2353.3280
EXPANSION RATIO	EPR	7.0794346	7.0794346
PRESSURE RATIO	PEPO	.21923188-01	.21923188-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	909.48	891.85	6169.91	461.91	.131	223.69	3981.14	4889.23	4910.77	21.53	.4171	6.874	.0000	.000
15.000	900.34	891.20	6169.64	469.42	.133	223.96	3990.96	4977.47	88.54	.30	.4156	6.850	.0000	.000
30.000	899.96	890.54	6169.36	476.90	.135	224.23	4000.79	5065.81	88.64	.30	.4155	6.847	.0000	.000
45.000	899.59	889.87	6169.08	484.38	.137	224.51	4010.63	5154.23	88.72	.30	.4154	6.844	.0000	.000
60.000	899.20	889.19	6168.79	491.84	.139	224.78	4020.48	5242.73	88.81	.30	.4153	6.841	.0000	.000
75.000	898.81	888.50	6168.50	499.30	.141	225.05	4030.34	5331.32	88.89	.30	.4152	6.838	.0000	.000
90.000	898.41	887.80	6168.20	506.74	.143	225.33	4040.21	5419.99	88.98	.30	.4151	6.835	.0000	.000
105.000	898.01	887.09	6167.90	514.16	.145	225.60	4050.08	5508.75	89.06	.30	.4150	6.832	.0000	.000
116.761	897.69	886.52	6167.67	519.98	.147	225.81	4057.84	5578.39	69.88	.24	.4149	6.829	.0000	.000
116.771	897.66	887.60	6168.73	492.89	.139	237.09	4276.36	5578.39	.00	.00	.4149	6.830	.0000	.000
131.771	898.01	886.93	6167.75	517.96	.146	230.41	4138.96	5670.39	92.31	.32	.4149	6.830	.0000	.000
143.919	898.37	886.35	6166.86	539.38	.152	225.00	4027.58	5742.96	72.82	.25	.4148	6.825	.0000	.000
158.919	897.84	885.59	6166.62	544.80	.154	225.94	4052.42	5831.67	89.01	.31	.4147	6.821	.0000	.000
173.919	897.31	884.82	6166.39	550.20	.156	226.89	4077.28	5920.72	89.36	.31	.4146	6.818	.0000	.000
188.919	896.78	884.05	6166.16	555.58	.157	227.84	4102.15	6010.12	89.71	.31	.4145	6.815	.0000	.000
203.919	896.24	883.27	6165.92	560.95	.159	228.79	4127.05	6099.86	90.05	.31	.4144	6.811	.0000	.000
218.919	895.69	882.48	6165.68	566.30	.160	229.73	4151.96	6189.95	90.40	.31	.4142	6.808	.0000	.000
233.919	895.14	881.69	6165.44	571.64	.162	230.68	4176.89	6280.38	90.74	.31	.4141	6.805	.0000	.000
248.919	894.58	880.90	6165.20	576.96	.163	231.63	4201.83	6371.16	91.09	.31	.4140	6.801	.0000	.000
263.919	894.02	880.09	6164.96	582.26	.165	232.57	4226.80	6462.28	91.43	.32	.4138	6.798	.0000	.000
278.919	893.46	879.28	6164.72	587.55	.166	233.52	4251.78	6553.74	91.78	.32	.4137	6.794	.0000	.000
293.919	892.88	878.47	6164.47	592.82	.168	234.47	4276.78	6645.54	92.12	.32	.4136	6.791	.0000	.000
308.919	892.31	877.65	6164.22	598.08	.169	235.42	4301.80	6737.69	92.46	.32	.4134	6.788	.0000	.000
323.919	891.73	876.82	6163.97	603.33	.171	236.36	4326.84	6830.17	92.81	.32	.4133	6.784	.0000	.000
338.919	891.14	875.99	6163.72	608.56	.172	237.31	4351.89	6923.00	93.15	.32	.4132	6.781	.0000	.000
353.919	890.55	875.15	6163.47	613.78	.174	238.26	4376.96	7016.16	93.49	.32	.4130	6.777	.0000	.000
368.919	889.96	874.30	6163.22	618.99	.175	239.21	4402.05	7109.67	93.83	.33	.4129	6.774	.0000	.000
383.919	889.36	873.45	6162.96	624.18	.177	240.15	4427.16	7203.51	94.17	.33	.4128	6.770	.0000	.000
398.919	888.75	872.59	6162.71	629.37	.178	241.10	4452.28	7297.70	94.51	.33	.4126	6.766	.0000	.000
403.048	888.58	872.35	6162.64	630.79	.178	241.36	4459.20	7323.68	26.07	.09	.4125	6.763	.0000	.000
418.048	887.87	871.50	6162.49	633.85	.179	239.52	4499.03	7417.74	94.39	.33	.4124	6.762	.0000	.000
427.051	887.44	870.98	6162.40	635.59	.180	238.41	4523.18	7473.83	56.29	.20	.4123	6.759	.0000	.000
427.061	886.76	876.31	6168.23	505.60	.143	399.35	5656.92	7473.83	.00	.00	.4131	6.770	.0000	.000
442.061	886.17	872.12	6164.72	587.35	.166	326.66	4983.23	7616.05	142.72	.50	.4131	6.770	.0000	.000
457.061	885.49	865.78	6159.17	697.00	.197	253.96	4289.28	7729.70	114.05	.40	.4124	6.752	.0000	.000
463.204	885.31	862.29	6155.92	753.89	.213	224.19	3999.25	7767.95	38.38	.14	.4113	6.729	.0000	.000
478.204	884.52	861.21	6155.61	759.11	.215	224.80	4021.35	7855.47	87.83	.31	.4108	6.717	.0000	.000
493.204	883.73	860.12	6155.29	764.38	.216	225.42	4043.48	7943.14	87.99	.31	.4106	6.713	.0000	.000
508.204	882.94	859.03	6154.98	769.48	.218	226.03	4065.65	8031.02	88.19	.31	.4104	6.708	.0000	.000
523.204	882.14	857.94	6154.67	774.64	.219	226.64	4087.85	8119.09	88.39	.31	.4102	6.703	.0000	.000
538.204	881.33	856.84	6154.35	779.79	.221	227.25	4110.08	8207.36	88.59	.31	.4100	6.699	.0000	.000
553.204	880.52	855.73	6154.03	784.92	.222	227.86	4132.34	8295.83	88.78	.32	.4099	6.694	.0000	.000
568.204	879.71	854.62	6153.72	790.04	.224	228.47	4154.64	8384.50	88.96	.32	.4097	6.689	.0000	.000
583.204	878.89	853.51	6153.40	795.14	.225	229.08	4176.97	8473.36	89.18	.32	.4095	6.685	.0000	.000
598.204	878.07	852.39	6153.08	800.22	.226	229.70	4199.33	8562.42	89.38	.32	.4093	6.680	.0000	.000
613.204	877.25	851.27	6152.76	805.30	.228	230.31	4221.72	8651.68	89.58	.32	.4091	6.675	.0000	.000

628.204	876.42	850.14	6152.43	810.35	.229	230.92	4244.14	8741.13	89.77	.32	.4089	6.670	.0000	.000
643.204	875.59	849.01	6152.11	815.40	.231	231.53	4266.60	8830.78	89.97	.32	.4087	6.666	.0000	.000
658.204	874.75	847.87	6151.79	820.43	.232	232.14	4289.09	8920.62	90.17	.32	.4085	6.661	.0000	.000
673.204	873.91	846.73	6151.46	825.45	.234	232.75	4311.61	9010.66	90.36	.32	.4083	6.656	.0000	.000
688.204	873.06	845.58	6151.13	830.46	.235	233.36	4334.16	9100.89	90.56	.33	.4082	6.651	.0000	.000
703.204	872.21	844.44	6150.80	835.45	.236	233.98	4356.74	9191.31	90.75	.33	.4080	6.647	.0000	.000
718.204	871.36	843.28	6150.48	840.43	.238	234.59	4379.36	9281.93	90.94	.33	.4078	6.642	.0000	.000
726.191	870.90	842.67	6150.30	843.08	.239	234.91	4391.42	9330.26	48.50	.17	.4076	6.637	.0000	.000
741.191	870.28	842.46	6150.70	837.11	.237	236.94	4467.38	9421.43	91.51	.33	.4075	6.635	.0000	.000
746.336	869.76	842.07	6150.81	835.42	.236	237.63	4493.50	9452.88	31.56	.11	.4074	6.635	.0000	.000
746.346	868.92	850.07	6159.66	687.98	.195	365.47	5412.91	9452.88	.00	.00	.4087	6.652	.0000	.000
761.346	868.37	846.49	6156.61	742.16	.210	325.34	5107.82	9586.76	134.36	.48	.4087	6.653	.0000	.000
776.346	867.85	842.31	6152.92	802.69	.227	285.21	4801.71	9705.00	118.67	.42	.4081	6.640	.0000	.000
791.346	867.36	837.37	6148.41	871.08	.247	245.08	4494.58	9807.54	102.90	.37	.4074	6.626	.0000	.000
794.831	867.27	836.11	6147.22	888.27	.252	235.75	4423.08	9829.10	21.64	.08	.4066	6.611	.0000	.000
809.831	866.14	834.88	6147.09	890.11	.252	236.77	4461.27	9920.16	91.40	.33	.4064	6.609	.0000	.000
824.831	865.00	833.66	6146.96	891.96	.253	237.78	4499.53	10011.57	91.74	.33	.4061	6.605	.0000	.000
839.831	863.87	832.45	6146.82	893.82	.253	238.79	4537.85	10103.33	92.09	.33	.4059	6.602	.0000	.000
854.781	862.75	831.23	6146.69	895.68	.254	239.80	4576.11	10195.11	92.12	.34	.4057	6.599	.0000	.000
869.781	861.98	832.43	6148.67	867.21	.246	244.26	4764.20	10288.21	93.44	.34	.4055	6.596	.0000	.000
884.781	861.26	833.47	6150.43	841.11	.238	248.71	4952.56	10383.02	95.16	.35	.4057	6.603	.0000	.000
899.781	860.60	834.37	6152.00	817.11	.231	253.17	5141.19	10479.58	96.92	.36	.4059	6.609	.0000	.000
914.781	859.99	835.16	6153.41	794.98	.225	257.63	5330.09	10577.90	98.69	.37	.4061	6.614	.0000	.000
929.781	859.41	835.84	6154.67	774.51	.219	262.08	5519.27	10677.97	100.44	.38	.4062	6.618	.0000	.000
944.781	858.86	836.44	6155.82	755.55	.214	266.54	5708.71	10779.78	102.20	.38	.4063	6.622	.0000	.000
959.781	858.35	836.96	6156.85	737.94	.209	270.99	5898.43	10883.34	103.95	.39	.4064	6.625	.0000	.000
974.781	857.86	837.41	6157.80	721.55	.204	275.45	6088.42	10988.64	105.70	.39	.4065	6.628	.0000	.000
989.781	857.40	837.81	6158.66	706.27	.200	279.90	6278.69	11095.69	107.44	.40	.4066	6.631	.0000	.000
1004.781	856.95	838.15	6159.45	691.99	.196	284.36	6469.22	11204.47	109.18	.40	.4067	6.633	.0000	.000
1019.781	856.53	838.45	6160.17	678.63	.192	288.81	6660.03	11314.98	110.93	.41	.4067	6.636	.0000	.000
1034.781	856.12	838.70	6160.83	666.12	.188	293.27	6851.11	11427.24	112.67	.41	.4068	6.637	.0000	.000
1040.791	855.59	838.42	6161.07	661.62	.187	295.05	6927.74	11472.70	45.63	.17	.4068	6.639	.0000	.000
1055.791	854.55	837.71	6161.39	655.47	.185	298.01	7068.82	11587.09	114.80	.42	.4068	6.639	.0000	.000
1070.791	853.54	837.01	6161.68	649.67	.184	300.96	7209.41	11702.59	115.92	.42	.4066	6.638	.0000	.000
1084.171	852.67	836.41	6161.93	644.76	.182	303.59	7334.39	11806.54	104.34	.38	.4065	6.638	.0000	.000
AFT(A)	842.80	808.26	6132.61	949.22	.269	.....	10199.60	12444.24	269.85	.97	.4070	6.652	....	.....
AFT(B)	842.81	842.78	6168.95	-30.68	.009	.....	4789.00	368.82	370.09	1.27	.4075	6.666	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	#SLOT LB/SEC
FOREWARD	1.1676+02	8.9769+02	8.8652+02	6.1677+03	1.2819+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	5.5784+03
AFT	1.1677+02	8.9879+02	8.8760+02	6.1687+03	1.2805+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	5.5784+03

GAS BUILDUP IN SLOT, DW/DT = -3.0247-06

FOREWARD	4.2705+02	8.8744+02	8.7098+02	6.1624+03	1.7548+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	7.4738+03
AFT	4.2706+02	8.9286+02	8.7631+02	6.1682+03	1.7458+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	7.4738+03

GAS BUILDUP IN SLOT, DW/DT = 2.2048-05

FOREWARD	7.4634+02	8.6976+02	8.4207+02	6.1508+03	2.2914+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	9.4529+03
AFT	7.4635+02	8.7803+02	8.5007+02	6.1597+03	2.2731+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	9.4529+03

GAS BUILDUP IN SLOT, DW/DT = 7.1760-05

IGNITION TIME, TIME (S) 21.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	134632 4.	30265 8.1
TOTAL VACUUM THRUST (N,LBF)	FTVAC	14410166.	3239534.2
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	67230.752	15114.074
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.26788288+09	60222467.
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	258.19380	258.19380
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.28969083+09	65125089.
THRUST COEFFICIENT	CF	1.6300915	1.6300915
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	5655.0999	12467.361
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	113457.18	250130.27
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	36.082257	79.547760
INERT MASS REMAINING (KG,LBM)	MIR	2325.6060	5127.0837
TOTAL BURN AREA (M**2,IN**2)	ABTOT	308.58743	478311.47
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	224.84550	13720914.
PROPELLANT MASS REMAINING (KG,LBM)	WF	392553.27	865431.81
TOTAL GAS MASS (KG,LBM)	WGTOT	819.89951	1807.5690
RATIO OF SPECIFIC HEATS	GAMA	1.1600156	1.1600156
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.896162	28.431170
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1562.6672	5126.8609
MAXIMUM CHAMBER MACH NUMBER	AMPN	.23156580	.23156580
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.62096103+09	900.62784
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.12964986+11	18804.123
BURN AREA (M**2,IN**2)	AHH	113.61464	176103.05
BURN RATE (M/S,IN/S)	RBZ(1)	.10545419-01	.41517398
DISTANCE BURNED (M,IN)	TAUZ(1)	.21686110	8.5378385
PROPELLANT VOLUME (M**3,IN**3)	VFH	19.458633	1187438.7
GAS VOLUME (M**3,IN**3)	VPH	35.645198	2175203.5
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3428.1887	6170.7396
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	179.12605	277645.93
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	200.43547	12231323.
GAS VOLUME (M**3,IN**3)	VP	90.006202	5492515.4
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.58055293+09	842.02084
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.11727126+11	17008.758
BURN AREA (M**2,IN**2)	AAN	15.846737	24562.492
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.10338025-01	.40700888
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.10347614-01	.40738638
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.21031993	8.2803123
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.21073954	8.2968322
PROPELLANT VOLUME (M**3,IN**3)	VFN	4.9514024	302153.11
GAS VOLUME (M**3,IN**3)	VPN	12.098027	738266.89
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3427.1422	6168.8560
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	6.9626464	10792.124
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5227028	2360.1941
EXPANSION RATIO	EPR	7.0586396	7.0586396
PRESSURE RATIO	PEPO	.22007557-01	.22007557-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	900.63	887.39	6170.74	401.27	.113	234.13	4361.69	4629.03	4648.15	19.12	.4160	8.538	.0000	.000
15.000	893.73	886.86	6170.51	408.54	.115	234.40	4371.88	4721.26	92.51	.29	.4149	8.512	.0000	.000
30.000	893.43	886.31	6170.27	415.80	.118	234.67	4382.07	4813.58	92.61	.29	.4148	8.509	.0000	.000
45.000	893.12	885.75	6170.03	423.05	.120	234.95	4392.28	4905.99	92.69	.29	.4147	8.506	.0000	.000
60.000	892.81	885.19	6169.79	430.28	.122	235.22	4402.49	4998.48	92.78	.29	.4146	8.503	.0000	.000
75.000	892.49	884.62	6169.54	437.50	.124	235.49	4412.71	5091.06	92.87	.29	.4146	8.499	.0000	.000
90.000	892.17	884.03	6169.29	444.71	.126	235.76	4422.94	5183.73	92.95	.29	.4145	8.496	.0000	.000
105.000	891.84	883.44	6169.04	451.90	.128	236.03	4433.18	5276.48	93.04	.29	.4144	8.492	.0000	.000
116.761	891.57	882.97	6168.83	457.54	.129	236.24	4441.21	5349.26	73.01	.23	.4143	8.489	.0000	.000
116.771	891.55	883.80	6169.65	434.36	.123	243.20	4674.46	5349.26	.00	-.00	.4143	8.490	.0000	.000
131.771	891.80	883.24	6168.87	456.56	.129	238.90	4528.18	5444.02	95.05	.30	.4143	8.490	.0000	.000
143.919	892.05	882.75	6168.17	475.55	.134	235.43	4409.58	5519.51	75.73	.24	.4142	8.484	.0000	.000
158.919	891.62	882.12	6167.97	480.99	.136	236.37	4435.96	5612.22	92.99	.29	.4142	8.480	.0000	.000
173.919	891.19	881.48	6167.76	486.41	.137	237.31	4462.35	5705.27	93.34	.29	.4140	8.476	.0000	.000
188.919	890.75	880.83	6167.55	491.82	.139	238.26	4488.74	5798.67	93.69	.29	.4139	8.473	.0000	.000
203.919	890.31	880.17	6167.34	497.20	.141	239.20	4515.13	5892.42	94.04	.29	.4138	8.469	.0000	.000
218.919	889.86	879.51	6167.13	502.56	.142	240.14	4541.54	5986.51	94.39	.29	.4137	8.465	.0000	.000
233.919	889.41	878.85	6166.92	507.90	.144	241.09	4567.94	6080.95	94.73	.30	.4136	8.461	.0000	.000
248.919	888.95	878.18	6166.70	513.23	.145	242.03	4594.36	6175.73	95.08	.30	.4135	8.457	.0000	.000
263.919	888.49	877.50	6166.49	518.54	.147	242.97	4620.77	6270.86	95.43	.30	.4134	8.453	.0000	.000
278.919	888.03	876.81	6166.27	523.83	.148	243.92	4647.20	6366.33	95.77	.30	.4133	8.449	.0000	.000
293.919	887.56	876.12	6166.05	529.10	.150	244.86	4673.63	6462.14	96.12	.30	.4132	8.446	.0000	.000
308.919	887.08	875.43	6165.83	534.36	.151	245.81	4700.06	6558.30	96.46	.30	.4131	8.442	.0000	.000
323.919	886.60	874.73	6165.61	539.60	.153	246.75	4726.50	6654.80	96.81	.30	.4129	8.438	.0000	.000
338.919	886.12	874.02	6165.38	544.83	.154	247.69	4752.94	6751.65	97.15	.31	.4128	8.434	.0000	.000
353.919	885.63	873.31	6165.16	550.04	.156	248.64	4779.39	6848.83	97.49	.31	.4127	8.430	.0000	.000
368.919	885.14	872.59	6164.93	555.24	.157	249.58	4805.85	6946.36	97.84	.31	.4126	8.425	.0000	.000
383.919	884.64	871.86	6164.70	560.43	.158	250.52	4832.31	7044.23	98.18	.31	.4125	8.421	.0000	.000
398.919	884.14	871.13	6164.48	565.60	.160	251.47	4858.77	7142.44	98.52	.31	.4124	8.417	.0000	.000
403.048	884.00	870.93	6164.41	567.02	.160	251.73	4866.06	7169.53	27.18	.09	.4122	8.413	.0000	.000
418.048	883.44	870.20	6164.24	570.94	.161	249.88	4902.74	7267.62	98.40	.31	.4122	8.412	.0000	.000
427.061	883.10	869.76	6164.13	573.21	.162	248.78	4925.00	7326.13	58.70	.19	.4121	8.409	.0000	.000
427.061	882.43	874.39	6169.29	444.55	.126	405.99	6322.16	7326.13	.00	-.00	.4128	8.422	.0000	.000
442.061	881.94	870.97	6166.44	519.77	.147	334.84	5533.33	7471.19	145.52	.47	.4128	8.423	.0000	.000
457.061	881.32	865.64	6161.81	622.46	.176	263.68	4718.19	7588.30	117.50	.38	.4122	8.402	.0000	.000
463.204	881.14	862.65	6159.04	676.58	.191	234.54	4376.78	7628.16	39.98	.13	.4113	8.375	.0000	.000
478.204	880.49	861.73	6158.76	681.83	.193	235.15	4399.76	7719.74	91.88	.30	.4108	8.361	.0000	.000
493.204	879.84	860.80	6158.48	687.05	.194	235.75	4422.76	7811.49	92.04	.30	.4107	8.356	.0000	.000
508.204	879.18	859.87	6158.19	692.25	.196	236.36	4445.79	7903.44	92.25	.30	.4105	8.350	.0000	.000
523.204	878.52	858.94	6157.91	697.43	.197	236.97	4468.84	7995.59	92.45	.30	.4104	8.345	.0000	.000
538.204	877.86	858.00	6157.63	702.60	.199	237.57	4491.91	8087.94	92.65	.30	.4102	8.340	.0000	.000
553.204	877.19	857.06	6157.34	707.75	.200	238.18	4515.01	8180.50	92.85	.30	.4101	8.334	.0000	.000
568.204	876.51	856.11	6157.05	712.88	.202	238.78	4538.13	8273.25	93.05	.30	.4099	8.329	.0000	.000
583.204	875.84	855.16	6156.76	718.00	.203	239.39	4561.27	8366.20	93.25	.30	.4097	8.323	.0000	.000
598.204	875.16	854.20	6156.47	723.10	.205	239.99	4584.43	8459.35	93.45	.30	.4096	8.318	.0000	.000
613.204	874.47	853.24	6156.18	728.19	.206	240.60	4607.62	8552.70	93.65	.30	.4094	8.312	.0000	.000

628.204	873.78	852.27	6155.89	733.26	.207	241.20	4630.83	8646.24	93.85	.30	.4093	8.307	.0000	.000
643.204	873.09	851.30	6155.60	738.31	.209	241.81	4654.36	8739.99	94.05	.31	.4091	8.301	.0000	.000
658.204	872.39	850.33	6155.30	743.35	.210	242.42	4677.32	8833.93	94.25	.31	.4089	8.296	.0000	.000
673.204	871.69	849.35	6155.01	748.38	.212	243.02	4700.60	8928.07	94.45	.31	.4088	8.290	.0000	.000
688.204	870.98	848.36	6154.71	753.40	.213	243.63	4723.90	9022.40	94.64	.31	.4086	8.285	.0000	.000
703.204	870.27	847.38	6154.41	758.40	.215	244.23	4747.23	9116.93	94.84	.31	.4084	8.280	.0000	.000
718.204	869.56	846.38	6154.11	763.38	.216	244.84	4770.57	9211.66	95.04	.31	.4083	8.274	.0000	.000
726.191	869.18	845.85	6153.95	766.03	.217	245.16	4783.01	9262.17	50.68	.17	.4081	8.269	.0000	.000
741.191	867.91	844.85	6154.18	762.24	.216	247.18	4862.20	9357.47	95.60	.31	.4080	8.266	.0000	.000
746.336	867.49	844.51	6154.26	760.98	.215	247.88	4889.40	9390.33	32.96	.11	.4078	8.266	.0000	.000
746.346	866.65	851.61	6162.19	614.02	.174	372.92	6016.86	9390.33	.00	.00	.4090	8.288	.0000	.000
761.346	866.15	848.53	6159.60	665.98	.188	333.66	5646.47	9527.40	137.52	.44	.4090	8.288	.0000	.000
776.346	865.67	844.85	6156.38	724.77	.205	294.39	5274.83	9649.17	122.16	.39	.4085	8.273	.0000	.000
791.346	865.21	840.41	6152.35	792.16	.224	255.12	4901.93	9755.56	106.74	.34	.4078	8.257	.0000	.000
794.831	865.14	839.26	6151.27	809.27	.229	245.99	4815.11	9778.07	22.58	.07	.4071	8.239	.0000	.000
809.831	864.19	838.20	6151.13	811.47	.230	247.00	4854.79	9873.24	95.48	.31	.4069	8.235	.0000	.000
824.831	863.24	837.15	6150.98	813.68	.230	248.00	4894.50	9968.76	95.83	.31	.4067	8.231	.0000	.000
839.831	862.30	836.09	6150.84	815.89	.231	249.01	4934.26	10064.62	96.17	.31	.4065	8.227	.0000	.000
854.781	861.37	835.04	6150.70	818.11	.232	250.01	4973.91	10160.51	96.20	.31	.4064	8.223	.0000	.000
869.781	860.72	835.97	6152.27	793.39	.225	254.47	5173.54	10257.73	97.53	.32	.4062	8.219	.0000	.000
884.781	860.13	836.76	6153.66	770.79	.218	258.93	5372.70	10356.66	99.25	.32	.4063	8.227	.0000	.000
899.781	859.57	837.45	6154.91	750.06	.212	263.38	5571.40	10457.34	101.01	.33	.4065	8.234	.0000	.000
914.781	859.05	838.04	6156.02	731.01	.207	267.84	5769.63	10559.77	102.77	.34	.4066	8.239	.0000	.000
929.781	858.56	838.55	6157.02	713.44	.202	272.30	5967.39	10663.95	104.52	.34	.4067	8.244	.0000	.000
944.781	858.10	838.98	6157.92	697.20	.197	276.75	6164.69	10769.88	106.27	.35	.4068	8.248	.0000	.000
959.781	857.66	839.36	6158.74	682.17	.193	281.21	6361.52	10877.54	108.02	.35	.4069	8.252	.0000	.000
974.781	857.23	839.68	6159.48	666.22	.189	285.67	6557.89	10986.95	109.76	.36	.4069	8.255	.0000	.000
989.781	856.83	839.95	6160.16	655.26	.185	290.12	6753.79	11098.09	111.51	.36	.4070	8.258	.0000	.000
1004.781	856.45	840.19	6160.78	643.20	.182	294.58	6949.22	11210.98	113.25	.36	.4070	8.261	.0000	.000
1019.781	856.07	840.38	6161.34	631.95	.179	299.04	7144.19	11325.59	114.98	.37	.4071	8.263	.0000	.000
1034.781	854.91	839.72	6161.83	622.06	.176	303.50	7338.69	11441.95	116.72	.36	.4071	8.266	.0000	.000
1040.791	854.46	839.46	6162.02	618.28	.175	305.28	7416.49	11489.05	47.25	.14	.4070	8.267	.0000	.000
1055.791	853.56	838.82	6162.27	613.07	.173	308.23	7562.72	11607.51	118.81	.36	.4069	8.267	.0000	.000
1070.791	852.68	838.20	6162.50	608.19	.172	311.18	7707.97	11727.08	119.93	.36	.4068	8.266	.0000	.000
1084.171	851.93	837.65	6162.70	604.10	.171	313.81	7836.70	11834.67	107.92	.33	.4067	8.265	.0000	.000
AFT(A)	842.03	807.31	6132.56	952.21	.270	.....	10792.12	12467.36	276.39	.83	.4070	8.280	....	.....
AFT(B)	842.05	842.03	6168.86	-26.46	.007	.....	5381.52	357.13	358.26	1.13	.4074	8.297	....	.....

	SLOT INTERFACE LOCATION IN.	PQ PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU. IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	8.9157+02	8.8297+02	6.1688+03	1.2345+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	5.3493+03
AFT	1.1677+02	8.9240+02	8.8380+02	6.1696+03	1.2335+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	5.3493+03

GAS BUILDUP IN SLOT, DW/DT = -7.3331-05

FOREWARD	4.2705+02	8.8310+02	8.6976+02	6.1641+03	1.7232+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	7.3261+03
AFT	4.2706+02	8.8780+02	8.7439+02	6.1693+03	1.7155+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	7.3261+03

GAS BUILDUP IN SLOT, DW/DT = -5.2051-05

FOREWARD	7.4634+02	8.6749+02	8.4451+02	6.1543+03	2.2711+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	9.3903+03
AFT	7.4635+02	8.7478+02	8.5161+02	6.1622+03	2.2551+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	9.3903+03

GAS BUILDUP IN SLOT, DW/DT = -2.4452-05

IGNITION TIME, TIME (S) 25.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	12225936.	2748493.1
TOTAL VACUUM THRUST (N,LBF)	FTVAC	13113132.	2947949.3
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	54465.085	12244.238
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.31866017+09	71637656.
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.89252	257.89252
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.34413844+09	77365400.
THRUST COEFFICIENT	CF	1.6288826	1.6288826
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	5155.7480	11366.479
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	134834.50	297259.19
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	29.231016	64.443359
INERT MASS REMAINING (KG,LBM)	MIR	2201.9918	4854.5610
TOTAL BURN AREA (M**2,IN**2)	ABTOT	290.62178	450464.66
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	212.54643	12970379.
PROPELLANT MASS REMAINING (KG,LBM)	WF	371166.85	818282.84
TOTAL GAS MASS (KG,LBM)	WGTOT	811.55601	1789.1747
RATIO OF SPECIFIC HEATS	GAMA	1.1599305	1.1599305
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.885185	28.406970
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1561.7980	5124.0092
MAXIMUM CHAMBER MACH NUMBER	AMPN	.20893091	.20893091
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.55916478+09	810.99995
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.15296822+11	22186.165
BURN AREA (M**2,IN**2)	AHH	88.808808	137653.93
BURN RATE (M/S,IN/S)	RBZ(1)	.10187296-01	.40107464
DISTANCE BURNED (M,IN)	TAUZ(1)	.25852336	10.178085
PROPELLANT VOLUME (M**3,IN**3)	VFH	15.359430	937289.91
GAS VOLUME (M**3,IN**3)	VPH	39.744402	2425352.2
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3422.6835	6160.8303
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	186.15802	288545.51
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	192.87949	11770229.
GAS VOLUME (M**3,IN**3)	VP	97.562485	5953628.1
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.52720175+09	764.64149
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.13918317+11	20186.812
BURN AREA (M**2,IN**2)	AAN	15.654949	24265.219
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.99987302-02	.39365080
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.10004326-01	.39387111
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.25118116	9.8890222
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.25163453	9.9068714
PROPELLANT VOLUME (M**3,IN**3)	VFN	4.3075078	262860.25
GAS VOLUME (M**3,IN**3)	VPN	12.741921	777559.75
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3419.2612	6154.6702
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	7.3509741	11394.033
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5270027	2366.8589
EXPANSION RATIO	EPR	7.0389628	7.0389628
PRESSURE RATIO	PEPO	.22093719-01	.22093719-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	FO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	811.00	803.98	6160.83	306.94	.087	244.39	4753.90	3499.17	3506.18	7.02	.4014	10.178	.0000	.000
15.000	807.29	803.60	6160.64	314.55	.089	244.66	4764.47	3592.35	93.28	.10	.4008	10.152	.0000	.000
30.000	807.09	803.21	6160.45	322.15	.091	244.94	4775.04	3685.64	93.38	.10	.4008	10.148	.0000	.000
45.000	806.87	802.82	6160.26	329.74	.093	245.21	4785.62	3779.01	93.47	.10	.4007	10.144	.0000	.000
60.000	806.66	802.41	6160.06	337.31	.095	245.49	4796.21	3872.47	93.56	.10	.4006	10.141	.0000	.000
75.000	806.43	802.00	6159.86	344.86	.098	245.76	4806.80	3966.02	93.65	.10	.4006	10.137	.0000	.000
90.000	806.20	801.58	6159.65	352.40	.100	246.04	4817.39	4059.66	93.73	.10	.4005	10.133	.0000	.000
105.000	805.97	801.15	6159.44	359.92	.102	246.31	4827.99	4153.39	93.82	.10	.4004	10.129	.0000	.000
116.761	805.78	800.80	6159.27	365.82	.103	246.53	4836.31	4226.93	73.62	.08	.4003	10.126	.0000	.000
116.771	805.77	801.26	6159.77	348.12	.098	251.92	5079.70	4226.93	.00	-.00	.4003	10.127	.0000	.000
131.771	805.87	800.85	6159.23	367.15	.104	248.46	4927.03	4322.17	95.33	.09	.4003	10.127	.0000	.000
143.919	805.96	800.49	6158.75	383.38	.108	245.66	4803.26	4398.33	76.23	.08	.4003	10.121	.0000	.000
158.919	805.67	800.02	6158.57	389.50	.110	246.61	4831.18	4491.99	93.76	.10	.4002	10.116	.0000	.000
173.919	805.36	799.54	6158.38	395.59	.112	247.55	4859.09	4586.00	94.10	.10	.4001	10.112	.0000	.000
188.919	805.06	799.06	6158.19	401.66	.114	248.49	4886.99	4680.34	94.44	.10	.4000	10.108	.0000	.000
203.919	804.74	798.57	6158.00	407.70	.115	249.44	4914.88	4775.03	94.78	.10	.4000	10.104	.0000	.000
218.919	804.43	798.07	6157.80	413.71	.117	250.38	4942.77	4870.05	95.12	.10	.3999	10.100	.0000	.000
233.919	804.10	797.57	6157.60	419.70	.119	251.32	4970.65	4965.41	95.46	.10	.3998	10.096	.0000	.000
248.919	803.78	797.05	6157.41	425.66	.120	252.27	4998.52	5061.11	95.80	.10	.3997	10.091	.0000	.000
263.919	803.45	796.54	6157.21	431.60	.122	253.21	5026.39	5157.15	96.14	.10	.3996	10.087	.0000	.000
278.919	803.11	796.01	6157.00	437.51	.124	254.16	5054.25	5253.52	96.47	.10	.3995	10.083	.0000	.000
293.919	802.77	795.48	6156.80	443.40	.125	255.10	5082.10	5350.23	96.81	.10	.3994	10.078	.0000	.000
308.919	802.42	794.95	6156.59	449.27	.127	256.04	5109.94	5447.28	97.15	.10	.3993	10.074	.0000	.000
323.919	802.07	794.41	6156.38	455.12	.129	256.99	5137.77	5544.66	97.48	.10	.3992	10.069	.0000	.000
338.919	801.72	793.86	6156.17	460.95	.130	257.93	5165.60	5642.38	97.82	.10	.3991	10.065	.0000	.000
353.919	801.36	793.30	6155.96	466.76	.132	258.87	5193.42	5740.43	98.15	.10	.3991	10.060	.0000	.000
368.919	800.99	792.74	6155.75	472.55	.134	259.82	5221.24	5838.82	98.49	.10	.3990	10.056	.0000	.000
383.919	800.62	792.18	6155.53	478.32	.135	260.76	5249.04	5937.54	98.82	.10	.3989	10.051	.0000	.000
398.919	800.25	791.60	6155.31	484.07	.137	261.71	5276.84	6036.59	99.15	.10	.3988	10.047	.0000	.000
403.048	800.15	791.44	6155.25	485.65	.137	261.97	5284.49	6063.91	27.35	.03	.3987	10.042	.0000	.000
418.048	799.75	790.87	6155.06	490.80	.139	260.12	5318.07	6162.85	99.04	.10	.3986	10.041	.0000	.000
427.051	799.51	790.52	6154.94	493.81	.140	259.01	5338.47	6221.89	59.10	.06	.3985	10.037	.0000	.000
427.061	799.00	793.77	6158.97	375.79	.106	413.85	6990.86	6221.89	.00	-.00	.3990	10.053	.0000	.000
442.061	798.61	791.40	6156.83	442.49	.125	343.65	6090.32	6365.54	143.84	.19	.3990	10.054	.0000	.000
457.061	798.12	787.62	6153.30	534.36	.151	273.45	5157.61	6482.53	117.13	.15	.3986	10.031	.0000	.000
463.204	797.95	785.47	6151.15	583.20	.165	244.70	4766.34	6522.70	40.22	.05	.3979	10.001	.0000	.000
478.204	797.47	784.74	6150.88	589.06	.167	245.31	4790.21	6615.34	92.75	.11	.3976	9.985	.0000	.000
493.204	796.98	784.01	6150.61	594.89	.168	245.91	4814.09	6708.16	92.92	.11	.3974	9.979	.0000	.000
508.204	796.49	783.27	6150.33	600.70	.170	246.52	4837.98	6801.17	93.12	.11	.3973	9.973	.0000	.000
523.204	795.99	782.52	6150.06	606.48	.172	247.12	4861.89	6894.38	93.32	.11	.3972	9.967	.0000	.000
538.204	795.49	781.78	6149.78	612.25	.173	247.73	4885.81	6987.79	93.51	.11	.3970	9.961	.0000	.000
553.204	794.98	781.02	6149.50	617.99	.175	248.33	4909.74	7081.40	93.71	.11	.3969	9.955	.0000	.000
568.204	794.47	780.26	6149.22	623.72	.176	248.93	4933.69	7175.20	93.91	.11	.3968	9.949	.0000	.000
583.204	793.95	779.50	6148.94	629.42	.178	249.54	4957.65	7269.20	94.10	.11	.3966	9.943	.0000	.000
598.204	793.43	778.73	6148.66	635.11	.180	250.14	4981.62	7363.39	94.30	.11	.3965	9.937	.0000	.000
613.204	792.91	777.95	6148.37	640.78	.181	250.75	5005.61	7457.78	94.50	.11	.3964	9.931	.0000	.000

628.204	792.38	777.17	6148.09	646.43	.183	251.35	5029.61	7552.37	94.69	.11	.3962	9.925	.0000	.000
643.204	791.85	776.38	6147.80	652.06	.185	251.96	5053.63	7647.15	94.89	.11	.3961	9.919	.0000	.000
658.204	791.31	775.59	6147.51	657.67	.186	252.56	5077.66	7742.12	95.08	.11	.3960	9.912	.0000	.000
673.204	790.77	774.79	6147.22	663.27	.188	253.17	5101.70	7837.29	95.27	.11	.3958	9.906	.0000	.000
688.204	790.22	773.99	6146.93	668.85	.189	253.77	5125.76	7932.65	95.47	.11	.3957	9.900	.0000	.000
703.204	789.67	773.19	6146.63	674.41	.191	254.37	5149.83	8028.20	95.66	.11	.3955	9.894	.0000	.000
718.204	789.12	772.37	6146.34	679.96	.192	254.98	5173.91	8123.95	95.85	.11	.3954	9.888	.0000	.000
726.191	788.82	771.94	6146.18	682.91	.193	255.30	5186.74	8175.01	51.11	.06	.3952	9.882	.0000	.000
741.191	787.88	771.12	6146.28	680.90	.193	257.31	5269.01	8271.30	96.41	.11	.3952	9.879	.0000	.000
746.336	787.56	770.84	6146.32	680.24	.193	258.00	5297.24	8304.50	33.23	.04	.3950	9.878	.0000	.000
746.346	786.87	776.26	6153.01	540.63	.153	380.36	6625.78	8304.50	.00	.00	.3959	9.905	.0000	.000
761.346	786.47	773.89	6150.85	589.54	.167	341.90	6192.27	8440.40	136.09	.18	.3959	9.905	.0000	.000
776.346	786.06	771.02	6148.14	645.31	.183	303.45	5757.26	8561.78	121.53	.16	.3955	9.888	.0000	.000
791.346	785.65	767.50	6144.70	769.81	.201	264.99	5320.77	8668.57	106.92	.13	.3950	9.869	.0000	.000
799.831	786.28	767.30	6143.81	725.61	.205	256.05	5219.14	8691.28	22.74	.03	.3944	9.849	.0000	.000
809.831	785.55	766.43	6143.63	728.70	.206	257.07	5260.32	8787.46	96.29	.11	.3943	9.844	.0000	.000
824.831	784.82	765.56	6143.45	731.80	.207	258.08	5301.51	8884.00	96.65	.11	.3942	9.840	.0000	.000
839.831	784.09	764.68	6143.28	734.89	.208	259.09	5342.71	8980.88	96.99	.11	.3940	9.835	.0000	.000
854.781	783.36	763.81	6143.10	737.97	.209	260.10	5383.78	9077.78	97.01	.11	.3939	9.830	.0000	.000
869.781	782.86	764.38	6144.27	717.42	.203	264.56	5594.85	9175.99	98.32	.11	.3937	9.825	.0000	.000
884.781	782.38	764.86	6145.32	698.68	.198	269.02	5804.71	9275.86	99.98	.11	.3938	9.834	.0000	.000
899.781	781.94	765.27	6146.25	681.57	.193	273.48	6013.37	9377.43	101.68	.11	.3939	9.841	.0000	.000
914.781	781.52	765.61	6147.08	665.89	.188	277.94	6220.81	9480.70	103.37	.11	.3940	9.847	.0000	.000
929.781	781.12	765.89	6147.83	651.50	.184	282.40	6427.04	9585.65	105.06	.10	.3940	9.852	.0000	.000
944.781	780.74	766.12	6148.50	638.25	.181	286.85	6632.07	9692.30	106.75	.10	.3941	9.857	.0000	.000
959.781	780.38	766.32	6149.11	626.05	.177	291.31	6835.89	9800.63	108.43	.10	.3941	9.861	.0000	.000
974.781	780.03	766.47	6149.66	614.79	.174	295.77	7038.50	9910.65	110.11	.10	.3942	9.864	.0000	.000
989.781	778.95	765.84	6150.13	604.96	.171	300.23	7239.90	10022.35	111.80	.09	.3942	9.867	.0000	.000
1004.781	777.94	765.24	6150.56	595.86	.169	304.69	7440.09	10135.74	113.46	.07	.3941	9.870	.0000	.000
1019.781	776.98	764.64	6150.95	587.42	.166	309.15	7639.07	10250.77	115.10	.06	.3940	9.873	.0000	.000
1034.781	776.07	764.07	6151.31	579.58	.164	313.61	7836.85	10367.45	116.74	.06	.3939	9.875	.0000	.000
1040.791	775.71	763.85	6151.45	576.60	.163	315.39	7915.75	10414.65	47.23	.02	.3938	9.876	.0000	.000
1055.791	774.99	763.29	6151.63	572.66	.162	318.34	8067.07	10533.34	118.74	.05	.3937	9.875	.0000	.000
1070.791	774.29	762.75	6151.79	569.03	.161	321.28	8216.92	10653.11	119.82	.05	.3936	9.874	.0000	.000
1084.171	773.68	762.27	6151.92	566.03	.160	323.91	8349.35	10760.85	107.79	.04	.3935	9.873	.0000	.000
AFT(A)	764.65	732.93	6118.30	954.43	.271	.....	11394.03	11366.48	273.99	.11	.3937	9.889	....	.....
AFT(B)	784.67	764.65	6154.67	-24.31	.007	.....	5983.42	331.75	332.27	.52	.3939	9.907	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU. IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	8.0578+02	8.0086+02	6.1593+03	1.0748+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	4.2269+03
AFT	1.1677+02	8.0624+02	8.0126+02	6.1598+03	1.0743+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	4.2269+03

GAS BUILDUP IN SLOT, DW/DT = -4.5047-04

FOREWARD	4.2705+02	7.9951+02	7.9052+02	6.1549+03	1.6091+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.2219+03
AFT	4.2706+02	8.0280+02	7.9377+02	6.1590+03	1.6036+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.2219+03

GAS BUILDUP IN SLOT, DW/DT = -4.3059-04

FOREWARD	7.4634+02	7.8756+02	7.7084+02	6.1463+03	2.1995+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	8.3045+03
AFT	7.4635+02	7.9310+02	7.7626+02	6.1530+03	2.1865+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	8.3045+03

GAS BUILDUP IN SLOT, DW/DT = -3.9049-04

IGNITION TIME, TIME (S) 29.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	11615851.	2611347.3
TOTAL VACUUM THRUST (N,LBF)	FTVAC	12435564.	2795626.1
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	46425.006	10436.757
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.36627872+09	82342732.
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.98568	257.98568
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.39517256+09	88838329.
THRUST COEFFICIENT	CF	1.6278327	1.6278327
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4890.3748	10781.431
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	154897.86	341491.33
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	24.915964	54.930298
INERT MASS REMAINING (KG,LBM)	MIR	2098.2626	4625.8771
TOTAL BURN AREA (M**2,IN**2)	ABTOT	281.13057	435753.26
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	201.03145	12267691.
PROPELLANT MASS REMAINING (KG,LBM)	WF	351083.41	774006.44
TOTAL GAS MASS (KG,LBM)	WGTOT	826.94899	1823.1105
RATIO OF SPECIFIC HEATS	GAMA	1.1598829	1.1598829
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.876934	28.388779
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1561.2363	5122.1663
MAXIMUM CHAMBER MACH NUMBER	AMPN	.19079014	.19079014
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.52598486+09	762.87655
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.17463998+11	25329.388
BURN AREA (M**2,IN**2)	AHH	72.844699	112909.51
BURN RATE (M/S,IN/S)	RBZ(1)	.99830907-02	.39303507
DISTANCE BURNED (M,IN)	TAUZ(1)	.29905185	11.773695
PROPELLANT VOLUME (M**3,IN**3)	VFH	12.100047	738390.16
GAS VOLUME (M**3,IN**3)	VPH	43.003785	2624252.0
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3417.7719	6151.9895
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	192.91124	299013.02
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	185.24146	11304128.
GAS VOLUME (M**3,IN**3)	VP	105.20079	6419745.9
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.49896648+09	723.68970
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.15968072+11	23159.730
BURN AREA (N**2,IN**2)	AAN	15.374632	23830.728
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.98107317-02	.38624929
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.98134346-02	.38635569
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.29097253	11.455611
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.29144518	11.474220
PROPELLANT VOLUME (M**3,IN**3)	VFN	3.6899385	225173.86
GAS VOLUME (M**3,IN**3)	VPN	13.359491	815246.14
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3413.9181	6145.0526
PORT AREA, NOZ ENT (N**2,IN**2)	A2A	7.7372488	11992.760
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5310324	2373.1049
EXPANSION RATIO	EPR	7.0204362	7.0204362
PRESSURE RATIO	PEPO	.22172814-01	.22172814-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	762.88	758.76	6151.99	241.08	.068	254.43	5151.62	2813.10	2816.64	3.54	.3932	11.774	.0000	.000
15.000	760.69	758.51	6151.84	248.79	.070	254.70	5162.56	2908.18	95.17	.09	.3928	11.746	.0000	.000
30.000	760.54	758.22	6151.69	256.48	.073	254.97	5173.51	3003.36	95.26	.09	.3927	11.742	.0000	.000
45.000	760.38	757.92	6151.53	264.15	.075	255.24	5184.47	3098.62	95.35	.09	.3927	11.739	.0000	.000
60.000	760.22	757.62	6151.37	271.80	.077	255.51	5195.43	3193.98	95.44	.09	.3926	11.735	.0000	.000
75.000	760.06	757.31	6151.20	279.44	.079	255.78	5206.39	3289.42	95.53	.09	.3926	11.731	.0000	.000
90.000	759.89	756.99	6151.03	287.07	.081	256.05	5217.36	3384.94	95.61	.09	.3925	11.727	.0000	.000
105.000	759.71	756.66	6150.86	294.68	.083	256.32	5228.33	3480.56	95.70	.09	.3925	11.722	.0000	.000
116.761	759.57	756.39	6150.72	300.63	.085	256.53	5236.94	3555.58	75.09	.07	.3924	11.718	.0000	.000
116.771	759.56	756.67	6151.04	286.78	.081	261.00	5488.19	3555.58	.00	-.00	.3924	11.720	.0000	.000
131.771	759.59	756.35	6150.65	303.42	.086	258.07	5330.41	3652.43	96.93	.08	.3924	11.720	.0000	.000
143.919	759.62	756.08	6150.31	317.59	.090	255.69	5202.48	3730.05	77.69	.07	.3923	11.713	.0000	.000
158.919	759.40	755.71	6150.15	324.04	.092	256.63	5231.90	3825.62	95.65	.09	.3923	11.709	.0000	.000
173.919	759.17	755.34	6149.98	330.46	.093	257.58	5261.30	3921.52	95.99	.09	.3922	11.704	.0000	.000
188.919	758.94	754.96	6149.81	336.85	.095	258.52	5290.69	4017.75	96.32	.09	.3922	11.700	.0000	.000
203.919	758.71	754.57	6149.64	343.21	.097	259.46	5320.05	4114.32	96.66	.09	.3921	11.695	.0000	.000
218.919	758.46	754.18	6149.47	349.54	.099	260.40	5349.39	4211.22	96.99	.09	.3920	11.691	.0000	.000
233.919	758.22	753.78	6149.29	355.84	.101	261.34	5378.72	4308.46	97.32	.09	.3920	11.686	.0000	.000
248.919	757.97	753.37	6149.12	362.11	.102	262.28	5408.02	4406.02	97.66	.09	.3919	11.682	.0000	.000
263.919	757.71	752.96	6148.94	368.35	.104	263.22	5437.33	4503.92	97.99	.09	.3918	11.677	.0000	.000
278.919	757.46	752.54	6148.76	374.57	.106	264.16	5466.57	4602.15	98.32	.09	.3917	11.672	.0000	.000
293.919	757.19	752.12	6148.57	380.76	.108	265.10	5495.81	4700.72	98.65	.09	.3917	11.668	.0000	.000
308.919	756.92	751.68	6148.39	386.92	.109	266.04	5525.03	4799.61	98.98	.09	.3916	11.663	.0000	.000
323.919	756.65	751.25	6148.20	393.06	.111	266.98	5554.24	4898.83	99.31	.09	.3915	11.658	.0000	.000
338.919	756.37	750.80	6148.01	399.17	.113	267.92	5583.42	4998.39	99.64	.09	.3914	11.653	.0000	.000
353.919	756.09	750.35	6147.81	405.27	.115	268.86	5612.59	5098.27	99.97	.09	.3913	11.648	.0000	.000
368.919	755.81	749.89	6147.62	411.33	.116	269.80	5641.73	5198.48	100.30	.09	.3913	11.643	.0000	.000
383.919	755.51	749.43	6147.42	417.38	.118	270.74	5670.86	5299.02	100.63	.09	.3912	11.638	.0000	.000
398.919	755.22	748.96	6147.22	423.41	.120	271.68	5699.96	5399.89	100.96	.09	.3911	11.634	.0000	.000
403.048	755.14	748.83	6147.17	425.06	.120	271.94	5707.97	5427.71	27.85	.02	.3910	11.629	.0000	.000
418.048	754.83	748.36	6146.97	430.90	.122	270.08	5738.53	5528.48	100.85	.09	.3910	11.627	.0000	.000
427.051	754.65	748.07	6146.85	434.34	.123	268.97	5757.12	5588.61	60.19	.05	.3909	11.623	.0000	.000
427.061	754.24	750.53	6150.09	326.01	.092	415.28	7649.10	5588.61	.03	-.00	.3913	11.641	.0000	.000
442.061	753.94	748.76	6148.42	385.71	.109	348.63	6643.42	5730.70	142.24	.16	.3913	11.642	.0000	.000
457.061	753.54	746.90	6145.64	468.52	.133	281.98	5599.99	5847.95	117.38	.13	.3910	11.617	.0000	.000
463.204	753.39	744.25	6143.93	512.83	.145	254.68	5161.78	5888.77	40.86	.04	.3904	11.584	.0000	.000
478.204	753.01	743.65	6143.68	518.98	.147	255.28	5186.52	5983.39	94.72	.10	.3901	11.567	.0000	.000
493.204	752.62	743.05	6143.43	525.11	.149	255.88	5211.26	6078.18	94.89	.10	.3900	11.561	.0000	.000
508.204	752.23	742.44	6143.18	531.21	.150	256.48	5236.01	6173.17	95.08	.10	.3899	11.554	.0000	.000
523.204	751.83	741.82	6142.92	537.28	.152	257.08	5260.77	6268.35	95.28	.10	.3898	11.548	.0000	.000
538.204	751.43	741.20	6142.66	543.34	.154	257.68	5285.52	6363.73	95.47	.10	.3897	11.541	.0000	.000
553.204	751.02	740.57	6142.40	549.37	.155	258.28	5310.29	6459.30	95.67	.10	.3896	11.535	.0000	.000
568.204	750.61	739.94	6142.14	555.37	.157	258.88	5335.05	6555.07	95.86	.10	.3895	11.528	.0000	.000
583.204	750.20	739.30	6141.88	561.36	.159	259.48	5359.82	6651.03	96.06	.10	.3893	11.522	.0000	.000
598.204	749.78	738.66	6141.61	567.33	.161	260.07	5384.60	6747.18	96.25	.10	.3892	11.515	.0000	.000
613.204	749.35	738.01	6141.35	573.27	.162	260.67	5409.38	6843.53	96.44	.10	.3891	11.509	.0000	.000

626.204	748.93	737.35	6141.08	579.19	.164	261.27	5434.16	6940.06	96.63	.10	.3890	11.502	.0000	.000
643.204	748.49	736.69	6140.81	585.10	.166	261.87	5450.95	7036.79	96.83	.10	.3889	11.495	.0000	.000
656.204	748.06	736.03	6140.54	590.98	.167	262.47	5483.75	7133.71	97.02	.10	.3888	11.489	.0000	.000
673.204	747.62	735.36	6140.26	596.85	.169	263.07	5508.54	7230.83	97.21	.10	.3886	11.482	.0000	.000
686.204	747.17	734.68	6139.99	602.70	.171	263.67	5533.34	7328.13	97.40	.10	.3885	11.475	.0000	.000
703.204	746.73	734.00	6139.71	608.53	.172	264.27	5558.15	7425.62	97.59	.10	.3884	11.469	.0000	.000
716.204	746.27	733.31	6139.43	614.34	.174	264.87	5582.96	7523.31	97.78	.10	.3883	11.462	.0000	.000
726.191	746.03	732.94	6139.28	617.43	.175	265.19	5596.17	7575.39	52.14	.05	.3881	11.456	.0000	.000
741.191	745.29	732.24	6139.32	616.64	.175	267.20	5681.45	7673.62	98.32	.10	.3881	11.452	.0000	.000
746.336	745.03	732.01	6139.33	616.39	.175	267.89	5710.70	7707.47	33.89	.03	.3879	11.450	.0000	.000
746.346	744.44	736.37	6145.03	484.53	.137	384.43	7228.48	7707.47	.00	.00	.3887	11.481	.0000	.000
761.346	744.11	734.46	6143.21	530.34	.150	347.77	6735.51	7842.75	135.43	.16	.3887	11.481	.0000	.000
776.346	743.76	732.12	6140.91	582.89	.165	311.11	6240.83	7964.43	121.82	.14	.3883	11.462	.0000	.000
791.346	743.40	729.21	6137.96	644.10	.182	274.45	5744.44	8072.48	108.16	.11	.3879	11.441	.0000	.000
794.831	743.91	729.04	6137.18	659.28	.187	265.94	5628.87	8095.61	23.16	.02	.3874	11.418	.0000	.000
809.831	743.32	728.30	6136.99	662.90	.188	266.94	5671.55	8193.74	98.23	.10	.3873	11.414	.0000	.000
824.831	742.72	727.56	6136.80	666.52	.189	267.95	5714.21	8292.22	98.57	.10	.3872	11.409	.0000	.000
839.831	742.13	726.81	6136.61	670.13	.190	268.95	5756.85	8391.03	98.91	.10	.3871	11.403	.0000	.000
854.781	741.53	726.07	6136.42	673.73	.191	269.96	5799.33	8489.85	98.91	.10	.3869	11.398	.0000	.000
869.781	741.11	726.44	6137.33	656.28	.186	274.41	6021.56	8589.97	100.21	.10	.3868	11.393	.0000	.000
884.781	740.72	726.75	6138.14	640.43	.181	278.87	6241.86	8691.72	101.85	.10	.3869	11.402	.0000	.000
899.781	740.35	727.00	6138.86	626.00	.177	283.33	6460.20	8795.13	103.51	.10	.3869	11.409	.0000	.000
914.781	739.99	727.20	6139.50	612.84	.174	287.79	6676.60	8900.20	105.16	.09	.3870	11.415	.0000	.000
929.781	739.65	727.36	6140.08	600.81	.170	292.25	6891.06	9006.92	106.81	.09	.3870	11.421	.0000	.000
944.781	739.33	727.48	6140.59	589.80	.167	296.71	7103.57	9115.29	108.47	.09	.3870	11.425	.0000	.000
959.781	738.35	726.90	6141.03	580.24	.164	301.16	7314.14	9225.33	110.12	.08	.3870	11.430	.0000	.000
974.781	737.43	726.33	6141.43	571.47	.162	305.62	7522.76	9337.00	111.75	.07	.3869	11.433	.0000	.000
989.781	736.55	725.78	6141.79	563.39	.159	310.08	7729.43	9450.28	113.36	.07	.3868	11.436	.0000	.000
1004.781	735.73	725.25	6142.12	555.97	.157	314.54	7934.16	9565.18	114.97	.07	.3867	11.439	.0000	.000
1019.781	734.94	724.72	6142.41	549.14	.155	319.00	8136.95	9681.70	116.58	.06	.3866	11.441	.0000	.000
1034.781	734.19	724.21	6142.68	542.85	.154	323.45	8337.79	9799.82	118.19	.06	.3865	11.442	.0000	.000
1040.791	733.90	724.02	6142.78	540.48	.153	325.24	8417.71	9847.60	47.80	.02	.3864	11.443	.0000	.000
1055.791	733.29	723.52	6142.91	537.47	.152	328.18	8574.00	9967.71	120.16	.05	.3864	11.442	.0000	.000
1070.791	732.70	723.04	6143.03	534.76	.151	331.13	8728.34	10088.87	121.22	.05	.3863	11.441	.0000	.000
1084.171	732.19	722.61	6143.12	532.56	.151	333.75	8864.35	10197.84	109.02	.05	.3862	11.439	.0000	.000
AFT(A)	723.70	693.51	6108.84	956.69	.271	.....	11992.76	10781.43	276.58	.12	.3862	11.456	....	.....
AFT(B)	723.72	723.71	6145.05	-21.59	.006	.....	6582.15	307.12	307.53	.41	.3864	11.474	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	7.5957+02	7.5639+02	6.1507+03	9.5649+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	3.5556+03
AFT	1.1677+02	7.5985+02	7.5667+02	6.1510+03	9.5619+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	3.5556+03

GAS BUILDUP IN SLOT, DW/DT = -4.1444-04

FOREWARD	4.2705+02	7.5465+02	7.4807+02	6.1469+03	1.5263+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	5.5886+03
AFT	4.2706+02	7.5713+02	7.5053+02	6.1501+03	1.5221+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	5.5886+03

GAS BUILDUP IN SLOT, DW/DT = -3.9750-04

FOREWARD	7.4634+02	7.4503+02	7.3201+02	6.1393+03	2.1486+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	7.7075+03
AFT	7.4635+02	7.4947+02	7.3637+02	6.1450+03	2.1378+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	7.7075+03

GAS BUILDUP IN SLOT, DW/DT = -3.6555-04

IGNITION TIME, TIME (S) 33.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	11108331.	2497252.2
TOTAL VACUUM THRUST (N,LBF)	FTVAC	11854677.	2665037.3
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	40485.400	9101.4801
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.41170687+09	92555386.
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.59579	257.59579
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.44373358+09	99755277.
THRUST COEFFICIENT	CF	1.6269638	1.6269638
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4671.0526	10297.908
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	174017.98	383643.98
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	21.728221	47.902527
INERT MASS REMAINING (KG,LBM)	MIR	2008.3835	4427.7277
TOTAL BURN AREA (M**2,IN**2)	ABTOT	273.24939	423537.41
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	193.06133	11598254.
PROPELLANT MASS REMAINING (KG,LBM)	WF	331946.59	731816.95
TOTAL GAS MASS (KG,LBM)	WGTOT	840.70686	1853.4414
RATIO OF SPECIFIC HEATS	GAMA	1.1598431	1.1598431
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.869533	28.372463
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1560.7539	5120.5836
MAXIMUM CHAMBER MACH NUMBER	AMPN	.17534442	.17534442
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.49854656+09	723.08066
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.19512550+11	28300.562
BURN AREA (M**2,IN**2)	AHH	58.610507	90846.469
BURN RATE (M/S,IN/S)	RBZ(1)	.98051020-02	.38602764
DISTANCE BURNED (M,IN)	TAUZ(1)	.33880515	13.338785
PROPELLANT VOLUME (M**3,IN**3)	VFH	9.4904459	579142.54
GAS VOLUME (M**3,IN**3)	VPH	45.613386	2783499.6
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3413.0923	6143.5662
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	199.57430	309340.79
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	177.47581	10830239.
GAS VOLUME (M**3,IN**3)	VP	112.96671	6893651.6
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.47471750+09	688.51952
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.17914633+11	25982.978
BURN AREA (M**2,IN**2)	AAN	15.064584	23350.152
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.96433550-02	.37965965
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.96438092-02	.37967753
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.33004393	12.993856
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.33052502	13.012796
PROPELLANT VOLUME (M**3,IN**3)	VFN	3.0950645	188872.42
GAS VOLUME (M**3,IN**3)	VPN	13.954365	851547.58
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3409.3292	6136.7929
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	8.1286298	12599.401
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5348876	2379.0806
EXPANSION RATIO	EPR	7.0028026	7.0028026
PRESSURE RATIO	PEPO	.22248256-01	.22248256-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	723.08	720.77	6143.57	185.85	.053	264.29	5557.28	2223.96	2225.02	1.05	.3860	13.339	.0000	.000
15.000	721.82	720.57	6143.45	193.61	.055	264.55	5568.61	2320.97	97.09	.08	.3858	13.310	.0000	.000
30.000	721.71	720.36	6143.33	201.36	.057	264.82	5579.93	2418.07	97.18	.08	.3858	13.306	.0000	.000
45.000	721.60	720.14	6143.21	209.09	.059	265.08	5591.26	2515.26	97.27	.08	.3857	13.302	.0000	.000
60.000	721.48	719.91	6143.08	216.80	.061	265.35	5602.59	2612.53	97.36	.08	.3857	13.298	.0000	.000
75.000	721.36	719.67	6142.94	224.49	.064	265.61	5613.92	2709.89	97.44	.08	.3856	13.294	.0000	.000
90.000	721.23	719.43	6142.81	232.17	.066	265.88	5625.26	2807.34	97.53	.08	.3856	13.290	.0000	.000
105.000	721.10	719.18	6142.66	239.83	.068	266.14	5636.59	2904.88	97.61	.08	.3855	13.285	.0000	.000
116.761	721.00	718.98	6142.55	245.83	.070	266.35	5645.48	2981.41	76.60	.06	.3855	13.281	.0000	.000
116.771	720.99	719.14	6142.75	235.08	.067	269.01	5902.39	2981.41	.00	-.00	.3855	13.282	.0000	.000
131.771	720.98	718.90	6142.47	249.74	.071	267.09	5740.74	3079.68	98.34	.08	.3855	13.282	.0000	.000
143.919	720.98	718.68	6142.22	262.20	.074	265.54	5609.68	3158.74	79.13	.06	.3854	13.276	.0000	.000
156.919	720.82	718.40	6142.08	268.91	.076	266.47	5640.59	3256.23	97.58	.08	.3854	13.271	.0000	.000
173.919	720.64	718.11	6141.94	275.59	.078	267.41	5671.46	3354.06	97.91	.08	.3853	13.266	.0000	.000
186.919	720.47	717.81	6141.79	282.23	.080	268.35	5702.31	3452.22	98.24	.08	.3853	13.262	.0000	.000
203.919	720.29	717.50	6141.64	288.84	.082	269.28	5733.12	3550.70	98.57	.08	.3852	13.257	.0000	.000
218.919	720.10	717.19	6141.49	295.41	.084	270.22	5763.90	3649.52	98.90	.08	.3852	13.252	.0000	.000
233.919	719.91	716.87	6141.34	301.96	.085	271.16	5794.64	3748.66	99.23	.08	.3851	13.247	.0000	.000
248.919	719.72	716.55	6141.18	308.47	.087	272.09	5825.36	3848.13	99.55	.08	.3851	13.242	.0000	.000
263.919	719.52	716.22	6141.02	314.95	.089	273.03	5856.04	3947.93	99.88	.08	.3850	13.237	.0000	.000
278.919	719.32	715.88	6140.86	321.40	.091	273.97	5886.69	4048.05	100.21	.08	.3849	13.232	.0000	.000
293.919	719.11	715.53	6140.70	327.82	.093	274.90	5917.30	4148.50	100.53	.08	.3849	13.227	.0000	.000
306.919	718.90	715.18	6140.53	334.21	.095	275.84	5947.89	4249.28	100.86	.08	.3848	13.222	.0000	.000
323.919	718.69	714.83	6140.36	340.57	.096	276.78	5978.44	4350.38	101.19	.08	.3847	13.217	.0000	.000
336.919	718.47	714.46	6140.19	346.91	.098	277.71	6008.96	4451.81	101.51	.08	.3847	13.212	.0000	.000
353.919	718.24	714.09	6140.02	353.22	.100	278.65	6039.45	4553.56	101.84	.08	.3846	13.207	.0000	.000
366.919	718.02	713.72	6139.84	359.50	.102	279.59	6069.90	4655.64	102.16	.08	.3845	13.202	.0000	.000
383.919	717.78	713.34	6139.67	365.76	.104	280.52	6100.32	4758.04	102.49	.08	.3845	13.196	.0000	.000
398.919	717.55	712.95	6139.48	372.00	.105	281.46	6130.71	4860.77	102.81	.08	.3844	13.191	.0000	.000
403.048	717.48	712.84	6139.43	373.71	.106	281.72	6139.07	4889.10	28.35	.02	.3843	13.186	.0000	.000
418.048	717.24	712.45	6139.25	380.05	.108	279.87	6166.68	4991.72	102.71	.08	.3843	13.184	.0000	.000
427.051	717.10	712.21	6139.13	383.78	.109	278.76	6183.50	5052.99	61.31	.05	.3842	13.180	.0000	.000
427.061	716.78	714.07	6141.72	285.35	.081	418.36	8298.46	5052.99	.00	-.00	.3845	13.200	.0000	.000
442.061	716.54	712.73	6140.41	338.90	.096	354.50	7194.52	5194.27	141.42	.14	.3845	13.200	.0000	.000
457.061	716.21	710.55	6138.20	413.44	.117	290.63	6047.58	5312.17	118.02	.11	.3843	13.175	.0000	.000
463.204	716.08	709.28	6136.84	453.48	.128	264.48	5565.47	5353.68	41.55	.04	.3839	13.139	.0000	.000
478.204	715.78	708.78	6136.61	459.85	.130	265.07	5591.08	5450.30	96.70	.09	.3836	13.121	.0000	.000
493.204	715.46	708.27	6136.38	466.20	.132	265.67	5616.68	5547.09	96.88	.09	.3835	13.119	.0000	.000
508.204	715.14	707.76	6136.15	472.52	.134	266.26	5642.28	5644.07	97.07	.09	.3834	13.108	.0000	.000
523.204	714.82	707.25	6135.91	478.81	.136	266.86	5667.87	5741.25	97.26	.09	.3833	13.101	.0000	.000
538.204	714.49	706.73	6135.67	485.09	.137	267.45	5693.46	5838.61	97.46	.09	.3832	13.094	.0000	.000
553.204	714.16	706.20	6135.43	491.33	.139	268.05	5719.05	5936.17	97.65	.09	.3831	13.087	.0000	.000
568.204	713.83	705.66	6135.19	497.56	.141	268.64	5744.63	6033.92	97.84	.09	.3830	13.080	.0000	.000
583.204	713.49	705.13	6134.95	503.76	.143	269.23	5770.20	6131.87	98.03	.09	.3829	13.073	.0000	.000
598.204	713.14	704.58	6134.70	509.93	.144	269.83	5795.77	6230.00	98.22	.09	.3828	13.066	.0000	.000
613.204	712.79	704.03	6134.45	516.09	.146	270.42	5821.33	6328.32	98.41	.09	.3827	13.059	.0000	.000

628.204	712.44	703.47	6134.20	522.22	.148	271.02	5846.89	6426.83	98.60	.09	.3826	13.052	.0000	.000
643.204	712.09	702.91	6133.95	528.34	.150	271.61	5872.44	6525.53	98.79	.09	.3825	13.044	.0000	.000
658.204	711.73	702.34	6133.70	534.43	.151	272.21	5897.99	6624.43	98.98	.09	.3824	13.037	.0000	.000
673.204	711.36	701.77	6133.44	540.50	.153	272.80	5923.54	6723.50	99.17	.09	.3823	13.030	.0000	.000
688.204	710.99	701.19	6133.18	546.55	.155	273.40	5949.08	6822.77	99.36	.09	.3822	13.023	.0000	.000
703.204	710.62	700.61	6132.92	552.59	.156	273.99	5974.61	6922.23	99.54	.09	.3821	13.016	.0000	.000
718.204	710.24	700.02	6132.66	558.60	.158	274.58	6000.14	7021.87	99.73	.09	.3820	13.009	.0000	.000
726.191	710.04	699.70	6132.52	561.80	.159	274.90	6013.73	7075.00	53.18	.05	.3819	13.002	.0000	.000
741.191	709.44	699.11	6132.51	561.99	.159	276.91	6101.97	7175.18	100.27	.09	.3818	12.998	.0000	.000
746.336	709.24	698.90	6132.51	562.08	.159	277.60	6132.21	7209.70	34.55	.03	.3817	12.996	.0000	.000
746.346	708.74	702.44	6137.36	438.47	.124	389.71	7827.52	7209.70	.00	.00	.3823	13.029	.0000	.000
761.346	708.46	700.88	6135.82	481.32	.136	354.43	7278.75	7344.95	135.39	.14	.3823	13.029	.0000	.000
776.346	708.16	698.95	6133.85	530.68	.150	319.14	6728.06	7467.33	122.50	.12	.3820	13.009	.0000	.000
791.346	707.83	696.54	6131.31	588.44	.167	283.86	6175.45	7576.80	109.58	.10	.3817	12.987	.0000	.000
794.831	708.25	696.39	6130.64	602.89	.171	275.66	6046.79	7600.38	23.60	.02	.3812	12.962	.0000	.000
809.831	707.76	695.75	6130.44	606.94	.172	276.66	6090.94	7700.48	100.19	.09	.3812	12.957	.0000	.000
824.831	707.27	695.11	6130.25	610.98	.173	277.65	6135.04	7800.92	100.53	.09	.3811	12.951	.0000	.000
839.831	706.78	694.46	6130.06	615.02	.174	278.65	6179.09	7901.69	100.86	.09	.3809	12.945	.0000	.000
854.781	706.28	693.82	6129.86	619.02	.175	279.65	6222.95	8002.45	100.85	.09	.3808	12.940	.0000	.000
869.781	705.93	694.06	6130.58	604.13	.171	284.10	6456.19	8104.50	102.14	.09	.3807	12.934	.0000	.000
884.781	705.59	694.24	6131.21	590.66	.167	288.56	6686.74	8208.16	103.75	.09	.3807	12.943	.0000	.000
899.781	705.27	694.39	6131.77	578.45	.164	293.01	6914.62	8313.45	105.37	.09	.3808	12.950	.0000	.000
914.781	704.29	693.82	6132.25	567.93	.161	297.47	7139.81	8420.36	107.00	.08	.3808	12.957	.0000	.000
929.781	703.38	693.27	6132.67	558.34	.158	301.93	7362.32	8528.89	108.60	.08	.3807	12.962	.0000	.000
944.781	702.52	692.73	6133.05	549.61	.156	306.38	7582.15	8639.00	110.10	.07	.3806	12.967	.0000	.000
959.781	701.72	692.22	6133.39	541.65	.153	310.84	7799.30	8750.69	111.77	.07	.3805	12.971	.0000	.000
974.781	700.95	691.71	6133.70	534.40	.151	315.30	8013.77	8863.98	113.35	.07	.3804	12.974	.0000	.000
989.781	700.23	691.22	6133.97	527.78	.149	319.75	8225.56	8978.85	114.94	.07	.3803	12.977	.0000	.000
1004.781	699.54	690.75	6134.22	521.75	.148	324.21	8434.67	9095.30	116.52	.06	.3802	12.979	.0000	.000
1019.781	698.88	690.28	6134.45	516.26	.146	328.67	8641.10	9213.35	118.10	.06	.3801	12.981	.0000	.000
1034.781	698.26	689.83	6134.65	511.27	.145	333.12	8844.84	9332.98	119.69	.05	.3800	12.982	.0000	.000
1040.791	698.01	689.65	6134.72	509.40	.144	334.91	8925.72	9381.36	48.40	.02	.3799	12.982	.0000	.000
1055.791	697.49	689.21	6134.81	507.19	.144	337.85	9086.91	9502.94	121.63	.05	.3799	12.981	.0000	.000
1070.791	696.99	688.77	6134.89	505.23	.143	340.80	9245.64	9625.56	122.67	.05	.3798	12.979	.0000	.000
1084.171	696.58	688.39	6134.95	503.71	.143	343.42	9385.18	9735.81	110.30	.04	.3797	12.977	.0000	.000
AFT(A)	688.53	659.65	6100.65	958.89	.272	.....	12599.40	10297.91	278.52	.10	.3797	12.994	....	.....
AFT(B)	688.55	688.54	6136.79	-19.18	.005	.....	7188.79	283.68	283.98	.31	.3797	13.013	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU, IN.	WSLOT LB/SEC
FORWARD	1.1676+02	7.2100+02	7.1898+02	6.1425+03	8.4313+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	2.9814+03
AFT	1.1677+02	7.2116+02	7.1914+02	6.1428+03	8.4296+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	2.9814+03

GAS BUILDUP IN SLOT, DW/DT = -3.7845-04

FORWARD	4.2705+02	7.1710+02	7.1221+02	6.1391+03	1.4485+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	5.0530+03
AFT	4.2706+02	7.1897+02	7.1407+02	6.1417+03	1.4454+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	5.0530+03

GAS BUILDUP IN SLOT, DW/DT = -3.6423-04

FORWARD	7.4634+02	7.0924+02	6.9890+02	6.1325+03	2.1039+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	7.2097+03
AFT	7.4635+02	7.1282+02	7.0244+02	6.1374+03	2.0950+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	7.2097+03

GAS BUILDUP IN SLOT, DW/DT = -3.3909-04

IGNITION TIME, TIME (S) 37.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10640049.	2391978.1
TOTAL VACUUM THRUST (N,LBF)	FTVAC	11310526.	2542707.4
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	35981.755	8089.0204
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.45519967+09	.10233296+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.45161	257.45161
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.49006030+09	.11016994+09
THRUST COEFFICIENT	CF	1.6262469	1.6262469
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4460.5701	9833.8739
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	192280.00	423904.84
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	19.311147	42.573792
INERT MASS REMAINING (KG,LBM)	MIR	1928.8897	4252.4738
TOTAL BURN AREA (M**2,IN**2)	ABTOT	265.48695	411505.60
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	179.58378	10958875.
PROPELLANT MASS REMAINING (KG,LBM)	WF	313674.00	691532.80
TOTAL GAS MASS (KG,LBM)	WGTOT	849.02141	1871.7718
RATIO OF SPECIFIC HEATS	GAMA	1.1598059	1.1598059
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.862617	28.357217
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1560.3027	5119.1033
MAXIMUM CHAMBER MACH NUMBER	AMPN	.16176340	.16176340
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.47290839+09	685.89564
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.21455126+11	31118.030
BURN AREA (M**2,IN**2)	AHH	44.680969	69255.641
BURN RATE (M/S,IN/S)	RBZ(1)	.96305562-02	.37915576
DISTANCE BURNED (M,IN)	TAUZ(1)	.37785078	14.876015
PROPELLANT VOLUME (M**3,IN**3)	VFH	7.4768283	456264.06
GAS VOLUME (M**3,IN**3)	VPH	47.627004	2906378.1
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3408.5861	6135.4550
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	206.15658	319543.34
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	169.58349	10348619.
GAS VOLUME (M**3,IN**3)	VP	120.85932	7375288.4
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.45203717+09	655.62449
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.19767971+11	28671.019
BURN AREA (M**2,IN**2)	AAN	14.649408	22706.627
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.94812844-02	.37327892
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.94799740-02	.37322733
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.36845548	14.506121
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.36893649	14.525059
PROPELLANT VOLUME (M**3,IN**3)	VFN	2.5234718	153991.70
GAS VOLUME (M**3,IN**3)	VPN	14.525957	886428.30
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3405.0366	6129.0659
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	8.5195408	13205.315
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5385874	2384.8153
EXPANSION RATIO	EPR	6.9859632	6.9859632
PRESSURE RATIO	PEPO	.22320672-01	.22320672-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	685.90	684.71	6135.46	136.36	.039	273.92	5970.72	1666.76	1665.60	-1.16	.3790	14.876	.0000	.000
15.000	685.23	684.57	6135.37	144.19	.041	274.19	5982.41	1765.53	98.84	.07	.3789	14.847	.0000	.000
30.000	685.16	684.42	6135.28	151.99	.043	274.45	5994.11	1864.39	98.93	.07	.3789	14.842	.0000	.000
45.000	685.08	684.27	6135.18	159.78	.045	274.72	6005.81	1963.34	99.02	.07	.3789	14.838	.0000	.000
60.000	685.00	684.10	6135.08	167.56	.047	274.99	6017.51	2062.38	99.10	.07	.3788	14.834	.0000	.000
75.000	684.91	683.93	6134.98	175.31	.050	275.25	6029.21	2161.50	99.19	.07	.3788	14.830	.0000	.000
90.000	684.82	683.75	6134.87	183.05	.052	275.52	6040.91	2260.72	99.28	.07	.3788	14.825	.0000	.000
105.000	684.72	683.56	6134.76	190.77	.054	275.79	6052.61	2360.02	99.37	.07	.3787	14.821	.0000	.000
116.761	684.64	683.41	6134.66	196.81	.056	276.00	6061.78	2437.94	77.97	.05	.3787	14.816	.0000	.000
116.771	684.64	683.51	6134.79	188.70	.053	276.97	6321.37	2437.94	.00	-.00	.3787	14.818	.0000	.000
131.771	684.61	683.32	6134.59	201.68	.057	275.98	6157.52	2537.52	99.65	.06	.3787	14.818	.0000	.000
143.919	684.59	683.16	6134.41	212.71	.060	275.17	6024.68	2617.90	80.43	.05	.3787	14.811	.0000	.000
158.919	684.47	682.94	6134.29	219.66	.062	276.10	6057.05	2717.16	99.33	.07	.3786	14.806	.0000	.000
173.919	684.34	682.71	6134.17	226.57	.064	277.04	6089.38	2816.75	99.66	.07	.3786	14.801	.0000	.000
188.919	684.21	682.48	6134.04	233.44	.066	277.98	6121.67	2916.67	99.98	.07	.3785	14.796	.0000	.000
203.919	684.07	682.24	6133.92	240.28	.068	278.91	6153.91	3016.91	100.31	.07	.3785	14.791	.0000	.000
218.919	683.93	682.00	6133.79	247.08	.070	279.85	6186.11	3117.48	100.63	.07	.3784	14.786	.0000	.000
233.919	683.79	681.74	6133.65	253.85	.072	280.78	6218.26	3218.37	100.96	.07	.3784	14.781	.0000	.000
248.919	683.64	681.49	6133.52	260.58	.074	281.72	6250.36	3319.58	101.28	.07	.3783	14.776	.0000	.000
263.919	683.49	681.22	6133.38	267.28	.076	282.65	6282.42	3421.12	101.61	.07	.3783	14.771	.0000	.000
278.919	683.33	680.95	6133.24	273.94	.078	283.59	6314.44	3522.98	101.93	.07	.3782	14.765	.0000	.000
293.919	683.17	680.67	6133.09	280.57	.079	284.53	6346.41	3625.16	102.25	.07	.3782	14.760	.0000	.000
308.919	683.00	680.39	6132.95	287.18	.081	285.46	6378.34	3727.67	102.58	.07	.3781	14.755	.0000	.000
323.919	682.83	680.10	6132.80	293.75	.083	286.40	6410.22	3830.50	102.90	.07	.3781	14.750	.0000	.000
338.919	682.66	679.80	6132.64	300.29	.085	287.33	6442.05	3933.65	103.22	.07	.3780	14.744	.0000	.000
353.919	682.48	679.50	6132.49	306.81	.087	280.27	6473.84	4037.12	103.54	.07	.3780	14.739	.0000	.000
368.919	682.30	679.19	6132.33	313.29	.089	289.20	6505.59	4140.91	103.86	.07	.3779	14.733	.0000	.000
383.919	682.11	678.88	6132.17	319.75	.091	290.14	6537.29	4245.02	104.18	.07	.3779	14.728	.0000	.000
398.919	681.92	678.56	6132.01	326.18	.092	291.08	6568.95	4349.45	104.50	.07	.3778	14.722	.0000	.000
403.048	681.87	678.47	6131.96	327.95	.093	291.33	6577.65	4378.25	28.82	.02	.3777	14.717	.0000	.000
418.048	681.68	678.14	6131.79	334.66	.095	289.48	6602.37	4482.58	104.40	.07	.3777	14.715	.0000	.000
427.051	681.56	677.94	6131.68	338.63	.096	288.37	6617.45	4544.88	62.33	.04	.3776	14.711	.0000	.000
427.061	681.32	679.34	6133.73	250.16	.071	423.12	8942.34	4544.88	.00	-.00	.3779	14.731	.0000	.000
442.061	681.13	678.32	6132.69	298.17	.084	361.27	7745.56	4685.82	141.05	.11	.3779	14.731	.0000	.000
457.061	680.86	676.65	6130.95	365.05	.103	299.41	6500.81	4804.50	118.78	.09	.3777	14.705	.0000	.000
463.204	680.75	675.68	6129.87	401.01	.114	274.08	5977.19	4846.67	42.19	.03	.3774	14.668	.0000	.000
478.204	680.50	675.27	6129.66	407.59	.115	274.67	6003.67	4945.11	98.52	.07	.3772	14.649	.0000	.000
493.204	680.25	674.85	6129.45	414.14	.117	275.26	6030.12	5043.73	98.69	.07	.3771	14.642	.0000	.000
508.204	679.99	674.42	6129.23	420.66	.119	275.85	6056.56	5142.54	98.88	.07	.3770	14.635	.0000	.000
523.204	679.72	673.98	6129.02	427.16	.121	276.45	6082.99	5241.54	99.08	.07	.3769	14.628	.0000	.000
538.204	679.46	673.54	6128.80	433.63	.123	277.04	6109.40	5340.73	99.27	.07	.3768	14.620	.0000	.000
553.204	679.18	673.10	6128.58	440.07	.125	277.63	6135.80	5440.11	99.46	.07	.3767	14.613	.0000	.000
568.204	678.91	672.64	6128.35	446.49	.126	278.22	6162.19	5539.68	99.64	.07	.3767	14.606	.0000	.000
583.204	678.63	672.19	6128.13	452.89	.128	278.81	6188.56	5639.44	99.83	.07	.3766	14.598	.0000	.000
598.204	678.34	671.72	6127.90	459.26	.130	279.41	6214.91	5739.38	100.02	.07	.3765	14.591	.0000	.000
613.204	678.05	671.25	6127.67	465.61	.132	280.00	6241.25	5839.52	100.21	.07	.3764	14.583	.0000	.000

628.204	677.76	670.78	6127.44	471.93	.134	280.59	6267.58	5939.84	100.40	.07	.3763	14.576	.0000	.000
643.204	677.47	670.30	6127.20	478.24	.135	281.18	6293.89	6040.35	100.59	.07	.3762	14.568	.0000	.000
658.204	677.17	669.81	6126.96	484.52	.137	281.77	6320.18	6141.05	100.77	.07	.3761	14.561	.0000	.000
673.204	676.86	669.32	6126.72	490.78	.139	282.37	6346.46	6241.94	100.96	.07	.3760	14.553	.0000	.000
688.204	676.55	668.83	6126.48	497.02	.141	282.96	6372.73	6343.01	101.14	.07	.3759	14.546	.0000	.000
703.204	676.24	668.33	6126.24	503.24	.143	283.55	6398.99	6444.26	101.33	.07	.3758	14.538	.0000	.000
718.204	675.93	667.82	6125.99	509.44	.144	284.14	6425.22	6545.71	101.52	.07	.3757	14.531	.0000	.000
726.191	675.76	667.54	6125.86	512.74	.145	284.46	6439.19	6599.79	54.13	.04	.3756	14.523	.0000	.000
741.191	675.27	667.03	6125.82	513.78	.146	286.46	6530.36	6701.76	102.05	.07	.3756	14.519	.0000	.000
746.336	675.10	666.85	6125.80	514.15	.146	287.15	6561.58	6736.90	35.16	.03	.3755	14.516	.0000	.000
746.346	674.69	669.71	6129.93	398.96	.113	396.18	8425.78	6736.90	.00	.00	.3760	14.552	.0000	.000
761.346	674.45	668.43	6128.61	439.04	.124	361.84	7823.90	6872.42	135.63	.11	.3760	14.552	.0000	.000
776.346	674.19	666.84	6126.93	485.31	.137	327.51	7219.91	6995.63	123.31	.10	.3757	14.531	.0000	.000
791.346	673.90	664.84	6124.75	539.62	.153	293.18	6613.80	7106.48	110.94	.09	.3754	14.507	.0000	.000
794.831	673.24	664.71	6124.16	553.29	.157	285.20	6472.68	7130.46	24.00	.02	.3750	14.480	.0000	.000
809.831	673.83	664.15	6123.97	557.72	.158	286.20	6518.27	7232.36	101.98	.07	.3750	14.476	.0000	.000
824.831	673.42	663.59	6123.77	562.14	.159	287.19	6563.78	7334.60	102.31	.07	.3749	14.469	.0000	.000
839.831	673.00	663.03	6123.58	566.54	.161	288.19	6609.22	7437.16	102.64	.07	.3748	14.463	.0000	.000
854.781	672.59	662.47	6123.38	570.92	.162	289.18	6654.44	7539.70	102.62	.07	.3747	14.457	.0000	.000
869.781	672.28	662.61	6123.94	558.24	.158	293.63	6898.52	7643.53	103.90	.07	.3746	14.450	.0000	.000
884.781	671.36	662.07	6124.42	547.35	.155	298.09	7139.20	7748.94	105.48	.07	.3746	14.460	.0000	.000
899.781	670.49	661.54	6124.84	537.52	.152	302.54	7376.45	7855.93	107.05	.06	.3745	14.467	.0000	.000
914.781	669.68	661.04	6125.21	528.64	.150	307.00	7610.29	7964.48	108.61	.06	.3744	14.474	.0000	.000
929.781	668.93	660.55	6125.54	520.61	.147	311.45	7840.71	8074.59	110.17	.06	.3743	14.479	.0000	.000
944.781	668.22	660.08	6125.83	513.35	.145	315.90	8067.71	8186.26	111.73	.06	.3742	14.483	.0000	.000
959.781	667.54	659.62	6126.10	506.79	.144	320.36	8291.30	8299.49	113.28	.05	.3741	14.486	.0000	.000
974.781	666.91	659.17	6126.33	500.86	.142	324.81	8511.46	8414.28	114.84	.05	.3740	14.489	.0000	.000
989.781	666.30	658.74	6126.54	495.52	.140	329.27	8728.22	8530.63	116.40	.05	.3739	14.492	.0000	.000
1004.781	665.73	658.31	6126.73	490.72	.139	333.72	8941.55	8648.54	117.96	.05	.3738	14.493	.0000	.000
1019.781	665.17	657.90	6126.89	486.41	.138	338.18	9151.47	8768.02	119.52	.04	.3738	14.495	.0000	.000
1034.781	664.65	657.49	6127.04	482.55	.137	342.63	9357.97	8889.06	121.08	.04	.3737	14.495	.0000	.000
1040.791	664.44	657.33	6127.09	481.13	.136	344.42	9439.75	8937.99	48.94	.01	.3736	14.496	.0000	.000
1055.791	663.99	656.93	6127.15	479.61	.136	347.36	9605.76	9060.93	122.98	.03	.3736	14.494	.0000	.000
1070.791	663.56	656.54	6127.20	478.35	.135	350.30	9768.83	9184.91	124.01	.03	.3735	14.492	.0000	.000
1084.171	663.18	656.19	6127.23	477.42	.136	352.93	9911.82	9296.36	111.48	.03	.3734	14.490	.0000	.000
AFT(A)	655.63	627.99	6092.95	961.01	.273	.....	13205.31	9833.87	279.95	.06	.3733	14.506	....	.....
AFT(B)	655.66	655.65	6129.07	-16.85	.005	.....	7794.71	257.62	257.81	.19	.3732	14.525	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	6.8464+02	6.8341+02	6.1347+03	7.2478+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	2.4379+03
AFT	1.1677+02	6.8474+02	6.8351+02	6.1348+03	7.2469+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	2.4379+03

GAS BUILDUP IN SLOT, DW/DT = -3.6158-04

FOREWARD	4.2705+02	6.8156+02	6.7794+02	6.1317+03	1.3678+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.5449+03
AFT	4.2706+02	6.8297+02	6.7934+02	6.1337+03	1.3655+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.5449+03

GAS BUILDUP IN SLOT, DW/DT = -3.4940-04

FOREWARD	7.4634+02	6.7510+02	6.6685+02	6.1258+03	2.0592+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7369+03
AFT	7.4635+02	6.7799+02	6.6971+02	6.1299+03	2.0518+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7369+03

GAS BUILDUP IN SLOT, DW/DT = -3.2929-04

IGNITION TIME, TIME (S) 41.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10238655.	2301741.2
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10832560.	2435256.3
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	32653.955	7340.9012
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.49693568+09	.11171559+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.74031	257.74031
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.53432495+09	.12012103+09
THRUST COEFFICIENT	CF	1.6256528	1.6256528
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4268.2371	9409.8521
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	209730.35	462376.27
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	17.525141	38.636322
INERT MASS REMAINING (KG,LBM)	MIR	1857.1536	4094.3229
TOTAL BURN AREA (M**2,IN**2)	ABTOT	258.28827	400347.62
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	169.57352	10348011.
PROPELLANT MASS REMAINING (KG,LBM)	WF	296217.41	653047.61
TOTAL GAS MASS (KG,LBM)	WGTOT	854.37173	1883.5672
RATIO OF SPECIFIC HEATS	GAMA	1.1597718	1.1597718
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.856270	28.343224
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.9059	5117.8016
MAXIMUM CHAMBER MACH NUMBER	AMPN	.14975847	.14975847
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.44937642+09	651.76540
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.23299912+11	33793.666
BURN AREA (M**2,IN**2)	AHH	31.576332	48943.413
BURN RATE (M/S,IN/S)	RBZ(1)	.94630904-02	.37256262
DISTANCE BURNED (M,IN)	TAUZ(1)	.41620898	16.386180
PROPELLANT VOLUME (M**3,IN**3)	VFH	6.0190236	367303.36
GAS VOLUME (M**3,IN**3)	VPH	49.084808	2995338.8
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3404.3470	6127.8246
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	212.64747	329604.24
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	161.57331	9859808.1
GAS VOLUME (M**3,IN**3)	VP	128.86979	7864117.3
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.43209511+09	626.73097
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.21535355+11	31234.392
BURN AREA (M**2,IN**2)	AAN	14.064472	21799.975
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.93340969-02	.36748413
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.93314325-02	.36737924
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.40622804	15.993230
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.40670237	16.011904
PROPELLANT VOLUME (M**3,IN**3)	VFN	1.9811967	120902.04
GAS VOLUME (M**3,IN**3)	VPN	15.068282	919519.96
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3401.2821	6122.2719
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	8.9165032	13820.608
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5421405	2390.3225
EXPANSION RATIO	EPR	6.9698676	6.9698676
PRESSURE RATIO	PEPO	.22390202-01	.22390202-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	651.77	651.24	6127.82	93.09	.026	283.37	6391.25	1159.28	1156.44	-2.84	.3724	16.386	.0000	.000
15.000	651.46	651.15	6127.76	100.97	.029	283.64	6403.33	1259.69	100.47	.05	.3723	16.356	.0000	.000
30.000	651.41	651.05	6127.70	108.84	.031	283.91	6415.41	1360.20	100.56	.05	.3723	16.352	.0000	.000
45.000	651.36	650.94	6127.63	116.69	.033	284.18	6427.49	1460.79	100.65	.05	.3723	16.347	.0000	.000
60.000	651.30	650.83	6127.56	124.51	.035	284.45	6439.56	1561.48	100.74	.05	.3723	16.343	.0000	.000
75.000	651.24	650.71	6127.48	132.33	.037	284.72	6451.64	1662.25	100.83	.06	.3723	16.338	.0000	.000
90.000	651.17	650.58	6127.39	140.12	.040	284.99	6463.71	1763.12	100.92	.06	.3722	16.334	.0000	.000
105.000	651.11	650.44	6127.31	147.89	.042	285.26	6475.78	1864.07	101.01	.06	.3722	16.329	.0000	.000
116.761	651.05	650.33	6127.23	153.98	.044	285.47	6485.24	1943.28	79.26	.04	.3722	16.325	.0000	.000
116.771	651.05	650.38	6127.30	148.04	.042	284.62	6745.08	1943.28	.00	-.00	.3722	16.326	.0000	.000
131.771	651.02	650.25	6127.16	159.64	.045	284.61	6580.36	2044.05	100.81	.05	.3722	16.326	.0000	.000
143.919	650.99	650.12	6127.04	169.48	.048	284.61	6446.81	2125.65	81.64	.04	.3721	16.319	.0000	.000
158.919	650.90	649.96	6126.94	176.64	.050	285.55	6480.64	2226.56	100.97	.06	.3721	16.314	.0000	.000
173.919	650.81	649.79	6126.84	183.76	.052	286.48	6514.41	2327.79	101.29	.06	.3721	16.309	.0000	.000
188.919	650.71	649.61	6126.74	190.84	.054	287.42	6548.13	2429.35	101.61	.06	.3720	16.304	.0000	.000
203.919	650.61	649.42	6126.63	197.88	.056	288.36	6581.78	2531.22	101.93	.06	.3720	16.299	.0000	.000
218.919	650.50	649.23	6126.52	204.88	.058	289.29	6615.38	2633.42	102.26	.06	.3720	16.293	.0000	.000
233.919	650.39	649.03	6126.40	211.84	.060	290.23	6648.93	2735.95	102.58	.06	.3719	16.288	.0000	.000
248.919	650.27	648.83	6126.29	218.77	.062	291.17	6682.41	2838.79	102.90	.06	.3719	16.283	.0000	.000
263.919	650.15	648.62	6126.17	225.66	.064	292.10	6715.84	2941.95	103.22	.06	.3719	16.278	.0000	.000
278.919	650.03	648.40	6126.04	232.52	.066	293.04	6749.21	3045.43	103.54	.06	.3718	16.272	.0000	.000
293.919	649.90	648.18	6125.92	239.34	.068	293.98	6782.52	3149.23	103.86	.06	.3718	16.267	.0000	.000
308.919	649.77	647.95	6125.79	246.13	.070	294.91	6815.77	3253.35	104.18	.06	.3717	16.261	.0000	.000
323.919	649.64	647.71	6125.65	252.88	.072	295.85	6848.97	3357.79	104.50	.06	.3717	16.256	.0000	.000
338.919	649.50	647.47	6125.52	259.61	.074	296.79	6882.11	3462.55	104.81	.06	.3716	16.250	.0000	.000
353.919	649.36	647.22	6125.38	266.30	.075	297.72	6915.19	3567.63	105.13	.06	.3716	16.244	.0000	.000
368.919	649.21	646.97	6125.24	272.97	.077	298.66	6948.22	3673.02	105.45	.06	.3715	16.239	.0000	.000
383.919	649.06	646.71	6125.10	279.60	.079	299.60	6981.18	3778.73	105.77	.06	.3715	16.233	.0000	.000
398.919	648.91	646.44	6124.95	286.21	.081	300.53	7014.09	3884.75	106.08	.06	.3714	16.227	.0000	.000
403.048	648.86	646.37	6124.91	288.03	.082	300.79	7023.14	3913.99	29.25	.02	.3714	16.221	.0000	.000
418.048	648.71	646.09	6124.75	295.02	.084	298.93	7045.01	4019.92	105.99	.06	.3714	16.220	.0000	.000
427.051	648.62	645.93	6124.65	299.17	.085	297.82	7058.38	4083.18	63.29	.03	.3713	16.215	.0000	.000
427.061	648.43	646.98	6126.26	220.04	.062	428.93	9583.71	4083.18	.00	-.00	.3715	16.236	.0000	.000
442.061	648.86	646.77	6125.45	262.94	.074	368.57	8298.06	4224.07	140.98	.09	.3715	16.237	.0000	.000
457.061	648.64	645.50	6124.07	322.95	.091	308.20	6959.64	4343.62	119.63	.08	.3714	16.210	.0000	.000
463.204	649.17	645.38	6123.22	354.87	.101	283.48	6396.28	4386.41	42.82	.03	.3712	16.172	.0000	.000
478.204	648.96	645.03	6123.03	361.62	.102	284.07	6423.61	4486.58	100.25	.08	.3712	16.152	.0000	.000
493.204	648.75	644.67	6122.84	368.33	.104	284.67	6450.91	4586.95	100.44	.08	.3711	16.144	.0000	.000
508.204	648.54	644.31	6122.64	375.02	.106	285.26	6478.20	4687.50	100.63	.08	.3710	16.137	.0000	.000
523.204	648.32	643.94	6122.45	381.68	.108	285.85	6505.45	4788.25	100.82	.08	.3709	16.129	.0000	.000
538.204	648.10	643.57	6122.25	388.31	.110	286.44	6532.69	4889.19	101.01	.08	.3709	16.122	.0000	.000
553.204	647.87	643.19	6122.04	394.92	.112	287.03	6559.90	4990.31	101.20	.08	.3708	16.114	.0000	.000
568.204	647.64	642.80	6121.84	401.50	.114	287.63	6587.08	5091.62	101.39	.08	.3707	16.106	.0000	.000
583.204	647.41	642.41	6121.63	408.06	.116	288.22	6614.24	5193.12	101.58	.08	.3706	16.098	.0000	.000
598.204	647.17	642.02	6121.42	414.59	.117	288.81	6641.38	5294.81	101.76	.08	.3706	16.091	.0000	.000
613.204	646.93	641.62	6121.20	421.10	.119	289.40	6668.49	5396.69	101.95	.08	.3705	16.083	.0000	.000

628.204	646.69	641.21	6120.99	427.58	.121	290.00	6695.58	5498.75	102.14	.08	.3704	16.075	.0000	.000
643.204	646.44	640.80	6120.77	434.04	.123	290.59	6722.65	5601.00	102.32	.08	.3703	16.067	.0000	.000
658.204	646.19	640.38	6120.55	440.48	.125	291.18	6749.69	5703.43	102.51	.08	.3702	16.059	.0000	.000
673.204	645.93	639.96	6120.33	446.90	.127	291.77	6776.70	5806.05	102.70	.08	.3702	16.051	.0000	.000
688.204	645.67	639.53	6120.10	453.29	.128	292.36	6803.70	5908.86	102.88	.08	.3701	16.043	.0000	.000
703.204	645.41	639.09	6119.87	459.67	.130	292.96	6830.67	6011.85	103.07	.08	.3700	16.035	.0000	.000
718.204	645.14	638.65	6119.64	466.02	.132	293.55	6857.61	6115.02	103.25	.08	.3699	16.028	.0000	.000
726.191	644.99	638.41	6119.52	469.40	.133	293.86	6871.95	6170.03	55.05	.04	.3698	16.020	.0000	.000
741.191	644.59	637.97	6119.45	471.17	.134	295.86	6966.00	6273.72	103.77	.08	.3698	16.015	.0000	.000
746.336	644.45	637.81	6119.43	471.79	.134	296.55	6998.19	6309.45	35.75	.03	.3697	16.012	.0000	.000
746.346	644.11	640.13	6122.93	364.73	.103	403.43	9024.69	6309.45	.00	.00	.3701	16.050	.0000	.000
761.346	643.95	639.07	6121.81	402.25	.114	369.74	8371.75	6445.51	136.17	.11	.3701	16.051	.0000	.000
776.346	643.67	637.75	6120.37	445.63	.126	336.05	7716.49	6569.69	124.27	.10	.3699	16.028	.0000	.000
791.346	643.42	636.08	6118.48	496.61	.141	302.37	7058.94	6681.94	112.34	.09	.3696	16.003	.0000	.000
794.831	643.70	635.97	6117.97	509.52	.144	294.54	6905.84	6706.30	24.38	.02	.3693	15.975	.0000	.000
809.831	643.35	635.48	6117.78	514.27	.146	295.55	6952.86	6809.92	103.69	.08	.3693	15.970	.0000	.000
824.831	643.00	634.99	6117.59	519.00	.147	296.55	6999.78	6913.87	104.03	.08	.3692	15.963	.0000	.000
839.831	642.65	634.50	6117.40	523.72	.148	297.55	7046.60	7018.15	104.35	.08	.3691	15.956	.0000	.000
854.781	642.30	634.01	6117.21	528.41	.150	298.55	7093.16	7122.40	104.33	.08	.3690	15.950	.0000	.000
869.781	641.47	633.51	6117.63	518.09	.147	303.01	7347.96	7227.93	105.61	.08	.3689	15.943	.0000	.000
884.781	640.70	633.02	6118.00	508.83	.144	307.46	7598.61	7334.99	107.14	.08	.3688	15.952	.0000	.000
899.781	639.98	632.56	6118.33	500.54	.142	311.91	7845.11	7443.59	108.67	.08	.3687	15.959	.0000	.000
914.781	639.31	632.12	6118.62	493.09	.140	316.36	8087.46	7553.72	110.21	.07	.3686	15.965	.0000	.000
929.781	638.68	631.68	6118.88	486.42	.138	320.82	8325.65	7665.39	111.74	.07	.3685	15.970	.0000	.000
944.781	638.08	631.26	6119.10	480.44	.136	325.27	8559.69	7778.60	113.28	.07	.3684	15.974	.0000	.000
959.781	637.51	630.85	6119.30	475.10	.135	329.72	8789.58	7893.34	114.81	.07	.3683	15.977	.0000	.000
974.781	636.98	630.45	6119.48	470.34	.133	334.18	9015.31	8009.61	116.35	.07	.3682	15.979	.0000	.000
989.781	636.47	630.07	6119.64	466.11	.132	338.63	9236.89	8127.43	117.88	.07	.3681	15.981	.0000	.000
1004.781	635.98	629.68	6119.77	462.37	.131	343.08	9454.32	8246.78	119.41	.06	.3681	15.983	.0000	.000
1019.781	635.51	629.31	6119.89	459.08	.130	347.53	9667.60	8367.67	120.95	.06	.3680	15.984	.0000	.000
1034.781	635.06	628.94	6120.00	456.21	.129	351.99	9876.72	8490.10	122.48	.06	.3679	15.984	.0000	.000
1040.791	634.89	628.80	6120.03	455.17	.129	353.77	9959.34	8539.58	49.50	.02	.3678	15.984	.0000	.000
1055.791	634.50	628.44	6120.06	454.27	.129	356.71	10130.10	8663.89	124.36	.05	.3678	15.983	.0000	.000
1070.791	634.12	628.08	6120.09	453.61	.129	359.65	10297.43	8789.21	125.37	.05	.3677	15.980	.0000	.000
1084.171	633.79	627.77	6120.10	453.21	.128	362.27	10443.81	8901.84	112.68	.04	.3677	15.977	.0000	.000
AF(1A)	626.70	600.16	6086.14	963.07	.274	.....	13820.61	9409.85	281.83	.10	.3675	15.993	....	.....
AF(1B)	626.73	626.72	6122.27	-14.34	.004	.....	8410.00	226.28	226.42	.13	.3674	16.012	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	6.5105+02	6.5033+02	6.1272+03	6.0667+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.9433+03
AFT	1.1677+02	6.5110+02	6.5038+02	6.1273+03	6.0663+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.9433+03

GAS BUILDUP IN SLOT, DW/DT = -3.4406-04

FOREWARD	4.2705+02	6.4862+02	6.4593+02	6.1247+03	1.2889+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0832+03
AFT	4.2706+02	6.4967+02	6.4698+02	6.1263+03	1.2872+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0832+03

GAS BUILDUP IN SLOT, DW/DT = -3.3387-04

FOREWARD	7.4634+02	6.4445+02	6.3781+02	6.1194+03	2.0153+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.3094+03
AFT	7.4635+02	6.4680+02	6.4013+02	6.1229+03	2.0091+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.3094+03

GAS BUILDUP IN SLOT, DW/DT = -2.9380-04

IGNITION TIME, TIME (S) 45.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	9930825.2	2232538.3
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10449454.	2349130.8
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	30433.277	6841.6728
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.53720610+09	.12076874+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.56953	257.56953
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.57681952+09	.12967419+09
THRUST COEFFICIENT	CF	1.6251738	1.6251738
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4120.5994	9084.3666
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	226488.74	499322.21
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	16.333319	36.008804
INERT MASS REMAINING (KG,LBM)	MIR	1790.7860	3948.0074
TOTAL BURN AREA (M**2,IN**2)	ABTOT	253.02207	392184.99
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	159.96461	9761639.2
PROPELLANT MASS REMAINING (KG,LBM)	WF	279453.41	616089.31
TOTAL GAS MASS (KG,LBM)	WGTOT	861.92812	1900.2262
RATIO OF SPECIFIC HEATS	GAMA	1.1597447	1.1597447
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.851228	28.332168
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.5860	5116.7520
MAXIMUM CHAMBER MACH NUMBER	AMPN	.13994618	.13994618
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.43068372+09	624.65394
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.25057480+11	36342.803
BURN AREA (M**2,IN**2)	AHH	20.869875	32348.372
BURN RATE (M/S,IN/S)	RBZ(1)	.93249743-02	.36712497
DISTANCE BURNED (M,IN)	TAUZ(1)	.45390541	17.870292
PROPELLANT VOLUME (M**3,IN**3)	VFH	5.0391224	307506.12
GAS VOLUME (M**3,IN**3)	VPH	50.064710	3055136.0
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3400.9200	6121.6559
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	219.01792	339478.45
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	153.95057	9369128.1
GAS VOLUME (M**3,IN**3)	VP	136.99284	8359815.8
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.41601292+09	603.37574
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.23228782+11	33690.500
BURN AREA (M**2,IN**2)	AAN	13.134276	20358.169
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.92119812-02	.36267643
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.92083144-02	.36253206
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.44342183	17.457553
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.44388443	17.475765
PROPELLANT VOLUME (M**3,IN**3)	VFN	1.4749207	90005.181
GAS VOLUME (M**3,IN**3)	VPN	15.574509	950414.82
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3398.2185	6116.7933
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	9.3131614	14435.429
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5455640	2395.6289
EXPANSION RATIO	EPR	6.9544291	6.9544291
PRESSURE RATIO	PEPO	.22456937-01	.22456937-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	624.65	624.45	6121.66	59.26	.017	292.72	6818.48	755.36	753.11	-2.25	.3669	17.870	.0000	.000
15.000	624.53	624.39	6121.62	67.15	.019	292.98	6830.95	857.52	102.26	.10	.3669	17.839	.0000	.000
30.000	624.50	624.33	6121.57	75.03	.021	293.25	6843.41	959.78	102.35	.10	.3669	17.835	.0000	.000
45.000	624.46	624.26	6121.52	82.89	.023	293.52	6855.86	1062.12	102.44	.10	.3669	17.830	.0000	.000
60.000	624.42	624.19	6121.47	90.73	.026	293.78	6868.31	1164.55	102.53	.10	.3669	17.826	.0000	.000
75.000	624.38	624.10	6121.41	98.55	.028	294.05	6880.76	1267.06	102.62	.10	.3668	17.821	.0000	.000
90.000	624.34	624.01	6121.35	106.35	.030	294.31	6893.20	1369.67	102.71	.10	.3668	17.817	.0000	.000
105.000	624.29	623.91	6121.28	114.14	.032	294.58	6905.64	1472.36	102.80	.10	.3668	17.812	.0000	.000
116.761	624.25	623.83	6121.23	120.23	.034	294.79	6915.40	1552.94	80.66	.08	.3668	17.807	.0000	.000
116.771	624.25	623.86	6121.27	115.93	.033	290.62	7171.50	1552.94	.00	-.00	.3668	17.808	.0000	.000
131.771	624.22	623.75	6121.17	126.42	.036	292.46	7008.12	1654.62	101.77	.10	.3668	17.809	.0000	.000
143.919	624.19	623.66	6121.08	135.32	.038	293.95	6875.66	1737.42	82.89	.08	.3668	17.802	.0000	.000
158.919	624.13	623.54	6121.00	142.61	.040	294.88	6910.93	1840.09	102.77	.10	.3667	17.796	.0000	.000
173.919	624.05	623.40	6120.91	149.86	.042	295.82	6946.13	1943.07	103.09	.10	.3667	17.791	.0000	.000
188.919	623.98	623.26	6120.83	157.07	.044	296.75	6981.25	2046.37	103.41	.10	.3667	17.786	.0000	.000
203.919	623.90	623.12	6120.74	164.23	.047	297.69	7016.31	2149.99	103.72	.11	.3667	17.781	.0000	.000
218.919	623.82	622.97	6120.64	171.35	.049	298.62	7051.30	2253.93	104.04	.11	.3666	17.775	.0000	.000
233.919	623.73	622.81	6120.54	178.44	.051	299.56	7086.21	2358.18	104.36	.11	.3666	17.770	.0000	.000
248.919	623.64	622.64	6120.44	185.49	.053	300.49	7121.06	2462.75	104.68	.11	.3666	17.764	.0000	.000
263.919	623.55	622.47	6120.34	192.50	.055	301.42	7155.84	2567.64	104.99	.11	.3665	17.759	.0000	.000
278.919	623.45	622.30	6120.23	199.47	.057	302.36	7190.54	2672.84	105.31	.11	.3665	17.753	.0000	.000
293.919	623.35	622.11	6120.12	206.41	.058	303.29	7225.18	2778.35	105.62	.11	.3665	17.748	.0000	.000
308.919	623.24	621.93	6120.01	213.31	.060	304.23	7259.74	2884.19	105.94	.11	.3664	17.742	.0000	.000
323.919	623.13	621.73	6119.89	220.18	.062	305.16	7294.24	2990.33	106.25	.11	.3664	17.736	.0000	.000
338.919	623.02	621.53	6119.77	227.01	.064	306.10	7328.67	3096.79	106.57	.11	.3663	17.731	.0000	.000
353.919	622.91	621.32	6119.65	233.82	.066	307.03	7363.02	3203.57	106.88	.11	.3663	17.725	.0000	.000
368.919	622.79	621.11	6119.52	240.59	.068	307.96	7397.31	3310.66	107.20	.11	.3663	17.719	.0000	.000
383.919	622.66	620.89	6119.39	247.34	.070	308.90	7431.52	3418.06	107.51	.11	.3662	17.713	.0000	.000
398.919	622.53	620.67	6119.26	254.05	.072	309.83	7465.67	3525.77	107.82	.11	.3662	17.707	.0000	.000
403.048	622.50	620.60	6119.22	255.89	.072	310.09	7475.06	3555.47	29.73	.03	.3661	17.701	.0000	.000
418.048	622.38	620.37	6119.08	263.06	.075	308.23	7494.13	3663.09	107.73	.11	.3661	17.699	.0000	.000
427.061	622.30	620.23	6118.99	267.31	.076	307.12	7505.82	3727.37	64.34	.06	.3661	17.694	.0000	.000
427.061	622.15	621.04	6120.28	196.07	.056	433.52	10221.90	3727.37	.00	-.00	.3662	17.716	.0000	.000
442.061	622.47	620.87	6119.63	235.02	.067	375.12	8851.48	3868.14	140.92	.15	.3662	17.717	.0000	.000
457.061	622.29	619.87	6118.51	289.36	.082	316.72	7423.68	3988.57	120.56	.13	.3662	17.689	.0000	.000
463.204	622.69	619.76	6117.82	318.31	.090	292.80	6822.39	4032.01	43.48	.05	.3660	17.651	.0000	.000
478.204	622.52	619.47	6117.65	325.16	.092	293.39	6850.58	4133.98	102.08	.11	.3659	17.631	.0000	.000
493.204	622.34	619.16	6117.47	331.99	.094	293.98	6878.74	4236.15	102.27	.11	.3659	17.623	.0000	.000
508.204	622.16	618.85	6117.29	338.79	.096	294.57	6906.86	4338.51	102.46	.11	.3658	17.615	.0000	.000
523.204	621.98	618.53	6117.11	345.56	.098	295.15	6934.95	4441.05	102.65	.11	.3657	17.607	.0000	.000
538.204	621.79	618.21	6116.92	352.30	.100	295.74	6963.01	4543.78	102.84	.11	.3657	17.599	.0000	.000
553.204	621.63	617.88	6116.74	359.01	.102	296.33	6991.03	4646.69	103.02	.11	.3656	17.591	.0000	.000
568.204	621.41	617.55	6116.55	365.70	.104	296.92	7019.02	4749.79	103.21	.11	.3655	17.583	.0000	.000
583.204	621.21	617.21	6116.35	372.36	.106	297.51	7046.97	4853.08	103.39	.11	.3655	17.575	.0000	.000
598.204	621.01	616.87	6116.16	379.00	.107	298.10	7074.89	4956.55	103.58	.11	.3654	17.567	.0000	.000
613.204	620.80	616.52	6115.96	385.61	.109	298.69	7102.78	5060.21	103.76	.11	.3653	17.559	.0000	.000

628.204	620.59	616.16	6115.76	392.20	.111	299.28	7130.64	5164.05	103.95	.11	.3653	17.551	.0000	.000
643.204	620.38	615.80	6115.56	398.77	.113	299.87	7158.46	5268.07	104.13	.11	.3652	17.542	.0000	.000
658.204	620.16	615.44	6115.35	405.31	.115	300.45	7186.24	5372.28	104.32	.11	.3651	17.534	.0000	.000
673.204	619.94	615.06	6115.14	411.83	.117	301.04	7214.00	5476.67	104.50	.11	.3650	17.526	.0000	.000
688.204	619.72	614.69	6114.93	418.33	.119	301.63	7241.72	5581.24	104.68	.11	.3650	17.518	.0000	.000
703.204	619.49	614.30	6114.71	424.81	.120	302.22	7269.40	5686.00	104.86	.11	.3649	17.510	.0000	.000
718.204	619.26	613.92	6114.50	431.27	.122	302.81	7297.05	5790.94	105.05	.11	.3648	17.501	.0000	.000
726.191	619.13	613.71	6114.38	434.70	.123	303.12	7311.76	5846.88	56.00	.06	.3647	17.493	.0000	.000
741.191	618.79	613.31	6114.30	437.02	.124	305.12	7408.66	5952.34	105.56	.11	.3647	17.486	.0000	.000
746.336	618.67	613.18	6114.27	437.83	.124	305.81	7441.80	5988.66	36.36	.04	.3646	17.485	.0000	.000
746.346	618.39	615.11	6117.31	337.64	.096	410.14	9624.53	5988.66	.00	.00	.3650	17.529	.0000	.000
761.346	618.79	614.81	6116.35	372.64	.106	377.24	8922.40	6125.26	136.75	.15	.3650	17.525	.0000	.000
776.346	618.59	613.69	6115.08	413.53	.117	344.35	8217.79	6250.49	125.32	.14	.3649	17.502	.0000	.000
791.346	618.37	612.26	6113.43	461.64	.131	311.45	7510.69	6364.16	113.85	.13	.3647	17.476	.0000	.000
794.831	618.60	612.17	6112.98	473.86	.134	303.81	7346.05	6388.92	24.80	.03	.3644	17.446	.0000	.000
809.831	618.30	611.73	6112.80	478.85	.136	304.81	7394.49	6494.34	105.53	.12	.3644	17.441	.0000	.000
824.831	618.00	611.30	6112.61	483.81	.137	305.80	7442.80	6600.08	105.86	.12	.3643	17.434	.0000	.000
839.831	617.69	610.86	6112.42	488.76	.139	306.80	7490.98	6706.14	106.18	.12	.3642	17.427	.0000	.000
854.781	617.39	610.42	6112.23	493.68	.140	307.79	7538.87	6812.17	106.14	.12	.3641	17.420	.0000	.000
869.781	616.69	609.98	6112.57	484.78	.137	312.24	7804.30	6919.46	107.41	.12	.3640	17.413	.0000	.000
884.781	616.03	609.55	6112.87	476.85	.135	316.69	8064.83	7028.27	108.93	.12	.3639	17.421	.0000	.000
899.781	615.42	609.13	6113.13	469.80	.133	321.14	8320.48	7138.59	110.44	.12	.3638	17.428	.0000	.000
914.781	614.85	608.73	6113.36	463.52	.131	325.60	8571.23	7250.43	111.96	.12	.3637	17.434	.0000	.000
929.781	614.31	608.34	6113.57	457.95	.130	330.05	8817.09	7363.78	113.47	.12	.3636	17.438	.0000	.000
944.781	613.80	607.96	6113.74	453.01	.128	334.50	9058.07	7478.64	114.99	.12	.3636	17.442	.0000	.000
959.781	613.32	607.60	6113.90	448.66	.127	338.95	9294.15	7595.02	116.50	.12	.3635	17.444	.0000	.000
974.781	612.86	607.24	6114.03	444.84	.126	343.40	9525.34	7712.92	118.02	.12	.3634	17.447	.0000	.000
989.781	612.41	606.88	6114.15	441.51	.125	347.85	9751.65	7832.33	119.53	.12	.3633	17.448	.0000	.000
1004.781	611.99	606.54	6114.25	438.63	.124	352.30	9973.06	7953.26	121.05	.12	.3633	17.449	.0000	.000
1019.781	611.59	606.19	6114.33	436.17	.124	356.75	10189.58	8075.70	122.56	.12	.3632	17.450	.0000	.000
1034.781	611.20	605.86	6114.40	434.10	.123	361.20	10401.22	8199.67	124.08	.11	.3631	17.450	.0000	.000
1040.791	611.05	605.73	6114.43	433.37	.123	362.98	10484.64	8249.76	50.13	.04	.3631	17.450	.0000	.000
1055.791	610.70	605.46	6114.44	432.97	.123	365.92	10660.08	8375.57	125.93	.11	.3630	17.448	.0000	.000
1070.791	610.37	605.07	6114.44	432.80	.123	368.86	10831.61	8502.39	126.93	.11	.3630	17.445	.0000	.000
1084.171	610.08	604.78	6114.44	432.83	.123	371.48	10981.50	8616.34	114.05	.10	.3629	17.443	.0000	.000
AFT(A)	603.38	577.70	6080.60	965.11	.274	*****	14435.43	9084.37	283.22	.24	.3627	17.458	****	*****
AFT(B)	603.40	603.40	6115.79	-11.35	.003	*****	9024.82	185.05	185.18	.14	.3625	17.476	****	*****

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU, IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	6.2425+02	6.2383+02	6.1212+03	5.0511+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.5529+03
AFT	1.1677+02	6.2428+02	6.2386+02	6.1213+03	5.0509+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.5529+03

GAS BUILDUP IN SLOT, DW/DT = -2.3515-04

FOREWARD	4.2705+02	6.2230+02	6.2023+02	6.1190+03	1.2247+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.7274+03
AFT	4.2706+02	6.2311+02	6.2104+02	6.1203+03	1.2234+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.7274+03

GAS BUILDUP IN SLOT, DW/DT = -2.2757-04

FOREWARD	7.4634+02	6.1867+02	6.1318+02	6.1143+03	1.9888+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	5.9887+03
AFT	7.4635+02	6.2062+02	6.1511+02	6.1173+03	1.9835+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	5.9887+03

GAS BUILDUP IN SLOT, DW/DT = -2.1854-04

IGNITION TIME, TIME (S) 49.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	9788735.1	2200595.2
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10235831.	2301106.4
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	29356.706	6599.6501
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.57663670+09	.12963309+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.43375	257.43375
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.61818055+09	.13897252+09
THRUST COEFFICIENT	CF	1.6247922	1.6247922
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4038.7411	8903.8999
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	242804.25	535291.73
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	15.755531	34.735001
INERT MASS REMAINING (KG,LBM)	MIR	1727.3064	3808.0588
TOTAL BURN AREA (M**2,IN**2)	ABTOT	250.20672	387821.19
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	150.61498	9191090.1
PROPELLANT MASS REMAINING (KG,LBM)	WF	263121.24	580083.05
TOTAL GAS MASS (KG,LBM)	WGTOT	880.59032	1941.3694
RATIO OF SPECIFIC HEATS	GAMA	1.1597290	1.1597290
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.848314	28.325604
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.3567	5115.9996
MAXIMUM CHAMBER MACH NUMBER	AMPN	.13184281	.13184281
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.41988130+09	608.98635
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.26750140+11	38809.412
BURN AREA (M**2,IN**2)	AHH	13.288744	20597.595
BURN RATE (M/S,IN/S)	RBZ(1)	.92431016-02	.36390164
DISTANCE BURNED (M,IN)	TAUZ(1)	.49112035	19.335447
PROPELLANT VOLUME (M**3,IN**3)	VFH	4.4063094	268889.50
GAS VOLUME (M**3,IN**3)	VPH	50.697522	3093752.6
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3398.9227	6118.0608
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	225.18343	349035.02
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	145.19283	8860210.0
GAS VOLUME (M**3,IN**3)	VP	145.25082	8863748.7
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.40672703+09	589.90768
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.24873877+11	36076.509
BURN AREA (M**2,IN**2)	AAN	11.734548	18188.586
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.91398961-02	.35983843
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.91355181-02	.35966607
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.48219502	18.905316
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.48064215	18.922920
PROPELLANT VOLUME (M**3,IN**3)	VFN	1.0158462	61990.740
GAS VOLUME (M**3,IN**3)	VPN	16.033583	978429.27
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3396.0417	6112.8750
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	9.7157128	15059.385
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5488959	2400.7935
EXPANSION RATIO	EPR	6.9394689	6.9394689
PRESSURE RATIO	PEPO	.22521357-01	.22521357-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	608.99	608.91	6118.06	36.06	.010	298.81	7251.68	476.86	475.31	-1.55	.3637	19.335	.0000	.000
15.000	608.93	608.88	6118.04	43.80	.012	299.48	7264.81	590.25	103.54	.15	.3637	19.303	.0000	.000
30.000	608.92	608.84	6118.01	5..53	.015	300.14	7277.92	683.88	103.77	.15	.3637	19.299	.0000	.000
45.000	608.90	608.80	6117.97	59.25	.017	300.81	7291.03	787.73	104.00	.15	.3637	19.296	.0000	.000
60.000	608.87	608.74	6117.94	66.97	.019	301.47	7304.13	891.81	104.23	.15	.3637	19.290	.0000	.000
75.000	608.84	608.68	6117.89	74.67	.021	302.14	7317.23	996.12	104.46	.15	.3636	19.285	.0000	.000
90.000	608.81	608.62	6117.85	82.37	.023	302.80	7330.32	1100.66	104.68	.15	.3636	19.281	.0000	.000
105.000	608.77	608.54	6117.79	90.06	.026	303.47	7343.40	1205.42	104.91	.15	.3636	19.276	.0000	.000
116.761	608.74	608.48	6117.75	96.08	.027	303.99	7353.66	1287.71	82.41	.12	.3636	19.271	.0000	.000
116.771	608.74	608.50	6117.77	92.97	.026	294.77	7600.05	1287.71	.00	-.00	.3636	19.272	.0000	.000
131.771	608.72	608.42	6117.70	102.53	.029	299.41	7441.35	1390.38	102.81	.14	.3636	19.272	.0000	.000
143.919	608.69	608.35	6117.63	110.67	.031	303.17	7312.67	1474.70	84.44	.12	.3636	19.265	.0000	.000
158.919	608.64	608.25	6117.57	117.97	.033	304.10	7349.37	1579.61	105.07	.15	.3636	19.260	.0000	.000
173.919	608.59	608.14	6117.50	125.23	.035	305.04	7385.97	1684.85	105.38	.15	.3635	19.255	.0000	.000
188.919	608.53	608.03	6117.42	132.44	.038	305.97	7422.50	1790.40	105.70	.15	.3635	19.249	.0000	.000
203.919	608.47	607.91	6117.35	139.62	.040	306.90	7458.94	1896.26	106.02	.15	.3635	19.244	.0000	.000
218.919	608.40	607.79	6117.27	146.75	.042	307.83	7495.30	2002.44	106.33	.15	.3635	19.239	.0000	.000
233.919	608.33	607.66	6117.18	153.84	.044	308.76	7531.58	2108.93	106.65	.15	.3634	19.233	.0000	.000
248.919	608.26	607.52	6117.10	160.89	.046	309.69	7567.77	2215.74	106.96	.15	.3634	19.227	.0000	.000
263.919	608.18	607.38	6117.01	167.90	.048	310.63	7603.89	2322.86	107.27	.15	.3634	19.222	.0000	.000
278.919	608.10	607.23	6116.91	174.88	.050	311.56	7639.92	2430.30	107.59	.15	.3634	19.216	.0000	.000
293.919	608.01	607.08	6116.82	181.82	.052	312.49	7675.86	2538.05	107.90	.15	.3633	19.210	.0000	.000
308.919	607.93	606.92	6116.71	188.73	.053	313.42	7711.73	2646.11	108.21	.15	.3633	19.204	.0000	.000
323.919	607.84	606.75	6116.61	195.60	.055	314.35	7747.51	2754.48	108.53	.15	.3633	19.199	.0000	.000
338.919	607.74	606.58	6116.50	202.44	.057	315.28	7783.21	2863.16	108.84	.15	.3632	19.193	.0000	.000
353.919	607.64	606.41	6116.39	209.24	.059	316.22	7818.82	2972.16	109.15	.16	.3632	19.187	.0000	.000
368.919	607.54	606.22	6116.28	216.02	.061	317.15	7854.35	3081.47	109.46	.16	.3632	19.181	.0000	.000
383.919	607.44	606.03	6116.17	222.76	.063	318.08	7889.81	3191.08	109.77	.16	.3631	19.174	.0000	.000
398.919	607.33	605.84	6116.05	229.48	.065	319.01	7925.17	3301.01	110.08	.16	.3631	19.168	.0000	.000
403.048	607.30	605.79	6116.01	231.32	.066	319.27	7934.89	3331.32	30.36	.04	.3630	19.162	.0000	.000
418.048	607.19	605.59	6115.88	238.53	.068	317.41	7951.20	3441.16	109.99	.16	.3630	19.160	.0000	.000
427.051	607.13	605.46	6115.80	242.82	.069	316.30	7961.24	3506.77	65.70	.09	.3630	19.155	.0000	.000
427.061	607.01	606.11	6116.87	177.85	.050	439.11	10859.52	3506.77	.00	-.00	.3631	19.178	.0000	.000
442.061	607.26	605.97	6116.32	213.62	.061	382.21	9407.89	3648.48	141.91	.20	.3631	19.178	.0000	.000
457.061	607.10	605.15	6115.39	263.41	.075	325.30	7894.44	3770.54	122.24	.18	.3631	19.151	.0000	.000
463.204	607.43	605.05	6114.81	289.94	.082	302.00	7256.78	3814.86	44.38	.06	.3629	19.111	.0000	.000
478.204	607.20	604.79	6114.66	296.80	.084	302.59	7285.83	3919.11	104.40	.15	.3629	19.091	.0000	.000
493.204	607.13	604.53	6114.50	303.63	.086	303.17	7314.83	4023.55	104.60	.15	.3628	19.083	.0000	.000
508.204	606.97	604.25	6114.33	310.43	.088	303.76	7343.79	4128.18	104.78	.15	.3628	19.075	.0000	.000
523.204	606.81	603.98	6114.17	317.20	.090	304.34	7372.70	4233.00	104.97	.15	.3627	19.067	.0000	.000
538.204	606.65	603.69	6114.00	323.94	.092	304.93	7401.58	4338.00	105.15	.15	.3626	19.059	.0000	.000
553.204	606.48	603.40	6113.82	330.66	.094	305.51	7430.40	4443.18	105.34	.15	.3626	19.051	.0000	.000
568.204	606.31	603.11	6113.65	337.35	.096	306.10	7459.19	4548.55	105.52	.15	.3625	19.042	.0000	.000
583.204	606.14	602.81	6113.47	344.01	.097	306.69	7487.93	4654.10	105.71	.15	.3625	19.034	.0000	.000
598.204	605.96	602.50	6113.29	350.65	.099	307.27	7516.63	4759.89	105.89	.15	.3624	19.026	.0000	.000
613.204	605.78	602.19	6113.11	357.27	.101	307.86	7545.28	4865.76	106.07	.15	.3623	19.017	.0000	.000

628.204	605.60	601.88	6112.92	363.86	.103	308.44	7573.89	4971.86	106.26	.15	.3623	19.009	.0000	.000
643.204	605.41	601.55	6112.73	370.43	.105	309.03	7602.46	5078.15	106.44	.15	.3622	19.000	.0000	.000
658.204	605.22	601.23	6112.54	376.97	.107	309.61	7630.98	5184.62	106.62	.15	.3621	18.992	.0000	.000
673.204	605.02	600.89	6112.34	383.50	.109	310.20	7659.46	5291.27	106.80	.15	.3621	18.983	.0000	.000
688.204	604.83	600.56	6112.15	390.00	.111	310.79	7687.90	5398.10	106.98	.15	.3620	18.975	.0000	.000
703.204	604.62	600.22	6111.95	396.48	.112	311.37	7716.29	5505.11	107.17	.15	.3619	18.966	.0000	.000
718.204	604.42	599.87	6111.74	402.94	.114	311.96	7744.64	5612.30	107.35	.15	.3619	18.958	.0000	.000
726.191	604.31	599.68	6111.64	406.37	.115	312.27	7759.72	5669.45	57.23	.08	.3618	18.949	.0000	.000
741.191	604.01	599.32	6111.55	409.08	.116	314.26	7859.42	5777.15	107.86	.16	.3617	18.944	.0000	.000
746.336	603.91	599.20	6111.52	410.01	.116	314.95	7893.50	5814.24	37.15	.05	.3617	18.941	.0000	.000
746.346	603.66	600.86	6114.20	315.73	.090	416.42	10226.65	5814.24	.00	.00	.3620	18.981	.0000	.000
761.346	603.01	600.60	6113.34	348.87	.099	384.42	9477.21	5952.00	137.95	.20	.3620	18.982	.0000	.000
776.346	603.83	599.62	6112.22	387.57	.110	352.41	8725.11	6078.73	126.92	.18	.3619	18.958	.0000	.000
791.346	603.63	598.38	6110.75	433.15	.123	320.41	7970.34	6194.42	115.85	.17	.3617	18.932	.0000	.000
794.831	603.83	598.29	6110.35	444.76	.126	312.97	7794.61	6219.70	25.32	.04	.3615	18.901	.0000	.000
809.831	603.56	597.90	6110.17	449.86	.128	313.96	7844.45	6327.39	107.84	.16	.3614	18.896	.0000	.000
824.831	603.29	597.51	6109.99	454.95	.129	314.95	7894.13	6435.39	108.16	.16	.3614	18.888	.0000	.000
839.831	603.02	597.11	6109.81	460.01	.130	315.94	7943.65	6543.71	108.48	.16	.3613	18.881	.0000	.000
854.781	602.75	596.71	6109.63	465.04	.132	316.92	7992.84	6651.99	108.43	.16	.3612	18.873	.0000	.000
869.781	602.14	596.31	6109.91	457.25	.130	321.37	8268.84	6761.53	109.70	.16	.3611	18.866	.0000	.000
884.781	601.58	595.92	6110.16	450.36	.128	325.82	8539.21	6872.57	111.20	.16	.3610	18.874	.0000	.000
899.781	601.04	595.54	6110.37	444.26	.126	330.27	8803.94	6985.12	112.71	.16	.3609	18.881	.0000	.000
914.781	600.54	595.18	6110.56	438.89	.124	334.72	9063.05	7099.16	114.21	.16	.3609	18.886	.0000	.000
929.781	600.07	594.82	6110.72	434.17	.123	339.17	9316.52	7214.71	115.71	.17	.3608	18.890	.0000	.000
944.781	599.62	594.48	6110.86	430.09	.122	343.61	9564.36	7331.76	117.22	.17	.3607	18.893	.0000	.000
959.781	599.20	594.14	6110.98	426.45	.121	348.06	9806.57	7450.31	118.72	.17	.3606	18.895	.0000	.000
974.781	598.79	593.81	6111.08	423.36	.120	352.51	10043.14	7570.37	120.22	.17	.3606	18.897	.0000	.000
989.781	598.40	593.49	6111.17	420.72	.119	356.96	10274.09	7691.92	121.73	.17	.3605	18.899	.0000	.000
1004.781	598.03	593.17	6111.24	418.51	.119	361.41	10499.40	7814.99	123.23	.17	.3604	18.899	.0000	.000
1019.781	597.67	592.86	6111.30	416.69	.118	365.86	10719.08	7939.55	124.73	.17	.3604	18.900	.0000	.000
1034.781	597.32	592.55	6111.35	415.24	.118	370.30	10933.13	8065.62	126.24	.17	.3603	18.900	.0000	.000
1040.791	597.19	592.42	6111.37	414.76	.118	372.09	11017.31	8116.55	51.00	.07	.3602	18.899	.0000	.000
1055.791	596.88	592.12	6111.37	414.73	.118	375.02	11197.39	8244.46	128.07	.17	.3602	18.897	.0000	.000
1070.791	596.58	591.82	6111.36	414.92	.118	377.96	11373.06	8373.35	129.06	.17	.3601	18.894	.0000	.000
1084.171	596.32	591.55	6111.35	415.26	.118	380.58	11526.03	8489.15	115.95	.15	.3601	18.891	.0000	.000
AFT(A)	589.91	564.69	6076.71	967.18	.275	.....	15059.39	8903.90	286.38	.36	.3598	18.905	....	.....
AFT(B)	589.93	589.93	6112.87	-7.55	.002	.....	9648.78	128.73	128.84	.11	.3597	18.923	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU. IN.	WSLOT LB/SEC
FORWARD	1.1676+02	6.0874+02	6.0848+02	6.1177+03	4.2926+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2877+03
AFT	1.1677+02	6.0876+02	6.0850+02	6.1178+03	4.2925+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2877+03

GAS BUILDUP IN SLOT, DW/DT = -1.5115-04

FORWARD	4.2705+02	6.0713+02	6.0546+02	6.1158+03	1.1800+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.5068+03
AFT	4.2706+02	6.0778+02	6.0611+02	6.1169+03	1.1789+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.5068+03

GAS BUILDUP IN SLOT, DW/DT = -1.4564-04

FORWARD	7.4634+02	6.0391+02	5.9926+02	6.1115+03	1.9755+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	5.8142+03
AFT	7.4635+02	6.0559+02	6.0086+02	6.1142+03	1.9709+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	5.8142+03

GAS BUILDUP IN SLOT, DW/DT = -1.3873-04

IGNITION TIME, TIME (S) 53.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	9912568.2	2228434.0
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10292744.	2313901.0
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	29456.935	6622.1824
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.61595978+09	.13847327+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.29033	257.29033
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.65915662+09	.14818430+09
THRUST COEFFICIENT	CF	1.6244701	1.6244701
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4063.5039	8958.4926
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	258984.40	570962.87
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	15.809323	34.853592
INERT MASS REMAINING (KG,LBM)	MIR	1664.3208	3669.1992
TOTAL BURN AREA (M**2,IN**2)	ABTOT	251.97637	390564.15
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	141.37909	8627481.5
PROPELLANT MASS REMAINING (KG,LBM)	WF	246907.91	544330.77
TOTAL GAS MASS (KG,LBM)	WGTOT	920.64462	2029.6740
RATIO OF SPECIFIC HEATS	GAMA	1.1597293	1.1597293
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.848377	28.325822
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.3955	5116.1270
MAXIMUM CHAMBER MACH NUMBER	AMPN	.12614129	.12614129
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.42011317+09	609.32264
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.28435197+11	41241.767
BURN AREA (M**2,IN**2)	AHH	11.401927	17673.023
BURN RATE (M/S,IN/S)	RBZ(1)	.92450276-02	.36397747
DISTANCE BURNED (M,IN)	TAUZ(1)	.52807210	20.790240
PROPELLANT VOLUME (M**3,IN**3)	VFH	3.9652807	241976.27
GAS VOLUME (M**3,IN**3)	VPH	51.138551	3120665.9
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3398.9767	6118.1580
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	231.54725	358898.95
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	138.75770	8345467.1
GAS VOLUME (M**3,IN**3)	VP	153.68624	9378509.9
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.40820390+09	592.04971
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.26500526+11	38435.764
BURN AREA (M**2,IN**2)	AAN	9.0271990	13992.187
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.91515224-02	.36029616
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.91467729-02	.36010917
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.51674112	20.344139
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.51717024	20.361033
PROPELLANT VOLUME (M**3,IN**3)	VFN	.65610832	40038.186
GAS VOLUME (M**3,IN**3)	VPN	16.393321	1000381.8
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3396.4109	6113.5397
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.121631	15688.560
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5521808	2405.8850
EXPANSION RATIO	EPR	6.9247830	6.9247830
PRESSURE RATIO	PEPO	.22584047-01	.22584047-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	609.32	609.28	6118.16	28.91	.008	311.06	7696.18	406.01	407.90	1.90	.3638	20.790	.0000	.000
15.000	609.29	609.25	6118.14	36.50	.010	311.33	7709.83	513.45	107.74	.29	.3638	20.757	.0000	.000
30.000	609.27	609.22	6118.11	44.07	.012	311.59	7723.47	620.99	107.83	.29	.3638	20.753	.0000	.000
45.000	609.26	609.18	6118.09	51.62	.015	311.86	7737.10	728.62	107.92	.29	.3637	20.748	.0000	.000
60.000	609.23	609.14	6118.05	59.15	.017	312.12	7750.72	836.34	108.01	.29	.3637	20.744	.0000	.000
75.000	609.21	609.08	6118.02	66.66	.019	312.38	7764.33	944.14	108.10	.29	.3637	20.739	.0000	.000
90.000	609.18	609.03	6117.98	74.15	.021	312.65	7777.93	1052.04	108.18	.29	.3637	20.734	.0000	.000
105.000	609.15	608.96	6117.93	81.63	.023	312.91	7791.53	1160.02	108.27	.29	.3637	20.730	.0000	.000
116.761	609.12	608.91	6117.89	87.48	.025	313.12	7802.18	1244.75	84.95	.23	.3637	20.725	.0000	.000
116.771	609.12	608.92	6117.91	84.97	.024	300.44	8032.00	1244.75	.00	.00	.3637	20.726	.0000	.000
131.771	609.10	608.85	6117.85	93.90	.027	306.99	7881.78	1349.59	105.13	.28	.3637	20.726	.0000	.000
143.919	609.08	608.79	6117.79	101.50	.029	312.29	7759.98	1436.15	86.80	.23	.3637	20.719	.0000	.000
158.919	609.03	608.70	6117.73	108.61	.031	313.22	7798.09	1544.11	108.25	.29	.3637	20.713	.0000	.000
173.919	608.98	608.60	6117.67	115.68	.033	314.16	7836.10	1652.38	108.57	.29	.3636	20.708	.0000	.000
188.919	608.93	608.50	6117.60	122.71	.035	315.09	7874.02	1760.98	108.88	.29	.3636	20.703	.0000	.000
203.919	608.87	608.40	6117.53	129.69	.037	316.02	7911.84	1869.88	109.20	.29	.3636	20.697	.0000	.000
218.919	608.81	608.29	6117.46	136.64	.039	316.95	7949.57	1979.11	109.52	.29	.3636	20.692	.0000	.000
233.919	608.75	608.17	6117.38	143.55	.041	317.88	7987.20	2088.64	109.83	.30	.3635	20.686	.0000	.000
248.919	608.69	608.04	6117.30	150.42	.043	318.81	8024.73	2198.49	110.15	.30	.3635	20.680	.0000	.000
263.919	608.62	607.92	6117.22	157.26	.045	319.75	8062.18	2308.66	110.46	.30	.3635	20.675	.0000	.000
278.919	608.54	607.78	6117.14	164.06	.046	320.68	8099.52	2419.13	110.78	.30	.3635	20.669	.0000	.000
293.919	608.47	607.64	6117.05	170.82	.048	321.61	8136.77	2529.92	111.09	.30	.3634	20.663	.0000	.000
308.919	608.39	607.50	6116.95	177.55	.050	322.54	8173.92	2641.03	111.40	.30	.3634	20.657	.0000	.000
323.919	608.30	607.34	6116.86	184.25	.052	323.47	8210.98	2752.44	111.72	.30	.3634	20.651	.0000	.000
338.919	608.22	607.19	6116.76	190.92	.054	324.40	8247.95	2864.17	112.03	.30	.3634	20.645	.0000	.000
353.919	608.13	607.03	6116.66	197.55	.056	325.33	8284.81	2976.21	112.34	.30	.3633	20.639	.0000	.000
368.919	608.04	606.86	6116.56	204.15	.058	326.27	8321.59	3088.56	112.65	.30	.3633	20.632	.0000	.000
383.919	607.94	606.68	6116.45	210.73	.060	327.20	8358.26	3201.21	112.96	.31	.3633	20.626	.0000	.000
398.919	607.84	606.51	6116.34	217.27	.062	328.13	8394.85	3314.18	113.28	.31	.3632	20.620	.0000	.000
403.048	607.81	606.46	6116.31	219.07	.062	328.39	8404.90	3345.33	31.23	.08	.3632	20.613	.0000	.000
418.048	607.72	606.27	6116.18	226.16	.064	326.53	8418.47	3458.21	113.18	.31	.3632	20.612	.0000	.000
427.051	607.66	606.16	6116.11	230.38	.065	325.41	8426.87	3525.65	67.62	.18	.3631	20.606	.0000	.000
427.061	607.55	606.75	6117.08	168.66	.048	444.86	11501.14	3525.65	.00	.00	.3632	20.630	.0000	.000
442.061	607.77	606.61	6116.58	202.51	.057	389.35	9970.87	3669.45	144.19	.39	.3632	20.630	.0000	.000
457.061	608.21	606.46	6115.75	249.34	.071	333.84	8374.44	3794.11	125.00	.34	.3632	20.602	.0000	.000
463.204	608.50	606.37	6115.24	274.39	.078	311.11	7701.56	3839.63	45.65	.13	.3632	20.562	.0000	.000
478.204	608.36	606.13	6115.09	281.08	.080	311.70	7731.46	3946.96	107.63	.30	.3631	20.542	.0000	.000
493.204	608.23	605.89	6114.94	287.73	.082	312.28	7761.30	4054.49	107.82	.30	.3631	20.534	.0000	.000
508.204	608.08	605.64	6114.79	294.36	.083	312.87	7791.09	4162.20	108.01	.30	.3630	20.525	.0000	.000
523.204	607.94	605.38	6114.64	300.97	.085	313.45	7820.83	4270.10	108.20	.30	.3630	20.517	.0000	.000
538.204	607.79	605.12	6114.48	307.54	.087	314.03	7850.51	4378.18	108.38	.30	.3629	20.509	.0000	.000
553.204	607.64	604.85	6114.32	314.09	.089	314.62	7880.14	4486.45	108.57	.30	.3629	20.500	.0000	.000
568.204	607.48	604.58	6114.16	320.62	.091	315.20	7909.71	4594.90	108.75	.30	.3628	20.492	.0000	.000
583.204	607.32	604.30	6113.99	327.12	.093	315.79	7939.24	4703.54	108.94	.30	.3628	20.483	.0000	.000
598.204	607.16	604.02	6113.83	333.60	.095	316.37	7968.71	4812.36	109.12	.30	.3627	20.475	.0000	.000
613.204	606.99	603.73	6113.66	340.05	.096	316.95	7998.12	4921.36	109.31	.30	.3627	20.466	.0000	.000

628.204	606.82	603.44	6113.48	346.48	.098	317.54	8027.49	5030.54	109.49	.30	.3626	20.457	.0000	.000
643.204	606.65	603.19	6113.31	352.89	.100	318.12	8056.80	5139.91	109.67	.31	.3625	20.448	.0000	.000
658.204	606.48	602.84	6113.13	359.28	.102	318.71	8086.05	5249.46	109.86	.31	.3625	20.439	.0000	.000
673.204	606.30	602.53	6112.95	365.64	.104	319.29	8115.26	5359.20	110.04	.31	.3624	20.431	.0000	.000
688.204	606.11	602.22	6112.76	371.99	.105	319.88	8144.41	5469.11	110.22	.31	.3623	20.422	.0000	.000
703.204	605.93	601.90	6112.58	378.31	.107	320.46	8173.50	5579.21	110.40	.31	.3623	20.413	.0000	.000
718.204	605.74	601.58	6112.39	384.62	.109	321.04	8202.55	5689.48	110.58	.31	.3622	20.404	.0000	.000
726.191	605.64	601.41	6112.29	387.97	.110	321.36	8217.99	5748.27	58.95	.16	.3621	20.395	.0000	.000
741.191	605.37	601.08	6112.20	390.78	.111	323.35	8326.48	5859.06	111.10	.31	.3621	20.391	.0000	.000
746.336	605.27	600.96	6112.17	391.75	.111	324.03	8355.50	5897.21	38.26	.11	.3620	20.387	.0000	.000
746.346	605.05	602.49	6114.62	301.49	.085	422.46	10833.73	5897.21	.00	.00	.3623	20.429	.0000	.000
761.346	605.36	602.24	6113.84	333.19	.094	391.40	10038.63	6037.15	140.33	.39	.3623	20.429	.0000	.000
776.346	605.20	601.35	6112.82	370.19	.105	360.34	9240.71	6166.39	129.61	.36	.3623	20.406	.0000	.000
791.346	605.01	600.20	6111.48	413.80	.117	329.28	8439.76	6284.92	118.86	.33	.3621	20.378	.0000	.000
794.831	605.19	600.12	6111.11	424.93	.120	322.06	8253.51	6310.92	26.07	.07	.3619	20.346	.0000	.000
809.831	604.95	599.76	6110.94	429.97	.122	323.65	8304.73	6421.69	111.08	.31	.3618	20.341	.0000	.000
824.831	604.70	599.40	6110.77	434.99	.123	324.03	8355.76	6532.78	111.41	.31	.3618	20.333	.0000	.000
839.831	604.46	599.03	6110.60	439.99	.125	325.01	8406.61	6644.19	111.72	.31	.3617	20.325	.0000	.000
854.781	604.21	598.66	6110.43	444.96	.126	325.99	8457.09	6755.54	111.66	.31	.3616	20.317	.0000	.000
869.781	603.65	596.28	6110.67	437.84	.124	330.44	8743.67	6868.17	112.95	.32	.3615	20.309	.0000	.000
884.781	603.13	597.92	6110.89	431.57	.122	334.89	9023.87	6982.30	114.45	.33	.3614	20.317	.0000	.000
899.781	602.65	597.57	6111.07	426.06	.121	339.33	9297.69	7097.92	115.96	.33	.3614	20.324	.0000	.000
914.781	602.19	597.23	6111.23	421.23	.119	343.78	9565.13	7215.04	117.46	.34	.3613	20.329	.0000	.000
929.781	601.76	596.90	6111.37	417.02	.118	348.23	9826.18	7333.67	118.97	.35	.3612	20.332	.0000	.000
944.781	601.35	596.58	6111.49	413.38	.117	352.67	10080.85	7453.79	120.47	.35	.3612	20.335	.0000	.000
959.781	600.95	596.26	6111.59	410.25	.116	357.12	10329.15	7575.41	121.98	.36	.3611	20.338	.0000	.000
974.781	600.58	595.95	6111.68	407.59	.116	361.57	10571.06	7698.54	123.49	.36	.3610	20.339	.0000	.000
989.781	600.23	595.65	6111.75	405.37	.115	366.01	10806.59	7823.17	124.99	.37	.3610	20.340	.0000	.000
1004.781	599.88	595.35	6111.80	403.56	.114	370.46	11035.73	7949.29	126.50	.37	.3609	20.341	.0000	.000
1019.781	599.55	595.06	6111.85	402.13	.114	374.91	11258.50	8076.92	128.00	.37	.3608	20.341	.0000	.000
1034.781	599.24	594.76	6111.88	401.06	.114	379.35	11474.89	8206.05	129.50	.38	.3608	20.340	.0000	.000
1040.791	599.11	594.65	6111.89	400.72	.114	381.13	11559.80	8258.20	52.31	.15	.3607	20.340	.0000	.000
1055.791	598.83	594.36	6111.89	400.86	.114	384.07	11744.49	8389.16	131.34	.38	.3607	20.338	.0000	.000
1070.791	598.55	594.08	6111.88	401.22	.114	387.01	11924.26	8521.11	132.33	.38	.3606	20.334	.0000	.000
1084.171	598.30	593.82	6111.86	401.71	.114	389.63	12080.49	8639.63	118.87	.34	.3605	20.331	.0000	.000
AFT(A)	592.05	566.63	6077.24	969.43	.276	.....	15688.56	8958.49	287.72	.84	.3603	20.344	....	.....
AFT(B)	592.06	592.06	6113.54	-1.75	.000	.....	10277.95	31.99	32.14	.15	.3601	20.361	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU. IN.	WSLOT LB/SEC
FORWARD	1.1676+02	6.0912+02	6.0891+02	6.1179+03	4.1465+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2447+03
AFT	1.1677+02	6.0914+02	6.0892+02	6.1179+03	4.1465+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2447+03

GAS BUILDUP IN SLOT, DW/DT = 4.7694-05

FORWARD	4.2705+02	6.0766+02	6.0616+02	6.1161+03	1.1850+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.5257+03
AFT	4.2706+02	6.0825+02	6.0675+02	6.1171+03	1.1841+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.5257+03

GAS BUILDUP IN SLOT, DW/DT = 4.9334-05

FORWARD	7.4634+02	6.0527+02	6.0096+02	6.1122+03	1.9980+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	5.8972+03
AFT	7.4635+02	6.0681+02	6.0249+02	6.1146+03	1.9937+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	5.8972+03

GAS BUILDUP IN SLOT, DW/DT = 6.5057-05

IGNITION TIME, TIME (S) 57.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10060605.	2261732.0
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10380018.	2333520.9
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	30348.781	6822.6774
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.65580602+09	.14744904+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.25712	257.25712
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.70048046+09	.15747427+09
THRUST COEFFICIENT	CF	1.6242563	1.6242563
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4098.1454	9034.0640
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	275298.90	606935.18
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	16.287971	35.908829
INERT MASS REMAINING (KG,LBM)	MIR	1599.7069	3526.7500
TOTAL BURN AREA (M**2,IN**2)	ABTOT	253.64082	393144.06
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	132.04492	8057875.6
PROPELLANT MASS REMAINING (KG,LBM)	WF	230549.48	508274.59
TOTAL GAS MASS (KG,LBM)	WGTOT	963.98949	2125.2330
RATIO OF SPECIFIC HEATS	GAMA	1.1597317	1.1597317
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.848813	28.326785
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.4650	5116.3549
MAXIMUM CHAMBER MACH NUMBER	AMPN	.12171293	.12171293
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.42173146+09	611.66977
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.30118404+11	43683.052
BURN AREA (M**2,IN**2)	AHH	11.013152	17070.420
BURN RATE (M/S,IN/S)	RBZ(1)	.92575196-02	.36446928
DISTANCE BURNED (M,IN)	TAUZ(1)	.56506099	22.246496
PROPELLANT VOLUME (M**3,IN**3)	VFH	3.5505413	216667.32
GAS VOLUME (M**3,IN**3)	VPH	51.553290	3145974.8
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3399.2863	6118.7153
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	237.80597	368600.00
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	128.07783	7815788.7
GAS VOLUME (M**3,IN**3)	VP	162.36639	9908204.9
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.41084459+09	595.87978
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.28137769+11	40810.384
BURN AREA (M**2,IN**2)	AAN	4.8216972	7473.6456
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.91718067-02	.36109476
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.91668911-02	.36090123
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.55336089	21.785862
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.41655125	25419.517
GAS VOLUME (M**3,IN**3)	VPN	16.632878	1015000.5
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3397.0692	6114.7245
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5554855	2411.0074
EXPANSION RATIO	EPR	6.9100708	6.9100708
PRESSURE RATIO	PEPO	.22647056-01	.22647056-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	611.67	611.63	6118.72	26.31	.007	320.17	8155.52	392.95	394.53	1.57	.3643	22.246	.0000	.000
15.000	611.64	611.61	6118.70	33.66	.010	320.44	8169.55	503.71	111.04	.29	.3642	22.213	.0000	.000
30.000	611.63	611.58	6118.68	41.00	.012	320.71	8183.57	614.55	111.13	.29	.3642	22.208	.0000	.000
45.000	611.61	611.55	6118.65	48.32	.014	320.98	8197.58	725.49	111.22	.29	.3642	22.204	.0000	.000
60.000	611.59	611.50	6118.62	55.63	.016	321.24	8211.58	836.51	111.32	.29	.3642	22.199	.0000	.000
75.000	611.57	611.46	6118.59	62.91	.018	321.51	8225.57	947.63	111.41	.29	.3642	22.194	.0000	.000
90.000	611.54	611.40	6118.55	70.18	.020	321.78	8239.54	1058.84	111.50	.29	.3642	22.190	.0000	.000
105.000	611.52	611.35	6118.51	77.43	.022	322.05	8253.51	1170.13	111.59	.29	.3642	22.185	.0000	.000
116.761	611.49	611.29	6118.47	83.11	.024	322.26	8264.45	1257.46	87.55	.23	.3642	22.180	.0000	.000
116.771	611.49	611.30	6118.48	81.05	.023	307.75	8474.55	1257.46	.00	.00	.3642	22.181	.0000	.000
131.771	611.47	611.24	6118.43	89.48	.025	315.29	8334.52	1365.15	107.98	.28	.3642	22.181	.0000	.000
143.919	611.45	611.18	6118.38	96.64	.027	321.40	8220.99	1454.28	89.36	.23	.3642	22.174	.0000	.000
158.919	611.40	611.10	6118.32	103.55	.029	322.33	8260.53	1565.54	111.55	.29	.3642	22.168	.0000	.000
173.919	611.36	611.01	6118.26	110.42	.031	323.26	8299.95	1677.13	111.87	.29	.3641	22.163	.0000	.000
188.919	611.31	610.92	6118.20	117.25	.033	324.20	8339.27	1789.02	112.19	.29	.3641	22.157	.0000	.000
203.919	611.26	610.82	6118.14	124.04	.035	325.13	8378.47	1901.24	112.51	.29	.3641	22.152	.0000	.000
218.919	611.20	610.72	6118.07	130.79	.037	326.06	8417.57	2013.77	112.83	.29	.3641	22.146	.0000	.000
233.919	611.14	610.61	6118.00	137.50	.039	327.00	8456.57	2126.62	113.14	.29	.3641	22.141	.0000	.000
248.919	611.08	610.49	6117.93	144.18	.041	327.93	8495.45	2239.78	113.46	.30	.3640	22.135	.0000	.000
263.919	611.02	610.37	6117.85	150.83	.043	328.86	8534.22	2353.26	113.78	.30	.3640	22.129	.0000	.000
278.919	610.95	610.25	6117.77	157.44	.045	329.80	8572.89	2467.06	114.09	.30	.3640	22.123	.0000	.000
293.919	610.88	610.11	6117.69	164.02	.046	330.73	8611.45	2581.16	114.41	.30	.3640	22.117	.0000	.000
308.919	610.80	609.98	6117.60	170.56	.048	331.66	8649.90	2695.59	114.72	.30	.3639	22.111	.0000	.000
323.919	610.73	609.84	6117.51	177.08	.050	332.60	8688.24	2810.32	115.04	.30	.3639	22.105	.0000	.000
338.919	610.65	609.69	6117.42	183.56	.052	333.53	8726.47	2925.37	115.35	.30	.3639	22.099	.0000	.000
353.919	610.56	609.54	6117.33	190.01	.054	334.46	8764.60	3040.73	115.66	.30	.3638	22.092	.0000	.000
368.919	610.48	609.38	6117.23	196.44	.056	335.39	8802.62	3156.41	115.98	.30	.3638	22.086	.0000	.000
383.919	610.39	609.22	6117.13	202.83	.057	336.33	8840.52	3272.39	116.29	.30	.3638	22.080	.0000	.000
398.919	610.30	609.05	6117.03	209.20	.059	337.26	8878.32	3388.69	116.60	.30	.3637	22.073	.0000	.000
403.048	610.27	609.01	6117.00	210.95	.060	337.52	8888.71	3420.76	32.15	.08	.3637	22.067	.0000	.000
418.048	610.18	608.83	6116.88	217.91	.062	335.66	8899.54	3536.97	116.51	.30	.3637	22.065	.0000	.000
427.051	610.13	608.73	6116.81	222.05	.063	334.54	8906.29	3606.40	69.62	.18	.3637	22.059	.0000	.000
427.061	610.03	609.28	6117.71	162.62	.046	450.49	12151.75	3606.40	.00	.00	.3638	22.083	.0000	.000
442.061	610.23	609.15	6117.25	195.03	.055	396.41	10544.81	3752.62	146.60	.38	.3638	22.083	.0000	.000
457.061	610.64	609.01	6116.49	239.83	.068	342.34	8867.47	3880.16	127.88	.34	.3637	22.056	.0000	.000
463.204	610.90	608.93	6116.01	263.78	.075	320.20	8160.22	3927.00	46.96	.12	.3637	22.015	.0000	.000
478.204	610.78	608.70	6115.88	270.28	.077	320.78	8190.98	4037.65	110.93	.29	.3637	21.995	.0000	.000
493.204	610.65	608.47	6115.74	276.77	.078	321.37	8221.67	4148.48	111.13	.29	.3636	21.986	.0000	.000
508.204	610.51	608.24	6115.60	283.22	.080	321.95	8252.29	4259.51	111.32	.29	.3636	21.978	.0000	.000
523.204	610.38	608.00	6115.45	289.65	.082	322.54	8282.86	4370.72	111.50	.29	.3635	21.969	.0000	.000
538.204	610.24	607.75	6115.30	296.05	.084	323.12	8313.36	4482.12	111.69	.29	.3635	21.961	.0000	.000
553.204	610.10	607.50	6115.15	302.43	.086	323.71	8343.80	4593.71	111.88	.29	.3634	21.952	.0000	.000
568.204	609.95	607.25	6115.00	308.79	.088	324.29	8374.17	4705.48	112.06	.29	.3634	21.943	.0000	.000
583.204	609.80	606.99	6114.85	315.13	.089	324.88	8404.48	4817.44	112.25	.29	.3633	21.935	.0000	.000
598.204	609.65	606.73	6114.69	321.44	.091	325.47	8434.73	4929.59	112.44	.29	.3633	21.926	.0000	.000
613.204	609.50	606.46	6114.53	327.73	.093	326.05	8464.91	5041.91	112.62	.29	.3632	21.917	.0000	.000

628.204	609.34	606.18	6114.37	333.39	.095	326.64	8495.03	5154.43	112.81	.29	.3632	21.908	.0000	.000
643.204	609.18	605.90	6114.20	340.24	.096	327.22	8525.09	5267.12	112.99	.30	.3631	21.899	.0000	.000
658.204	609.01	605.62	6114.03	346.47	.098	327.81	8555.08	5380.00	113.18	.30	.3631	21.890	.0000	.000
673.204	608.85	605.33	6113.86	352.67	.100	328.39	8585.02	5493.07	113.36	.30	.3630	21.881	.0000	.000
688.204	608.68	605.04	6113.69	358.86	.102	328.98	8614.88	5606.32	113.54	.30	.3629	21.872	.0000	.000
703.204	608.50	604.74	6113.52	365.03	.103	329.57	8644.69	5719.75	113.73	.30	.3629	21.863	.0000	.000
718.204	608.33	604.44	6113.34	371.17	.105	330.15	8674.43	5833.36	113.91	.30	.3628	21.854	.0000	.000
728.191	608.23	604.28	6113.24	374.44	.106	330.46	8690.24	5893.93	60.73	.16	.3627	21.844	.0000	.000
741.191	607.98	603.97	6113.16	377.31	.107	332.45	8795.53	6008.06	114.43	.30	.3627	21.839	.0000	.000
746.336	607.90	603.86	6113.13	378.30	.107	333.14	8831.49	6047.35	39.40	.10	.3626	21.835	.0000	.000
746.346	607.68	605.29	6115.41	291.19	.083	428.40	11450.50	6047.35	.00	.00	.3629	21.878	.0000	.000
761.346	607.98	605.06	6114.68	321.71	.091	398.30	10611.07	6189.76	142.78	.37	.3629	21.879	.0000	.000
776.346	608.41	604.81	6113.74	357.00	.101	368.20	9768.64	6321.77	132.37	.35	.3629	21.855	.0000	.000
791.346	608.23	603.74	6112.50	398.97	.113	338.10	8923.21	6443.40	121.96	.33	.3628	21.827	.0000	.000
794.631	608.40	603.66	6112.16	409.69	.116	331.11	8726.37	6470.17	26.84	.07	.3626	21.794	.0000	.000
809.831	608.17	603.32	6112.00	414.64	.118	332.11	8778.98	6584.29	114.44	.31	.3626	21.789	.0000	.000
824.831	607.94	602.98	6111.84	419.57	.119	333.10	8831.38	6698.75	114.77	.31	.3625	21.781	.0000	.000
839.831	607.71	602.63	6111.68	424.49	.120	334.10	8883.57	6813.53	115.09	.31	.3624	21.772	.0000	.000
854.781	607.48	602.29	6111.51	429.37	.122	335.09	8935.36	6928.24	115.02	.31	.3624	21.764	.0000	.000
869.781	606.97	601.93	6111.73	422.77	.120	339.53	9232.61	7044.24	116.32	.32	.3623	21.756	.0000	.000
884.781	606.48	601.59	6111.92	416.97	.118	343.98	9522.71	7161.75	117.83	.32	.3622	21.764	.0000	.000
899.781	606.03	601.26	6112.09	411.91	.117	348.42	9805.68	7280.76	119.34	.33	.3622	21.770	.0000	.000
914.781	605.61	600.94	6112.23	407.49	.116	352.87	10081.49	7401.27	120.85	.34	.3621	21.774	.0000	.000
929.781	605.21	600.63	6112.35	403.68	.114	357.31	10350.17	7523.28	122.36	.34	.3620	21.778	.0000	.000
944.781	604.83	600.33	6112.45	400.40	.113	361.76	10611.70	7646.80	123.87	.35	.3620	21.780	.0000	.000
959.781	604.46	600.03	6112.54	397.63	.113	366.20	10866.08	7771.83	125.38	.35	.3619	21.782	.0000	.000
974.781	604.12	599.74	6112.61	395.31	.112	370.65	11113.32	7898.36	126.89	.36	.3618	21.784	.0000	.000
989.781	603.78	599.45	6112.67	393.41	.112	375.09	11353.41	8026.39	128.39	.36	.3618	21.785	.0000	.000
1004.781	603.47	599.16	6112.72	391.91	.111	379.54	11586.36	8155.92	129.90	.36	.3617	21.785	.0000	.000
1019.781	603.16	598.88	6112.75	390.78	.111	383.98	11812.17	8286.96	131.40	.37	.3616	21.785	.0000	.000
1034.781	602.86	598.61	6112.78	390.00	.111	388.43	12030.83	8419.50	132.91	.37	.3616	21.784	.0000	.000
1040.791	602.75	598.50	6112.78	389.77	.110	390.21	12116.44	8473.02	53.67	.15	.3615	21.783	.0000	.000
1055.791	602.48	598.23	6112.78	390.04	.111	393.14	12305.76	8607.40	134.75	.37	.3615	21.781	.0000	.000
1070.791	602.22	597.95	6112.78	390.52	.111	396.07	12489.66	8742.76	135.74	.38	.3614	21.777	.0000	.000
1084.171	601.99	597.71	6112.74	391.11	.111	398.69	12649.12	8864.33	121.91	.34	.3613	21.774	.0000	.000
AFT(A)	595.88	570.18	6078.27	971.73	.276	.....	15823.73	9034.86	171.23	.61	.3611	21.786	....	.....
AFT(B)	595.89	595.89	6114.72	.00	.000	.....	10413.12	-.09	.00	.09	.3609	20.670	....	.....

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	611.67	611.63	6118.72	26.31	.007	320.17	8155.52	392.95	394.53	1.57	.3643	22.246	.0000	.000
15.000	611.64	611.61	6118.70	33.66	.010	320.44	8169.55	503.71	111.04	.29	.3642	22.213	.0000	.000
30.000	611.63	611.58	6118.68	41.00	.012	320.71	8183.57	614.55	111.13	.29	.3642	22.208	.0000	.000
45.000	611.61	611.55	6118.65	48.32	.014	320.90	8197.58	725.49	111.22	.29	.3642	22.204	.0000	.000
60.000	611.59	611.50	6118.62	55.63	.016	321.24	8211.58	836.51	111.32	.29	.3642	22.199	.0000	.000
75.000	611.57	611.46	6118.59	62.91	.018	321.51	8225.57	947.63	111.41	.29	.3642	22.194	.0000	.000
90.000	611.54	611.40	6118.55	70.18	.020	321.78	8239.54	1058.84	111.50	.29	.3642	22.190	.0000	.000
105.000	611.52	611.35	6118.51	77.43	.022	322.05	8253.51	1170.13	111.59	.29	.3642	22.185	.0000	.000
116.761	611.49	611.29	6118.47	83.11	.024	322.26	8264.45	1257.46	87.55	.23	.3642	22.180	.0000	.000
116.771	611.49	611.30	6118.48	81.05	.023	307.75	8474.55	1257.46	.00	.00	.3642	22.181	.0000	.000
131.771	611.47	611.24	6118.43	89.48	.025	315.29	8334.52	1365.15	107.98	.28	.3642	22.181	.0000	.000
143.919	611.45	611.18	6118.38	96.64	.027	321.40	8220.99	1454.28	89.36	.23	.3642	22.174	.0000	.000
158.919	611.40	611.10	6118.32	103.55	.029	322.33	8260.53	1565.54	111.55	.29	.3642	22.168	.0000	.000
173.919	611.36	611.01	6118.26	110.42	.031	323.26	8299.95	1677.13	111.87	.29	.3641	22.163	.0000	.000
188.919	611.31	610.92	6118.20	117.25	.033	324.20	8339.27	1789.02	112.19	.29	.3641	22.157	.0000	.000
203.919	611.26	610.82	6118.14	124.04	.035	325.13	8378.47	1901.24	112.51	.29	.3641	22.152	.0000	.000
218.919	611.20	610.72	6118.07	130.79	.037	326.06	8417.57	2013.77	112.83	.29	.3641	22.146	.0000	.000
233.919	611.14	610.61	6118.00	137.50	.039	327.00	8456.57	2126.62	113.14	.29	.3641	22.141	.0000	.000
248.919	611.08	610.49	6117.93	144.18	.041	327.93	8495.45	2239.78	113.46	.30	.3640	22.135	.0000	.000
263.919	611.02	610.37	6117.85	150.83	.043	328.86	8534.22	2353.26	113.78	.30	.3640	22.129	.0000	.000
278.919	610.95	610.25	6117.77	157.44	.045	329.80	8572.89	2467.06	114.09	.30	.3640	22.123	.0000	.000
293.919	610.88	610.11	6117.69	164.02	.046	330.73	8611.45	2581.16	114.41	.30	.3640	22.117	.0000	.000
308.919	610.80	609.98	6117.60	170.56	.048	331.66	8649.90	2695.59	114.72	.30	.3639	22.111	.0000	.000
323.919	610.73	609.84	6117.51	177.08	.050	332.60	8688.24	2810.32	115.04	.30	.3639	22.105	.0000	.000
338.919	610.65	609.69	6117.42	183.56	.052	333.53	8726.47	2925.37	115.35	.30	.3639	22.099	.0000	.000
353.919	610.56	609.54	6117.33	190.01	.054	334.46	8764.60	3040.73	115.66	.30	.3638	22.092	.0000	.000
368.919	610.48	609.38	6117.23	196.44	.056	335.39	8802.62	3156.41	115.98	.30	.3638	22.086	.0000	.000
383.919	610.39	609.22	6117.13	202.83	.057	336.33	8840.52	3272.39	116.29	.30	.3638	22.080	.0000	.000
398.919	610.30	609.05	6117.03	209.20	.059	337.26	8878.32	3388.69	116.60	.30	.3637	22.073	.0000	.000
403.048	610.27	609.01	6117.00	210.95	.060	337.52	8888.71	3420.76	32.15	.08	.3637	22.067	.0000	.000
418.048	610.18	608.83	6116.88	217.91	.062	335.66	8899.54	3536.97	116.51	.30	.3637	22.065	.0000	.000
427.051	610.13	608.73	6116.81	222.05	.063	334.54	8906.29	3606.40	69.62	.18	.3637	22.059	.0000	.000
427.061	610.03	609.28	6117.71	162.62	.046	450.49	12151.75	3636.40	.00	.00	.3638	22.083	.0000	.000
442.061	610.23	609.15	6117.25	195.03	.055	396.41	10544.81	3752.62	146.60	.38	.3638	22.083	.0000	.000
457.061	610.64	609.01	6116.49	239.83	.068	342.34	8867.47	3880.16	127.88	.34	.3637	22.056	.0000	.000
463.204	610.90	608.93	6116.01	263.78	.075	320.20	8160.22	3927.00	46.96	.12	.3637	22.015	.0000	.000
478.204	610.78	608.70	6115.88	270.28	.077	320.78	8190.98	4037.65	110.93	.29	.3637	21.995	.0000	.000
493.204	610.65	608.47	6115.74	276.77	.078	321.37	8221.67	4148.48	111.13	.29	.3636	21.986	.0000	.000
508.204	610.51	608.24	6115.60	283.22	.080	321.95	8252.29	4259.51	111.32	.29	.3636	21.978	.0000	.000
523.204	610.38	608.00	6115.45	289.65	.082	322.54	8282.86	4370.72	111.50	.29	.3635	21.969	.0000	.000
538.204	610.24	607.75	6115.30	296.05	.084	323.12	8313.36	4482.12	111.69	.29	.3635	21.961	.0000	.000
553.204	610.10	607.50	6115.15	302.43	.086	323.71	8343.80	4593.71	111.88	.29	.3634	21.952	.0000	.000
568.204	609.95	607.25	6115.00	308.79	.088	324.29	8374.17	4705.48	112.06	.29	.3634	21.943	.0000	.000
583.204	609.80	606.99	6114.85	315.13	.089	324.88	8404.48	4817.44	112.25	.29	.3633	21.935	.0000	.000
598.204	609.65	606.73	6114.69	321.44	.091	325.47	8434.73	4929.59	112.44	.29	.3633	21.926	.0000	.000
613.204	609.50	606.46	6114.53	327.73	.093	326.05	8464.91	5041.91	112.62	.29	.3632	21.917	.0000	.000

C-2

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FORWARD	1.1676+02	6.1149+02	6.1129+02	6.1185+03	4.1728+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2575+03
AFT	1.1677+02	6.1150+02	6.1130+02	6.1185+03	4.1727+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2575+03

GAS BUILDUP IN SLOT, DW/DT = 3.1708-05

FORWARD	4.2705+02	6.1013+02	6.0873+02	6.1168+03	1.2071+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.6064+03
AFT	4.2706+02	6.1068+02	6.0928+02	6.1177+03	1.2062+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.6064+03

GAS BUILDUP IN SLOT, DW/DT = 3.3234-05

FORWARD	7.4634+02	6.0790+02	6.0386+02	6.1131+03	2.0393+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.0474+03
AFT	7.4635+02	6.0933+02	6.0529+02	6.1154+03	2.0352+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.0474+03

GAS BUILDUP IN SLOT, DW/DT = 3.6143-05

IGNITION TIME, TIME (S) 61.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10340662.	2324673.4
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10609803.	2384054.6
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	32093.656	7214.9409
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.69665880+09	.15661513+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.20953	257.20953
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.74241877+09	.16690238+09
THRUST COEFFICIENT	CF	1.6241021	1.6241021
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4187.0870	9230.9468
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	291857.37	643435.37
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	17.224432	37.973373
INERT MASS REMAINING (KG,LBM)	MIR	1531.8833	3377.2246
TOTAL BURN AREA (M**2,IN**2)	ABTOT	257.71062	399452.27
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	122.56849	7479588.2
PROPELLANT MASS REMAINING (KG,LBM)	WF	213936.78	471649.86
TOTAL GAS MASS (KG,LBM)	WGTOT	1022.0520	2253.2390
RATIO OF SPECIFIC HEATS	GAMA	1.1597426	1.1597426
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.850852	28.331279
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.6431	5116.9393
MAXIMUM CHAMBER MACH NUMBER	AMPN	.11621174	.11621174
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.42928964+09	622.63200
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.31819199+11	46149.848
BURN AREA (M**2,IN**2)	AHH	10.203796	15815.916
BURN RATE (M/S,IN/S)	RBZ(1)	.93153081-02	.36674442
DISTANCE BURNED (M,IN)	TAUZ(1)	.60213950	23.706280
PROPELLANT VOLUME (M**3,IN**3)	VFH	3.1577272	192696.34
GAS VOLUME (M**3,IN**3)	VPH	51.946105	3169945.8
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3400.7213	6121.2984
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	244.08644	378334.74
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	119.14178	7270477.5
GAS VOLUME (M**3,IN**3)	VP	171.30274	10453535.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.41888333+09	607.53891
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.29796004+11	43215.450
BURN AREA (M**2,IN**2)	AAN	3.4203895	5301.6144
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.92334506-02	.36352168
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.92278913-02	.36330281
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.59010046	23.232302
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.26898488	16414.465
GAS VOLUME (M**3,IN**3)	VPN	16.780444	1024005.5
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3398.7609	6117.7696
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5588209	2416.1772
EXPANSION RATIO	EPR	6.8952855	6.8952855
PRESSURE RATIO	PEPO	.22710221-01	.22710221-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	622.63	622.60	6121.30	22.66	.006	329.36	8629.32	364.36	367.82	3.45	.3665	23.706	.0000	.000
15.000	622.61	622.58	6121.28	29.72	.008	329.63	8643.74	478.92	114.94	.38	.3665	23.671	.0000	.000
30.000	622.60	622.56	6121.27	36.78	.010	329.89	8658.14	593.57	115.03	.38	.3665	23.667	.0000	.000
45.000	622.58	622.53	6121.24	43.82	.012	330.16	8672.53	708.31	115.12	.38	.3665	23.663	.0000	.000
60.000	622.57	622.49	6121.22	50.84	.014	330.42	8686.91	823.14	115.21	.38	.3665	23.658	.0000	.000
75.000	622.55	622.45	6121.19	57.85	.016	330.69	8701.28	938.06	115.30	.38	.3665	23.653	.0000	.000
90.000	622.52	622.40	6121.15	64.84	.018	330.95	8715.63	1053.07	115.39	.38	.3665	23.648	.0000	.000
105.000	622.50	622.35	6121.12	71.81	.020	331.22	8729.98	1168.17	115.48	.38	.3665	23.643	.0000	.000
116.761	622.48	622.30	6121.08	77.27	.022	331.43	8741.21	1258.48	90.61	.30	.3665	23.638	.0000	.000
116.771	622.48	622.31	6121.09	75.65	.021	313.80	8927.86	1258.48	.00	.00	.3665	23.640	.0000	.000
131.771	622.45	622.25	6121.04	83.51	.024	323.08	8800.07	1369.17	111.07	.38	.3665	23.640	.0000	.000
143.919	622.43	622.20	6121.00	90.19	.026	330.58	8696.47	1461.18	92.32	.31	.3665	23.632	.0000	.000
158.919	622.39	622.12	6120.95	96.85	.027	331.52	8737.44	1576.25	115.46	.38	.3664	23.627	.0000	.000
173.919	622.35	622.04	6120.90	103.47	.029	332.45	8778.28	1691.65	115.78	.39	.3664	23.621	.0000	.000
188.919	622.31	621.96	6120.84	110.05	.031	333.38	8819.00	1807.36	116.10	.39	.3664	23.616	.0000	.000
203.919	622.26	621.87	6120.79	116.59	.033	334.31	8859.60	1923.39	116.42	.39	.3664	23.610	.0000	.000
218.919	622.21	621.77	6120.72	123.10	.035	335.24	8900.08	2039.74	116.74	.39	.3664	23.605	.0000	.000
233.919	622.16	621.67	6120.66	129.57	.037	336.17	8940.44	2156.40	117.06	.39	.3664	23.599	.0000	.000
248.919	622.10	621.56	6120.59	136.01	.039	337.10	8980.68	2273.39	117.37	.39	.3663	23.593	.0000	.000
263.919	622.04	621.45	6120.52	142.42	.040	338.04	9020.79	2390.69	117.69	.39	.3663	23.587	.0000	.000
278.919	621.98	621.34	6120.45	148.79	.042	338.97	9060.78	2508.30	118.01	.39	.3663	23.581	.0000	.000
293.919	621.91	621.22	6120.37	155.13	.044	339.90	9100.66	2626.23	118.33	.40	.3663	23.575	.0000	.000
308.919	621.84	621.09	6120.30	161.44	.046	340.83	9140.41	2744.48	118.64	.40	.3662	23.569	.0000	.000
323.919	621.77	620.96	6120.21	167.72	.048	341.76	9180.03	2863.04	118.96	.40	.3662	23.562	.0000	.000
338.919	621.70	620.82	6120.13	173.97	.049	342.69	9219.54	2981.92	119.28	.40	.3662	23.556	.0000	.000
353.919	621.62	620.68	6120.04	180.20	.051	343.62	9258.93	3101.11	119.59	.40	.3662	23.550	.0000	.000
368.919	621.54	620.54	6119.96	186.39	.053	344.56	9298.19	3220.62	119.91	.40	.3661	23.543	.0000	.000
383.919	621.46	620.39	6119.86	192.56	.055	345.49	9337.34	3340.44	120.22	.40	.3661	23.537	.0000	.000
398.919	621.37	620.23	6119.77	198.70	.056	346.42	9376.36	3460.57	120.54	.40	.3661	23.530	.0000	.000
403.048	621.35	620.19	6119.74	200.39	.057	346.67	9387.08	3493.69	33.23	.11	.3660	23.523	.0000	.000
418.048	621.27	620.03	6119.64	207.14	.059	344.81	9395.17	3613.73	120.45	.40	.3660	23.522	.0000	.000
427.051	621.22	619.93	6119.57	211.17	.060	343.70	9400.26	3685.47	71.98	.24	.3660	23.516	.0000	.000
427.061	621.13	620.43	6120.38	154.84	.044	455.51	12811.76	3685.47	.00	.00	.3661	23.540	.0000	.000
442.061	621.31	620.32	6119.97	185.46	.053	403.16	11130.20	3834.55	149.59	.51	.3661	23.540	.0000	.000
457.061	621.68	620.18	6119.28	227.75	.065	350.81	9374.07	3965.45	131.34	.44	.3661	23.512	.0000	.000
463.204	621.92	620.11	6118.86	250.31	.071	329.37	8633.35	4013.81	48.52	.16	.3660	23.472	.0000	.000
478.204	621.80	619.90	6118.74	256.59	.073	329.96	8664.97	4128.27	114.84	.38	.3660	23.452	.0000	.000
493.204	621.69	619.69	6118.61	262.85	.074	330.54	8696.51	4242.92	115.03	.38	.3660	23.443	.0000	.000
508.204	621.56	619.47	6118.48	269.08	.076	331.12	8727.99	4357.76	115.22	.38	.3659	23.434	.0000	.000
523.204	621.44	619.25	6118.35	275.28	.078	331.70	8759.38	4472.78	115.41	.39	.3659	23.426	.0000	.000
538.204	621.31	619.02	6118.21	281.46	.080	332.29	8790.71	4588.00	115.60	.39	.3658	23.417	.0000	.000
553.204	621.18	618.79	6118.07	287.62	.081	332.87	8821.96	4703.40	115.79	.39	.3658	23.408	.0000	.000
568.204	621.04	618.55	6117.93	293.76	.083	333.45	8853.13	4818.99	115.98	.39	.3657	23.399	.0000	.000
583.204	620.90	618.31	6117.79	299.87	.085	334.03	8884.24	4934.77	116.16	.39	.3657	23.390	.0000	.000
598.204	620.76	618.07	6117.65	305.97	.087	334.62	8915.27	5050.73	116.35	.39	.3656	23.381	.0000	.000
613.204	620.62	617.82	6117.50	312.04	.088	335.20	8946.22	5166.88	116.54	.39	.3656	23.372	.0000	.000

628.204	620.47	617.56	6117.35	318.09	.090	335.78	8977.11	5283.21	116.73	.39	.3655	23.363	.0000	.000
643.204	620.33	617.30	6117.20	324.12	.092	336.36	9007.91	5399.73	116.91	.39	.3655	23.353	.0000	.000
658.204	620.17	617.04	6117.04	330.13	.094	336.95	9038.65	5516.43	117.10	.39	.3654	23.344	.0000	.000
673.204	620.02	616.77	6116.89	336.13	.095	337.53	9069.31	5633.32	117.28	.39	.3654	23.335	.0000	.000
688.204	619.86	616.49	6116.73	342.10	.097	338.11	9099.90	5750.39	117.47	.39	.3653	23.325	.0000	.000
703.204	619.70	616.22	6116.57	348.06	.099	338.70	9130.41	5867.65	117.65	.40	.3653	23.316	.0000	.000
718.204	619.54	615.93	6116.40	354.00	.100	339.28	9160.85	5985.09	117.84	.40	.3652	23.307	.0000	.000
726.191	619.45	615.78	6116.31	357.15	.101	339.59	9177.03	6047.69	62.82	.21	.3651	23.297	.0000	.000
741.191	619.22	615.49	6116.23	360.05	.102	341.58	9285.14	6165.65	118.36	.40	.3651	23.292	.0000	.000
746.336	619.14	615.39	6116.20	361.04	.102	342.26	9322.04	6206.27	40.75	.14	.3651	23.288	.0000	.000
746.346	618.94	616.71	6118.28	278.16	.079	434.76	12077.89	6206.27	.00	.00	.3653	23.332	.0000	.000
761.346	619.22	616.50	6117.62	307.19	.087	405.52	11195.37	6351.85	146.08	.50	.3653	23.333	.0000	.000
776.346	619.61	616.27	6116.76	340.78	.097	376.28	10309.70	6487.29	135.90	.46	.3653	23.309	.0000	.000
791.346	619.44	615.28	6115.63	380.68	.108	347.04	9420.87	6612.59	125.72	.42	.3652	23.280	.0000	.000
794.831	619.60	615.21	6115.32	390.88	.111	340.25	9213.92	6640.24	27.74	.09	.3650	23.246	.0000	.000
809.831	619.39	614.89	6115.18	395.70	.112	341.24	9267.95	6758.21	118.37	.40	.3650	23.241	.0000	.000
824.831	619.18	614.57	6115.03	400.50	.114	342.23	9321.73	6876.52	118.70	.40	.3649	23.233	.0000	.000
839.831	618.96	614.25	6114.87	405.29	.115	343.22	9375.26	6995.14	119.03	.40	.3649	23.224	.0000	.000
854.781	618.75	613.93	6114.72	410.04	.116	344.21	9428.37	7113.69	118.95	.40	.3648	23.216	.0000	.000
869.781	618.28	613.60	6114.92	403.99	.114	348.65	9736.39	7233.55	120.27	.41	.3647	23.207	.0000	.000
884.781	617.83	613.28	6115.08	398.70	.113	353.10	10036.50	7354.92	121.79	.42	.3647	23.215	.0000	.000
899.781	617.42	612.97	6115.23	394.10	.112	357.54	10328.68	7477.80	123.31	.43	.3646	23.220	.0000	.000
914.781	617.02	612.67	6115.35	390.13	.111	361.98	10612.94	7602.19	124.83	.44	.3645	23.225	.0000	.000
929.781	616.65	612.38	6115.45	386.71	.110	366.42	10889.28	7728.10	126.35	.45	.3645	23.228	.0000	.000
944.781	616.30	612.09	6115.54	383.82	.109	370.87	11157.69	7855.52	127.87	.45	.3644	23.230	.0000	.000
959.781	615.97	611.81	6115.61	381.40	.108	375.31	11418.18	7984.44	129.39	.46	.3644	23.232	.0000	.000
974.781	615.65	611.53	6115.67	379.41	.108	379.75	11670.75	8114.88	130.91	.47	.3643	23.233	.0000	.000
989.781	615.34	611.26	6115.72	377.84	.107	384.19	11915.40	8246.83	132.42	.47	.3642	23.234	.0000	.000
1004.781	615.04	611.00	6115.75	376.64	.107	388.64	12152.12	8380.29	133.94	.48	.3642	23.234	.0000	.000
1019.781	614.76	610.73	6115.78	375.80	.106	393.08	12380.92	8515.26	135.45	.48	.3641	23.233	.0000	.000
1034.781	614.49	610.47	6115.79	375.29	.106	397.52	12601.80	8651.74	136.97	.49	.3640	23.232	.0000	.000
1040.791	614.38	610.37	6115.80	375.17	.106	399.30	12688.08	8706.84	55.30	.20	.3640	23.231	.0000	.000
1055.791	614.13	610.11	6115.79	375.55	.106	402.23	12882.04	8845.17	138.82	.49	.3639	23.229	.0000	.000
1070.791	613.88	609.85	6115.77	376.14	.107	405.17	13070.06	8984.48	139.81	.50	.3638	23.225	.0000	.000
1084.171	613.67	609.62	6115.75	376.83	.107	407.79	13232.78	9109.57	125.54	.45	.3638	23.221	.0000	.000
AFT(A)	607.54	581.21	6081.04	974.14	.277	.....	15823.73	9230.95	122.28	.67	.3635	23.232	....	.....
AFT(B)	607.53	607.53	6117.77	.01	.000	.....	10413.12	-.24	.00	.24	.3633	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	6.2248+02	6.2230+02	6.1211+03	4.1034+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2585+03
AFT	1.1677+02	6.2248+02	6.2231+02	6.1211+03	4.1034+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2585+03

GAS BUILDUP IN SLOT, DW/DT = 1.3158-04

FOREWARD	4.2705+02	6.2122+02	6.1993+02	6.1196+03	1.2117+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.6855+03
AFT	4.2706+02	6.2172+02	6.2043+02	6.1204+03	1.2108+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.6855+03

GAS BUILDUP IN SLOT, DW/DT = 1.3273-04

FOREWARD	7.4634+02	6.1914+02	6.1539+02	6.1162+03	2.0543+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.2063+03
AFT	7.4635+02	6.2047+02	6.1671+02	6.1183+03	2.0506+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.2063+03

GAS BUILDUP IN SLOT, DW/DT = 1.3571-04

IGNITION TIME, TIME (S) 65.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10678916.	2400715.8
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10893793.	2449022.1
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	34725.219	7806.5397
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.73869442+09	.16606511+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.18601	257.18601
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.78541077+09	.17656737+09
THRUST COEFFICIENT	CF	1.6240360	1.6240360
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4300.6406	9481.2896
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	308830.96	680855.73
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	18.636773	41.087051
INERT MASS REMAINING (KG,LBM)	MIR	1458.8523	3216.2187
TOTAL BURN AREA (M**2,IN**2)	ABTOT	262.56092	406970.25
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	112.85349	6886742.3
PROPELLANT MASS REMAINING (KG,LBM)	WF	196897.56	434084.82
TOTAL GAS MASS (KG,LBM)	WGTOT	1088.8209	2400.4392
RATIO OF SPECIFIC HEATS	GAMA	1.1597573	1.1597573
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.853579	28.337292
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.8519	5117.6243
MAXIMUM CHAMBER MACH NUMBER	AMPN	.11081643	.11081643
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.43940068+09	637.29681
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.33556388+11	48669.426
BURN AREA (M**2,IN**2)	AHH	9.5530962	14807.329
BURN RATE (M/S,IN/S)	RBZ(1)	.93915565-02	.36974632
DISTANCE BURNED (M,IN)	TAUZ(1)	.63947581	25.176213
PROPELLANT VOLUME (M**3,IN**3)	VFH	2.7898121	170244.78
GAS VOLUME (M**3,IN**3)	VPH	52.314020	3192397.4
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3402.6386	6124.7495
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	250.40053	388121.60
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	109.90633	6706896.1
GAS VOLUME (M**3,IN**3)	VP	180.53846	11017132.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.42937899+09	622.76157
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.31492346+11	45675.787
BURN AREA (M**2,IN**2)	AAN	2.6072990	4041.3216
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.93131160-02	.36665811
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.93068799-02	.36641260
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.62711292	24.689485
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670300
PROPELLANT VOLUME (M**3,IN**3)	VFN	.15734061	9601.5132
GAS VOLUME (M**3,IN**3)	VPN	16.872089	1030818.5
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3400.7492	6121.3485
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5622218	2421.4486
EXPANSION RATIO	EPR	6.8802747	6.8802747
PRESSURE RATIO	PEPU	.22774483-01	.22774483-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	637.30	637.27	6124.75	19.74	.006	338.62	9119.96	343.32	347.18	3.86	.3695	25.176	.0000	.000
15.000	637.28	637.26	6124.74	26.52	.008	338.88	9134.77	462.03	119.14	.42	.3695	25.141	.0000	.000
30.000	637.27	637.24	6124.72	33.29	.009	339.14	9149.56	580.83	119.23	.42	.3695	25.136	.0000	.000
45.000	637.26	637.21	6124.70	40.04	.011	339.40	9164.33	699.73	119.32	.42	.3695	25.132	.0000	.000
60.000	637.24	637.18	6124.68	46.77	.013	339.67	9179.09	818.72	119.41	.42	.3695	25.127	.0000	.000
75.000	637.22	637.14	6124.65	53.49	.015	339.93	9193.83	937.79	119.50	.42	.3695	25.122	.0000	.000
90.000	637.20	637.10	6124.62	60.19	.017	340.19	9208.57	1056.96	119.59	.43	.3695	25.117	.0000	.000
105.000	637.18	637.05	6124.59	66.88	.019	340.45	9223.28	1176.21	119.68	.43	.3695	25.112	.0000	.000
116.761	637.16	637.00	6124.56	72.12	.020	340.66	9234.81	1269.78	93.90	.33	.3695	25.107	.0000	.000
116.771	637.16	637.01	6124.57	70.91	.020	318.85	9392.61	1269.78	.00	.00	.3695	25.108	.0000	.000
131.771	637.14	636.96	6124.52	78.20	.022	330.44	9280.06	1383.52	114.16	.41	.3695	25.108	.0000	.000
143.919	637.12	636.91	6124.49	84.41	.024	339.84	9188.82	1478.62	95.44	.34	.3695	25.101	.0000	.000
158.919	637.08	636.84	6124.44	90.81	.026	340.77	9231.23	1597.86	119.66	.43	.3695	25.096	.0000	.000
173.919	637.04	636.76	6124.39	97.17	.028	341.70	9273.50	1717.42	119.98	.43	.3694	25.090	.0000	.000
188.919	637.00	636.69	6124.34	103.49	.029	342.63	9315.64	1837.29	120.31	.43	.3694	25.084	.0000	.000
203.919	636.96	636.60	6124.29	109.78	.031	343.55	9357.64	1957.49	120.63	.43	.3694	25.079	.0000	.000
218.919	636.91	636.51	6124.24	116.04	.033	344.48	9399.51	2078.01	120.95	.43	.3694	25.073	.0000	.000
233.919	636.86	636.42	6124.18	122.26	.035	345.41	9441.24	2198.85	121.27	.43	.3694	25.067	.0000	.000
248.919	636.81	636.32	6124.12	128.45	.036	346.34	9482.84	2320.00	121.59	.43	.3694	25.061	.0000	.000
263.919	636.76	636.22	6124.05	134.61	.038	347.27	9524.30	2441.48	121.91	.44	.3693	25.055	.0000	.000
278.919	636.70	636.11	6123.99	140.73	.040	348.20	9565.63	2563.27	122.23	.44	.3693	25.049	.0000	.000
293.919	636.64	636.00	6123.92	146.83	.042	349.13	9606.83	2685.38	122.55	.44	.3693	25.043	.0000	.000
308.919	636.58	635.88	6123.85	152.90	.043	350.06	9647.89	2807.81	122.87	.44	.3693	25.037	.0000	.000
323.919	636.51	635.76	6123.77	158.93	.045	350.99	9688.81	2930.56	123.19	.44	.3692	25.030	.0000	.000
338.919	636.44	635.64	6123.70	164.95	.047	351.92	9729.60	3053.63	123.51	.44	.3692	25.024	.0000	.000
353.919	636.37	635.51	6123.62	170.93	.048	352.85	9770.25	3177.01	123.83	.44	.3692	25.017	.0000	.000
368.919	636.30	635.37	6123.54	176.89	.050	353.78	9810.77	3300.71	124.14	.45	.3692	25.011	.0000	.000
383.919	636.22	635.23	6123.45	182.82	.052	354.71	9851.16	3424.72	124.46	.45	.3691	25.004	.0000	.000
398.919	636.14	635.09	6123.37	188.72	.053	355.63	9891.41	3549.05	124.78	.45	.3691	24.997	.0000	.000
403.048	636.12	635.04	6123.34	190.34	.054	355.89	9902.47	3583.33	34.40	.12	.3691	24.991	.0000	.000
418.048	636.04	634.90	6123.24	196.88	.056	354.03	9907.79	3707.57	124.69	.45	.3691	24.989	.0000	.000
427.051	635.99	634.80	6123.18	200.78	.057	352.91	9911.23	3781.82	74.52	.27	.3690	24.983	.0000	.000
427.061	635.91	635.27	6123.91	147.49	.042	460.47	13483.80	3781.82	.00	.00	.3691	25.007	.0000	.000
442.061	636.08	635.16	6123.54	176.40	.050	409.90	11729.57	3934.15	152.89	.56	.3691	25.007	.0000	.000
457.061	636.42	635.04	6122.93	216.25	.061	359.33	9896.68	4068.78	135.12	.49	.3691	24.980	.0000	.000
463.204	636.64	634.97	6122.55	237.47	.067	338.62	9123.35	4118.80	50.20	.18	.3691	24.939	.0000	.000
478.204	636.53	634.77	6122.44	243.51	.069	339.20	9155.84	4237.42	119.04	.42	.3691	24.919	.0000	.000
493.204	636.42	634.58	6122.32	249.53	.071	339.78	9188.25	4356.23	119.24	.42	.3690	24.910	.0000	.000
508.204	636.30	634.37	6122.20	255.53	.072	340.36	9220.57	4475.24	119.43	.43	.3690	24.901	.0000	.000
523.204	636.19	634.17	6122.08	261.50	.074	340.94	9252.81	4594.43	119.62	.43	.3689	24.892	.0000	.000
538.204	636.07	633.95	6121.96	267.45	.076	341.52	9284.97	4713.81	119.81	.43	.3689	24.883	.0000	.000
553.204	635.95	633.74	6121.83	273.37	.077	342.10	9317.04	4833.38	120.00	.43	.3689	24.874	.0000	.000
568.204	635.82	633.52	6121.70	279.28	.079	342.68	9349.02	4953.14	120.19	.43	.3688	24.865	.0000	.000
583.204	635.69	633.29	6121.57	285.17	.081	343.26	9380.92	5073.09	120.38	.43	.3688	24.856	.0000	.000
598.204	635.56	633.06	6121.44	291.03	.082	343.84	9412.74	5193.23	120.57	.43	.3687	24.846	.0000	.000
613.204	635.43	632.83	6121.31	296.88	.084	344.42	9444.48	5313.55	120.76	.43	.3687	24.837	.0000	.000

628.204	635.29	632.59	6121.17	302.70	.086	345.00	9476.13	5434.06	120.94	.43	.3686	24.828	.0000	.000
643.204	635.16	632.35	6121.03	308.51	.087	345.58	9507.69	5554.76	121.13	.43	.3686	24.818	.0000	.000
658.204	635.01	632.10	6120.89	314.30	.089	346.16	9539.17	5675.64	121.32	.44	.3685	24.809	.0000	.000
673.204	634.87	631.85	6120.74	320.07	.091	346.74	9570.57	5796.71	121.51	.44	.3685	24.799	.0000	.000
688.204	634.72	631.60	6120.60	325.82	.092	347.31	9601.88	5917.97	121.69	.44	.3684	24.790	.0000	.000
703.204	634.57	631.34	6120.45	331.56	.094	347.89	9633.11	6039.41	121.88	.44	.3684	24.780	.0000	.000
718.204	634.42	631.07	6120.30	337.28	.096	348.47	9664.26	6161.03	122.06	.44	.3683	24.771	.0000	.000
726.191	634.34	630.93	6120.22	340.32	.096	348.78	9680.81	6225.87	65.07	.23	.3683	24.761	.0000	.000
741.191	634.13	630.66	6120.14	343.21	.097	350.77	9791.76	6348.02	122.59	.44	.3682	24.756	.0000	.000
746.336	634.05	630.57	6120.12	344.20	.098	351.46	9829.61	6390.07	42.21	.15	.3682	24.751	.0000	.000
746.346	633.87	631.79	6121.99	265.57	.075	441.08	12719.18	6390.07	.00	.00	.3684	24.796	.0000	.000
761.346	634.13	631.63	6121.39	293.14	.083	412.74	11794.54	6539.22	149.69	.54	.3684	24.797	.0000	.000
776.346	634.49	631.38	6120.62	325.01	.092	384.40	10866.59	6678.46	139.75	.51	.3684	24.773	.0000	.000
791.346	634.33	630.46	6119.60	362.83	.103	356.05	9935.33	6807.79	129.79	.47	.3683	24.744	.0000	.000
794.831	634.48	630.39	6119.32	372.51	.106	349.47	9718.49	6836.41	[illegible].72	.10	.3681	24.709	.0000	.000
809.831	634.28	630.10	6119.18	377.18	.107	350.45	9773.94	6958.58	122.62	.44	.3681	24.704	.0000	.000
824.831	634.09	629.80	6119.04	381.84	.108	351.44	9829.11	7081.09	122.95	.44	.3681	24.696	.0000	.000
839.831	633.89	629.50	6118.90	386.48	.110	352.42	9884.00	7203.92	123.27	.45	.3680	24.687	.0000	.000
854.781	633.69	629.20	6118.76	391.09	.111	353.40	9938.43	7326.65	123.18	.45	.3679	24.678	.0000	.000
869.781	633.25	628.89	6118.93	385.55	.109	357.84	10257.38	7450.73	124.53	.45	.3679	24.669	.0000	.000
884.781	632.84	628.59	6119.08	380.73	.108	362.28	10567.61	7576.32	126.06	.46	.3678	24.677	.0000	.000
899.781	632.46	628.30	6119.20	376.56	.107	366.72	10869.13	7703.44	127.59	.47	.3678	24.682	.0000	.000
914.781	632.10	628.02	6119.31	372.98	.106	371.16	11161.92	7832.09	129.13	.48	.3677	24.686	.0000	.000
929.781	631.75	627.74	6119.39	369.93	.105	375.60	11446.00	7962.25	130.66	.49	.3676	24.689	.0000	.000
944.781	631.43	627.47	6119.47	367.38	.104	380.04	11721.35	8093.94	132.19	.50	.3676	24.691	.0000	.000
959.781	631.12	627.21	6119.53	365.28	.103	384.48	11987.99	8227.15	133.72	.51	.3675	24.693	.0000	.000
974.781	630.82	626.95	6119.58	363.59	.103	388.92	12245.91	8361.89	135.25	.52	.3675	24.694	.0000	.000
989.781	630.54	626.70	6119.61	362.30	.103	393.37	12495.11	8498.15	136.78	.52	.3674	24.694	.0000	.000
1004.781	630.26	626.44	6119.64	361.37	.102	397.81	12735.59	8635.93	138.31	.53	.3673	24.693	.0000	.000
1019.781	630.00	626.19	6119.66	360.78	.102	402.25	12967.36	8775.23	139.84	.53	.3673	24.693	.0000	.000
1034.781	629.74	625.95	6119.66	360.51	.102	406.69	13190.40	8916.05	141.36	.54	.3672	24.692	.0000	.000
1040.791	629.64	625.85	6119.67	360.49	.102	408.47	13277.32	8972.89	57.06	.22	.3671	24.690	.0000	.000
1055.791	629.41	625.60	6119.65	360.96	.102	411.40	13475.95	9115.56	143.22	.55	.3671	24.688	.0000	.000
1070.791	629.18	625.36	6119.63	361.64	.102	414.33	13668.11	9259.23	144.22	.55	.3670	24.683	.0000	.000
1084.171	628.98	625.15	6119.61	362.40	.103	416.95	13834.06	9388.22	129.40	.50	.3669	24.679	.0000	.000
AFT(A)	622.76	595.65	6084.49	976.63	.277	.....	15823.73	9481.29	94.02	.67	.3667	24.689	....	.....
AFT(B)	622.76	622.76	6121.35	.01	.000	.....	10413.12	-.28	.00	.28	.3664	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	6.3716+02	6.3700+02	6.1246+03	4.0461+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2698+03
AFT	1.1677+02	6.3716+02	6.3701+02	6.1246+03	4.0461+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2695+03

GAS BUILDUP IN SLOT, DW/DT = 1.5375-04

FOREWARD	4.2705+02	6.3599+02	6.3480+02	6.1232+03	1.2147+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.7818+03
AFT	4.2706+02	6.3646+02	6.3527+02	6.1239+03	1.2139+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.7818+03

GAS BUILDUP IN SLOT, DW/DT = 1.5459-04

FOREWARD	7.4634+02	6.3405+02	6.3057+02	6.1201+03	2.0652+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.3901+03
AFT	7.4635+02	6.3529+02	6.3179+02	6.1220+03	2.0618+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.3901+03

GAS BUILDUP IN SLOT, DW/DT = 1.5728-04

IGNITION TIME, TIME (S) 69.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	1099403.	247157O.4
TOTAL VACUUM THRUST (N,LBF)	FTVAC	11163339.	2510292.9
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	38069.062	8558.2655
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.78206902+09	.17581611+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.16246	257.16246
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.82955794+09	.18649204+09
THRUST COEFFICIENT	CF	1.6240622	1.6240622
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4407.3133	9716.4626
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	326257.14	719273.87
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	20.431389	45.043503
INERT MASS REMAINING (KG,LBM)	MIR	1378.9967	3040.1674
TOTAL BURN AREA (M**2,IN**2)	ABTOT	267.01294	413870.89
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	102.87637	6277901.1
PROPELLANT MASS REMAINING (KG,LBM)	WF	179402.76	395515.37
TOTAL GAS MASS (KG,LBM)	WGTOT	1156.0957	2548.7546
RATIO OF SPECIFIC HEATS	GAMA	1.1597703	1.1597703
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.855998	28.342625
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1560.0460	5118.2611
MAXIMUM CHAMBER MACH NUMBER	AMPN	.10570708	.10570708
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.44836955+09	650.30505
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.35333448+11	51246.833
BURN AREA (M**2,IN**2)	AHH	8.9952713	13942.698
BURN RATE (M/S,IN/S)	RBZ(1)	.94582370-02	.37237154
DISTANCE BURNED (M,IN)	TAUZ(1)	.67712022	26.658277
PROPELLANT VOLUME (M**3,IN**3)	VFH	2.4416769	149000.27
GAS VOLUME (M**3,IN**3)	VPH	52.662155	3213641.9
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3404.3388	6127.8098
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	256.24150	397175.12
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	100.35917	6124292.3
GAS VOLUME (M**3,IN**3)	VP	190.08592	11599754.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.43913653+09	636.91369
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.33230460+11	48196.708
BURN AREA (M**2,IN**2)	AAN	1.7761758	2753.0781
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.93876790-02	.36959367
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.93808071-02	.36932312
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.66444658	26.159314
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.75519809-01	4608.5015
GAS VOLUME (M**3,IN**3)	VPN	16.973909	1035811.5
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3402.5963	6124.6733
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5657001	2426.8401
EXPANSION RATIO	EPR	6.8649895	6.8649895
PRESSURE RATIO	PEPO	.22840373-01	.22840373-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	650.31	650.29	6127.81	17.42	.005	347.92	9628.41	326.21	329.23	3.02	.3722	26.658	.0000	.000
15.000	650.29	650.27	6127.80	23.93	.007	348.18	9643.61	449.08	123.28	.41	.3722	26.622	.0000	.000
30.000	650.28	650.25	6127.79	30.44	.009	348.44	9658.78	572.04	123.37	.41	.3722	26.617	.0000	.000
45.000	650.27	650.23	6127.77	36.93	.010	348.71	9673.94	695.09	123.46	.41	.3721	26.613	.0000	.000
60.000	650.26	650.20	6127.75	43.41	.012	348.97	9689.08	818.23	123.55	.41	.3721	26.608	.0000	.000
75.000	650.24	650.17	6127.72	49.87	.014	349.23	9704.20	941.47	123.65	.41	.3721	26.603	.0000	.000
90.000	650.22	650.13	6127.70	56.32	.016	349.50	9719.31	1064.79	123.74	.41	.3721	26.598	.0000	.000
105.000	650.20	650.08	6127.67	62.75	.018	349.76	9734.40	1188.21	123.83	.41	.3721	26.593	.0000	.000
116.761	650.18	650.04	6127.64	67.79	.019	349.96	9746.22	1285.04	97.15	.32	.3721	26.588	.0000	.000
116.771	650.18	650.05	6127.65	66.95	.019	323.38	9868.25	1285.04	.00	.00	.3721	26.589	.0000	.000
131.771	650.16	650.00	6127.61	73.73	.021	337.61	9774.77	1401.69	117.05	.40	.3721	26.582	.0000	.000
143.919	650.14	649.95	6127.57	79.52	.023	349.14	9699.00	1499.84	98.48	.33	.3721	26.577	.0000	.000
158.919	650.11	649.89	6127.53	85.68	.024	350.07	9742.86	1623.24	123.81	.41	.3721	26.571	.0000	.000
173.919	650.07	649.82	6127.49	91.81	.026	351.00	9786.57	1746.96	124.13	.41	.3721	26.565	.0000	.000
188.919	650.04	649.75	6127.45	97.90	.028	351.92	9830.14	1871.00	124.46	.41	.3721	26.559	.0000	.000
203.919	650.00	649.67	6127.40	103.96	.029	352.85	9873.56	1995.37	124.78	.42	.3720	26.554	.0000	.000
218.919	649.95	649.59	6127.35	109.99	.031	353.78	9916.83	2120.05	125.11	.42	.3720	26.548	.0000	.000
233.919	649.91	649.50	6127.29	115.98	.033	354.71	9959.95	2245.07	125.43	.42	.3720	26.542	.0000	.000
248.919	649.86	649.41	6127.24	121.95	.035	355.64	10002.92	2370.40	125.75	.42	.3720	26.536	.0000	.000
263.919	649.81	649.31	6127.18	127.88	.036	356.57	10045.74	2496.05	126.08	.42	.3720	26.529	.0000	.000
278.919	649.75	649.21	6127.12	133.79	.038	357.50	10088.42	2622.03	126.40	.42	.3719	26.523	.0000	.000
293.919	649.70	649.11	6127.06	139.66	.040	358.43	10130.94	2748.33	126.72	.42	.3719	26.517	.0000	.000
308.919	649.64	649.00	6126.99	145.51	.041	359.36	10173.32	2874.94	127.04	.42	.3719	26.510	.0000	.000
323.919	649.58	648.89	6126.92	151.33	.043	360.28	10215.55	3001.88	127.36	.43	.3719	26.504	.0000	.000
338.919	649.51	648.77	6126.85	157.13	.044	361.21	10257.63	3129.14	127.68	.43	.3719	26.497	.0000	.000
353.919	649.45	648.65	6126.78	162.90	.046	362.14	10299.57	3256.72	128.01	.43	.3718	26.491	.0000	.000
368.919	649.38	648.52	6126.71	168.64	.048	363.07	10341.35	3384.61	128.33	.43	.3718	26.484	.0000	.000
383.919	649.31	648.39	6126.63	174.36	.049	364.00	10382.99	3512.83	128.65	.43	.3718	26.477	.0000	.000
398.919	649.23	648.26	6126.55	180.06	.051	364.93	10424.47	3641.36	128.97	.43	.3718	26.470	.0000	.000
403.048	649.21	648.22	6126.53	181.62	.051	365.18	10435.87	3676.80	35.56	.12	.3717	26.468	.0000	.000
416.048	649.14	648.08	6126.43	187.96	.053	363.32	10438.41	3805.24	128.88	.43	.3717	26.462	.0000	.000
427.051	649.10	647.99	6126.38	191.74	.054	362.21	10440.17	3882.01	77.03	.26				
427.061	649.02	648.42	6127.04	141.31	.040	437.42	14158.41	3882.01	.00	.00	.3718	26.487	.0000	.000
442.061	649.18	648.33	6126.71	168.35	.048	400.27	12337.64	4029.70	148.21	.52	.3718	26.487	.0000	.000
457.061	649.49	648.21	6126.16	205.72	.058	363.13	10434.42	4164.29	135.06	.46	.3718	26.459	.0000	.000
463.204	649.69	648.15	6125.82	225.63	.064	347.91	9631.19	4215.64	51.51	.17	.3717	26.418	.0000	.000
478.204	649.59	647.97	6125.72	231.46	.066	348.49	9664.56	4338.42	123.19	.41	.3717	26.398	.0000	.000
493.204	649.48	647.79	6125.61	237.27	.067	349.07	9697.84	4461.40	123.39	.41	.3717	26.389	.0000	.000
508.204	649.38	647.60	6125.50	243.06	.069	349.65	9731.02	4584.57	123.58	.41	.3717	26.380	.0000	.000
523.204	649.27	647.40	6125.39	248.82	.070	350.23	9764.11	4707.93	123.77	.41	.3716	26.371	.0000	.000
538.204	649.16	647.21	6125.28	254.56	.072	350.81	9797.11	4831.48	123.97	.41	.3716	26.362	.0000	.000
553.204	649.05	647.00	6125.16	260.29	.074	351.39	9830.00	4955.23	124.16	.41	.3715	26.353	.0000	.000
568.204	648.93	646.80	6125.04	265.99	.075	351.97	9862.81	5079.16	124.35	.42	.3715	26.343	.0000	.000
583.204	648.81	646.59	6124.92	271.67	.077	352.54	9895.52	5203.29	124.54	.42	.3715	26.334	.0000	.000
598.204	648.69	646.37	6124.80	277.33	.079	353.12	9928.13	5327.60	124.73	.42	.3714	26.325	.0000	.000
613.204	648.57	646.16	6124.68	282.98	.080	353.70	9960.65	5452.10	124.92	.42	.3714	26.315	.0000	.000

ORIGINAL PAGE IS OF POOR QUALITY

628.204	648.44	645.93	6124.55	288.60	.082	354.28	9993.07	5576.80	125.11	.42	.3713	26.305	.0000	.000
643.204	648.31	645.71	6124.42	294.21	.083	354.86	10025.40	5701.68	125.30	.42	.3713	26.296	.0000	.000
658.204	648.18	645.48	6124.29	299.80	.085	355.44	10057.64	5826.75	125.49	.42	.3712	26.286	.0000	.000
673.204	648.05	645.24	6124.16	305.38	.086	356.02	10089.78	5952.01	125.68	.42	.3712	26.276	.0000	.000
688.204	647.91	645.00	6124.03	310.94	.088	356.60	10121.82	6077.45	125.87	.42	.3711	26.267	.0000	.000
703.204	647.77	644.76	6123.89	316.48	.090	357.18	10153.77	6203.09	126.06	.42	.3711	26.257	.0000	.000
718.204	647.63	644.51	6123.75	322.00	.091	357.75	10185.63	6328.91	126.24	.42	.3710	26.247	.0000	.000
729.191	647.55	644.38	6123.68	324.94	.092	358.06	10202.55	6395.98	67.30	.23	.3710	26.237	.0000	.000
741.191	647.35	644.13	6123.60	327.83	.093	360.05	10316.37	6522.33	126.78	.43	.3710	26.232	.0000	.000
746.336	647.29	644.04	6123.58	328.82	.093	360.73	10355.17	6565.82	43.64	.15	.3709	26.227	.0000	.000
746.346	647.12	645.18	6125.28	254.28	.072	435.41	13370.80	6565.82	.00	.00	.3711	26.273	.0000	.000
761.346	647.36	645.00	6124.74	280.32	.079	411.69	12406.41	6714.91	149.61	.52	.3711	26.274	.0000	.000
776.346	647.69	644.80	6124.04	310.47	.088	387.98	11438.56	6855.66	141.23	.48	.3711	26.249	.0000	.000
791.346	648.17	644.57	6123.13	345.90	.098	364.27	10467.25	6968.03	132.84	.46	.3711	26.220	.0000	.000
799.831	648.30	644.51	6122.87	355.06	.101	358.76	10241.08	7017.59	29.66	.10	.3710	26.185	.0000	.000
809.831	648.12	644.23	6122.75	359.60	.102	359.73	10297.96	7144.00	126.85	.44	.3710	26.180	.0000	.000
824.831	647.94	643.95	6122.62	364.13	.103	360.71	10354.52	7270.75	127.18	.44	.3709	26.171	.0000	.000
839.831	647.75	643.67	6122.49	368.65	.104	361.69	10410.77	7397.81	127.51	.44	.3709	26.162	.0000	.000
854.781	647.57	643.39	6122.36	373.14	.106	362.66	10466.52	7524.78	127.41	.44	.3708	26.153	.0000	.000
869.781	647.17	643.10	6122.50	368.07	.104	367.10	10796.56	7653.10	128.77	.45	.3708	26.144	.0000	.000
884.781	646.79	642.82	6122.63	363.69	.103	371.54	11117.06	7782.96	130.32	.46	.3707	26.151	.0000	.000
899.781	646.43	642.55	6122.74	359.93	.102	375.98	11428.03	7914.35	131.86	.47	.3707	26.156	.0000	.000
914.781	646.10	642.28	6122.83	356.72	.101	380.42	11729.47	8047.28	133.41	.48	.3706	26.160	.0000	.000
929.781	645.78	642.03	6122.90	354.02	.100	384.86	12021.36	8181.75	134.95	.49	.3705	26.163	.0000	.000
944.781	645.48	641.77	6122.96	351.79	.100	389.30	12303.73	8317.74	136.49	.50	.3705	26.165	.0000	.000
959.781	645.19	641.53	6123.01	349.98	.099	393.74	12576.56	8455.28	138.04	.50	.3704	26.166	.0000	.000
974.781	644.92	641.28	6123.05	348.58	.099	398.18	12839.85	8594.35	139.58	.51	.3703	26.167	.0000	.000
989.781	644.65	641.04	6123.08	347.55	.098	402.62	13093.61	8734.95	141.12	.52	.3703	26.167	.0000	.000
1004.781	644.40	640.80	6123.10	346.87	.098	407.06	13337.84	8877.08	142.65	.52	.3702	26.166	.0000	.000
1019.781	644.16	640.57	6123.11	346.51	.098	411.50	13572.53	9020.74	144.18	.53	.3701	26.165	.0000	.000
1034.781	643.92	640.33	6123.11	346.47	.098	415.94	13797.69	9165.93	145.72	.53	.3700	26.163	.0000	.000
1040.791	643.83	640.24	6123.11	346.54	.098	417.72	13885.22	9224.53	58.81	.21	.3700	26.162	.0000	.000
1055.791	643.61	640.01	6123.09	347.10	.098	420.65	14088.60	9371.59	147.60	.54	.3700	26.159	.0000	.000
1070.791	643.39	639.78	6123.07	347.87	.099	423.58	14284.96	9519.68	148.63	.54	.3700	26.155	.0000	.000
1084.171	643.20	639.58	6123.05	348.71	.099	426.19	14454.20	9652.65	133.46	.49	.3700	26.150	.0000	.000
AFT(A)	636.92	609.05	6087.68	979.16	.278	.....	15823.73	9716.46	64.56	.53	.3696	26.159	....	.....
AFT(B)	636.91	636.91	6124.67	.01	.000	.....	10413.12	-.22	.00	.22	.3693	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU, IN.	WSLOT LB/SEC
FORWARD	1.1676+02	6.5018+02	6.5004+02	6.1276+03	4.0139+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2850+03
AFT	1.1677+02	6.5019+02	6.5005+02	6.1276+03	4.0139+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2850+03

GAS BUILDUP IN SLOT, DW/DT = 1.1114-04

FORWARD	4.2705+02	6.4910+02	6.4799+02	6.1264+03	1.2219+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.8820+03
AFT	4.2706+02	6.4953+02	6.4842+02	6.1270+03	1.2212+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.8820+03

GAS BUILDUP IN SLOT, DW/DT = 1.1193-04

FORWARD	7.4634+02	6.4729+02	6.4404+02	6.1236+03	2.0784+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.5658+03
AFT	7.4635+02	6.4843+02	6.4518+02	6.1253+03	2.0753+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.5658+03

GAS BUILDUP IN SLOT, DW/DT = 1.1456-04

IGNITION TIME, TIME (S) 73.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	11215731.	2521396.6
TOTAL VACUUM THRUST (N,LBF)	FTVAC	11351960.	2552022.2
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	41874.148	9413.6830
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SKMDTI	.82649395+09	.18580323+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.11501	257.11501
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SKMVTI	.87459826+09	.19661751+09
THRUST COEFFICIENT	CF	1.6241792	1.6241792
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4479.7054	9876.0601
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	344032.67	758462.21
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	22.473552	49.545700
INERT MASS REMAINING (KG,LBM)	MIR	1291.2188	2846.6501
TOTAL BURN AREA (M**2,IN**2)	ABTOT	270.03304	418552.05
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	92.697080	5656722.9
PROPELLANT MASS REMAINING (KG,LBM)	WF	161564.60	356188.96
TOTAL GAS MASS (KG,LBM)	WGTOT	1217.6505	2684.4598
RATIO OF SPECIFIC HEATS	GAMA	1.1597789	1.1597789
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.857596	28.346148
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1560.1705	5118.6697
MAXIMUM CHAMBER MACH NUMBER	AMPN	.10076327	.10076327
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.45429315+09	658.89651
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.37138921+11	53865.451
BURN AREA (M**2,IN**2)	AHH	8.4838201	13149.948
BURN RATE (M/S,IN/S)	RBZ(1)	.95018052-02	.37408682
DISTANCE BURNED (M,IN)	TAUZ(1)	.71499791	28.149524
PROPELLANT VOLUME (M**3,IN**3)	VFH	2.1108909	128819.47
GAS VOLUME (M**3,IN**3)	VPH	52.992941	3233827.7
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3405.4619	6129.8313
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	260.60600	403940.11
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	90.561805	5526420.4
GAS VOLUME (M**3,IN**3)	VP	199.88352	12197641.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.44539662+09	645.99318
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.34999687+11	50762.755
BURN AREA (M**2,IN**2)	AAN	.94322576	1462.0029
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.94460467-02	.37189160
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.94385954-02	.37159825
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.70205358	27.639905
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.24385525-01	1488.0960
GAS VOLUME (M**3,IN**3)	VPN	17.025043	1038931.9
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3403.7812	6126.8061
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5692423	2432.3304
EXPANSION RATIO	EPR	6.8494935	6.8494935
PRESSURE RATIO	PEPO	.22907780-01	.22907780-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	658.90	658.88	6129.83	15.47	.004	357.24	10153.88	309.43	311.95	2.51	.3739	28.150	.0000	.000
15.000	658.88	658.87	6129.82	21.76	.006	357.51	10169.47	436.19	127.16	.41	.3739	28.112	.0000	.000
30.000	658.88	658.85	6129.81	28.05	.008	357.77	10185.04	563.04	127.26	.41	.3739	28.108	.0000	.000
45.000	658.87	658.83	6129.79	34.32	.010	358.04	10200.59	689.99	127.35	.41	.3739	28.103	.0000	.000
60.000	658.85	658.80	6129.78	40.58	.011	358.31	10216.12	817.03	127.45	.41	.3739	28.098	.0000	.000
75.000	658.84	658.77	6129.75	46.83	.013	358.58	10231.63	944.17	127.54	.41	.3739	28.094	.0000	.000
90.000	658.82	658.74	6129.73	53.06	.015	358.85	10247.12	1071.39	127.63	.41	.3738	28.089	.0000	.000
105.000	658.80	658.70	6129.70	59.28	.017	359.11	10262.60	1198.71	127.73	.41	.3738	28.084	.0000	.000
116.761	658.79	658.66	6129.68	64.14	.018	359.32	10274.72	1298.60	100.21	.32	.3738	28.079	.0000	.000
116.771	658.79	658.66	6129.68	63.66	.018	327.73	10353.35	1298.60	.00	.00	.3738	28.080	.0000	.000
131.771	658.77	658.62	6129.65	69.98	.020	344.71	10283.13	1417.84	119.62	.39	.3738	28.080	.0000	.000
143.919	658.75	658.57	6129.62	75.39	.021	358.46	10226.21	1518.82	101.30	.33	.3738	28.072	.0000	.000
158.919	658.72	658.51	6129.58	81.35	.023	359.39	10271.54	1646.11	127.70	.41	.3738	28.067	.0000	.000
173.919	658.68	658.45	6129.54	87.28	.025	360.32	10316.71	1773.72	128.02	.41	.3738	28.061	.0000	.000
188.919	658.65	658.38	6129.50	93.18	.026	361.25	10361.72	1901.66	128.35	.41	.3738	28.055	.0000	.000
203.919	658.61	658.31	6129.46	99.05	.028	362.18	10406.57	2029.93	128.68	.41	.3738	28.049	.0000	.000
218.919	658.57	658.24	6129.41	104.88	.030	363.11	10451.25	2158.52	129.00	.41	.3738	28.044	.0000	.000
233.919	658.53	658.15	6129.36	110.69	.031	364.04	10495.77	2287.44	129.33	.41	.3737	28.038	.0000	.000
248.919	658.48	658.07	6129.31	116.46	.033	364.97	10540.13	2416.68	129.66	.42	.3737	28.031	.0000	.000
263.919	658.44	657.98	6129.25	122.21	.035	365.90	10584.33	2546.24	129.98	.42	.3737	28.025	.0000	.000
278.919	658.39	657.89	6129.20	127.93	.036	366.84	10628.36	2676.13	130.31	.42	.3737	28.019	.0000	.000
293.919	658.33	657.79	6129.14	133.62	.038	367.77	10672.23	2806.35	130.63	.42	.3737	28.013	.0000	.000
308.919	658.28	657.69	6129.08	139.29	.039	368.70	10715.94	2936.88	130.96	.42	.3737	28.006	.0000	.000
323.919	658.22	657.58	6129.02	144.93	.041	369.63	10759.49	3067.74	131.28	.42	.3736	28.000	.0000	.000
338.919	658.16	657.47	6128.95	150.54	.043	370.56	10802.87	3198.93	131.61	.42	.3736	27.993	.0000	.000
353.919	658.10	657.36	6128.88	156.13	.044	371.49	10846.09	3330.43	131.93	.42	.3736	27.986	.0000	.000
368.919	658.04	657.24	6128.81	161.70	.046	372.42	10889.15	3462.26	132.25	.43	.3736	27.980	.0000	.000
383.919	657.97	657.11	6128.74	167.24	.047	373.35	10932.05	3594.41	132.58	.43	.3735	27.973	.0000	.000
398.919	657.90	656.99	6128.67	172.76	.049	374.28	10974.78	3726.88	132.90	.43	.3735	27.966	.0000	.000
403.048	657.88	656.95	6128.65	174.27	.049	374.54	10986.52	3763.40	36.64	.12	.3735	27.959	.0000	.000
418.048	657.82	656.82	6128.56	180.44	.051	372.68	10986.26	3895.78	132.81	.43	.3735	27.957	.0000	.000
427.051	657.78	656.74	6128.51	184.13	.052	371.56	10986.34	3974.91	79.39	.26	.3735	27.951	.0000	.000
427.061	657.71	657.13	6129.10	137.08	.039	356.55	14749.55	3974.91	.00	.00	.3735	27.976	.0000	.000
442.061	657.86	657.06	6128.81	161.69	.046	356.83	12902.59	4101.27	126.80	.45	.3735	27.976	.0000	.000
457.061	658.14	656.96	6128.33	196.03	.056	357.11	10971.33	4227.74	126.90	.43	.3735	27.948	.0000	.000
463.204	658.31	656.90	6128.04	214.37	.061	357.22	10156.07	4279.57	52.00	.17	.3735	27.907	.0000	.000
478.204	658.22	656.74	6127.94	220.03	.062	357.80	10190.34	4406.24	127.08	.41	.3735	27.887	.0000	.000
493.204	658.12	656.56	6127.84	225.66	.064	358.38	10224.50	4533.11	127.28	.41	.3734	27.878	.0000	.000
508.204	658.02	656.39	6127.74	231.28	.065	358.96	10258.56	4660.18	127.48	.41	.3734	27.868	.0000	.000
523.204	657.92	656.21	6127.64	236.87	.067	359.54	10292.51	4787.44	127.67	.41	.3734	27.859	.0000	.000
538.204	657.82	656.02	6127.53	242.44	.069	360.12	10326.35	4914.90	127.86	.41	.3733	27.850	.0000	.000
553.204	657.71	655.84	6127.43	248.00	.070	360.70	10360.09	5042.54	128.06	.41	.3733	27.841	.0000	.000
568.204	657.61	655.64	6127.32	253.53	.072	361.28	10393.72	5170.39	128.25	.41	.3733	27.831	.0000	.000
583.204	657.50	655.45	6127.21	259.05	.073	361.86	10427.25	5298.42	128.45	.41	.3732	27.822	.0000	.000
598.204	657.38	655.25	6127.09	264.54	.075	362.45	10460.67	5426.64	128.64	.41	.3732	27.812	.0000	.000
613.204	657.27	655.05	6126.98	270.02	.076	363.03	10493.98	5555.06	128.83	.41	.3732	27.802	.0000	.000

628.204	657.15	654.84	6126.86	275.49	.078	363.61	10527.19	5683.67	129.02	.41	.3731	27.793	.0000	.000
643.204	657.03	654.63	6126.74	280.93	.080	364.19	10560.29	5812.47	129.22	.42	.3731	27.783	.0000	.000
658.204	656.91	654.41	6126.62	286.36	.081	364.77	10593.29	5941.46	129.41	.42	.3730	27.773	.0000	.000
673.204	656.79	654.19	6126.50	291.77	.083	365.35	10626.18	6070.64	129.60	.42	.3730	27.763	.0000	.000
688.204	656.66	653.97	6126.37	297.17	.084	365.93	10658.96	6200.02	129.79	.42	.3729	27.753	.0000	.000
703.204	656.53	653.74	6126.25	302.55	.086	366.51	10691.64	6329.58	129.98	.42	.3729	27.743	.0000	.000
718.204	656.40	653.51	6126.12	307.92	.087	367.09	10724.21	6459.33	130.17	.42	.3729	27.733	.0000	.000
726.191	656.33	653.39	6126.05	310.77	.088	367.40	10741.51	6528.49	69.39	.22	.3728	27.723	.0000	.000
741.191	656.14	653.15	6125.98	313.67	.089	369.38	10858.22	6658.78	130.71	.42	.3728	27.718	.0000	.000
746.336	656.08	653.07	6125.95	314.67	.089	370.06	10897.99	6703.63	44.99	.15	.3727	27.713	.0000	.000
746.346	655.93	654.10	6127.48	245.07	.069	376.69	13974.34	6703.63	.00	.00	.3729	27.760	.0000	.000
761.346	656.16	653.96	6127.00	268.89	.076	374.02	12990.37	6836.39	133.23	.46	.3729	27.760	.0000	.000
776.346	656.47	653.79	6126.39	296.68	.084	371.34	12002.86	6968.21	132.27	.45	.3729	27.736	.0000	.000
791.346	656.89	653.58	6125.58	329.51	.093	368.67	11011.82	7099.09	131.31	.43	.3729	27.706	.0000	.000
794.831	657.01	653.53	6125.36	338.01	.096	368.04	10781.06	7129.36	30.37	.10	.3728	27.671	.0000	.000
809.831	656.84	653.27	6125.24	342.47	.097	369.03	10839.38	7259.70	130.77	.42	.3728	27.666	.0000	.000
824.831	656.67	653.01	6125.12	346.91	.098	370.02	10897.35	7390.39	131.11	.42	.3728	27.657	.0000	.000
839.831	656.50	652.75	6124.99	351.34	.100	371.01	10954.98	7521.40	131.44	.42	.3727	27.647	.0000	.000
854.781	656.33	652.48	6124.87	355.74	.101	372.00	11012.08	7652.31	131.33	.42	.3727	27.638	.0000	.000
869.781	655.96	652.21	6125.00	351.16	.099	376.43	11353.35	7784.59	132.71	.43	.3726	27.629	.0000	.000
884.781	655.62	651.95	6125.11	347.23	.098	380.87	11684.26	7918.42	134.27	.44	.3725	27.636	.0000	.000
899.781	655.29	651.70	6125.20	343.87	.097	385.31	12004.79	8053.79	135.82	.45	.3725	27.641	.0000	.000
914.781	654.98	651.45	6125.27	341.04	.097	389.75	12314.96	8190.70	137.37	.46	.3724	27.644	.0000	.000
929.781	654.69	651.21	6125.34	338.70	.096	394.19	12614.75	8329.15	138.92	.47	.3724	27.647	.0000	.000
944.781	654.41	650.97	6125.39	336.79	.095	398.62	12904.18	8469.15	140.47	.47	.3723	27.648	.0000	.000
959.781	654.15	650.74	6125.43	335.29	.095	403.06	13183.24	8610.69	142.02	.48	.3722	27.649	.0000	.000
974.781	653.90	650.51	6125.46	334.17	.095	407.50	13451.93	8753.76	143.56	.49	.3721	27.650	.0000	.000
989.781	653.65	650.28	6125.48	333.41	.094	411.94	13710.25	8898.37	145.10	.49	.3721	27.649	.0000	.000
1004.781	653.42	650.06	6125.49	332.98	.094	416.38	13958.20	9044.52	146.64	.50	.3720	27.649	.0000	.000
1019.781	653.19	649.84	6125.49	332.87	.094	420.81	14195.78	9192.21	148.19	.50	.3719	27.647	.0000	.000
1034.781	652.98	649.62	6125.49	333.06	.094	425.25	14423.00	9341.46	149.75	.50	.3720	27.645	.0000	.000
1040.791	652.89	649.53	6125.48	333.21	.094	427.03	14511.12	9401.70	60.44	.20	.3720	27.643	.0000	.000
1055.791	652.69	649.31	6125.46	333.89	.095	429.96	14719.46	9552.92	151.73	.51	.3721	27.641	.0000	.000
1070.791	652.48	649.09	6125.44	334.76	.095	432.89	14920.22	9705.24	152.84	.51	.3723	27.637	.0000	.000
1084.171	652.31	648.90	6125.42	335.70	.095	435.60	15092.90	9842.07	137.29	.46	.3726	27.633	.0000	.000
AFT(A)	645.99	617.60	6089.67	981.68	.279	.....	15823.73	9876.06	34.50	.35	.3719	27.640	....	.....
AFT(B)	645.98	645.98	6126.81	.01	.000	.....	10413.12	-.16	.00	.16	.3716	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	6.5879+02	6.5866+02	6.1297+03	4.0040+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2986+03
AFT	1.1677+02	6.5879+02	6.5866+02	6.1297+03	4.0040+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2986+03

GAS BUILDUP IN SLOT, DW/DT = 8.6183-05

FOREWARD	4.2705+02	6.5778+02	6.5674+02	6.1285+03	1.2347+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.9749+03
AFT	4.2706+02	6.5817+02	6.5713+02	6.1291+03	1.2341+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.9749+03

GAS BUILDUP IN SLOT, DW/DT = 8.6944-05

FOREWARD	7.4634+02	6.5608+02	6.5307+02	6.1260+03	2.0932+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7036+03
AFT	7.4635+02	6.5712+02	6.5410+02	6.1275+03	2.0904+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7036+03

GAS BUILDUP IN SLOT, DW/DT = 8.9338-05

IGNITION TIME, TIME (S) 77.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	11337822.	2548843.9
TOTAL VACUUM THRUST (N,LBF)	FTVAC	11449112.	2572738.8
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	46100.706	10363.851
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.87161484+09	.19594681+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	257.03593	257.03593
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.92020278+09	.20686982+09
THRUST COEFFICIENT	CF	1.6243939	1.6243939
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4515.3809	9954.7108
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	362027.77	798134.60
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	24.741915	54.546585
INERT MASS REMAINING (KG,LBM)	MIR	1194.5609	2633.5561
TOTAL BURN AREA (M**2,IN**2)	ABTOT	271.48694	420805.60
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	82.389033	5027687.3
PROPELLANT MASS REMAINING (KG,LBM)	WF	143513.79	316393.75
TOTAL GAS MASS (KG,LBM)	WGTOT	1270.7254	2801.4700
RATIO OF SPECIFIC HEATS	GAMA	1.1597821	1.1597821
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.858188	28.347451
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1560.2209	5118.8350
MAXIMUM CHAMBER MACH NUMBER	AMPN	.95954712-01	.95954712-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.45648553+09	662.07629
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.38960963+11	56508.100
BURN AREA (M**2,IN**2)	AHH	7.7491959	12011.278
BURN RATE (M/S,IN/S)	RBZ(1)	.95178476-02	.37471841
DISTANCE BURNED (M,IN)	TAUZ(1)	.75302473	29.646643
PROPELLANT VOLUME (M**3,IN**3)	VFH	1.8026670	110005.49
GAS VOLUME (M**3,IN**3)	VPH	53.301165	3252636.7
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3405.8782	6130.5808
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	263.57000	408534.33
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	80.582808	4917464.7
GAS VOLUME (M**3,IN**3)	VP	209.86279	12806613.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.44792994+09	649.66747
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.36786834+11	53354.793
BURN AREA (M**2,IN**2)	AAN	.16773725	259.99326
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.94964716-02	.37387684
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.94884853-02	.37356242
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.73988540	29.129347
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.35591842-02	217.19475
GAS VOLUME (M**3,IN**3)	VPN	17.045870	1040202.8
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3494.2604	6127.6686
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5728259	2437.8850
EXPANSION RATIO	EPR	6.8338873	6.8338873
PRESSURE RATIO	PEPO	.22976345-01	.22976345-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	662.08	662.07	6130.58	13.42	.004	366.66	10695.45	284.15	285.42	1.27	.3745	29.647	.0000	.000
15.000	662.07	662.06	6130.57	19.54	.006	366.93	10711.44	414.53	130.74	.36	.3745	29.608	.0000	.000
30.000	662.06	662.04	6130.56	25.66	.007	367.19	10727.41	545.00	130.83	.36	.3745	29.604	.0000	.000
45.000	662.05	662.02	6130.55	31.75	.009	367.46	10743.35	675.56	130.93	.36	.3745	29.599	.0000	.000
60.000	662.04	662.00	6130.53	37.84	.011	367.72	10759.28	806.22	131.02	.36	.3745	29.595	.0000	.000
75.000	662.03	661.97	6130.51	43.92	.012	367.99	10775.18	936.97	131.11	.36	.3745	29.590	.0000	.000
90.000	662.01	661.93	6130.49	49.98	.014	368.25	10791.06	1067.81	131.21	.36	.3745	29.585	.0000	.000
105.000	661.99	661.90	6130.46	56.03	.016	368.52	10806.92	1198.75	131.30	.36	.3745	29.580	.0000	.000
116.761	661.98	661.86	6130.44	60.76	.017	368.73	10819.34	1301.47	103.01	.29	.3745	29.575	.0000	.000
116.771	661.98	661.86	6130.44	60.60	.017	334.02	10848.37	1301.47	.00	.00	.3745	29.576	.0000	.000
131.771	661.96	661.82	6130.41	66.55	.019	352.73	10804.82	1423.51	122.38	.34	.3745	29.576	.0000	.000
143.919	661.94	661.78	6130.39	71.64	.020	367.88	10769.53	1527.21	104.00	.29	.3745	29.568	.0000	.000
158.919	661.91	661.73	6130.35	77.45	.022	368.81	10816.34	1658.12	131.27	.36	.3745	29.563	.0000	.000
173.919	661.88	661.67	6130.32	83.22	.024	369.74	10862.98	1789.36	131.60	.37	.3744	29.557	.0000	.000
188.919	661.85	661.61	6130.28	88.97	.025	370.67	10909.43	1920.92	131.93	.37	.3744	29.551	.0000	.000
203.919	661.82	661.54	6130.24	94.69	.027	371.60	10955.72	2052.81	132.26	.37	.3744	29.545	.0000	.000
218.919	661.78	661.47	6130.19	100.37	.028	372.53	11001.82	2185.02	132.58	.37	.3744	29.539	.0000	.000
233.919	661.74	661.39	6130.15	106.03	.030	373.45	11047.75	2317.56	132.91	.37	.3744	29.533	.0000	.000
248.919	661.70	661.31	6130.10	111.66	.032	374.38	11093.51	2450.43	133.23	.37	.3744	29.527	.0000	.000
263.919	661.65	661.23	6130.05	117.26	.033	375.31	11139.08	2583.61	133.56	.37	.3744	29.521	.0000	.000
278.919	661.61	661.14	6130.00	122.83	.035	376.24	11184.48	2717.13	133.89	.37	.3743	29.515	.0000	.000
293.919	661.56	661.05	6129.94	128.38	.036	377.17	11229.70	2850.96	134.21	.37	.3743	29.508	.0000	.000
308.919	661.51	660.95	6129.88	133.90	.038	378.10	11274.75	2985.12	134.53	.37	.3743	29.502	.0000	.000
323.919	661.45	660.85	6129.82	139.40	.039	379.03	11319.62	3119.61	134.86	.38	.3743	29.495	.0000	.000
338.919	661.40	660.75	6129.76	144.87	.041	379.96	11364.31	3254.41	135.18	.38	.3743	29.488	.0000	.000
353.919	661.34	660.64	6129.70	150.32	.043	380.89	11408.83	3389.54	135.51	.38	.3742	29.482	.0000	.000
368.919	661.28	660.53	6129.64	155.75	.044	381.82	11453.17	3524.99	135.83	.38	.3742	29.475	.0000	.000
383.919	661.21	660.42	6129.57	161.15	.046	382.74	11497.33	3660.76	136.15	.38	.3742	29.468	.0000	.000
398.919	661.15	660.30	6129.50	166.54	.047	383.67	11541.32	3796.86	136.47	.38	.3742	29.461	.0000	.000
403.048	661.13	660.26	6129.48	168.02	.048	383.93	11553.40	3834.37	37.62	.10	.3742	29.459	.0000	.000
418.048	661.07	660.14	6129.40	174.05	.049	382.07	11550.33	3970.38	136.38	.38	.3741	29.452	.0000	.000
427.051	661.03	660.06	6129.35	177.66	.050	380.96	11548.72	4051.69	81.54	.23	.3741	29.446	.0000	.000
427.061	660.98	660.42	6129.87	135.17	.038	208.64	15172.48	4051.69	.00	.00	.3742	29.471	.0000	.000
442.061	661.12	660.37	6129.63	156.60	.044	274.21	13373.29	4137.38	85.97	.28	.3742	29.471	.0000	.000
457.061	661.36	660.29	6129.21	187.05	.053	339.78	11491.53	4246.38	109.33	.32	.3742	29.443	.0000	.000
463.204	661.51	660.24	6128.96	203.39	.058	366.63	10697.06	4297.75	51.51	.14	.3742	29.402	.0000	.000
478.204	661.42	660.08	6128.87	208.91	.059	367.21	10732.23	4428.04	130.66	.36	.3741	29.381	.0000	.000
493.204	661.33	659.92	6128.78	214.42	.061	367.79	10767.29	4558.54	130.86	.36	.3741	29.372	.0000	.000
508.204	661.24	659.76	6128.69	219.90	.062	368.37	10802.22	4689.23	131.05	.36	.3741	29.363	.0000	.000
523.204	661.15	659.59	6128.59	225.37	.064	368.95	10837.04	4820.11	131.25	.36	.3740	29.354	.0000	.000
538.204	661.06	659.42	6128.50	230.81	.065	369.52	10871.74	4951.18	131.44	.37	.3740	29.344	.0000	.000
553.204	660.96	659.25	6128.40	236.24	.067	370.10	10906.33	5082.46	131.64	.37	.3740	29.335	.0000	.000
558.204	660.86	659.07	6128.30	241.65	.068	370.68	10940.79	5213.92	131.83	.37	.3739	29.325	.0000	.000
583.204	660.76	658.89	6128.19	247.04	.070	371.26	10975.14	5345.58	132.02	.37	.3739	29.315	.0000	.000
598.204	660.66	658.70	6128.09	252.41	.071	371.84	11009.38	5477.42	132.22	.37	.3739	29.306	.0000	.000
613.204	660.55	658.51	6127.98	257.77	.073	372.42	11043.49	5609.47	132.41	.37	.3738	29.296	.0000	.000

628.204	660.44	658.32	6127.87	263.11	.075	372.99	11077.49	5741.70	132.60	.37	.3738	29.286	.0000	.000
643.204	660.33	658.12	6127.76	268.43	.076	373.57	11111.37	5874.12	132.80	.37	.3738	29.276	.0000	.000
658.204	660.22	657.92	6127.65	273.74	.078	374.15	11145.13	6006.74	132.99	.37	.3737	29.266	.0000	.000
673.204	660.10	657.71	6127.53	279.03	.079	374.73	11178.78	6139.55	133.18	.37	.3737	29.256	.0000	.000
688.204	659.98	657.51	6127.41	284.30	.081	375.31	11212.31	6272.55	133.37	.37	.3736	29.246	.0000	.000
703.204	659.86	657.29	6127.30	289.57	.082	375.89	11245.72	6405.73	133.56	.37	.3736	29.236	.0000	.000
718.204	659.74	657.08	6127.18	294.81	.083	376.46	11279.02	6539.11	133.75	.37	.3736	29.226	.0000	.000
726.191	659.67	656.96	6127.11	297.60	.084	376.77	11296.70	6610.21	71.29	.20	.3735	29.215	.0000	.000
741.191	659.50	656.74	6127.04	300.55	.085	378.76	11416.30	6744.12	134.29	.37	.3735	29.210	.0000	.000
746.336	659.45	656.66	6127.02	301.56	.085	379.44	11457.04	6790.21	46.22	.13	.3734	29.205	.0000	.000
746.346	659.33	657.58	6128.35	238.60	.068	274.60	14463.46	6790.21	.00	.00	.3736	29.252	.0000	.000
761.346	659.54	657.48	6127.94	259.52	.073	306.41	13500.16	6893.18	103.30	.32	.3736	29.253	.0000	.000
776.346	659.81	657.34	6127.42	284.21	.080	338.23	12533.38	7007.45	114.61	.34	.3736	29.228	.0000	.000
791.346	660.17	657.16	6126.73	313.63	.089	370.04	11563.14	7133.00	125.91	.36	.3736	29.199	.0000	.000
794.831	660.27	657.11	6126.54	321.27	.091	377.43	11337.23	7163.78	30.87	.09	.3735	29.163	.0000	.000
807.831	660.12	656.87	6126.42	325.68	.092	378.41	11397.01	7297.76	134.35	.38	.3735	29.158	.0000	.000
824.831	659.96	656.63	6126.31	330.06	.093	379.40	11456.41	7432.07	134.69	.38	.3735	29.149	.0000	.000
839.831	659.80	656.38	6126.20	334.44	.095	380.39	11515.44	7566.72	135.02	.38	.3734	29.139	.0000	.000
854.781	659.65	656.14	6126.08	338.79	.096	381.37	11573.90	7701.24	134.90	.38	.3734	29.130	.0000	.000
869.781	659.31	655.89	6126.19	334.71	.095	385.81	11926.57	7837.16	136.30	.38	.3733	29.120	.0000	.000
884.781	659.00	655.64	6126.28	331.22	.094	390.24	12268.02	7974.62	137.85	.39	.3733	29.127	.0000	.000
899.781	658.70	655.41	6126.36	328.29	.093	394.68	12598.25	8113.63	139.41	.40	.3732	29.132	.0000	.000
914.781	658.42	655.18	6126.42	325.84	.092	399.12	12917.26	8254.19	140.96	.40	.3731	29.135	.0000	.000
929.781	658.15	654.95	6126.47	323.85	.092	403.55	13225.05	8396.29	142.51	.41	.3731	29.137	.0000	.000
944.781	657.90	654.73	6126.51	322.28	.091	407.99	13521.61	8539.94	144.06	.42	.3730	29.138	.0000	.000
959.781	657.66	654.51	6126.54	321.09	.091	412.42	13806.96	8685.12	145.60	.42	.3729	29.139	.0000	.000
974.781	657.43	654.30	6126.56	320.27	.091	416.86	14081.08	8831.84	147.15	.43	.3728	29.139	.0000	.000
989.781	657.20	654.08	6126.57	319.78	.091	421.30	14343.98	8980.11	148.69	.43	.3728	29.139	.0000	.000
1004.781	656.99	653.87	6126.58	319.61	.091	425.73	14595.66	9129.94	150.26	.43	.3728	29.137	.0000	.000
1019.781	656.78	653.67	6126.57	319.75	.091	430.17	14836.12	9281.37	151.87	.44	.3730	29.136	.0000	.000
1034.781	656.58	653.46	6126.56	320.18	.091	434.61	15065.35	9434.48	153.54	.44	.3733	29.135	.0000	.000
1040.791	656.50	653.38	6126.56	320.43	.091	436.38	15154.05	9496.30	62.00	.18	.3734	29.133	.0000	.000
1055.791	656.31	653.17	6126.54	321.24	.091	439.32	15367.82	9651.56	155.70	.44	.3738	29.131	.0000	.000
1070.791	656.12	652.96	6126.51	322.24	.091	442.26	15573.42	9808.05	156.93	.45	.3743	29.128	.0000	.000
1085.171	655.96	652.78	6126.48	323.29	.092	444.88	15749.92	9948.71	141.07	.40	.3749	29.125	.0000	.000
AF1(A)	649.67	620.97	6090.38	984.16	.280	.....	15823.73	9954.71	6.17	.12	.3739	29.129	....	.....
AF1(B)	649.65	649.65	6127.67	.00	.000	.....	10413.12	-.05	.00	.05	.3736	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU, IN.	WSLOT LB/SEC
FORWARD	1.1676+02	6.6198+02	6.6186+02	6.1304+03	3.9937+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.3015+03
AFT	1.1677+02	6.6198+02	6.6186+02	6.1304+03	3.9937+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.3015+03

GAS BUILDUP IN SLOT, DW/DT = 2.5641-05

FORWARD	4.2705+02	6.6103+02	6.6006+02	6.1293+03	1.2524+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0517+03
AFT	4.2706+02	6.6139+02	6.6042+02	6.1299+03	1.2518+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0517+03

GAS BUILDUP IN SLOT, DW/DT = 2.6510-05

FORWARD	7.4634+02	6.5945+02	6.5666+02	6.1270+03	2.1089+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7902+03
AFT	7.4635+02	6.6037+02	6.5758+02	6.1284+03	2.1064+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7902+03

GAS BUILDUP IN SLOT, DW/DT = 2.8737-05

```
AEB BURNOUT INCREMENT LOCATION = 1084.1710     SECTOR NO.  1    TAU = 29.4590    TAUWDP = 29.4590    TIME =  77.00
AEB BURNOUT INCREMENT LOCATION = 1084.1710     SECTOR NO.  2    TAU = 29.4590    TAUWDP = 29.4590    TIME =  77.00
AEB BURNOUT INCREMENT LOCATION = 1084.1710     SECTOR NO.  3    TAU = 29.4590    TAUWDP = 29.4590    TIME =  77.00
AEB BURNOUT INCREMENT LOCATION = 1084.1710     SECTOR NO.  4    TAU = 29.4590    TAUWDP = 29.4590    TIME =  77.00
AEB BURNOUT INCREMENT LOCATION = 1084.1710     SECTOR NO.  5    TAU = 29.4590    TAUWDP = 29.4590    TIME =  77.00
AEB BURNOUT INCREMENT LOCATION = 1084.1710     SECTOR NO.  6    TAU = 29.4590    TAUWDP = 29.4590    TIME =  77.00
AEB BURNOUT INCREMENT LOCATION = 1084.1710     SECTOR NO.  7    TAU = 29.4590    TAUWDP = 29.4590    TIME =  77.00
AEB BURNOUT INCREMENT LOCATION = 1084.1710     SECTOR NO.  8    TAU = 29.4590    TAUWDP = 29.4590    TIME =  77.00
*PARTBN* TIME= 79.00 IS=1 ZCALC( 81)=1084.17 ZCALC( 80)=1070.79 AINCW=1072.05 AINCHI=1070.79 DELZ= 1.255 ALP=447.28 ALPHI=447.09
*PARTBN* TIME= 79.00 IS=2 ZCALC( 81)=1084.17 ZCALC( 80)=1070.79 AINCW=1071.14 AINCHI=1070.79 DELZ=  .344 ALP=447.30 ALPHI=447.30
*PARTBN* TIME= 79.00 IS=3 ZCALC( 81)=1084.17 ZCALC( 80)=1070.79 AINCW=1071.32 AINCHI=1070.79 DELZ=  .531 ALP=447.30 ALPHI=447.26
*PARTBN* TIME= 79.00 IS=4 ZCALC( 81)=1084.17 ZCALC( 80)=1070.79 AINCW=1072.27 AINCHI=1070.79 DELZ= 1.478 ALP=447.27 ALPHI=447.04
*PARTBN* TIME= 79.00 IS=5 ZCALC( 81)=1084.17 ZCALC( 80)=1070.79 AINCW=1073.42 AINCHI=1070.79 DELZ= 2.633 ALP=447.24 ALPHI=446.78
*PARTBN* TIME= 79.00 IS=6 ZCALC( 81)=1084.17 ZCALC( 80)=1070.79 AINCW=1073.72 AINCHI=1070.79 DELZ= 2.930 ALP=447.23 ALPHI=446.72
*PARTBN* TIME= 79.00 IS=7 ZCALC( 81)=1084.17 ZCALC( 80)=1070.79 AINCW=1073.67 AINCHI=1070.79 DELZ= 2.875 ALP=447.23 ALPHI=446.73
*PARTBN* TIME= 79.00 IS=8 ZCALC( 81)=1084.17 ZCALC( 80)=1070.79 AINCW=1073.30 AINCHI=1070.79 DELZ= 2.512 ALP=447.24 ALPHI=446.81
*PARTBN* TIME= 79.00 IS=1 ZCALC( 81)=1084.17 ZCALC( 80)=1070.79 AINCW=1072.05 AINCHI=1070.79 DELZ= 1.255 ALP=447.28 ALPHI=447.09
*PARTBN* TIME= 79.00 IS=2 ZCALC( 81)=1084.17 ZCALC( 80)=1070.79 AINCW=1071.14 AINCHI=1070.79 DELZ=  .344 ALP=447.30 ALPHI=447.30
*PARTBN* TIME= 79.00 IS=3 ZCALC( 81)=1084.17 ZCALC( 80)=1070.79 AINCW=1071.32 AINCHI=1070.79 DELZ=  .531 ALP=447.30 ALPHI=447.26
*PARTBN* TIME= 79.00 IS=4 ZCALC( 81)=1084.17 ZCALC( 80)=1070.79 AINCW=1072.27 AINCHI=1070.79 DELZ= 1.478 ALP=447.27 ALPHI=447.04
*PARTBN* TIME= 79.00 IS=5 ZCALC( 81)=1084.17 ZCALC( 80)=1070.79 AINCW=1073.42 AINCHI=1070.79 DELZ= 2.633 ALP=447.24 ALPHI=446.78
*PARTBN* TIME= 79.00 IS=6 ZCALC( 81)=1084.17 ZCALC( 80)=1070.79 AINCW=1073.72 AINCHI=1070.79 DELZ= 2.930 ALP=447.23 ALPHI=446.72
*PARTBN* TIME= 79.00 IS=7 ZCALC( 81)=1084.17 ZCALC( 80)=1070.79 AINCW=1073.67 AINCHI=1070.79 DELZ= 2.875 ALP=447.23 ALPHI=446.73
*PARTBN* TIME= 79.00 IS=8 ZCALC( 81)=1084.17 ZCALC( 80)=1070.79 AINCW=1073.30 AINCHI=1070.79 DELZ= 2.512 ALP=447.24 ALPHI=446.81
AEB BURNOUT INCREMENT LOCATION = 1055.7910     SECTOR NO.  1    TAU = 30.4829    TAUWDP = 30.4829    TIME =  79.00
AEB BURNOUT INCREMENT LOCATION = 1055.7910     SECTOR NO.  2    TAU = 30.4829    TAUWDP = 30.4829    TIME =  79.00
AEB BURNOUT INCREMENT LOCATION = 1055.7910     SECTOR NO.  3    TAU = 30.4829    TAUWDP = 30.4829    TIME =  79.00
AEB BURNOUT INCREMENT LOCATION = 1055.7910     SECTOR NO.  4    TAU = 30.4829    TAUWDP = 30.4829    TIME =  79.00
AEB BURNOUT INCREMENT LOCATION = 1055.7910     SECTOR NO.  5    TAU = 30.4829    TAUWDP = 30.4829    TIME =  79.00
AEB BURNOUT INCREMENT LOCATION = 1055.7910     SECTOR NO.  6    TAU = 30.4829    TAUWDP = 30.4829    TIME =  79.00
AEB BURNOUT INCREMENT LOCATION = 1055.7910     SECTOR NO.  7    TAU = 30.4829    TAUWDP = 30.4829    TIME =  79.00
```

```
AEB BURNOUT INCREMENT LOCATION = 1055.7910    SECTOR NO.  8    TAU = 30.4829    TAUWDP = 30.4829    TIME =  79.00
AEB BURNOUT INCREMENT LOCATION = 1070.7910    SECTOR NO.  1    TAU = 29.9417    TAUWDP = 29.9417    TIME =  79.00
AEB BURNOUT INCREMENT LOCATION = 1070.7910    SECTOR NO.  2    TAU = 29.9417    TAUWDP = 29.9417    TIME =  79.00
AEB BURNOUT INCREMENT LOCATION = 1070.7910    SECTOR NO.  3    TAU = 29.9417    TAUWDP = 29.9417    TIME =  79.00
AEB BURNOUT INCREMENT LOCATION = 1070.7910    SECTOR NO.  4    TAU = 29.9417    TAUWDP = 29.9417    TIME =  79.00
AEB BURNOUT INCREMENT LOCATION = 1070.7910    SECTOR NO.  5    TAU = 29.9417    TAUWDP = 29.9417    TIME =  79.00
AEB BURNOUT INCREMENT LOCATION = 1070.7910    SECTOR NO.  6    TAU = 29.9417    TAUWDP = 29.9417    TIME =  79.00
AEB BURNOUT INCREMENT LOCATION = 1070.7910    SECTOR NO.  7    TAU = 29.9417    TAUWDP = 29.9417    TIME =  79.00
AEB BURNOUT INCREMENT LOCATION = 1070.7910    SECTOR NO.  8    TAU = 29.9417    TAUWDP = 29.9417    TIME =  79.00
*PARTBN* TIME= 81.00 IS=1 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1051.32 AINCHI=1040.79 DELZ=10.525 ALP=447.89 ALPHI=445.88
*PARTBN* TIME= 81.00 IS=2 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1050.40 AINCHI=1040.79 DELZ= 9.609 ALP=447.92 ALPHI=446.08
*PARTBN* TIME= 81.00 IS=3 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1050.59 AINCHI=1040.79 DELZ= 9.795 ALP=447.91 ALPHI=446.04
*PARTBN* TIME= 81.00 IS=4 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1051.54 AINCHI=1040.79 DELZ=10.749 ALP=447.88 ALPHI=445.83
*PARTBN* TIME= 81.00 IS=5 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1052.70 AINCHI=1040.79 DELZ=11.914 ALP=447.85 ALPHI=445.57
*PARTBN* TIME= 81.00 IS=6 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1053.01 AINCHI=1040.79 DELZ=12.217 ALP=447.84 ALPHI=445.50
*PARTBN* TIME= 81.00 IS=7 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1052.95 AINCHI=1040.79 DELZ=12.162 ALP=447.84 ALPHI=445.52
*PARTBN* TIME= 81.00 IS=8 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1052.58 AINCHI=1040.79 DELZ=11.792 ALP=447.85 ALPHI=445.60
*PARTBN* TIME= 81.00 IS=1 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1051.32 AINCHI=1040.79 DELZ=10.525 ALP=447.89 ALPHI=445.88
*PARTBN* TIME= 81.00 IS=2 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1050.40 AINCHI=1040.79 DELZ= 9.609 ALP=447.92 ALPHI=446.08
*PARTBN* TIME= 81.00 IS=3 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1050.59 AINCHI=1040.79 DELZ= 9.795 ALP=447.91 ALPHI=446.04
*PARTBN* TIME= 81.00 IS=4 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1051.54 AINCHI=1040.79 DELZ=10.749 ALP=447.88 ALPHI=445.83
*PARTBN* TIME= 81.00 IS=5 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1052.70 AINCHI=1040.79 DELZ=11.914 ALP=447.85 ALPHI=445.57
*PARTBN* TIME= 81.00 IS=6 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1053.01 AINCHI=1040.79 DELZ=12.217 ALP=447.84 ALPHI=445.50
*PARTBN* TIME= 81.00 IS=7 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1052.95 AINCHI=1040.79 DELZ=12.162 ALP=447.84 ALPHI=445.52
*PARTBN* TIME= 81.00 IS=8 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1052.58 AINCHI=1040.79 DELZ=11.792 ALP=447.85 ALPHI=445.60
```

IGNITION TIME, TIME (S) 81.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10984664.	2469450.8
TOTAL VACUUM THRUST (N,LBF)	FTVAC	11066647.	2487881.2
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	49342.179	11092.563
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.91638669+09	.20601192+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.74233	256.74233
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.96534977+09	.21701926+09
THRUST COEFFICIENT	CF	1.6247707	1.6247707
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4368.9132	9631.8049
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	379845.31	837415.57
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	26.481590	58.381912
INERT MASS REMAINING (KG,LBM)	MIR	1090.0671	2403.1866
TOTAL BURN AREA (M**2,IN**2)	ABTOT	265.03291	410801.84
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	72.190812	4405353.6
PROPELLANT MASS REMAINING (KG,LBM)	WF	125680.25	277077.52
TOTAL GAS MASS (KG,LBM)	WGTOT	1265.9576	2790.9589
RATIO OF SPECIFIC HEATS	GAMA	1.1597582	1.1597582
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.853747	28.337660
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.9054	5117.8000
MAXIMUM CHAMBER MACH NUMBER	AMPN	.94706527-01	.94706527-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.44002091+09	638.19638
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.40758932+11	59115.834
BURN AREA (M**2,IN**2)	AHH	7.0667689	10953.514
BURN RATE (M/S,IN/S)	RBZ(1)	.93962171-02	.36992981
DISTANCE BURNED (M,IN)	TAUZ(1)	.79101179	31.142197
PROPELLANT VOLUME (M**3,IN**3)	VFH	1.5218039	92866.170
GAS VOLUME (M**3,IN**3)	VPH	53.582028	3269776.0
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3402.7613	6124.9703
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	257.96614	399848.33
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	70.667043	4312367.6
GAS VOLUME (M**3,IN**3)	VP	218.75786	13349424.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.43207152+09	626.66676
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.38551720+11	55914.544
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.93863464-02	.36954120
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.93782976-02	.36922432
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3401.2576	6122.2637
PORT AREA, NOZ ENT (M**2,IN**2)	AZA	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5764069	2443.4356
EXPANSION RATIO	EPR	6.8183634	6.8183634
PRESSURE RATIO	PEPO	.23046429-01	.23046429-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	638.20	638.19	6124.97	12.23	.003	376.08	11250.55	262.62	256.96	-5.67	.3697	31.142	.0000	.000
15.000	638.19	638.18	6124.96	18.36	.005	376.34	11266.93	395.00	132.38	.01	.3697	31.103	.0000	.000
30.000	638.18	638.17	6124.95	24.48	.007	376.60	11283.29	527.47	132.47	.01	.3697	31.099	.0000	.000
45.000	638.17	638.15	6124.94	30.58	.009	376.87	11299.63	660.03	132.57	.01	.3697	31.094	.0000	.000
60.000	638.16	638.13	6124.92	36.68	.010	377.13	11315.94	792.68	132.66	.00	.3697	31.089	.0000	.000
75.000	638.15	638.10	6124.90	42.76	.012	377.39	11332.23	925.42	132.75	.00	.3697	31.084	.0000	.000
90.000	638.14	638.07	6124.88	48.83	.014	377.65	11348.49	1058.26	132.84	.00	.3697	31.080	.0000	.000
105.000	638.12	638.03	6124.86	54.89	.016	377.91	11364.73	1191.18	132.93	.00	.3697	31.074	.0000	.000
116.761	638.11	638.00	6124.84	59.63	.017	378.12	11377.45	1295.46	104.29	.00	.3697	31.069	.0000	.000
116.771	638.11	638.00	6124.84	59.77	.017	337.99	11350.89	1295.46	.00	-.00	.3697	31.070	.0000	.000
131.771	638.09	637.96	6124.81	65.51	.019	359.71	11337.33	1418.22	122.74	-.02	.3697	31.070	.0000	.000
143.919	638.07	637.92	6124.78	70.44	.020	377.30	11326.37	1523.23	105.00	-.00	.3697	31.063	.0000	.000
158.919	638.04	637.87	6124.75	76.26	.022	378.22	11374.66	1656.13	132.91	.00	.3697	31.057	.0000	.000
173.919	638.01	637.81	6124.71	82.06	.023	379.15	11422.75	1789.36	133.23	.00	.3697	31.051	.0000	.000
188.919	637.98	637.76	6124.67	87.82	.025	380.08	11470.66	1922.91	133.55	.00	.3696	31.046	.0000	.000
203.919	637.95	637.69	6124.63	93.56	.026	381.00	11518.38	2056.78	133.87	.00	.3696	31.040	.0000	.000
218.919	637.92	637.62	6124.59	99.26	.028	381.93	11565.90	2190.97	134.20	.00	.3696	31.034	.0000	.000
233.919	637.88	637.55	6124.54	104.94	.030	382.86	11613.23	2325.49	134.52	.00	.3696	31.028	.0000	.000
248.919	637.84	637.48	6124.50	110.58	.031	383.79	11660.38	2460.32	134.84	.00	.3696	31.021	.0000	.000
263.919	637.80	637.40	6124.45	116.20	.033	384.71	11707.33	2595.48	135.16	.00	.3696	31.015	.0000	.000
278.919	637.75	637.31	6124.39	121.80	.034	385.64	11754.09	2730.96	135.48	.00	.3695	31.009	.0000	.000
293.919	637.71	637.23	6124.34	127.37	.036	386.57	11800.66	2866.75	135.80	-.00	.3695	31.002	.0000	.000
308.919	637.66	637.13	6124.28	132.91	.038	387.49	11847.04	3002.87	136.12	-.00	.3695	30.996	.0000	.000
323.919	637.61	637.04	6124.22	138.43	.039	388.42	11893.22	3139.30	136.43	-.00	.3695	30.989	.0000	.000
338.919	637.55	636.94	6124.16	143.92	.041	389.35	11939.22	3276.06	136.75	-.00	.3695	30.982	.0000	.000
353.919	637.50	636.84	6124.10	149.39	.042	390.27	11985.03	3413.13	137.07	-.00	.3695	30.975	.0000	.000
368.919	637.44	636.73	6124.04	154.84	.044	391.20	12030.64	3550.53	137.39	-.00	.3694	30.968	.0000	.000
383.919	637.38	636.62	6123.97	160.27	.045	392.13	12076.07	3688.24	137.71	-.00	.3694	30.961	.0000	.000
398.919	637.32	636.51	6123.90	165.68	.047	393.06	12121.30	3826.27	138.02	-.00	.3694	30.954	.0000	.000
403.048	637.30	636.47	6123.88	167.16	.047	393.31	12133.72	3864.32	38.05	-.00	.3694	30.947	.0000	.000
418.048	637.24	636.35	6123.80	173.24	.049	391.45	12127.85	4002.26	137.94	-.01	.3694	30.945	.0000	.000
427.051	637.21	636.28	6123.75	176.88	.050	390.34	12124.54	4084.73	82.47	-.00	.3693	30.939	.0000	.000
427.061	637.17	636.59	6124.22	139.22	.039	106.01	15397.92	4084.73	.00	-.00	.3694	30.964	.0000	.000
442.061	637.30	636.56	6123.99	158.31	.045	218.08	13731.17	4141.97	56.97	-.27	.3694	30.964	.0000	.000
457.061	637.51	636.49	6123.62	185.56	.053	330.14	11987.72	4238.46	96.37	-.13	.3694	30.936	.0000	.000
463.204	637.63	636.44	6123.41	200.09	.057	376.04	11251.58	4289.31	50.84	-.01	.3694	30.895	.0000	.000
478.204	637.55	636.29	6123.32	205.64	.058	376.62	11287.66	4421.60	132.30	.00	.3694	30.875	.0000	.000
493.204	637.46	636.14	6123.23	211.18	.060	377.19	11323.60	4554.09	132.49	.00	.3693	30.865	.0000	.000
508.204	637.38	635.99	6123.13	216.69	.061	377.77	11359.41	4686.77	132.68	.00	.3693	30.856	.0000	.000
523.204	637.29	635.83	6123.04	222.19	.063	378.34	11395.10	4819.64	132.88	.00	.3693	30.846	.0000	.000
538.204	637.20	635.67	6122.94	227.67	.064	378.92	11430.65	4952.70	133.07	.00	.3692	30.837	.0000	.000
553.204	637.11	635.50	6122.84	233.13	.066	379.50	11466.08	5085.96	133.26	.00	.3692	30.827	.0000	.000
568.204	637.02	635.33	6122.74	238.57	.068	380.07	11501.38	5219.40	133.45	.00	.3692	30.818	.0000	.000
583.204	636.92	635.16	6122.64	244.00	.069	380.65	11536.55	5353.04	133.64	.00	.3691	30.808	.0000	.000
598.204	636.82	634.98	6122.54	249.41	.071	381.22	11571.59	5486.86	133.82	.00	.3691	30.798	.0000	.000
613.204	636.72	634.80	6122.43	254.80	.072	381.80	11606.51	5620.87	134.01	.00	.3691	30.788	.0000	.000

628.204	636.62	634.62	6122.32	260.17	.074	382.38	11641.29	5755.08	134.20	-.00	.3690	30.778	.0000	.000
643.204	636.52	634.43	6122.21	265.53	.075	382.95	11675.95	5889.47	134.39	-.00	.3690	30.768	.0000	.000
658.204	636.41	634.24	6122.10	270.87	.077	383.53	11710.47	6024.05	134.58	-.00	.3689	30.757	.0000	.000
673.204	636.30	634.05	6121.98	276.20	.078	384.10	11744.87	6158.82	134.77	-.00	.3689	30.747	.0000	.000
688.204	636.19	633.85	6121.87	281.52	.080	384.68	11779.14	6293.78	134.95	-.00	.3689	30.737	.0000	.000
703.204	636.07	633.64	6121.75	286.82	.081	385.26	11813.28	6428.92	135.14	-.00	.3688	30.727	.0000	.000
718.204	635.96	633.44	6121.63	292.10	.083	385.83	11847.29	6564.25	135.33	-.00	.3688	30.716	.0000	.000
726.191	635.90	633.33	6121.56	294.91	.084	386.14	11865.35	6636.39	72.13	-.00	.3687	30.706	.0000	.000
741.191	635.74	633.12	6121.49	297.97	.084	388.12	11987.86	6772.25	135.86	-.01	.3687	30.700	.0000	.000
746.336	635.68	633.04	6121.47	299.02	.085	388.80	12029.57	6819.01	46.76	-.00	.3687	30.695	.0000	.000
746.346	635.59	633.85	6122.66	242.76	.069	193.17	14801.84	6819.01	.00	-.00	.3688	30.743	.0000	.000
761.346	635.78	633.77	6122.30	261.32	.074	253.08	13909.81	6897.54	78.32	-.21	.3688	30.744	.0000	.000
776.346	636.02	633.65	6121.83	283.35	.080	312.99	13014.56	6997.02	99.35	-.13	.3688	30.719	.0000	.000
791.346	636.32	633.49	6121.21	309.65	.088	372.90	12116.11	7117.46	120.37	-.06	.3688	30.690	.0000	.000
794.831	636.40	633.44	6121.05	316.48	.090	386.82	11906.91	7148.43	30.97	-.00	.3687	30.654	.0000	.000
809.831	636.25	633.21	6120.93	320.95	.091	387.80	11968.14	7284.37	135.93	-.01	.3687	30.649	.0000	.000
824.831	636.11	632.98	6120.82	325.42	.092	388.78	12028.96	7420.63	136.26	-.01	.3687	30.639	.0000	.000
839.831	635.96	632.75	6120.71	329.86	.093	389.76	12089.38	7557.22	136.58	-.01	.3686	30.630	.0000	.000
854.781	635.81	632.52	6120.59	334.28	.095	390.73	12149.18	7693.68	136.45	-.01	.3686	30.620	.0000	.000
869.781	635.50	632.28	6120.69	330.50	.094	395.17	12513.49	7831.53	137.84	-.01	.3685	30.610	.0000	.000
884.781	635.20	632.05	6120.77	327.30	.093	399.61	12865.70	7970.92	139.37	-.01	.3685	30.617	.0000	.000
899.781	634.93	631.82	6120.84	324.62	.092	404.04	13205.82	8111.85	140.91	-.02	.3684	30.621	.0000	.000
914.781	634.66	631.60	6120.90	322.43	.091	408.48	13533.85	8254.30	142.43	-.02	.3683	30.624	.0000	.000
929.781	634.41	631.39	6120.95	320.68	.091	412.92	13849.78	8398.29	143.96	-.03	.3682	30.626	.0000	.000
944.781	634.18	631.18	6120.97	319.35	.090	417.35	14153.62	8543.80	145.48	-.03	.3682	30.627	.0000	.000
959.781	633.95	630.97	6121.00	318.39	.090	421.79	14445.37	8690.84	147.01	-.04	.3681	30.627	.0000	.000
974.781	633.73	630.76	6121.01	317.79	.090	426.23	14725.02	8839.43	148.55	-.04	.3681	30.627	.0000	.000
989.781	633.52	630.56	6121.02	317.52	.090	430.66	14992.58	8989.62	150.14	-.05	.3683	30.627	.0000	.000
1004.781	633.32	630.36	6121.02	317.57	.090	435.10	15248.05	9141.46	151.79	-.05	.3686	30.626	.0000	.000
1019.781	633.13	630.16	6121.01	317.94	.090	439.54	15491.42	9295.01	153.50	-.06	.3690	30.625	.0000	.000
1034.781	632.94	629.96	6120.99	318.60	.090	443.97	15722.70	9450.39	155.31	-.06	.3698	30.625	.0000	.000
1040.791	632.87	629.88	6120.98	318.94	.090	445.75	15811.98	9513.17	62.76	-.03	.3701	30.624	.0000	.000
1055.791	632.78	629.73	6120.90	322.34	.091	447.87	15840.62	9629.76	116.45	-.14	.3706	30.483	.0000	.000
1070.791	632.76	629.73	6120.92	321.42	.091	.00	15886.49	9630.03	.00	-.27	.3706	29.942	.0000	.000
1084.171	632.75	629.73	6120.94	320.82	.091	.00	15916.69	9630.44	.00	-.41	.3706	29.459	.0000	.000
AFT(A)	626.67	598.66	6084.82	986.32	.280	.....	15823.73	9631.80	.00	-.63	.3695	29.460	....	.....
AFT(B)	626.65	626.65	6122.26	-.03	.000	.....	10413.12	.54	.00	-.54	.3692	20.630	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU, IN.	#SLOT LB/SEC
FOREWARD	1.1676+02	6.3811+02	6.3800+02	6.1248+03	4.1216+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2955+03
AFT	1.1677+02	6.3811+02	6.3800+02	6.1248+03	4.1216+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2955+03

GAS BUILDUP IN SLOT, DW/DT = -3.1863-04

FOREWARD	4.2705+02	6.3721+02	6.3628+02	6.1237+03	1.3090+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0847+03
AFT	4.2706+02	6.3752+02	6.3659+02	6.1242+03	1.3085+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0847+03

GAS BUILDUP IN SLOT, DW/DT = -3.1670-04

FOREWARD	7.4634+02	6.3568+02	6.3304+02	6.1215+03	2.1956+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8190+03
AFT	7.4635+02	6.3649+02	6.3385+02	6.1227+03	2.1933+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8190+03

GAS BUILDUP IN SLOT, DW/DT = -3.1589-04

```
*PARTBN* TIME= 81.50 IS=1 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1046.17 AINCHI=1040.79 DELZ= 5.381 ALP=448.04 ALPHI=447.04
*PARTBN* TIME= 81.50 IS=2 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1045.25 AINCHI=1040.79 DELZ= 4.454 ALP=448.07 ALPHI=447.25
*PARTBN* TIME= 81.50 IS=3 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1045.43 AINCHI=1040.79 DELZ= 4.640 ALP=448.06 ALPHI=447.21
*PARTBN* TIME= 81.50 IS=4 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1046.40 AINCHI=1040.79 DELZ= 5.608 ALP=448.03 ALPHI=446.99
*PARTBN* TIME= 81.50 IS=5 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1047.58 AINCHI=1040.79 DELZ= 6.787 ALP=448.00 ALPHI=446.73
*PARTBN* TIME= 81.50 IS=6 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1047.88 AINCHI=1040.79 DELZ= 7.094 ALP=447.99 ALPHI=446.66
*PARTBN* TIME= 81.50 IS=7 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1047.83 AINCHI=1040.79 DELZ= 7.037 ALP=447.99 ALPHI=446.67
*PARTBN* TIME= 81.50 IS=8 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1047.45 AINCHI=1040.79 DELZ= 6.664 ALP=448.00 ALPHI=446.76
*PARTBN* TIME= 81.50 IS=1 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1046.17 AINCHI=1040.79 DELZ= 5.381 ALP=448.04 ALPHI=447.04
*PARTBN* TIME= 81.50 IS=2 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1045.25 AINCHI=1040.79 DELZ= 4.454 ALP=448.07 ALPHI=447.25
*PARTBN* TIME= 81.50 IS=3 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1045.43 AINCHI=1040.79 DELZ= 4.640 ALP=448.06 ALPHI=447.21
*PARTBN* TIME= 81.50 IS=4 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1046.40 AINCHI=1040.79 DELZ= 5.608 ALP=448.03 ALPHI=446.99
*PARTBN* TIME= 81.50 IS=5 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1047.58 AINCHI=1040.79 DELZ= 6.787 ALP=448.00 ALPHI=446.73
*PARTBN* TIME= 81.50 IS=6 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1047.88 AINCHI=1040.79 DELZ= 7.094 ALP=447.99 ALPHI=446.66
*PARTBN* TIME= 81.50 IS=7 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1047.83 AINCHI=1040.79 DELZ= 7.037 ALP=447.99 ALPHI=446.67
*PARTBN* TIME= 81.50 IS=8 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1047.45 AINCHI=1040.79 DELZ= 6.664 ALP=448.00 ALPHI=446.76
*PARTBN* TIME= 81.50 IS=1 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1046.17 AINCHI=1040.79 DELZ= 5.381 ALP=448.04 ALPHI=447.04
*PARTBN* TIME= 81.50 IS=2 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1045.25 AINCHI=1040.79 DELZ= 4.454 ALP=448.07 ALPHI=447.25
*PARTBN* TIME= 81.50 IS=3 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1045.43 AINCHI=1040.79 DELZ= 4.640 ALP=448.06 ALPHI=447.21
*PARTBN* TIME= 81.50 IS=4 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1046.40 AINCHI=1040.79 DELZ= 5.608 ALP=448.03 ALPHI=446.99
*PARTBN* TIME= 81.50 IS=5 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1047.58 AINCHI=1040.79 DELZ= 6.787 ALP=448.00 ALPHI=446.73
*PARTBN* TIME= 81.50 IS=6 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1047.88 AINCHI=1040.79 DELZ= 7.094 ALP=447.99 ALPHI=446.66
*PARTBN* TIME= 81.50 IS=7 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1047.83 AINCHI=1040.79 DELZ= 7.037 ALP=447.99 ALPHI=446.67
*PARTBN* TIME= 81.50 IS=8 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1047.45 AINCHI=1040.79 DELZ= 6.664 ALP=448.00 ALPHI=446.76
REB BURNOUT INCREMENT LOCATION = 1040.7910      SECTOR NO.   2     TAU = 31.0240     TAUWDP = 31.0240     TIME =  81.50
REB BURNOUT INCREMENT LOCATION = 1040.7910      SECTOR NO.   3     TAU = 31.0240     TAUWDP = 31.0240     TIME =  81.50
*PARTBN* TIME= 82.00 IS=1 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1040.97 AINCHI=1034.78 DELZ= 6.186 ALP=448.20 ALPHI=446.42
*PARTBN* TIME= 82.00 IS=2 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1040.31 AINCHI=1034.78 DELZ= 5.527 ALP=448.21 ALPHI=446.64
*PARTBN* TIME= 82.00 IS=3 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1040.44 AINCHI=1034.78 DELZ= 5.658 ALP=448.21 ALPHI=446.60
*PARTBN* TIME= 82.00 IS=4 ZCALC( 79)=1055.79 ZCALC( 76)=1040.79 AINCW=1041.26 AINCHI=1040.79 DELZ=  .472 ALP=448.19 ALPHI=448.16
*PARTBN* TIME= 82.00 IS=5 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1042.46 AINCHI=1040.79 DELZ= 1.669 ALP=448.15 ALPHI=447.89
```

```
*PARTBN* TIME= 82.00 IS=6 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1042.77 AINCHI=1040.79 DELZ= 1.979 ALP=448.14 ALPHI=447.82
*PARTBN* TIME= 82.00 IS=7 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1042.71 AINCHI=1040.79 DELZ= 1.921 ALP=448.14 ALPHI=447.83
*PARTBN* TIME= 82.00 IS=8 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1042.33 AINCHI=1040.79 DELZ= 1.544 ALP=448.15 ALPHI=447.91
*PARTBN* TIME= 82.00 IS=1 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1040.97 AINCHI=1034.78 DELZ= 6.186 ALP=448.20 ALPHI=446.42
*PARTBN* TIME= 82.00 IS=2 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1040.31 AINCHI=1034.78 DELZ= 5.527 ALP=448.21 ALPHI=446.64
*PARTBN* TIME= 82.00 IS=3 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1040.44 AINCHI=1034.78 DELZ= 5.658 ALP=448.21 ALPHI=446.60
*PARTBN* TIME= 82.00 IS=4 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1041.26 AINCHI=1040.79 DELZ=  .472 ALP=448.19 ALPHI=448.16
*PARTBN* TIME= 82.00 IS=5 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1042.46 AINCHI=1040.79 DELZ= 1.669 ALP=448.15 ALPHI=447.59
*PARTBN* TIME= 82.00 IS=6 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1042.77 AINCHI=1040.79 DELZ= 1.979 ALP=448.14 ALPHI=447.82
*PARTBN* TIME= 82.00 IS=7 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1042.71 AINCHI=1040.79 DELZ= 1.921 ALP=448.14 ALPHI=447.83
*PARTBN* TIME= 82.00 IS=8 ZCALC( 79)=1055.79 ZCALC( 78)=1040.79 AINCW=1042.33 AINCHI=1040.79 DELZ= 1.544 ALP=448.15 ALPHI=447.91
```

IGNITION TIME, TIME (S) 82.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	1086530.	2442617.5
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10942265.	2459919.1
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	50282.296	11303.910
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.92731268+09	.20846818+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.84135	256.84135
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.97635523+09	.21949339+09
THRUST COEFFICIENT	CF	1.6249155	1.6249155
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4317.3320	9518.0879
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	384188.15	846989.89
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	26.986144	59.494263
INERT MASS REMAINING (KG,LBM)	MIR	1063.1527	2343.8504
TOTAL BURN AREA (M**2,IN**2)	ABTOT	262.97635	407614.17
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	69.693318	4252947.2
PROPELLANT MASS REMAINING (KG,LBM)	WF	121341.49	267512.19
TOTAL GAS MASS (KG,LBM)	WGTOT	1256.5996	2770.3278
RATIO OF SPECIFIC HEATS	GAMA	1.1597505	1.1597505
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.852317	28.334510
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.8034	5117.4651
MAXIMUM CHAMBER MACH NUMBER	AMPN	.94613743-01	.94613743-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.43472286+09	630.51221
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.41196337+11	59750.236
BURN AREA (M**2,IN**2)	AHH	6.9023364	10698.643
BURN RATE (M/S,IN/S)	RBZ(1)	.93563871-02	.36836170
DISTANCE BURNED (M,IN)	TAUZ(1)	.80039832	31.511745
PROPELLANT VOLUME (M**3,IN**3)	VFH	1.4563330	88870.891
GAS VOLUME (M**3,IN**3)	VPH	53.647499	3273771.2
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3401.7583	6123.1649
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	256.07402	396915.53
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	68.235020	4163956.4
GAS VOLUME (M**3,IN**3)	VP	219.98764	13424469.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.42694138+09	619.22612
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.38981262+11	56537.541
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.93471881-02	.36799953
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.93391730-02	.36768398
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3400.2862	6120.5152
PORT AREA, NOZ ENT (M**2,IN**2)	AZA	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5772778	2444.7856
EXPANSION RATIO	EPR	6.8145984	6.8145984
PRESSURE RATIO	PEPO	.23063591-01	.23063591-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	630.51	630.50	6123.16	11.90	.003	378.41	11309.88	255.71	249.91	-5.80	.3682	31.512	.0000	.000
15.000	630.50	630.50	6123.16	18.04	.005	378.67	11406.36	388.35	132.64	-.01	.3682	31.472	.0000	.000
30.000	630.50	630.48	6123.15	24.17	.007	378.93	11422.82	521.09	132.73	-.01	.3682	31.468	.0000	.000
45.000	630.49	630.46	6123.13	30.29	.009	379.19	11439.25	653.91	132.82	-.01	.3681	31.463	.0000	.000
60.000	630.48	630.44	6123.12	36.40	.010	379.45	11455.66	786.83	132.91	-.01	.3681	31.459	.0000	.000
75.000	630.47	630.42	6123.10	42.49	.012	379.71	11472.04	919.84	133.00	-.01	.3681	31.454	.0000	.000
90.000	630.46	630.39	6123.08	48.57	.014	379.98	11488.40	1052.93	133.09	-.01	.3681	31.449	.0000	.000
105.000	630.44	630.35	6123.05	54.64	.015	380.24	11504.73	1186.12	133.18	-.01	.3681	31.444	.0000	.000
116.761	630.42	630.32	6123.03	59.39	.017	380.44	11517.52	1290.61	104.48	-.01	.3681	31.439	.0000	.000
116.771	630.42	630.32	6123.03	59.60	.017	338.75	11475.85	1290.61	.00	-.00	.3681	31.439	.0000	.000
131.771	630.40	630.28	6123.00	65.30	.018	361.33	11470.47	1413.28	122.64	-.03	.3681	31.440	.0000	.000
143.919	630.39	630.24	6122.98	70.19	.020	379.62	11466.13	1518.41	105.12	-.01	.3681	31.432	.0000	.000
158.919	630.36	630.19	6122.94	76.03	.022	380.55	11514.78	1651.58	133.16	-.01	.3681	31.426	.0000	.000
173.919	630.33	630.14	6122.91	81.84	.023	381.48	11563.24	1785.07	133.48	-.01	.3681	31.421	.0000	.000
188.919	630.30	630.08	6122.87	87.61	.025	382.40	11611.50	1918.88	133.80	-.01	.3681	31.415	.0000	.000
203.919	630.27	630.02	6122.83	93.36	.026	383.33	11659.57	2053.01	134.12	-.01	.3680	31.409	.0000	.000
218.919	630.24	629.95	6122.79	99.08	.028	384.26	11707.45	2187.46	134.44	-.01	.3680	31.403	.0000	.000
233.919	630.20	629.88	6122.74	104.77	.030	385.18	11755.13	2322.23	134.76	-.01	.3680	31.397	.0000	.000
248.919	630.16	629.80	6122.69	110.43	.031	386.11	11802.61	2457.32	135.08	-.01	.3680	31.391	.0000	.000
263.919	630.12	629.72	6122.64	116.06	.033	387.04	11849.90	2592.73	135.40	-.01	.3680	31.384	.0000	.000
278.919	630.07	629.64	6122.59	121.67	.034	387.96	11897.00	2728.46	135.72	-.01	.3680	31.378	.0000	.000
293.919	630.03	629.55	6122.54	127.25	.036	388.89	11943.90	2864.51	136.03	-.01	.3679	31.371	.0000	.000
308.919	629.98	629.46	6122.48	132.81	.038	389.82	11990.61	3000.87	136.35	-.01	.3679	31.365	.0000	.000
323.919	629.93	629.37	6122.42	138.34	.039	390.74	12037.12	3137.56	136.67	-.01	.3679	31.358	.0000	.000
338.919	629.88	629.27	6122.36	143.85	.041	391.67	12083.44	3274.56	136.99	-.02	.3679	31.351	.0000	.000
353.919	629.82	629.17	6122.30	149.33	.042	392.60	12129.56	3411.88	137.30	-.02	.3679	31.344	.0000	.000
368.919	629.77	629.06	6122.23	154.79	.044	393.52	12175.49	3549.51	137.62	-.02	.3678	31.337	.0000	.000
383.919	629.71	628.96	6122.16	160.23	.045	394.45	12221.23	3687.46	137.94	-.02	.3678	31.330	.0000	.000
398.919	629.65	628.84	6122.09	165.65	.047	395.38	12266.77	3825.73	138.25	-.02	.3678	31.323	.0000	.000
403.048	629.63	628.81	6122.07	167.14	.047	395.63	12279.27	3863.85	38.11	-.01	.3678	31.316	.0000	.000
418.048	629.57	628.69	6121.99	173.24	.049	393.77	12272.71	4002.33	138.16	-.02	.3678	31.314	.0000	.000
427.051	629.54	628.62	6121.94	176.89	.050	392.65	12268.98	4084.65	82.61	-.01	.3678	31.308	.0000	.000
427.061	629.50	628.92	6122.40	140.56	.040	86.96	15433.52	4084.65	.00	-.00	.3678	31.333	.0000	.000
442.061	629.63	628.89	6122.18	159.10	.045	207.90	13808.44	4136.56	51.61	-.30	.3678	31.333	.0000	.000
457.061	629.83	628.82	6121.82	185.58	.053	328.84	12108.53	4230.66	93.95	-.15	.3678	31.305	.0000	.000
463.204	629.94	628.77	6121.61	199.64	.057	378.36	11390.77	4281.37	50.69	-.02	.3678	31.264	.0000	.000
478.204	629.86	628.63	6121.52	205.22	.058	378.94	11427.06	4413.92	132.55	-.01	.3678	31.244	.0000	.000
493.204	629.78	628.48	6121.43	210.77	.060	379.51	11463.23	4546.68	132.74	-.01	.3678	31.234	.0000	.000
508.204	629.70	628.33	6121.33	216.30	.061	380.09	11499.26	4679.62	132.93	-.01	.3677	31.225	.0000	.000
523.204	629.61	628.17	6121.24	221.81	.063	380.67	11535.15	4812.75	133.12	-.01	.3677	31.215	.0000	.000
538.204	629.52	628.01	6121.14	227.31	.064	381.24	11570.92	4946.08	133.31	-.01	.3677	31.206	.0000	.000
553.204	629.43	627.85	6121.04	232.78	.066	381.82	11606.56	5079.59	133.50	-.01	.3676	31.196	.0000	.000
568.204	629.34	627.68	6120.94	238.24	.067	382.39	11642.06	5213.29	133.69	-.01	.3676	31.186	.0000	.000
583.204	629.25	627.51	6120.84	243.68	.069	382.97	11677.43	5347.18	133.88	-.01	.3676	31.176	.0000	.000
598.204	629.15	627.33	6120.74	249.11	.071	383.54	11712.67	5481.26	134.07	-.01	.3675	31.167	.0000	.000
613.204	629.06	627.16	6120.63	254.51	.072	384.12	11747.78	5615.53	134.26	-.01	.3675	31.156	.0000	.000

628.204	628.95	626.97	6120.52	259.90	.074	384.69	11782.76	5749.99	134.44	-.01	.3675	31.146	.0000	.000
643.204	628.84	626.79	6120.41	265.28	.075	385.27	11817.61	5884.64	134.63	-.01	.3674	31.136	.0000	.000
658.204	628.74	626.60	6120.30	270.64	.077	385.84	11852.32	6019.47	134.82	-.01	.3674	31.126	.0000	.000
673.204	628.63	626.41	6120.18	275.99	.078	386.42	11886.91	6154.49	135.01	-.02	.3673	31.116	.0000	.000
688.204	628.52	626.21	6120.07	281.32	.080	387.00	11921.36	6289.70	135.19	-.02	.3673	31.105	.0000	.000
703.204	628.41	626.01	6119.95	286.63	.081	387.57	11955.68	6425.09	135.38	-.02	.3673	31.095	.0000	.000
718.204	628.29	625.81	6119.83	291.94	.083	388.15	11989.87	6560.67	135.56	-.02	.3672	31.085	.0000	.000
726.191	628.23	625.70	6119.76	294.76	.084	388.45	12008.02	6632.94	72.26	-.01	.3672	31.074	.0000	.000
741.191	628.07	625.49	6119.69	297.84	.084	390.44	12131.24	6769.05	136.09	-.02	.3671	31.069	.0000	.000
746.336	628.02	625.41	6119.66	298.90	.085	391.12	12173.18	6815.89	46.83	-.01	.3671	31.063	.0000	.000
746.336	627.93	626.19	6120.82	244.43	.069	180.22	14870.63	6815.89	.00	-.00	.3672	31.112	.0000	.000
761.346	628.12	626.11	6120.47	262.46	.074	244.86	14001.43	6890.41	74.29	-.24	.3672	31.112	.0000	.000
776.346	628.35	626.03	6120.01	283.87	.080	309.49	13129.11	6987.45	96.88	-.16	.3672	31.088	.0000	.000
791.346	628.63	625.84	6119.41	309.40	.088	374.12	12253.67	7106.99	119.46	-.08	.3672	31.058	.0000	.000
794.831	628.70	625.79	6119.25	316.02	.090	389.14	12049.82	7137.98	30.99	-.01	.3672	31.022	.0000	.000
809.831	628.56	625.57	6119.14	320.52	.091	390.12	12111.42	7274.16	136.16	-.02	.3672	31.017	.0000	.000
824.831	628.42	625.34	6119.03	325.01	.092	391.09	12172.59	7410.67	136.49	-.02	.3671	31.007	.0000	.000
839.831	628.28	625.11	6118.91	329.48	.093	392.07	12233.34	7547.50	136.81	-.02	.3671	30.998	.0000	.000
854.781	628.13	624.88	6118.80	333.93	.095	393.05	12293.48	7684.20	136.68	-.02	.3670	30.988	.0000	.000
869.781	627.82	624.64	6118.89	330.22	.094	397.47	12659.65	7822.29	138.06	-.03	.3670	30.978	.0000	.000
884.781	627.53	624.41	6118.97	327.10	.093	401.91	13013.55	7961.91	139.58	-.04	.3669	30.985	.0000	.000
899.781	627.26	624.19	6119.04	324.50	.092	406.36	13355.18	8103.06	141.11	-.04	.3668	30.989	.0000	.000
914.781	627.00	623.97	6119.09	322.39	.091	410.80	13684.54	8245.75	142.63	-.05	.3667	30.992	.0000	.000
929.781	626.75	623.76	6119.13	320.71	.091	415.24	14001.63	8389.96	144.15	-.06	.3667	30.994	.0000	.000
944.781	626.52	623.55	6119.17	319.43	.091	419.67	14306.45	8535.69	145.67	-.07	.3666	30.995	.0000	.000
959.781	626.30	623.35	6119.19	318.54	.090	424.11	14598.99	8682.97	147.20	-.08	.3666	30.995	.0000	.000
974.781	626.08	623.14	6119.20	318.00	.090	428.55	14879.27	8831.81	148.75	-.09	.3666	30.995	.0000	.000
989.781	625.88	622.94	6119.21	317.80	.090	432.98	15147.27	8982.25	150.35	-.10	.3668	30.994	.0000	.000
1004.781	625.68	622.74	6119.20	317.92	.090	437.42	15403.00	9134.38	152.02	-.11	.3672	30.994	.0000	.000
1019.781	625.48	622.54	6119.19	318.35	.090	441.86	15646.46	9288.28	153.79	-.11	.3678	30.994	.0000	.000
1034.781	625.30	622.34	6119.18	319.07	.090	446.30	15877.66	9444.05	155.64	-.12	.3687	30.995	.0000	.000
1040.791	625.23	622.27	6119.17	319.41	.090	448.03	15966.84	9506.01	62.03	.06	.3690	30.989	.0000	.000
1055.791	625.22	622.25	6119.16	319.86	.091	280.10	15961.46	9516.07	9.90	-.16	.3691	30.463	.0000	.000
1070.791	625.23	622.25	6119.14	320.45	.091	.00	15932.59	9516.34	.00	-.26	.3691	29.942	.0000	.000
1084.171	625.24	622.25	6119.13	320.78	.091	.00	15916.89	9516.70	.00	-.36	.3691	29.459	.0000	.000
AFT(A)	619.23	591.71	6083.03	986.82	.280	.....	15823.73	9518.09	.00	-.84	.3680	29.460	....	.....
AFT(B)	619.21	619.21	6120.52	-.03	.000	.....	10413.12	.55	.00	-.55	.3677	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU. IN.	WSLOT LB/SEC
FORWARD	1.1676+02	6.3042+02	6.3032+02	6.1230+03	4.1555+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2906+03
AFT	1.1677+02	6.3042+02	6.3032+02	6.1230+03	4.1555+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2906+03

GAS BUILDUP IN SLOT, DW/DT = -3.2332-04

FORWARD	4.2705+02	6.2954+02	6.2862+02	6.1219+03	1.3247+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0847+03
AFT	4.2706+02	6.2984+02	6.2892+02	6.1224+03	1.3242+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0847+03

GAS BUILDUP IN SLOT, DW/DT = -3.2140-04

FORWARD	7.4634+02	6.2802+02	6.2541+02	6.1197+03	2.2210+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8159+03
AFT	7.4635+02	6.2880+02	6.2619+02	6.1208+03	2.2187+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8159+03

GAS BUILDUP IN SLOT, DW/DT = -3.2089-04

```
WEB BURNOUT INCREMENT LOCATION = 1040.7910     SECTOR NO.  1    TAU = 31.0240    TAUWDP = 31.0240    TIME =  82.00
WEB BURNOUT INCREMENT LOCATION = 1040.7910     SECTOR NO.  4    TAU = 31.0240    TAUWDP = 31.0240    TIME =  82.00
WEB BURNOUT INCREMENT LOCATION = 1040.7910     SECTOR NO.  5    TAU = 31.0240    TAUWDP = 31.0240    TIME =  82.00
WEB BURNOUT INCREMENT LOCATION = 1040.7910     SECTOR NO.  6    TAU = 31.0240    TAUWDP = 31.0240    TIME =  82.00
WEB BURNOUT INCREMENT LOCATION = 1040.7910     SECTOR NO.  7    TAU = 31.0240    TAUWDP = 31.0240    TIME =  82.00
WEB BURNOUT INCREMENT LOCATION = 1040.7910     SECTOR NO.  8    TAU = 31.0240    TAUWDP = 31.0240    TIME =  82.00
*PARTBN* TIME= 82.50 IS=1 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1037.36 AINCHI=1034.78 DELZ= 2.578 ALP=448.29 ALPHI=447.59
*PARTBN* TIME= 82.50 IS=2 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1036.70 AINCHI=1034.78 DELZ= 1.914 ALP=448.31 ALPHI=447.80
*PARTBN* TIME= 82.50 IS=3 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1036.83 AINCHI=1034.78 DELZ= 2.046 ALP=448.31 ALPHI=447.76
*PARTBN* TIME= 82.50 IS=4 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1037.52 AINCHI=1034.78 DELZ= 2.740 ALP=448.29 ALPHI=447.54
*PARTBN* TIME= 82.50 IS=5 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1038.37 AINCHI=1034.78 DELZ= 3.589 ALP=448.26 ALPHI=447.27
*PARTBN* TIME= 82.50 IS=6 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1038.59 AINCHI=1034.78 DELZ= 3.808 ALP=448.26 ALPHI=447.20
*PARTBN* TIME= 82.50 IS=7 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1038.55 AINCHI=1034.78 DELZ= 3.767 ALP=448.26 ALPHI=447.21
*PARTBN* TIME= 82.50 IS=8 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1038.28 AINCHI=1034.78 DELZ= 3.499 ALP=448.27 ALPHI=447.30
*PARTBN* TIME= 82.50 IS=1 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1037.36 AINCHI=1034.78 DELZ= 2.578 ALP=448.29 ALPHI=447.59
*PARTBN* TIME= 82.50 IS=2 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1036.70 AINCHI=1034.78 DELZ= 1.914 ALP=448.31 ALPHI=447.80
*PARTBN* TIME= 82.50 IS=3 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1036.83 AINCHI=1034.78 DELZ= 2.046 ALP=448.31 ALPHI=447.76
*PARTBN* TIME= 82.50 IS=4 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1037.52 AINCHI=1034.78 DELZ= 2.740 ALP=448.29 ALPHI=447.54
*PARTBN* TIME= 82.50 IS=5 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1038.37 AINCHI=1034.78 DELZ= 3.589 ALP=448.26 ALPHI=447.27
*PARTBN* TIME= 82.50 IS=6 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1038.59 AINCHI=1034.78 DELZ= 3.808 ALP=448.26 ALPHI=447.20
*PARTBN* TIME= 82.50 IS=7 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1038.55 AINCHI=1034.78 DELZ= 3.767 ALP=448.26 ALPHI=447.21
*PARTBN* TIME= 82.50 IS=8 ZCALC( 78)=1040.79 ZCALC( 77)=1034.78 AINCW=1038.28 AINCHI=1034.78 DELZ= 3.499 ALP=448.27 ALPHI=447.30
WEB BURNOUT INCREMENT LOCATION = 1034.7810     SECTOR NO.  1    TAU = 31.3322    TAUWDP = 31.3322    TIME =  82.50
WEB BURNOUT INCREMENT LOCATION = 1034.7810     SECTOR NO.  2    TAU = 31.3322    TAUWDP = 31.3322    TIME =  82.50
WEB BURNOUT INCREMENT LOCATION = 1034.7810     SECTOR NO.  3    TAU = 31.3322    TAUWDP = 31.3322    TIME =  82.50
WEB BURNOUT INCREMENT LOCATION = 1034.7810     SECTOR NO.  4    TAU = 31.3322    TAUWDP = 31.3322    TIME =  82.50
WEB BURNOUT INCREMENT LOCATION = 1034.7810     SECTOR NO.  5    TAU = 31.3322    TAUWDP = 31.3322    TIME =  82.50
WEB BURNOUT INCREMENT LOCATION = 1034.7810     SECTOR NO.  8    TAU = 31.3322    TAUWDP = 31.3322    TIME =  82.50
*PARTBN* TIME= 83.00 IS=1 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1033.77 AINCHI=1019.78 DELZ=13.990 ALP=448.39 ALPHI=444.30
*PARTBN* TIME= 83.00 IS=2 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1033.11 AINCHI=1019.78 DELZ=13.326 ALP=448.40 ALPHI=444.50
*PARTBN* TIME= 83.00 IS=3 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1033.24 AINCHI=1019.78 DELZ=13.458 ALP=448.40 ALPHI=444.46
```

```
*PARTBN* TIME= 83.00 IS=4 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1033.73 AINCHI=1019.78 DELZ=14.154 ALP=448.38 ALPHI=444.25
*PARTBN* TIME= 83.00 IS=5 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1034.78 AINCHI=1019.78 DELZ=15.000 ALP=448.36 ALPHI=443.99
*PARTBN* TIME= 83.00 IS=7 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1034.96 AINCHI=1019.78 DELZ=15.179 ALP=448.35 ALPHI=443.93
*PARTBN* TIME= 83.00 IS=8 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1034.69 AINCHI=1019.78 DELZ=14.911 ALP=448.36 ALPHI=444.02
*PARTBN* TIME= 83.00 IS=6 ZCALC( 78)=1045.79 ZCALC( 77)=1034.78 AINCW=1035.00 AINCHI=1034.78 DELZ=  .217 ALP=448.35 ALPHI=448.35
*PARTBN* TIME= 83.00 IS=1 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1033.77 AINCHI=1019.78 DELZ=13.990 ALP=448.39 ALPHI=444.30
*PARTBN* TIME= 83.00 IS=2 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1033.11 AINCHI=1019.78 DELZ=13.326 ALP=448.40 ALPHI=444.50
*PARTBN* TIME= 83.00 IS=3 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1033.24 AINCHI=1019.78 DELZ=13.458 ALP=448.40 ALPHI=444.46
*PARTBN* TIME= 83.00 IS=4 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1033.93 AINCHI=1019.78 DELZ=14.154 ALP=448.38 ALPHI=444.25
*PARTBN* TIME= 83.00 IS=5 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1034.78 AINCHI=1019.78 DELZ=15.000 ALP=448.36 ALPHI=443.99
*PARTBN* TIME= 83.00 IS=7 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1034.96 AINCHI=1019.78 DELZ=15.179 ALP=448.35 ALPHI=443.93
*PARTBN* TIME= 83.00 IS=8 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1034.69 AINCHI=1019.78 DELZ=14.911 ALP=448.36 ALPHI=444.02
*PARTBN* TIME= 83.00 IS=6 ZCALC( 78)=1045.79 ZCALC( 77)=1034.78 AINCW=1035.00 AINCHI=1034.78 DELZ=  .217 ALP=448.35 ALPHI=448.35
```

ORIGINAL PAGE IS OF POOR QUALITY

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10773020.	2421871.4
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10844961.	2438044.3
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	53952.586	11454.597
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.93812994+09	.21090000+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.80301	256.80301
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.98724694+09	.22194194+09
THRUST COEFFICIENT	CF	1.6250055	1.6250055
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4278.9833	9433.5433
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	388485.57	856464.07
INERT MASS FLOWRATE (KG/S,LBM/S)	MIP	27.345884	60.287354
INERT MASS REMAINING (KG,LBM)	MIR	1035.9044	2283.7784
TOTAL BURN AREA (M**2,IN**2)	ABTOT	261.69907	405634.40
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	67.452443	4116200.7
PROPELLANT MASS REMAINING (KG,LBM)	WF	117047.18	258044.86
TOTAL GAS MASS (KG,LBM)	WGTOT	1262.3474	2782.9997
RATIO OF SPECIFIC HEATS	GAMA	1.1597444	1.1597444
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.851190	28.332025
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.7228	5117.2007
MAXIMUM CHAMBER MACH NUMBER	AMPN	.94278256-01	.94278256-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.43054409+09	624.45141
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.41628895+11	60377.608
BURN AREA (M**2,IN**2)	AHH	6.7385805	10444.821
BURN RATE (M/S,IN/S)	RBZ(1)	.93247341-02	.36711552
DISTANCE BURNED (M,IN)	TAUZ(1)	.80974623	31.879773
PROPELLANT VOLUME (M**3,IN**3)	VFH	1.3926638	84985.561
GAS VOLUME (M**3,IN**3)	VPH	53.711168	3277656.6
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3400.9672	6121.7409
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	254.96051	395189.58
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	66.057815	4031095.2
GAS VOLUME (M**3,IN**3)	VP	224.04505	13672068.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.42289010+09	613.35023
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.39406104+11	57153.722
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.93160582-02	.36677395
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.93080616-02	.36645912
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3399.5192	6119.1345
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5781404	2446.1225
EXPANSION RATIO	EPR	6.8108737	6.8108737
PRESSURE RATIO	PEPO	.23080502-01	.23080502-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ALLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	624.45	624.44	6121.74	11.47	.003	380.72	11529.49	247.14	243.16	-3.98	.3669	31.880	.0000	.000
15.000	624.44	624.44	6121.73	17.61	.005	380.98	11546.07	380.05	133.00	.08	.3669	31.840	.0000	.000
30.000	624.44	624.42	6121.72	23.74	.007	381.25	11562.62	513.06	133.09	.08	.3669	31.836	.0000	.000
45.000	624.43	624.41	6121.71	29.85	.008	381.51	11579.15	646.15	133.18	.08	.3669	31.831	.0000	.000
60.000	624.42	624.38	6121.70	35.95	.010	381.77	11595.65	779.33	133.27	.08	.3669	31.826	.0000	.000
75.000	624.41	624.36	6121.68	42.04	.012	382.03	11612.13	912.61	133.36	.08	.3669	31.822	.0000	.000
90.000	624.40	624.33	6121.66	48.12	.014	382.29	11628.58	1045.97	133.45	.08	.3669	31.817	.0000	.000
105.000	624.38	624.29	6121.63	54.19	.015	382.55	11645.01	1179.42	133.53	.08	.3669	31.812	.0000	.000
116.761	624.37	624.26	6121.61	58.94	.017	382.75	11657.87	1284.11	104.76	.07	.3669	31.806	.0000	.000
116.771	624.37	624.26	6121.61	59.23	.017	339.50	11600.57	1284.11	.00	-.00	.3669	31.807	.0000	.000
131.771	624.35	624.22	6121.58	64.87	.018	362.95	11603.65	1406.69	122.64	.06	.3669	31.807	.0000	.000
143.919	624.33	624.19	6121.56	69.71	.020	381.94	11606.17	1511.95	105.32	.06	.3669	31.800	.0000	.000
158.919	624.30	624.14	6121.52	75.55	.021	382.87	11655.19	1645.39	133.52	.08	.3669	31.794	.0000	.000
173.919	624.28	624.08	6121.49	81.35	.023	383.79	11704.00	1779.14	133.84	.08	.3668	31.788	.0000	.000
188.919	624.25	624.03	6121.45	87.13	.025	384.72	11752.62	1913.21	134.16	.08	.3668	31.783	.0000	.000
203.919	624.21	623.96	6121.41	92.88	.026	385.64	11801.04	2047.61	134.48	.08	.3668	31.777	.0000	.000
218.919	624.18	623.90	6121.36	98.59	.028	386.57	11849.27	2182.32	134.79	.08	.3668	31.771	.0000	.000
233.919	624.14	623.83	6121.32	104.28	.030	387.50	11897.29	2317.35	135.11	.08	.3668	31.764	.0000	.000
248.919	624.11	623.75	6121.27	109.94	.031	388.42	11945.12	2452.69	135.43	.08	.3668	31.758	.0000	.000
263.919	624.06	623.68	6121.22	115.58	.033	389.35	11992.74	2588.36	135.75	.08	.3668	31.752	.0000	.000
278.919	624.02	623.59	6121.17	121.19	.034	390.28	12040.18	2724.34	136.06	.08	.3667	31.745	.0000	.000
293.919	623.98	623.51	6121.12	126.77	.036	391.20	12087.41	2860.64	136.38	.08	.3667	31.739	.0000	.000
308.919	623.93	623.42	6121.06	132.33	.037	392.13	12134.44	2997.26	136.70	.08	.3667	31.732	.0000	.000
323.919	623.88	623.33	6121.00	137.86	.039	393.05	12181.28	3134.19	137.01	.08	.3667	31.726	.0000	.000
338.919	623.83	623.23	6120.94	143.37	.041	393.98	12227.92	3271.44	137.33	.08	.3667	31.719	.0000	.000
353.919	623.77	623.13	6120.88	148.85	.042	394.91	12274.35	3409.00	137.65	.08	.3666	31.712	.0000	.000
368.919	623.72	623.03	6120.81	154.32	.044	395.83	12320.60	3546.88	137.96	.08	.3666	31.705	.0000	.000
383.919	623.66	622.92	6120.74	159.76	.045	396.76	12366.64	3685.08	138.28	.08	.3666	31.698	.0000	.000
398.919	623.60	622.81	6120.68	165.18	.047	397.68	12412.48	3823.59	138.59	.08	.3666	31.691	.0000	.000
403.048	623.58	622.77	6120.66	166.67	.047	397.94	12425.07	3861.77	38.20	.02	.3665	31.683	.0000	.000
418.048	623.52	622.66	6120.58	172.77	.049	396.08	12417.82	4000.19	138.50	.08	.3665	31.681	.0000	.000
427.051	623.49	622.59	6120.52	176.42	.050	394.96	12413.67	4082.96	82.81	.05	.3665	31.675	.0000	.000
427.061	623.45	622.87	6120.96	141.59	.040	67.98	15461.99	4082.96	.00	-.00	.3666	31.700	.0000	.000
442.061	623.58	622.85	6120.75	159.51	.045	197.75	13881.54	4129.50	46.35	-.19	.3666	31.701	.0000	.000
457.061	623.77	622.78	6120.40	185.10	.052	327.53	12228.30	4221.18	91.63	-.05	.3666	31.673	.0000	.000
463.204	623.88	622.73	6120.20	198.67	.056	380.68	11530.24	4271.76	50.59	.02	.3666	31.632	.0000	.000
478.204	623.80	622.59	6120.11	204.24	.058	381.25	11566.75	4404.58	132.91	.08	.3666	31.611	.0000	.000
493.204	623.72	622.44	6120.02	209.80	.059	381.83	11603.13	4537.60	133.10	.08	.3665	31.602	.0000	.000
508.204	623.64	622.29	6119.93	215.33	.061	382.40	11639.37	4670.81	133.29	.08	.3665	31.592	.0000	.000
523.204	623.55	622.14	6119.83	220.85	.063	382.98	11675.49	4804.21	133.48	.08	.3665	31.583	.0000	.000
538.204	623.47	621.98	6119.74	226.34	.064	383.55	11711.46	4937.79	133.67	.08	.3664	31.573	.0000	.000
553.204	623.38	621.82	6119.64	231.82	.066	384.13	11747.30	5071.57	133.86	.08	.3664	31.563	.0000	.000
568.204	623.29	621.65	6119.54	237.29	.067	384.70	11783.01	5205.53	134.05	.08	.3664	31.554	.0000	.000
583.204	623.19	621.49	6119.43	242.73	.069	385.28	11818.59	5339.69	134.23	.08	.3663	31.544	.0000	.000
598.204	623.10	621.31	6119.33	248.16	.070	385.85	11854.02	5474.02	134.42	.08	.3663	31.534	.0000	.000
613.204	623.00	621.14	6119.22	253.57	.072	386.43	11889.33	5608.55	134.61	.08	.3663	31.524	.0000	.000

628.204	622.90	620.96	6119.12	258.96	.073	387.00	11924.50	5743.27	134.79	.08	.3662	31.514	.0000	.000
643.204	622.80	620.77	6119.00	264.34	.075	387.58	11959.53	5879.17	134.98	.08	.3662	31.503	.0000	.000
658.204	622.69	620.59	6118.89	269.71	.076	388.15	11994.44	6013.25	135.17	.08	.3661	31.493	.0000	.000
673.204	622.59	620.40	6118.78	275.06	.078	388.73	12029.20	6148.53	135.35	.08	.3661	31.483	.0000	.000
688.204	622.48	620.20	6118.66	280.39	.079	389.30	12063.83	6283.99	135.54	.08	.3661	31.472	.0000	.000
703.204	622.37	620.01	6118.54	285.71	.081	389.88	12098.33	6419.63	135.72	.08	.3660	31.462	.0000	.000
718.204	622.25	619.80	6118.42	291.02	.082	390.45	12132.70	6555.46	135.91	.08	.3660	31.452	.0000	.000
726.191	622.19	619.70	6118.36	293.84	.083	390.76	12150.94	6627.86	72.44	.04	.3659	31.441	.0000	.000
741.191	622.04	619.49	6118.29	296.95	.084	392.74	12274.88	6764.21	136.43	.08	.3659	31.435	.0000	.000
746.336	621.98	619.42	6118.26	298.02	.084	393.42	12317.06	6811.14	46.95	.03	.3659	31.430	.0000	.000
746.346	621.90	620.16	6119.38	245.54	.070	167.33	14934.39	6811.14	.00	-.00	.3660	31.479	.0000	.000
761.346	622.09	620.09	6119.03	262.97	.075	236.66	14089.67	6881.63	70.36	-.13	.3660	31.479	.0000	.000
776.346	622.30	619.98	6118.59	283.69	.080	306.00	13241.90	6976.20	94.51	-.05	.3660	31.455	.0000	.000
791.346	622.57	619.82	6118.02	308.37	.087	375.34	12391.11	7094.84	118.66	.02	.3660	31.425	.0000	.000
799.831	622.63	619.77	6117.86	314.77	.089	391.45	12193.00	7125.85	31.02	.02	.3659	31.389	.0000	.000
809.831	622.50	619.55	6117.75	319.28	.090	392.43	12254.95	7262.27	136.50	.08	.3659	31.384	.0000	.000
829.831	622.36	619.33	6117.63	323.78	.092	393.40	12316.47	7399.02	136.83	.08	.3659	31.374	.0000	.000
839.831	622.21	619.10	6117.52	328.26	.093	394.38	12377.56	7536.10	137.15	.08	.3658	31.365	.0000	.000
854.781	622.07	618.87	6117.40	332.72	.094	395.35	12438.03	7673.04	137.01	.08	.3658	31.355	.0000	.000
869.781	621.77	618.64	6117.49	329.44	.093	399.72	12793.22	7811.37	138.38	.06	.3657	31.345	.0000	.000
884.781	621.49	618.41	6117.56	326.70	.093	404.19	13136.46	7951.25	139.90	.02	.3657	31.351	.0000	.000
899.781	621.23	618.19	6117.62	324.45	.092	408.66	13467.75	8092.70	141.43	-.02	.3656	31.356	.0000	.000
914.781	620.98	617.98	6117.66	322.65	.091	413.11	13787.09	8235.70	142.95	-.06	.3655	31.358	.0000	.000
929.781	620.74	617.76	6117.70	321.27	.091	417.56	14094.47	8380.26	144.46	-.10	.3654	31.360	.0000	.000
944.781	620.51	617.56	6117.72	320.27	.091	422.00	14389.90	8526.36	145.98	-.13	.3654	31.361	.0000	.000
959.781	620.29	617.35	6117.74	319.63	.091	426.44	14673.38	8674.04	147.51	-.16	.3654	31.361	.0000	.000
974.781	620.08	617.15	6117.75	319.33	.090	430.87	14944.91	8823.32	149.09	-.19	.3655	31.361	.0000	.000
989.781	619.88	616.94	6117.75	319.35	.090	435.30	15204.48	8974.26	150.71	-.23	.3658	31.361	.0000	.000
1004.781	619.68	616.74	6117.74	319.68	.091	439.73	15452.10	9126.92	152.41	-.26	.3662	31.361	.0000	.000
1019.781	619.49	616.54	6117.72	320.31	.091	444.17	15687.77	9281.41	154.20	-.28	.3670	31.362	.0000	.000
1034.781	619.32	616.35	6117.70	321.18	.091	448.38	15902.49	9431.16	149.55	-.20	.3679	31.330	.0000	.000
1040.791	619.28	616.35	6117.75	319.29	.090	56.04	15997.77	9431.61	.28	-.17	.3678	31.024	.0000	.000
1055.791	619.29	616.35	6117.73	319.86	.091	.00	15969.84	9431.94	.00	-.33	.3678	30.483	.0000	.000
1070.791	619.30	616.35	6117.72	320.43	.091	.00	15941.80	9432.26	.00	-.33	.3678	29.942	.0000	.000
1084.171	619.31	616.35	6117.71	320.94	.091	.00	15916.89	9432.55	.00	-.29	.3678	29.459	.0000	.000
AFT(A)	613.35	586.07	6081.60	987.33	.281	.....	15823.73	9433.54	.00	-.60	.3668	29.460	....	.....
AFT(B)	613.34	613.34	6119.13	-.02	.000	.....	10413.12	.39	.00	-.39	.3665	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU. IN.	WSLOT LB/SEC
FORWARD	1.1676+02	6.2437+02	6.2426+02	6.1216+03	4.1741+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2841+03
AFT	1.1677+02	6.2436+02	6.2426+02	6.1216+03	4.1741+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2841+03

GAS BUILDUP IN SLOT, DW/DT = -2.3062-04

FORWARD	4.2705+02	6.2349+02	6.2259+02	6.1205+03	1.3368+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0830+03
AFT	4.2706+02	6.2378+02	6.2287+02	6.1210+03	1.3363+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0830+03

GAS BUILDUP IN SLOT, DW/DT = -2.2898-04

FORWARD	7.4634+02	6.2198+02	6.1942+02	6.1183+03	2.2406+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8111+03
AFT	7.4635+02	6.2273+02	6.2016+02	6.1194+03	2.2383+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8111+03

GAS BUILDUP IN SLOT, DW/DT = -2.2825-04

```
ALB BURNOUT INCREMENT LOCATION = 1034.7810     SECTOR NO.   6    TAU = 31.3322    TAUWDP = 31.3322    TIME =  83.00
ALB BURNOUT INCREMENT LOCATION = 1034.7810     SECTOR NO.   7    TAU = 31.3322    TAUWDP = 31.3322    TIME =  83.00
*PARTBN* TIME= 83.50 IS=1 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1030.20 AINCHI=1019.78 DELZ=10.415 ALP=448.48 ALPHI=445.45
*PARTBN* TIME= 83.50 IS=2 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1029.53 AINCHI=1019.78 DELZ= 9.747 ALP=448.50 ALPHI=445.66
*PARTBN* TIME= 83.50 IS=3 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1029.66 AINCHI=1019.78 DELZ= 9.880 ALP=448.50 ALPHI=445.62
*PARTBN* TIME= 83.50 IS=4 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1030.36 AINCHI=1019.78 DELZ=10.581 ALP=448.48 ALPHI=445.41
*PARTBN* TIME= 83.50 IS=5 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1031.21 AINCHI=1019.78 DELZ=11.432 ALP=448.45 ALPHI=445.14
*PARTBN* TIME= 83.50 IS=6 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1031.43 AINCHI=1019.78 DELZ=11.651 ALP=448.45 ALPHI=445.07
*PARTBN* TIME= 83.50 IS=7 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1031.39 AINCHI=1019.78 DELZ=11.612 ALP=448.45 ALPHI=445.08
*PARTBN* TIME= 83.50 IS=8 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1031.12 AINCHI=1019.78 DELZ=11.342 ALP=448.46 ALPHI=445.17
*PARTBN* TIME= 83.50 IS=1 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1030.20 AINCHI=1019.78 DELZ=10.415 ALP=448.48 ALPHI=445.45
*PARTBN* TIME= 83.50 IS=2 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1029.53 AINCHI=1019.78 DELZ= 9.747 ALP=448.50 ALPHI=445.66
*PARTBN* TIME= 83.50 IS=3 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1029.66 AINCHI=1019.78 DELZ= 9.880 ALP=448.50 ALPHI=445.62
*PARTBN* TIME= 83.50 IS=4 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1030.36 AINCHI=1019.78 DELZ=10.581 ALP=448.48 ALPHI=445.41
*PARTBN* TIME= 83.50 IS=5 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1031.21 AINCHI=1019.78 DELZ=11.432 ALP=448.45 ALPHI=445.14
*PARTBN* TIME= 83.50 IS=6 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1031.43 AINCHI=1019.78 DELZ=11.651 ALP=448.45 ALPHI=445.07
*PARTBN* TIME= 83.50 IS=7 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1031.39 AINCHI=1019.78 DELZ=11.612 ALP=448.45 ALPHI=445.08
*PARTBN* TIME= 83.50 IS=8 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1031.12 AINCHI=1019.78 DELZ=11.342 ALP=448.46 ALPHI=445.17
*PARTBN* TIME= 84.00 IS=1 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1026.62 AINCHI=1019.78 DELZ= 6.844 ALP=448.58 ALPHI=446.61
*PARTBN* TIME= 84.00 IS=2 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1025.95 AINCHI=1019.78 DELZ= 6.170 ALP=448.59 ALPHI=446.82
*PARTBN* TIME= 84.00 IS=3 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1026.09 AINCHI=1019.78 DELZ= 6.305 ALP=448.59 ALPHI=446.78
*PARTBN* TIME= 84.00 IS=4 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1026.79 AINCHI=1019.78 DELZ= 7.011 ALP=448.57 ALPHI=446.56
*PARTBN* TIME= 84.00 IS=5 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1027.65 AINCHI=1019.78 DELZ= 7.868 ALP=448.55 ALPHI=446.29
*PARTBN* TIME= 84.00 IS=6 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1027.87 AINCHI=1019.78 DELZ= 8.089 ALP=448.54 ALPHI=446.22
*PARTBN* TIME= 84.00 IS=7 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1027.83 AINCHI=1019.78 DELZ= 8.050 ALP=448.54 ALPHI=446.23
*PARTBN* TIME= 84.00 IS=8 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1027.56 AINCHI=1019.78 DELZ= 7.777 ALP=448.55 ALPHI=446.32
*PARTBN* TIME= 84.00 IS=1 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1026.62 AINCHI=1019.78 DELZ= 6.844 ALP=448.58 ALPHI=446.61
*PARTBN* TIME= 84.00 IS=2 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1025.95 AINCHI=1019.78 DELZ= 6.170 ALP=448.59 ALPHI=446.82
*PARTBN* TIME= 84.00 IS=3 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1026.09 AINCHI=1019.78 DELZ= 6.305 ALP=448.59 ALPHI=446.78
*PARTBN* TIME= 84.00 IS=4 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1026.79 AINCHI=1019.78 DELZ= 7.011 ALP=448.57 ALPHI=446.56
*PARTBN* TIME= 84.00 IS=5 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1027.65 AINCHI=1019.78 DELZ= 7.868 ALP=448.55 ALPHI=446.29
```

```
*PARTBN* TIME= 84.00 IS=6 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1027.87 AINCHI=1019.78 DELZ= 8.089 ALP=448.54 ALPHI=446.22
*PARTBN* TIME= 84.00 IS=7 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1027.83 AINCHI=1019.78 DELZ= 8.050 ALP=448.54 ALPHI=445.23
*PARTBN* TIME= 84.00 IS=8 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1027.56 AINCHI=1019.78 DELZ= 7.777 ALP=448.55 ALPHI=446.32
```

IGNITION TIME, TIME (S) 84.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10695628.	2404472.7
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10762547.	2419516.9
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	51721.249	11627.399
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.94886392+09	.21331310+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.76551	256.76551
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.99805035+09	.22437065+09
THRUST COEFFICIENT	CF	1.6251029	1.6251029
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4246.4699	9361.8636
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	392748.16	865861.48
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	27.758419	61.196838
INERT MASS REMAINING (KG,LBM)	MIR	1008.2499	2222.8105
TOTAL BURN AREA (M**2,IN**2)	ABTOT	260.51234	403794.93
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	65.253191	3981994.1
PROPELLANT MASS REMAINING (KG,LBM)	WF	112785.90	248650.35
TOTAL GAS MASS (KG,LBM)	WGTOT	1254.3101	2765.2805
RATIO OF SPECIFIC HEATS	GAMA	1.1597393	1.1597393
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.850224	28.329895
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.6538	5116.9745
MAXIMUM CHAMBER MACH NUMBER	AMPN	.93948658-01	.93948658-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.42696304+09	619.25754
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.42057635+11	60999.442
BURN AREA (M**2,IN**2)	AHH	6.5797507	10198.634
BURN RATE (M/S,IN/S)	RBZ(1)	.92974391-02	.36604092
DISTANCE BURNED (M,IN)	TAUZ(1)	.81906404	32.246616
PROPELLANT VOLUME (M**3,IN**3)	VFH	1.3307072	81204.738
GAS VOLUME (M**3,IN**3)	VPH	53.773125	3281437.4
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3400.2892	6120.5206
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	253.93259	393596.30
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	63.920519	3900669.4
GAS VOLUME (M**3,IN**3)	VP	224.50607	13700201.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.41942376+09	608.32275
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.39627247+11	57764.539
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.92892708-02	.36571933
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.92812886-02	.36540506
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.847463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3398.8629	6117.9531
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5789965	2447.4495
EXPANSION RATIO	EPR	6.8071809	6.8071809
PRESSURE RATIO	PEPO	.23097245-01	.23097245-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	619.26	619.25	6120.52	11.11	.003	383.02	11669.50	240.33	236.73	-3.60	.3658	32.247	.0000	.000
15.000	619.25	619.24	6120.51	17.24	.005	383.28	11686.17	373.63	133.41	.10	.3658	32.207	.0000	.000
30.000	619.25	619.23	6120.50	23.37	.007	383.55	11702.82	507.03	133.50	.10	.3658	32.202	.0000	.000
45.000	619.24	619.21	6120.49	29.48	.008	383.81	11719.44	640.52	133.59	.10	.3658	32.198	.0000	.000
60.000	619.23	619.19	6120.48	35.58	.010	384.07	11736.04	774.09	133.68	.10	.3658	32.193	.0000	.000
75.000	619.22	619.17	6120.46	41.66	.012	384.33	11752.61	907.76	133.77	.10	.3658	32.188	.0000	.000
90.000	619.20	619.14	6120.44	47.74	.014	384.59	11769.15	1041.51	133.86	.10	.3658	32.183	.0000	.000
105.000	619.19	619.10	6120.41	53.80	.015	384.85	11785.67	1175.36	133.94	.10	.3658	32.178	.0000	.000
116.761	619.17	619.07	6120.39	58.54	.017	385.06	11798.61	1280.36	105.08	.08	.3658	32.173	.0000	.000
116.771	619.17	619.07	6120.39	58.91	.017	340.36	11725.18	1280.36	.00	-.00	.3658	32.174	.0000	.000
131.771	619.15	619.04	6120.36	64.49	.018	364.61	11737.00	1403.00	122.71	.07	.3658	32.174	.0000	.000
143.919	619.14	619.00	6120.34	69.29	.020	384.24	11746.61	1508.49	105.57	.08	.3658	32.167	.0000	.000
156.919	619.11	618.95	6120.30	75.12	.021	385.17	11795.98	1642.32	133.93	.10	.3658	32.161	.0000	.000
173.919	619.09	618.90	6120.27	80.93	.023	386.09	11845.16	1776.47	134.25	.10	.3658	32.155	.0000	.000
188.919	619.06	618.84	6120.23	86.70	.025	387.02	11894.13	1910.93	134.57	.10	.3658	32.149	.0000	.000
203.919	619.02	618.78	6120.19	92.45	.026	387.95	11942.90	2045.72	134.88	.10	.3657	32.143	.0000	.000
218.919	618.99	618.71	6120.15	98.16	.028	388.87	11991.47	2180.82	135.20	.10	.3657	32.137	.0000	.000
233.919	618.95	618.64	6120.10	103.85	.029	389.80	12039.84	2316.23	135.52	.10	.3657	32.131	.0000	.000
248.919	618.92	618.57	6120.06	109.51	.031	390.72	12088.01	2451.97	135.83	.10	.3657	32.125	.0000	.000
263.919	618.88	618.49	6120.01	115.14	.033	391.65	12135.97	2588.02	136.15	.10	.3657	32.118	.0000	.000
278.919	618.83	618.41	6119.95	120.75	.034	392.58	12183.74	2724.39	136.47	.10	.3657	32.112	.0000	.000
293.919	618.79	618.33	6119.90	126.33	.036	393.50	12231.30	2861.07	136.78	.10	.3656	32.105	.0000	.000
308.919	618.74	618.24	6119.84	131.89	.037	394.43	12278.66	2998.07	137.10	.10	.3656	32.099	.0000	.000
323.919	618.69	618.15	6119.78	137.42	.039	395.36	12325.81	3135.38	137.41	.10	.3656	32.092	.0000	.000
338.919	618.64	618.05	6119.72	142.93	.040	396.28	12372.77	3273.01	137.73	.10	.3656	32.085	.0000	.000
353.919	618.59	617.95	6119.66	148.41	.042	397.21	12419.53	3410.96	138.04	.10	.3656	32.078	.0000	.000
368.919	618.53	617.85	6119.60	153.87	.044	398.13	12466.08	3549.21	138.36	.10	.3655	32.071	.0000	.000
383.919	618.48	617.75	6119.53	159.32	.045	399.06	12512.43	3687.79	138.67	.10	.3655	32.064	.0000	.000
398.919	618.42	617.64	6119.46	164.74	.047	399.99	12558.58	3826.67	138.99	.10	.3655	32.057	.0000	.000
403.048	618.40	617.60	6119.44	166.22	.047	400.24	12571.25	3864.96	38.31	.03	.3655	32.050	.0000	.000
418.048	618.34	617.49	6119.36	172.33	.049	398.38	12563.30	4003.76	138.90	.10	.3655	32.048	.0000	.000
427.051	618.31	617.42	6119.31	175.99	.050	397.26	12558.75	4086.75	83.05	.06	.3654	32.041	.0000	.000
427.061	618.28	617.69	6119.73	142.69	.040	49.53	15483.46	4086.75	.00	-.00	.3655	32.067	.0000	.000
442.061	618.40	617.67	6119.52	159.98	.045	187.92	13950.61	4128.23	41.30	-.18	.3655	32.067	.0000	.000
457.061	618.58	617.60	6119.19	184.68	.052	326.31	12347.15	4217.70	89.44	-.04	.3655	32.039	.0000	.000
463.204	618.68	617.56	6118.99	197.74	.056	382.99	11670.10	4268.20	50.52	.03	.3655	31.998	.0000	.000
478.204	618.60	617.42	6118.90	203.32	.058	383.56	11706.83	4401.42	133.32	.10	.3655	31.977	.0000	.000
493.204	618.53	617.27	6118.81	208.87	.059	384.13	11743.43	4534.83	133.51	.10	.3655	31.968	.0000	.000
508.204	618.44	617.12	6118.72	214.41	.061	384.71	11779.89	4668.44	133.70	.10	.3654	31.958	.0000	.000
523.204	618.36	616.97	6118.63	219.93	.062	385.28	11816.21	4802.23	133.89	.10	.3654	31.949	.0000	.000
538.204	618.28	616.81	6118.53	225.43	.064	385.86	11852.40	4936.21	134.08	.10	.3654	31.939	.0000	.000
553.204	618.19	616.66	6118.43	230.91	.065	386.43	11888.44	5070.37	134.27	.10	.3653	31.929	.0000	.000
568.204	618.10	616.49	6118.33	236.37	.067	387.01	11924.35	5204.73	134.45	.10	.3653	31.920	.0000	.000
583.204	618.01	616.33	6118.23	241.82	.069	387.58	11960.13	5339.27	134.64	.10	.3653	31.910	.0000	.000
598.204	617.91	616.16	6118.13	247.25	.070	388.16	11995.76	5474.00	134.83	.10	.3652	31.900	.0000	.000
613.204	617.81	615.98	6118.02	252.66	.072	388.73	12031.26	5608.92	135.01	.10	.3652	31.890	.0000	.000

628.204	617.72	615.80	6117.91	258.06	.073	389.30	12066.62	5744.02	135.20	.10	.3651	31.879	.0000	.000
643.204	617.61	615.62	6117.80	263.44	.075	389.08	12101.85	5879.30	135.39	.10	.3651	31.869	.0000	.000
658.204	617.51	615.44	6117.69	268.81	.076	390.45	12136.94	6014.78	135.57	.10	.3651	31.859	.0000	.000
673.204	617.41	615.25	6117.58	274.16	.078	391.03	12171.89	6150.44	135.76	.10	.3650	31.848	.0000	.000
688.204	617.30	615.06	6117.46	279.50	.079	391.60	12206.70	6286.28	135.94	.10	.3650	31.838	.0000	.000
703.204	617.19	614.86	6117.34	284.82	.081	392.18	12241.37	6422.31	136.13	.10	.3649	31.828	.0000	.000
718.204	617.08	614.67	6117.22	290.13	.082	392.75	12275.91	6558.52	136.31	.10	.3649	31.817	.0000	.000
726.191	617.02	614.56	6117.16	292.95	.083	393.06	12294.24	6631.12	72.65	.05	.3649	31.807	.0000	.000
741.191	616.87	614.35	6117.09	296.09	.084	395.04	12418.89	6767.86	136.83	.10	.3648	31.801	.0000	.000
746.336	616.81	614.28	6117.06	297.16	.084	395.72	12461.31	6814.91	47.09	.03	.3648	31.796	.0000	.000
746.346	616.74	614.99	6118.14	246.74	.070	154.47	14993.23	6814.91	.00	-.00	.3649	31.844	.0000	.000
761.346	616.92	614.93	6117.80	263.56	.075	228.50	14174.61	6881.54	66.51	-.11	.3649	31.845	.0000	.000
776.346	617.12	614.82	6117.37	283.55	.080	302.53	13353.05	6973.79	92.22	-.04	.3649	31.820	.0000	.000
791.346	617.37	614.66	6116.82	307.37	.087	376.56	12528.54	7091.67	117.92	.04	.3649	31.791	.0000	.000
794.831	617.43	614.61	6116.67	313.54	.089	393.76	12336.56	7122.73	31.08	.02	.3649	31.755	.0000	.000
809.831	617.30	614.40	6116.56	318.06	.090	394.73	12398.86	7259.53	136.90	.10	.3649	31.749	.0000	.000
824.831	617.16	614.17	6116.44	322.57	.091	395.70	12460.73	7396.66	137.23	.10	.3648	31.740	.0000	.000
839.831	617.02	613.95	6116.33	327.07	.093	396.67	12522.16	7534.12	137.55	.10	.3648	31.730	.0000	.000
854.781	616.87	613.73	6116.21	331.53	.094	397.64	12582.95	7671.43	137.41	.09	.3647	31.720	.0000	.000
869.781	616.59	613.50	6116.29	328.75	.093	402.02	12923.93	7810.13	138.77	.07	.3646	31.711	.0000	.000
884.781	616.32	613.27	6116.34	326.46	.093	406.49	13253.40	7950.38	140.28	.04	.3646	31.717	.0000	.000
897.781	616.07	613.05	6116.39	324.61	.092	410.95	13571.36	8092.18	141.80	-.00	.3645	31.721	.0000	.000
914.781	615.83	612.84	6116.43	323.18	.092	415.41	13877.82	8235.54	143.32	-.04	.3644	31.724	.0000	.000
929.781	615.59	612.63	6116.45	322.14	.091	419.85	14172.76	8380.44	144.83	-.07	.3643	31.725	.0000	.000
944.781	615.37	612.42	6116.47	321.45	.091	424.29	14456.20	8526.89	146.35	-.11	.3643	31.726	.0000	.000
959.781	615.16	612.21	6116.48	321.10	.091	428.73	14728.12	8674.92	147.89	-.14	.3643	31.727	.0000	.000
974.781	614.95	612.01	6116.48	321.07	.091	433.16	14988.54	8824.57	149.48	-.17	.3645	31.727	.0000	.000
989.781	614.75	611.80	6116.47	321.35	.091	437.60	15237.44	8975.91	151.14	-.20	.3649	31.727	.0000	.000
1004.781	614.56	611.60	6116.46	321.93	.091	442.03	15474.84	9129.02	152.88	-.23	.3655	31.727	.0000	.000
1019.781	614.37	611.40	6116.44	322.79	.091	446.48	15700.73	9284.00	154.72	-.25	.3663	31.728	.0000	.000
1034.781	614.28	611.30	6116.43	323.31	.092	448.57	15806.05	9359.94	75.57	-.37	.3668	31.332	.0000	.000
1040.791	614.21	611.30	6116.52	319.44	.091	.00	15997.77	9360.11	.03	-.16	.3668	31.024	.0000	.000
1055.791	614.22	611.30	6116.51	320.01	.091	.00	15969.84	9360.40	.00	-.30	.3668	30.483	.0000	.000
1070.791	614.23	611.30	6116.49	320.58	.091	.00	15941.80	9360.70	.00	-.30	.3668	29.942	.0000	.000
1084.171	614.24	611.30	6116.48	321.10	.091	.00	15916.69	9360.96	.00	-.26	.3668	29.459	.0000	.000
AFT(A)	608.32	581.23	6080.38	987.86	.281	.....	15823.73	9361.86	.00	-.55	.3657	29.460	....	.....
AFT(B)	608.31	608.31	6117.95	-.02	.000	.....	10413.12	.35	.00	-.35	.3654	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FORWARD	1.1676+02	6.1917+02	6.1907+02	6.1204+03	4.1962+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2804+03
AFT	1.1677+02	6.1917+02	6.1907+02	6.1204+03	4.1962+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2804+03

GAS BUILDUP IN SLOT, DW/DT = -2.0994-04

FORWARD	4.2705+02	6.1831+02	6.1742+02	6.1193+03	1.3491+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0867+03
AFT	4.2706+02	6.1858+02	6.1769+02	6.1197+03	1.3486+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0867+03

GAS BUILDUP IN SLOT, DW/DT = -2.0846-04

FORWARD	7.4634+02	6.1681+02	6.1428+02	6.1171+03	2.2603+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8149+03
AFT	7.4635+02	6.1753+02	6.1499+02	6.1181+03	2.2581+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8149+03

GAS BUILDUP IN SLOT, DW/DT = -2.0786-04

```
*PARTBN* TIME= 84.50 IS=1 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1023.06 AINCHI=1019.78 DELZ= 3.274 ALP=448.67 ALPHI=447.76
*PARTBN* TIME= 84.50 IS=2 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1022.38 AINCHI=1019.78 DELZ= 2.595 ALP=448.69 ALPHI=447.98
*PARTBN* TIME= 84.50 IS=3 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1022.51 AINCHI=1019.78 DELZ= 2.730 ALP=448.69 ALPHI=447.94
*PARTBN* TIME= 84.50 IS=4 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1023.22 AINCHI=1019.78 DELZ= 3.443 ALP=448.67 ALPHI=447.71
*PARTBN* TIME= 84.50 IS=5 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1024.09 AINCHI=1019.78 DELZ= 4.309 ALP=448.64 ALPHI=447.43
*PARTBN* TIME= 84.50 IS=6 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1024.31 AINCHI=1019.78 DELZ= 4.532 ALP=448.64 ALPHI=447.36
*PARTBN* TIME= 84.50 IS=7 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1024.27 AINCHI=1019.78 DELZ= 4.491 ALP=448.64 ALPHI=447.37
*PARTBN* TIME= 84.50 IS=8 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1024.00 AINCHI=1019.78 DELZ= 4.216 ALP=448.65 ALPHI=447.46
*PARTBN* TIME= 84.50 IS=1 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1023.06 AINCHI=1019.78 DELZ= 3.274 ALP=448.67 ALPHI=447.76
*PARTBN* TIME= 84.50 IS=2 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1022.38 AINCHI=1019.78 DELZ= 2.595 ALP=448.69 ALPHI=447.98
*PARTBN* TIME= 84.50 IS=3 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1022.51 AINCHI=1019.78 DELZ= 2.730 ALP=448.69 ALPHI=447.94
*PARTBN* TIME= 84.50 IS=4 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1023.22 AINCHI=1019.78 DELZ= 3.443 ALP=448.67 ALPHI=447.71
*PARTBN* TIME= 84.50 IS=5 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1024.09 AINCHI=1019.78 DELZ= 4.309 ALP=448.64 ALPHI=447.43
*PARTBN* TIME= 84.50 IS=6 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1024.31 AINCHI=1019.78 DELZ= 4.532 ALP=448.64 ALPHI=447.36
*PARTBN* TIME= 84.50 IS=7 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1024.27 AINCHI=1019.78 DELZ= 4.491 ALP=448.64 ALPHI=447.37
*PARTBN* TIME= 84.50 IS=8 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1024.00 AINCHI=1019.78 DELZ= 4.216 ALP=448.65 ALPHI=447.46
WEB BURNOUT INCREMENT LOCATION = 1019.7810    SECTOR NO.  1    TAU = 32.1014    TAUWDP = 32.1014    TIME = 84.50
WEB BURNOUT INCREMENT LOCATION = 1019.7810    SECTOR NO.  2    TAU = 32.1014    TAUWDP = 32.1014    TIME = 84.50
WEB BURNOUT INCREMENT LOCATION = 1019.7810    SECTOR NO.  3    TAU = 32.1014    TAUWDP = 32.1014    TIME = 84.50
WEB BURNOUT INCREMENT LOCATION = 1019.7810    SECTOR NO.  4    TAU = 32.1014    TAUWDP = 32.1014    TIME = 84.50
*PARTBN* TIME= 85.00 IS=1 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1019.50 AINCHI=1004.78 DELZ=14.718 ALP=448.77 ALPHI=444.46
*PARTBN* TIME= 85.00 IS=2 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1018.82 AINCHI=1004.78 DELZ=14.037 ALP=448.78 ALPHI=444.67
*PARTBN* TIME= 85.00 IS=3 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1018.95 AINCHI=1004.78 DELZ=14.172 ALP=448.78 ALPHI=444.63
*PARTBN* TIME= 85.00 IS=4 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1019.67 AINCHI=1004.78 DELZ=14.887 ALP=448.76 ALPHI=444.41
*PARTBN* TIME= 85.00 IS=5 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1020.53 AINCHI=1019.78 DELZ=  .753 ALP=448.74 ALPHI=448.58
*PARTBN* TIME= 85.00 IS=6 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1020.76 AINCHI=1019.78 DELZ=  .979 ALP=448.73 ALPHI=448.50
*PARTBN* TIME= 85.00 IS=7 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1020.72 AINCHI=1019.78 DELZ=  .936 ALP=448.73 ALPHI=448.52
*PARTBN* TIME= 85.00 IS=8 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1020.44 AINCHI=1019.78 DELZ=  .659 ALP=448.74 ALPHI=448.61
*PARTBN* TIME= 85.00 IS=1 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1019.50 AINCHI=1004.78 DELZ=14.718 ALP=448.77 ALPHI=444.46
*PARTBN* TIME= 85.00 IS=2 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1018.82 AINCHI=1004.78 DELZ=14.037 ALP=448.78 ALPHI=444.67
*PARTBN* TIME= 85.00 IS=3 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1018.95 AINCHI=1004.78 DELZ=14.172 ALP=448.78 ALPHI=444.63
```

```
*PARTBN* TIME= 85.00 IS=4 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1019.67 AINCHI=1004.78 DELZ=14.887 ALP=448.76 ALPHI=444.41
*PARTBN* TIME= 85.00 IS=5 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1020.53 AINCHI=1019.78 DELZ=  .753 ALP=448.74 ALPHI=448.58
*PARTBN* TIME= 85.00 IS=6 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1020.76 AINCHI=1019.78 DELZ=  .979 ALP=448.73 ALPHI=448.50
*PARTBN* TIME= 85.00 IS=7 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1020.72 AINCHI=1019.78 DELZ=  .936 ALP=448.73 ALPHI=448.52
*PARTBN* TIME= 85.00 IS=8 ZCALC( 77)=1034.78 ZCALC( 76)=1019.78 AINCW=1020.44 AINCHI=1019.78 DELZ=  .659 ALP=448.74 ALPHI=448.61
```

IGNITION TIME, TIME (S) 85.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10621226.	2387746.7
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10684033.	2401866.2
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	52508.791	11804.446
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.95952222+09	.21570918+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.72803	256.72803
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.10087735+10	.22678131+09
THRUST COEFFICIENT	CF	1.6252037	1.6252037
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4215.4855	9293.5548
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	396979.08	875189.07
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	28.181087	62.128662
INERT MASS REMAINING (KG,LBM)	MIR	980.17503	2160.9160
TOTAL BURN AREA (M**2,IN**2)	ABTOT	259.35668	402003.66
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	63.061448	3848245.6
PROPELLANT MASS REMAINING (KG,LBM)	WF	108555.81	239324.59
TOTAL GAS MASS (KG,LBM)	WGTOT	1254.0829	2764.7795
RATIO OF SPECIFIC HEATS	GAMA	1.1597343	1.1597343
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.849302	28.327862
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.5080	5116.7585
MAXIMUM CHAMBER MACH NUMBER	AMPN	.93640125-01	.93640125-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.42354256+09	614.29655
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.42482082+11	61616.211
BURN AREA (M**2,IN**2)	AHH	6.4240583	9957.3103
BURN RATE (M/S,IN/S)	RBZ(1)	.92712262-02	.36500891
DISTANCE BURNED (M,IN)	TAUZ(1)	.82835487	32.612397
PROPELLANT VOLUME (M**3,IN**3)	VFH	1.2703833	77523.545
GAS VOLUME (M**3,IN**3)	VPH	53.833449	3285118.6
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3399.6418	6119.3552
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	252.93262	392046.35
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	61.789098	3770602.1
GAS VOLUME (M**3,IN**3)	VP	226.73598	13836279.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.41611411+09	603.52250.
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.40245010+11	58370.453
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.92635603-02	.36470710
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.92555913-02	.36439336
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3398.2362	6116.8251
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5798468	2448.7675
EXPANSION RATIO	EPR	6.8035171	6.8035171
PRESSURE RATIO	PEPO	.23113869-01	.23113869-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	$\dot{R}$BTO IN/SEC	TAUTO IN.
FORE	614.30	614.29	6119.36	10.77	.003	385.31	11809.94	233.95	230.48	-3.47	.3648	32.612	.0000	.000
15.000	614.29	614.28	6119.35	16.90	.005	385.57	11826.71	367.67	133.82	.11	.3648	32.572	.0000	.000
30.000	614.29	614.27	6119.34	23.02	.007	385.83	11843.45	501.48	133.91	.11	.3648	32.568	.0000	.000
45.000	614.28	614.25	6119.33	29.12	.008	386.10	11860.17	635.38	134.01	.11	.3648	32.563	.0000	.000
60.000	614.27	614.23	6119.31	35.22	.010	386.36	11876.86	769.37	134.10	.10	.3648	32.559	.0000	.000
75.000	614.26	614.21	6119.29	41.30	.012	386.62	11893.52	903.45	134.18	.10	.3648	32.554	.0000	.000
90.000	614.24	614.18	6119.27	47.37	.013	386.88	11910.16	1037.62	134.27	.10	.3648	32.549	.0000	.000
105.000	614.23	614.15	6119.25	53.42	.015	387.15	11926.78	1171.87	134.36	.10	.3648	32.544	.0000	.000
116.761	614.21	614.12	6119.23	58.17	.016	387.35	11939.78	1277.20	105.41	.08	.3648	32.538	.0000	.000
116.771	614.21	614.12	6119.22	58.61	.017	341.33	11849.77	1277.20	.00	-.00	.3648	32.539	.0000	.000
131.771	614.20	614.08	6119.20	64.13	.018	366.30	11870.57	1399.96	122.83	.08	.3648	32.540	.0000	.000
143.919	614.18	614.04	6119.17	68.88	.020	386.53	11887.48	1505.71	105.83	.08	.3648	32.532	.0000	.000
158.919	614.15	613.99	6119.14	74.72	.021	387.45	11937.21	1639.95	134.34	.10	.3647	32.526	.0000	.000
173.919	614.13	613.94	6119.11	80.52	.023	388.38	11986.74	1774.50	134.66	.10	.3647	32.521	.0000	.000
188.919	614.10	613.89	6119.07	86.29	.024	389.31	12036.07	1909.38	134.98	.10	.3647	32.515	.0000	.000
203.919	614.07	613.83	6119.03	92.03	.026	390.23	12085.19	2044.57	135.30	.10	.3647	32.509	.0000	.000
218.919	614.03	613.76	6118.98	97.75	.028	391.16	12134.11	2180.08	135.61	.10	.3647	32.503	.0000	.000
233.919	614.00	613.69	6118.94	103.43	.029	392.09	12182.82	2315.90	135.93	.10	.3647	32.496	.0000	.000
248.919	613.96	613.62	6118.89	109.09	.031	393.01	12231.33	2452.05	136.25	.10	.3647	32.490	.0000	.000
263.919	613.92	613.55	6118.84	114.72	.032	393.94	12279.63	2588.50	136.56	.10	.3647	32.484	.0000	.000
278.919	613.88	613.47	6118.79	120.33	.034	394.87	12327.72	2725.28	136.88	.10	.3646	32.477	.0000	.000
293.919	613.83	613.38	6118.74	125.91	.036	395.79	12375.61	2862.37	137.19	.10	.3646	32.471	.0000	.000
308.919	613.79	613.30	6118.68	131.46	.037	396.72	12423.29	2999.77	137.51	.10	.3646	32.464	.0000	.000
323.919	613.74	613.20	6118.62	136.99	.039	397.65	12470.77	3137.49	137.82	.10	.3646	32.457	.0000	.000
338.919	613.69	613.11	6118.56	142.50	.040	398.57	12518.05	3275.52	138.14	.10	.3646	32.450	.0000	.000
353.919	613.64	613.01	6118.50	147.98	.042	399.50	12565.12	3413.87	138.45	.10	.3645	32.444	.0000	.000
368.919	613.58	612.91	6118.44	153.45	.043	400.43	12611.98	3552.53	138.76	.10	.3645	32.436	.0000	.000
383.919	613.52	612.80	6118.37	158.89	.045	401.36	12658.64	3691.50	139.08	.10	.3645	32.429	.0000	.000
398.919	613.47	612.70	6118.30	164.31	.047	402.28	12705.09	3830.79	139.39	.10	.3645	32.422	.0000	.000
403.048	613.45	612.66	6118.28	165.79	.047	402.54	12717.84	3869.18	38.42	.03	.3644	32.415	.0000	.000
418.048	613.39	612.55	6118.20	171.91	.049	400.67	12709.21	4008.38	139.30	.10	.3644	32.413	.0000	.000
427.051	613.36	612.48	6118.15	175.56	.050	399.56	12704.24	4091.61	83.29	.06	.3644	32.407	.0000	.000
427.061	613.33	612.74	6118.55	143.86	.041	33.24	15498.58	4091.61	.00	-.00	.3645	32.432	.0000	.000
442.061	613.46	612.72	6118.35	160.51	.045	179.34	14016.06	4128.66	36.87	-.18	.3645	32.432	.0000	.000
457.061	613.63	612.66	6118.03	184.32	.052	325.44	12465.23	4216.25	87.55	-.03	.3645	32.404	.0000	.000
463.204	613.72	612.61	6117.84	196.88	.056	385.27	11810.39	4266.70	50.48	.03	.3645	32.363	.0000	.000
478.204	613.64	612.47	6117.75	202.45	.057	385.84	11847.35	4400.33	133.74	.10	.3645	32.343	.0000	.000
493.204	613.56	612.33	6117.66	208.01	.059	386.42	11884.16	4534.16	133.93	.10	.3644	32.333	.0000	.000
508.204	613.48	612.18	6117.57	213.55	.061	386.99	11920.83	4668.17	134.12	.10	.3644	32.324	.0000	.000
523.204	613.40	612.03	6117.48	219.07	.062	387.57	11957.37	4802.37	134.31	.10	.3644	32.314	.0000	.000
538.204	613.32	611.88	6117.38	224.57	.064	388.14	11993.76	4936.76	134.49	.10	.3643	32.304	.0000	.000
553.204	613.23	611.72	6117.28	230.05	.065	388.72	12030.01	5071.34	134.68	.10	.3643	32.295	.0000	.000
568.204	613.14	611.56	6117.18	235.51	.067	389.29	12066.13	5206.11	134.87	.10	.3643	32.285	.0000	.000
583.204	613.05	611.40	6117.08	240.96	.068	389.87	12102.10	5341.06	135.05	.10	.3642	32.275	.0000	.000
598.204	612.96	611.23	6116.98	246.39	.070	390.44	12137.93	5476.20	135.24	.10	.3642	32.265	.0000	.000
613.204	612.86	611.06	6116.87	251.81	.071	391.02	12173.62	5611.52	135.43	.10	.3642	32.255	.0000	.000

628.204	612.76	610.88	6116.76	257.21	.073	391.59	12209.18	5747.03	135.61	.10	.3641	32.244	.0000	.000
643.204	612.66	610.70	6116.66	262.59	.074	392.17	12244.59	5882.73	136.80	.10	.3641	32.234	.0000	.000
658.204	612.56	610.52	6116.54	267.96	.076	392.74	12279.86	6018.61	135.98	.10	.3640	32.224	.0000	.000
673.204	612.46	610.33	6116.43	273.31	.077	393.32	12314.99	6154.67	136.17	.10	.3640	32.213	.0000	.000
688.204	612.35	610.14	6116.31	278.65	.079	393.89	12349.98	6290.92	136.35	.10	.3640	32.203	.0000	.000
703.204	612.25	609.95	6116.20	283.98	.080	394.47	12384.84	6427.36	136.54	.10	.3639	32.193	.0000	.000
718.204	612.14	609.76	6116.08	289.29	.082	395.04	12419.55	6563.98	136.72	.10	.3639	32.182	.0000	.000
726.191	612.08	609.65	6116.01	292.12	.083	395.35	12437.97	6636.80	72.87	.05	.3638	32.172	.0000	.000
741.191	611.93	609.45	6115.94	295.27	.084	397.33	12563.33	6773.93	137.24	.10	.3638	32.166	.0000	.000
746.336	611.87	609.38	6115.91	296.35	.084	398.01	12605.98	6821.13	47.23	.03	.3638	32.160	.0000	.000
746.346	611.81	610.06	6116.94	248.04	.070	142.58	15047.34	6821.13	.00	-.00	.3639	32.209	.0000	.000
761.346	611.98	609.99	6116.62	264.23	.075	221.00	14256.41	6884.20	62.96	-.12	.3639	32.210	.0000	.000
776.346	612.17	609.89	6116.21	283.51	.080	299.41	13462.64	6974.36	90.12	-.04	.3639	32.185	.0000	.000
791.346	612.40	609.73	6115.68	306.45	.087	377.83	12666.03	7091.59	117.27	.04	.3639	32.155	.0000	.000
796.831	612.46	609.69	6115.53	312.39	.089	396.05	12480.55	7122.70	31.13	.02	.3638	32.119	.0000	.000
809.831	612.33	609.47	6115.42	316.92	.090	397.02	12543.20	7259.90	137.31	.10	.3638	32.114	.0000	.000
824.831	612.19	609.25	6115.31	321.44	.091	397.99	12605.41	7397.44	137.63	.10	.3638	32.104	.0000	.000
839.831	612.05	609.03	6115.19	325.95	.092	398.96	12667.17	7535.29	137.95	.10	.3637	32.095	.0000	.000
854.781	611.91	608.81	6115.08	330.43	.094	399.93	12728.29	7673.00	137.81	.10	.3637	32.085	.0000	.000
869.781	611.64	608.58	6115.14	328.12	.093	404.31	13055.01	7812.10	139.17	.08	.3636	32.075	.0000	.000
884.781	611.38	608.36	6115.18	326.26	.092	408.78	13370.68	7952.73	140.68	.04	.3635	32.081	.0000	.000
899.781	611.14	608.14	6115.22	324.82	.092	413.24	13675.27	8094.92	142.19	.00	.3634	32.085	.0000	.000
914.781	610.90	607.93	6115.25	323.75	.092	417.70	13968.81	8238.65	143.70	-.03	.3634	32.088	.0000	.000
929.781	610.68	607.72	6115.27	323.05	.092	422.14	14251.27	8383.92	145.21	-.06	.3633	32.089	.0000	.000
944.781	610.46	607.51	6115.28	322.67	.091	426.58	14522.68	8530.75	146.74	-.10	.3633	32.090	.0000	.000
959.781	610.25	607.30	6115.28	322.62	.091	431.02	14783.01	8679.18	148.30	-.13	.3634	32.091	.0000	.000
974.781	610.05	607.10	6115.27	322.86	.091	435.45	15032.29	8829.25	149.91	-.16	.3637	32.091	.0000	.000
989.781	609.85	606.89	6115.26	323.40	.092	439.89	15270.50	8981.03	151.59	-.19	.3641	32.091	.0000	.000
1004.781	609.66	606.69	6115.24	324.21	.092	444.33	15497.64	9134.63	153.38	-.22	.3649	32.092	.0000	.000
1019.781	609.48	606.49	6115.21	325.28	.092	448.66	15709.93	9287.28	152.40	-.24	.3658	32.080	.0000	.000
1034.781	609.44	606.48	6115.26	323.15	.092	224.37	15821.53	9291.80	4.31	-.22	.3658	31.332	.0000	.000
1040.791	609.37	606.48	6115.35	319.60	.091	.00	15997.77	9291.86	.00	-.06	.3658	31.024	.0000	.000
1055.791	609.38	606.48	6115.34	320.17	.091	.00	15969.84	9292.15	.00	-.29	.3658	30.483	.0000	.000
1070.791	609.39	606.48	6115.32	320.74	.091	.00	15941.80	9292.43	.00	-.29	.3658	29.942	.0000	.000
1084.171	609.40	606.48	6115.31	321.25	.091	.00	15916.89	9292.69	.00	-.25	.3658	29.459	.0000	.000
AFT(A)	603.52	576.61	6079.21	988.38	.281	.....	15823.73	9293.55	.00	-.53	.3647	29.460	....	.....
AFT(B)	603.51	603.51	6116.83	-.02	.000	.....	10413.12	.34	.00	-.34	.3644	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU. IN.	WSLOT LB/SEC
FORWARD	1.1676+02	6.1421+02	6.1412+02	6.1192+03	4.2192+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2772+03
AFT	1.1677+02	6.1421+02	6.1412+02	6.1192+03	4.2192+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2772+03

GAS BUILDUP IN SLOT, DW/DT = -2.0234-04

FORWARD	4.2705+02	6.1336+02	6.1248+02	6.1182+03	1.3614+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0916+03
AFT	4.2706+02	6.1362+02	6.1274+02	6.1185+03	1.3609+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0916+03

GAS BUILDUP IN SLOT, DW/DT = -2.0092-04

FORWARD	7.4634+02	6.1187+02	6.0938+02	6.1159+03	2.2803+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8211+03
AFT	7.4635+02	6.1256+02	6.1006+02	6.1169+03	2.2782+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8211+03

GAS BUILDUP IN SLOT, DW/DT = -2.0042-04

```
WEB BURNOUT INCREMENT LOCATION = 1019.7810     SECTOR NO.   5    TAU = 32.1014    TAUWDP = 32.1014    TIME =  85.00
WEB BURNOUT INCREMENT LOCATION = 1019.7810     SECTOR NO.   6    TAU = 32.1014    TAUWDP = 32.1014    TIME =  85.00
WEB BURNOUT INCREMENT LOCATION = 1019.7810     SECTOR NO.   7    TAU = 32.1014    TAUWDP = 32.1014    TIME =  85.00
WEB BURNOUT INCREMENT LOCATION = 1019.7810     SECTOR NO.   8    TAU = 32.1014    TAUWDP = 32.1014    TIME =  85.00
*PARTBN* TIME= 85.50 IS=1 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1015.95 AINCHI=1004.78 DELZ=11.167 ALP=448.86 ALPHI=445.61
*PARTBN* TIME= 85.50 IS=2 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1015.26 AINCHI=1004.78 DELZ=10.482 ALP=448.88 ALPHI=445.82
*PARTBN* TIME= 85.50 IS=3 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1015.40 AINCHI=1004.78 DELZ=10.618 ALP=448.87 ALPHI=445.78
*PARTBN* TIME= 85.50 IS=4 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1016.12 AINCHI=1004.78 DELZ=11.337 ALP=448.86 ALPHI=445.56
*PARTBN* TIME= 85.50 IS=5 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1016.99 AINCHI=1004.78 DELZ=12.207 ALP=448.83 ALPHI=445.29
*PARTBN* TIME= 85.50 IS=6 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1017.22 AINCHI=1004.78 DELZ=12.435 ALP=448.83 ALPHI=445.21
*PARTBN* TIME= 85.50 IS=7 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1017.17 AINCHI=1004.78 DELZ=12.392 ALP=448.83 ALPHI=445.23
*PARTBN* TIME= 85.50 IS=8 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1016.89 AINCHI=1004.78 DELZ=12.113 ALP=448.83 ALPHI=445.31
*PARTBN* TIME= 85.50 IS=1 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1015.95 AINCHI=1004.78 DELZ=11.167 ALP=448.86 ALPHI=445.61
*PARTBN* TIME= 85.50 IS=2 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1015.26 AINCHI=1004.78 DELZ=10.482 ALP=448.88 ALPHI=445.82
*PARTBN* TIME= 85.50 IS=3 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1015.40 AINCHI=1004.78 DELZ=10.618 ALP=448.87 ALPHI=445.78
*PARTBN* TIME= 85.50 IS=4 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1016.12 AINCHI=1004.78 DELZ=11.337 ALP=448.86 ALPHI=445.56
*PARTBN* TIME= 85.50 IS=5 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1016.99 AINCHI=1004.78 DELZ=12.207 ALP=448.83 ALPHI=445.29
*PARTBN* TIME= 85.50 IS=6 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1017.22 AINCHI=1004.78 DELZ=12.435 ALP=448.83 ALPHI=445.21
*PARTBN* TIME= 85.50 IS=7 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1017.17 AINCHI=1004.78 DELZ=12.392 ALP=448.83 ALPHI=445.23
*PARTBN* TIME= 85.50 IS=8 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1016.89 AINCHI=1004.78 DELZ=12.113 ALP=448.83 ALPHI=445.31
*PARTBN* TIME= 86.00 IS=1 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1012.40 AINCHI=1004.78 DELZ= 7.618 ALP=448.95 ALPHI=446.75
*PARTBN* TIME= 86.00 IS=2 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1011.71 AINCHI=1004.78 DELZ= 6.929 ALP=448.97 ALPHI=446.97
*PARTBN* TIME= 86.00 IS=3 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1011.85 AINCHI=1004.78 DELZ= 7.066 ALP=448.97 ALPHI=446.93
*PARTBN* TIME= 86.00 IS=4 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1012.57 AINCHI=1004.78 DELZ= 7.790 ALP=448.95 ALPHI=446.70
*PARTBN* TIME= 86.00 IS=5 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1013.45 AINCHI=1004.78 DELZ= 8.666 ALP=448.93 ALPHI=446.43
*PARTBN* TIME= 86.00 IS=6 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1013.68 AINCHI=1004.78 DELZ= 8.896 ALP=448.92 ALPHI=446.35
*PARTBN* TIME= 86.00 IS=7 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1013.63 AINCHI=1004.78 DELZ= 8.852 ALP=448.92 ALPHI=446.37
*PARTBN* TIME= 86.00 IS=8 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1013.35 AINCHI=1004.78 DELZ= 8.572 ALP=448.93 ALPHI=446.46
*PARTBN* TIME= 86.00 IS=1 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1012.40 AINCHI=1004.78 DELZ= 7.618 ALP=448.95 ALPHI=446.75
*PARTBN* TIME= 86.00 IS=2 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1011.71 AINCHI=1004.78 DELZ= 6.929 ALP=448.97 ALPHI=446.97
*PARTBN* TIME= 86.00 IS=3 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1011.85 AINCHI=1004.78 DELZ= 7.066 ALP=448.97 ALPHI=446.93
```

```
*PARTBN* TIME= 86.00 IS=4 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1012.57 AINCHI=1004.78 DELZ= 7.790 ALP=448.95 ALPHI=446.70
*PARTBN* TIME= 86.00 IS=5 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1013.45 AINCHI=1004.78 DELZ= 8.666 ALP=448.93 ALPHI=446.43
*PARTBN* TIME= 86.00 IS=6 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1013.68 AINCHI=1004.78 DELZ= 8.896 ALP=448.92 ALPHI=446.35
*PARTBN* TIME= 86.00 IS=7 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1013.63 AINCHI=1004.78 DELZ= 8.852 ALP=448.92 ALPHI=446.37
*PARTBN* TIME= 86.00 IS=8 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1013.35 AINCHI=1004.78 DELZ= 8.572 ALP=448.93 ALPHI=446.46
```

IGNITION TIME, TIME (S) 86.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10548773.	2371458.6
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10607467.	2384653.4
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	53307.320	11983.962
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.97010706+09	.21808874+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.69090	256.69090
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.10194191+10	.22917453+09
THRUST COEFFICIENT	CF	1.6253075	1.6253075
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4185.2545	9226.9067
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	401179.39	884449.17
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	28.609652	63.073486
INERT MASS REMAINING (KG,LBM)	MIR	951.67270	2098.0792
TOTAL BURN AREA (M**2,IN**2)	ABTOT	258.20549	400219.32
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	60.861752	3714012.0
PROPELLANT MASS REMAINING (KG,LBM)	WF	104356.12	230065.87
TOTAL GAS MASS (KG,LBM)	WGTOT	1254.0385	2764.6816
RATIO OF SPECIFIC HEATS	GAMA	1.1597295	1.1597295
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.848401	28.325876
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.5186	5116.5369
MAXIMUM CHAMBER MACH NUMBER	AMPN	.93339532-01	.93339532-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.42020388+09	609.45420
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.42904749+11	62228.077
BURN AREA (M**2,IN**2)	AHH	6.2688035	9716.6649
BURN RATE (M/S,IN/S)	RBZ(1)	.92455061-02	.36399631
DISTANCE BURNED (M,IN)	TAUZ(1)	.83761962	32.977150
PROPELLANT VOLUME (M**3,IN**3)	VFH	1.2116677	73940.498
GAS VOLUME (M**3,IN**3)	VPH	53.892165	3288701.7
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3399.0097	6118.2175
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	251.93669	390502.65
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	59.648119	3639951.5
GAS VOLUME (M**3,IN**3)	VP	228.98116	13973288.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.41288489+09	598.83891
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.40659504+11	58971.625
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.92383460-02	.36371442
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.92303903-02	.36340120
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3397.5760	6115.6367
PORT AREAS NOZ ENT (M**2,IN**2)	AZA	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5806917	2450.0770
EXPANSION RATIO	EPR	6.7998809	6.7998809
PRESSURE RATIO	PEPO	.23130382-01	.23130382-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	609.45	609.45	6118.22	10.44	.003	387.59	11950.02	227.68	224.28	-3.39	.3638	32.977	.0000	.000
15.000	609.45	609.44	6118.21	16.56	.005	387.85	11967.69	361.81	134.24	.11	.3638	32.937	.0000	.000
30.000	609.44	609.43	6118.20	22.68	.006	388.11	11984.72	496.04	134.33	.11	.3638	32.933	.0000	.000
45.000	609.44	609.41	6118.19	28.78	.008	388.38	12001.33	630.36	134.42	.11	.3638	32.928	.0000	.000
60.000	609.43	609.39	6118.17	34.87	.010	388.64	12018.12	764.76	134.51	.11	.3638	32.923	.0000	.000
75.000	609.42	609.37	6118.16	40.94	.012	388.91	12034.88	899.26	134.60	.11	.3638	32.918	.0000	.000
90.000	609.40	609.34	6118.14	47.01	.013	389.17	12051.61	1033.85	134.69	.11	.3638	32.913	.0000	.000
105.000	609.39	609.31	6118.11	53.06	.015	389.43	12068.32	1168.52	134.78	.11	.3638	32.908	.0000	.000
116.761	609.37	609.28	6118.09	57.80	.016	389.64	12081.39	1274.18	105.74	.08	.3638	32.903	.0000	.000
116.771	609.37	609.28	6118.09	58.31	.017	342.30	11974.36	1274.18	.00	-.00	.3637	32.904	.0000	.000
131.771	609.36	609.24	6118.06	63.78	.018	367.99	12004.40	1397.05	122.95	.08	.3637	32.904	.0000	.000
143.919	609.34	609.21	6118.04	68.48	.019	388.80	12028.78	1503.07	106.09	.08	.3637	32.897	.0000	.000
158.919	609.31	609.16	6118.01	74.32	.021	389.73	12078.88	1637.72	134.76	.11	.3637	32.891	.0000	.000
173.919	609.29	609.11	6117.97	80.12	.023	390.66	12128.76	1772.69	135.08	.11	.3637	32.885	.0000	.000
188.919	609.26	609.05	6117.93	85.89	.024	391.59	12178.44	1907.98	135.39	.11	.3637	32.879	.0000	.000
203.919	609.23	608.99	6117.89	91.63	.026	392.51	12227.91	2043.58	135.71	.11	.3637	32.873	.0000	.000
218.919	609.20	608.93	6117.85	97.34	.028	393.44	12277.18	2179.50	136.03	.11	.3637	32.867	.0000	.000
233.919	609.16	608.86	6117.81	103.02	.029	394.37	12326.23	2315.74	136.34	.11	.3637	32.861	.0000	.000
248.919	609.12	608.79	6117.76	108.68	.031	395.30	12375.07	2452.29	136.66	.11	.3637	32.855	.0000	.000
263.919	609.08	608.71	6117.71	114.31	.032	396.22	12423.71	2589.16	136.97	.11	.3636	32.848	.0000	.000
278.919	609.04	608.64	6117.66	119.91	.034	397.15	12472.13	2726.34	137.29	.11	.3636	32.842	.0000	.000
293.919	609.00	608.55	6117.60	125.49	.036	398.08	12520.35	2863.84	137.60	.11	.3636	32.835	.0000	.000
308.919	608.95	608.47	6117.55	131.04	.037	399.01	12568.36	3001.65	137.92	.11	.3636	32.828	.0000	.000
323.919	608.91	608.38	6117.49	136.57	.039	399.93	12616.16	3139.78	138.23	.11	.3636	32.822	.0000	.000
338.919	608.86	608.28	6117.43	142.08	.040	400.86	12663.75	3278.21	138.54	.10	.3635	32.815	.0000	.000
353.919	608.80	608.19	6117.37	147.56	.042	401.79	12711.13	3416.97	138.86	.10	.3635	32.808	.0000	.000
368.919	608.75	608.09	6117.30	153.02	.043	402.72	12758.31	3556.03	139.17	.10	.3635	32.801	.0000	.000
383.919	608.69	607.98	6117.24	158.46	.045	403.64	12805.27	3695.41	139.48	.10	.3635	32.794	.0000	.000
398.919	608.63	607.87	6117.17	163.88	.046	404.57	12852.03	3835.10	139.79	.10	.3635	32.786	.0000	.000
403.048	608.62	607.84	6117.15	165.37	.047	404.83	12864.86	3873.61	38.53	.03	.3634	32.779	.0000	.000
418.048	608.56	607.73	6117.07	171.48	.049	402.96	12855.54	4013.21	139.71	.10	.3634	32.777	.0000	.000
427.051	608.53	607.66	6117.02	175.14	.050	401.84	12850.16	4096.69	83.54	.06	.3634	32.771	.0000	.000
427.061	608.51	607.91	6117.40	145.08	.041	16.99	15507.72	4096.69	.00	-.00	.3634	32.796	.0000	.000
442.061	608.63	607.89	6117.20	161.08	.046	170.78	14078.10	4129.35	32.48	-.19	.3635	32.797	.0000	.000
457.061	608.79	607.83	6116.89	183.98	.052	324.57	12582.60	4215.06	85.67	-.04	.3635	32.768	.0000	.000
463.204	608.87	607.78	6116.71	196.03	.056	387.55	11951.13	4265.47	50.44	.03	.3634	32.727	.0000	.000
478.204	608.80	607.65	6116.63	201.60	.057	388.12	11988.30	4399.52	134.15	.11	.3634	32.707	.0000	.000
493.204	608.72	607.51	6116.54	207.16	.059	388.70	12025.33	4533.76	134.35	.11	.3634	32.697	.0000	.000
508.204	608.64	607.36	6116.45	212.70	.060	389.27	12062.22	4668.19	134.53	.11	.3634	32.688	.0000	.000
523.204	608.56	607.21	6116.35	218.22	.062	389.85	12098.96	4802.80	134.72	.11	.3633	32.678	.0000	.000
538.204	608.48	607.06	6116.26	223.72	.063	390.42	12135.56	4937.61	134.91	.11	.3633	32.668	.0000	.000
553.204	608.39	606.91	6116.16	229.20	.065	391.00	12172.02	5072.60	135.10	.11	.3633	32.659	.0000	.000
568.204	608.30	606.75	6116.06	234.67	.066	391.57	12208.33	5207.78	135.28	.10	.3632	32.649	.0000	.000
583.204	608.21	606.58	6115.96	240.11	.068	392.15	12244.50	5343.14	135.47	.10	.3632	32.639	.0000	.000
598.204	608.12	606.42	6115.86	245.55	.070	392.72	12280.53	5478.69	135.65	.10	.3632	32.629	.0000	.000
613.204	608.03	606.25	6115.75	250.96	.071	393.30	12316.42	5614.43	135.84	.10	.3631	32.618	.0000	.000

628.204	607.93	606.07	6115.64	256.36	.073	393.87	12352.16	5750.35	136.03	.10	.3631	32.608	.0000	.000
643.204	607.83	605.90	6115.53	261.75	.074	394.45	12387.76	5886.45	136.21	.10	.3631	32.598	.0000	.000
658.204	607.73	605.72	6115.42	267.12	.076	395.03	12423.22	6022.75	136.40	.10	.3630	32.587	.0000	.000
673.204	607.63	605.53	6115.31	272.48	.077	395.60	12458.53	6159.22	136.58	.10	.3630	32.577	.0000	.000
688.204	607.53	605.35	6115.19	277.82	.079	396.18	12493.70	6295.88	136.76	.10	.3630	32.567	.0000	.000
703.204	607.42	605.16	6115.08	283.15	.080	396.75	12528.73	6432.73	136.95	.10	.3629	32.556	.0000	.000
718.204	607.31	604.96	6114.96	288.46	.082	397.33	12563.61	6569.75	137.13	.10	.3629	32.546	.0000	.000
726.191	607.25	604.86	6114.89	291.29	.083	397.63	12582.13	6642.79	73.09	.05	.3628	32.535	.0000	.000
741.191	607.10	604.66	6114.82	294.46	.083	399.61	12708.19	6780.34	137.65	.10	.3628	32.529	.0000	.000
746.336	607.05	604.59	6114.80	295.55	.084	400.29	12751.08	6827.67	47.37	.03	.3628	32.524	.0000	.000
746.346	606.99	605.24	6115.78	249.40	.071	131.42	15097.15	6827.67	.00	-.00	.3629	32.573	.0000	.000
761.346	607.16	605.17	6115.47	264.96	.075	213.99	14335.37	6887.44	59.65	-.12	.3629	32.573	.0000	.000
776.346	607.34	605.07	6115.07	283.50	.080	296.56	13570.86	6975.64	88.16	-.04	.3629	32.549	.0000	.000
791.346	607.56	604.92	6114.56	305.57	.087	379.13	12803.60	7092.27	116.68	.04	.3629	32.519	.0000	.000
799.831	607.61	604.87	6114.42	311.27	.088	398.32	12624.95	7123.44	31.19	.02	.3628	32.483	.0000	.000
807.831	607.47	604.66	6114.31	315.81	.090	399.29	12687.95	7261.05	137.71	.10	.3628	32.478	.0000	.000
824.831	607.34	604.44	6114.20	320.39	.091	400.27	12750.51	7398.99	138.04	.10	.3628	32.468	.0000	.000
839.831	607.20	604.23	6114.08	324.86	.092	401.24	12812.60	7537.24	138.36	.10	.3627	32.458	.0000	.000
854.781	607.06	604.01	6113.97	329.35	.093	402.22	12874.04	7675.35	138.21	.10	.3627	32.448	.0000	.000
869.781	606.81	603.78	6114.01	327.51	.093	406.59	13186.48	7814.84	139.57	.08	.3626	32.438	.0000	.000
884.781	606.56	603.56	6114.05	326.08	.092	411.06	13488.29	7955.87	141.07	.04	.3625	32.444	.0000	.000
899.781	606.32	603.35	6114.08	325.03	.092	415.52	13779.48	8098.44	142.58	.01	.3624	32.448	.0000	.000
914.781	606.09	603.13	6114.10	324.33	.092	419.98	14060.06	8242.55	144.08	-.03	.3624	32.451	.0000	.000
929.781	605.88	602.92	6114.11	323.95	.092	424.42	14330.01	8388.21	145.60	-.06	.3623	32.452	.0000	.000
944.781	605.67	602.71	6114.11	323.89	.092	428.86	14589.35	8535.43	147.13	-.09	.3623	32.453	.0000	.000
959.781	605.46	602.51	6114.10	324.13	.092	433.30	14838.07	8684.26	148.71	-.12	.3625	32.454	.0000	.000
974.781	605.26	602.30	6114.09	324.65	.092	437.74	15076.17	8834.77	150.35	-.16	.3629	32.454	.0000	.000
989.781	605.07	602.10	6114.07	325.44	.092	442.18	15303.65	8987.03	152.08	-.18	.3635	32.455	.0000	.000
1004.781	604.89	601.89	6114.04	326.51	.093	446.62	15520.51	9141.15	153.91	-.21	.3643	32.457	.0000	.000
1019.781	604.79	601.78	6114.02	327.19	.093	448.94	15632.56	9224.78	83.32	-.31	.3648	32.101	.0000	.000
1034.781	604.68	601.78	6114.17	321.26	.091	.00	15922.37	9225.14	.00	-.36	.3648	31.332	.0000	.000
1040.791	604.65	601.78	6114.21	319.75	.091	.00	15997.77	9225.25	.00	-.11	.3648	31.024	.0000	.000
1055.791	604.66	601.78	6114.20	320.32	.091	.00	15969.84	9225.53	.00	-.28	.3648	30.483	.0000	.000
1070.791	604.67	601.78	6114.18	320.89	.091	.00	15941.80	9225.81	.00	-.28	.3648	29.942	.0000	.000
1085.171	604.68	601.78	6114.17	321.40	.091	.00	15916.69	9226.06	.00	-.25	.3648	29.459	.0000	.000
AFT(A)	598.84	572.11	6078.07	988.89	.281	.....	15823.73	9226.91	.00	-.51	.3637	29.460	....	.....
AFT(B)	598.83	598.83	6115.64	-.02	.000	.....	10413.12	.33	.00	-.33	.3634	20.670	....	.....

SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD 1.1676+02	6.0937+02	6.0928+02	6.1181+03	4.2421+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2742+03
AFT 1.1677+02	6.0937+02	6.0928+02	6.1181+03	4.2421+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2742+03

GAS BUILDUP IN SLOT, DW/DT = -1.9738-04

FOREWARD 4.2705+02	6.0853+02	6.0766+02	6.1170+03	1.3737+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0967+03
AFT 4.2706+02	6.0878+02	6.0791+02	6.1174+03	1.3733+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0967+03

GAS BUILDUP IN SLOT, DW/DT = -1.9600-04

FOREWARD 7.4634+02	6.0705+02	6.0459+02	6.1148+03	2.3003+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8277+03
AFT 7.4635+02	6.0770+02	6.0524+02	6.1158+03	2.2982+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8277+03

GAS BUILDUP IN SLOT, DW/DT = -1.9555-04

```
*PARTBN* TIME= 86.50 IS=1 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1008.85 AINCHI=1004.78 DELZ= 4.071 ALP=449.05 ALPHI=447.90
*PARTBN* TIME= 86.50 IS=2 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1008.16 AINCHI=1004.78 DELZ= 3.377 ALP=449.07 ALPHI=448.12
*PARTBN* TIME= 86.50 IS=3 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1008.30 AINCHI=1004.78 DELZ= 3.515 ALP=449.06 ALPHI=448.08
*PARTBN* TIME= 86.50 IS=4 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1009.03 AINCHI=1004.78 DELZ= 4.246 ALP=449.04 ALPHI=447.85
*PARTBN* TIME= 86.50 IS=5 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1009.91 AINCHI=1004.78 DELZ= 5.129 ALP=449.02 ALPHI=447.57
*PARTBN* TIME= 86.50 IS=6 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1010.14 AINCHI=1004.78 DELZ= 5.360 ALP=449.01 ALPHI=447.49
*PARTBN* TIME= 86.50 IS=7 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1010.10 AINCHI=1004.78 DELZ= 5.316 ALP=449.02 ALPHI=447.51
*PARTBN* TIME= 86.50 IS=8 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1009.81 AINCHI=1004.78 DELZ= 5.034 ALP=449.02 ALPHI=447.60
*PARTBN* TIME= 86.50 IS=1 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1008.85 AINCHI=1004.78 DELZ= 4.071 ALP=449.05 ALPHI=447.90
*PARTBN* TIME= 86.50 IS=2 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1008.16 AINCHI=1004.78 DELZ= 3.377 ALP=449.07 ALPHI=448.12
*PARTBN* TIME= 86.50 IS=3 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1008.30 AINCHI=1004.78 DELZ= 3.515 ALP=449.06 ALPHI=448.08
*PARTBN* TIME= 86.50 IS=4 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1009.03 AINCHI=1004.78 DELZ= 4.246 ALP=449.04 ALPHI=447.85
*PARTBN* TIME= 86.50 IS=5 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1009.91 AINCHI=1004.78 DELZ= 5.129 ALP=449.02 ALPHI=447.57
*PARTBN* TIME= 86.50 IS=6 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1010.14 AINCHI=1004.78 DELZ= 5.360 ALP=449.01 ALPHI=447.49
*PARTBN* TIME= 86.50 IS=7 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1010.10 AINCHI=1004.78 DELZ= 5.316 ALP=449.02 ALPHI=447.51
*PARTBN* TIME= 86.50 IS=8 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1009.81 AINCHI=1004.78 DELZ= 5.034 ALP=449.02 ALPHI=447.60
WEB BURNOUT INCREMENT LOCATION = 1004.7810   SECTOR NO.  2   TAU = 32.8707   TAUWDP = 32.8707   TIME = 86.50
WEB BURNOUT INCREMENT LOCATION = 1004.7810   SECTOR NO.  3   TAU = 32.8707   TAUWDP = 32.8707   TIME = 86.50
*PARTBN* TIME= 87.00 IS=2 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1004.62 AINCHI= 989.78 DELZ=14.841 ALP=449.16 ALPHI=444.80
*PARTBN* TIME= 87.00 IS=3 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1004.76 AINCHI= 989.78 DELZ=14.980 ALP=449.16 ALPHI=444.76
*PARTBN* TIME= 87.00 IS=1 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1005.31 AINCHI=1004.78 DELZ=  .526 ALP=449.14 ALPHI=449.05
*PARTBN* TIME= 87.00 IS=4 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1005.48 AINCHI=1004.78 DELZ=  .702 ALP=449.14 ALPHI=448.99
*PARTBN* TIME= 87.00 IS=5 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1006.38 AINCHI=1004.78 DELZ= 1.596 ALP=449.11 ALPHI=448.70
*PARTBN* TIME= 87.00 IS=6 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1006.61 AINCHI=1004.78 DELZ= 1.829 ALP=449.11 ALPHI=448.63
*PARTBN* TIME= 87.00 IS=7 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1006.57 AINCHI=1004.78 DELZ= 1.784 ALP=449.11 ALPHI=448.64
*PARTBN* TIME= 87.00 IS=8 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1006.28 AINCHI=1004.78 DELZ= 1.500 ALP=449.12 ALPHI=448.74
*PARTBN* TIME= 87.00 IS=2 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1004.62 AINCHI= 989.78 DELZ=14.841 ALP=449.16 ALPHI=444.80
*PARTBN* TIME= 87.00 IS=3 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1004.76 AINCHI= 989.78 DELZ=14.980 ALP=449.16 ALPHI=444.76
*PARTBN* TIME= 87.00 IS=1 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1005.31 AINCHI=1004.78 DELZ=  .526 ALP=449.14 ALPHI=449.05
*PARTBN* TIME= 87.00 IS=4 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1005.48 AINCHI=1004.78 DELZ=  .702 ALP=449.14 ALPHI=448.99
*PARTBN* TIME= 87.00 IS=5 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1006.38 AINCHI=1004.78 DELZ= 1.596 ALP=449.11 ALPHI=448.70
```

```
*PARTBN* TIME= 87.00 IS=6 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1006.61 AINCHI=1004.78 DELZ= 1.829 ALP=449.11 ALPHI=448.63
*PARTBN* TIME= 87.00 IS=7 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1006.57 AINCHI=1004.78 DELZ= 1.784 ALP=449.11 ALPHI=448.64
*PARTBN* TIME= 87.00 IS=8 ZCALC( 76)=1019.78 ZCALC( 75)=1004.78 AINCW=1006.28 AINCHI=1004.78 DELZ= 1.500 ALP=449.12 ALPHI=448.74
```

IGNITION TIME, TIME (S) 87.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10476345.	2355176.2
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10530926.	2367446.4
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	54108.481	12164.070
DELIVERED TOTAL IMPULSE (N•S,LBF•S)	SRMDTI	.98061970+09	.22045208+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.65051	256.65051
VACUUM TOTAL IMPULSE (N•S,LBF•S)	SRMVTI	.10299884+10	.23155060+09
THRUST COEFFICIENT	CF	1.6254149	1.6254149
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4155.0768	9160.3763
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	405349.59	893642.87
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	29.039629	64.021423
INERT MASS REMAINING (KG,LBM)	MIR	922.74052	2034.2946
TOTAL BURN AREA (M••2,IN••2)	ABTOT	257.04493	398420.43
TOTAL PROPELLANT VOLUME (M••3,IN••3)	VF	58.653771	3579272.7
PROPELLANT MASS REMAINING (KG,LBM)	WF	100186.71	220873.86
TOTAL GAS MASS (KG,LBM)	WGTOT	1249.8302	2755.4041
RATIO OF SPECIFIC HEATS	GAMA	1.1597246	1.1597246
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.847503	28.323895
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.4338	5116.2527
MAXIMUM CHAMBER MACH NUMBER	AMPN	.93203641-01	.93203641-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M••2,LBF/IN••2)	PH	.41687210+09	604.62187
PRESSURE INTEGRAL (N•S/M••2,LBF•S/IN••2)	SPHDT	.43323289+11	62835.119
BURN AREA (M••2,IN••2)	AHH	6.1139796	9476.6875
BURN RATE (M/S,IN/S)	RBZ(1)	.92197073-02	.36298061
DISTANCE BURNED (M,IN)	TAUZ(1)	.84685868	33.340893
PROPELLANT VOLUME (M••3,IN••3)	VFH	1.1545456	70454.698
GAS VOLUME (M••3,IN••3)	VPH	53.949286	3292187.4
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3398.3789	6117.0821
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M••2,IN••2)	ABCYL	250.93095	388943.75
SEGMENT FACE BURN AREA (M••2,IN••2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M••3,IN••3)	VFCYL	57.497260	3508698.1
GAS VOLUME (M••3,IN••3)	VP	230.25609	14051089.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M••2,LBF/IN••2)	PON	.40966099+09	594.16303
PRESSURE INTEGRAL (N•S/M••2,LBF•S/IN••2)	SPONDT	.41070779+11	59568.130
BURN AREA (M••2,IN••2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.92130444-02	.36271829
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.92051021-02	.36240560
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M••3,IN••3)	VFN	.19662722-02	119.98929
GAS VOLUME (M••3,IN••3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3396.7708	6114.1873
PORT AREA, NOZ ENT (M••2,IN••2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M••2,IN••2)	AT	1.5815311	2451.3701
EXPANSION RATIO	EPR	6.7962717	6.7962717
PRESSURE RATIO	PEPO	.23146793-01	.23146793-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO. IN.
FORE	604.62	604.62	6117.08	10.13	.003	389.86	12092.13	221.59	218.13	-3.45	.3628	33.341	.0000	.000
15.000	604.62	604.61	6117.08	16.24	.005	390.12	12109.09	356.14	134.65	.10	.3628	33.301	.0000	.000
30.000	604.61	604.60	6117.07	22.35	.006	390.39	12126.03	490.78	134.74	.10	.3628	33.296	.0000	.000
45.000	604.61	604.58	6117.05	28.45	.008	390.65	12142.94	625.51	134.83	.10	.3628	33.291	.0000	.000
60.000	604.60	604.56	6117.04	34.53	.010	390.92	12159.82	760.34	134.92	.10	.3628	33.287	.0000	.000
75.000	604.59	604.54	6117.02	40.60	.012	391.18	12176.67	895.25	135.01	.10	.3628	33.282	.0000	.000
90.000	604.57	604.51	6117.00	46.66	.013	391.45	12193.49	1030.25	135.10	.10	.3628	33.277	.0000	.000
105.000	604.56	604.48	6116.98	52.71	.015	391.72	12210.29	1165.35	135.19	.10	.3627	33.272	.0000	.000
116.761	604.54	604.45	6116.96	57.45	.016	391.92	12223.45	1271.33	106.06	.08	.3627	33.266	.0000	.000
116.771	604.54	604.45	6116.95	58.04	.016	343.26	12098.96	1271.33	.00	-.00	.3627	33.267	.0000	.000
131.771	604.52	604.41	6116.93	63.45	.018	369.68	12138.46	1394.32	123.06	.07	.3627	33.268	.0000	.000
143.919	604.51	604.38	6116.90	68.11	.019	391.08	12170.52	1500.60	106.35	.07	.3627	33.260	.0000	.000
158.919	604.48	604.33	6116.87	73.94	.021	392.00	12220.97	1635.66	135.17	.10	.3627	33.254	.0000	.000
173.919	604.46	604.28	6116.84	79.74	.023	392.93	12271.22	1771.05	135.48	.10	.3627	33.248	.0000	.000
188.919	604.43	604.22	6116.80	85.50	.024	393.86	12321.25	1906.75	135.80	.10	.3627	33.243	.0000	.000
203.919	604.40	604.17	6116.76	91.24	.026	394.79	12371.07	2042.77	136.12	.10	.3627	33.237	.0000	.000
218.919	604.37	604.10	6116.72	96.95	.027	395.72	12420.68	2179.10	136.43	.10	.3627	33.230	.0000	.000
233.919	604.33	604.04	6116.67	102.63	.029	396.64	12470.07	2315.75	136.75	.10	.3627	33.224	.0000	.000
248.919	604.30	603.97	6116.63	108.29	.031	397.57	12519.25	2452.71	137.06	.10	.3626	33.218	.0000	.000
263.919	604.26	603.89	6116.58	113.92	.032	398.50	12568.22	2589.99	137.38	.10	.3626	33.212	.0000	.000
278.919	604.22	603.81	6116.53	119.52	.034	399.43	12616.98	2727.58	137.69	.10	.3626	33.205	.0000	.000
293.919	604.17	603.73	6116.47	125.10	.035	400.36	12665.52	2865.48	138.00	.10	.3626	33.198	.0000	.000
308.919	604.13	603.65	6116.42	130.65	.037	401.28	12713.85	3003.70	138.32	.10	.3626	33.192	.0000	.000
323.919	604.08	603.56	6116.36	136.18	.039	402.21	12761.97	3142.23	138.63	.10	.3626	33.185	.0000	.000
338.919	604.03	603.47	6116.30	141.69	.040	403.14	12809.88	3281.08	138.94	.10	.3625	33.178	.0000	.000
353.919	603.98	603.37	6116.24	147.17	.042	404.07	12857.58	3420.24	139.26	.10	.3625	33.171	.0000	.000
368.919	603.93	603.27	6116.17	152.63	.043	405.00	12905.06	3559.71	139.57	.10	.3625	33.164	.0000	.000
383.919	603.87	603.17	6116.11	158.07	.045	405.93	12952.33	3699.49	139.88	.10	.3625	33.157	.0000	.000
398.919	603.81	603.06	6116.04	163.49	.046	406.85	12999.39	3839.58	140.19	.10	.3624	33.150	.0000	.000
403.048	603.80	603.03	6116.02	164.98	.047	407.11	13012.30	3878.20	38.64	.03	.3624	33.142	.0000	.000
416.048	603.74	602.92	6115.94	171.09	.048	405.25	13002.30	4018.21	140.10	.10	.3624	33.140	.0000	.000
427.051	603.71	602.85	6115.89	174.75	.050	404.13	12996.50	4101.92	83.78	.06	.3624	33.134	.0000	.000
427.061	603.69	603.09	6116.25	146.38	.041	.80	15510.95	4101.92	.00	-.00	.3624	33.159	.0000	.000
442.061	603.80	603.07	6116.06	161.71	.046	162.25	14136.78	4130.25	28.42	-.20	.3624	33.160	.0000	.000
457.061	603.96	603.01	6115.76	183.68	.052	323.70	12699.27	4214.11	83.81	-.05	.3624	33.132	.0000	.000
463.204	604.04	602.96	6115.59	195.22	.055	389.82	12092.29	4264.48	50.40	.03	.3624	33.091	.0000	.000
478.204	603.96	602.83	6115.51	200.80	.057	390.39	12129.69	4398.94	134.56	.10	.3624	33.070	.0000	.000
493.204	603.89	602.69	6115.42	206.35	.058	390.97	12166.90	4533.59	134.75	.10	.3624	33.060	.0000	.000
508.204	603.81	602.55	6115.33	211.89	.060	391.54	12204.03	4668.44	134.94	.10	.3624	33.051	.0000	.000
523.204	603.73	602.40	6115.23	217.41	.062	392.12	12240.98	4803.47	135.13	.10	.3623	33.041	.0000	.000
538.204	603.65	602.25	6115.14	222.91	.063	392.70	12277.79	4938.68	135.32	.10	.3623	33.031	.0000	.000
553.204	603.56	602.10	6115.04	228.40	.065	393.27	12314.45	5074.09	135.50	.10	.3623	33.022	.0000	.000
568.204	603.47	601.94	6114.94	233.87	.066	393.85	12350.97	5209.68	135.69	.10	.3622	33.012	.0000	.000
583.204	603.39	601.78	6114.84	239.32	.068	394.42	12387.34	5345.45	135.87	.10	.3622	33.002	.0000	.000
598.204	603.30	601.61	6114.74	244.75	.069	395.00	12423.56	5481.41	136.06	.10	.3622	32.992	.0000	.000
613.204	603.20	601.45	6114.63	250.17	.071	395.57	12459.64	5617.56	136.25	.10	.3621	32.981	.0000	.000

628.204	603.11	601.28	6114.52	255.57	.072	396.15	12495.50	5753.89	136.43	.10	.3621	32.971	.0000	.000
643.204	603.01	601.10	6114.42	260.96	.074	396.73	12531.36	5890.41	136.61	.10	.3621	32.961	.0000	.000
658.204	602.91	600.92	6114.30	266.33	.075	397.30	12567.00	6027.11	136.80	.10	.3620	32.950	.0000	.000
673.204	602.81	600.74	6114.19	271.69	.077	397.88	12602.50	6164.00	136.98	.10	.3620	32.940	.0000	.000
688.204	602.71	600.56	6114.08	277.04	.079	398.45	12637.85	6301.07	137.17	.10	.3619	32.929	.0000	.000.
703.204	602.60	600.37	6113.96	282.37	.080	399.03	12673.05	6438.32	137.35	.10	.3619	32.919	.0000	.000
718.204	602.49	600.18	6113.84	287.69	.082	399.61	12708.11	6575.76	137.53	.10	.3619	32.908	.0000	.000
726.191	602.44	600.07	6113.78	290.51	.082	399.91	12726.72	6649.01	73.30	.05	.3618	32.898	.0000	.000
741.191	602.29	599.88	6113.70	293.71	.083	401.89	12853.48	6786.96	138.05	.10	.3618	32.892	.0000	.000
746.336	602.24	599.81	6113.68	294.81	.084	402.57	12896.60	6834.43	47.50	.03	.3617	32.886	.0000	.000
746.346	602.19	600.42	6114.62	250.86	.071	120.29	15142.79	6834.43	.00	-.00	.3619	32.935	.0000	.000
761.346	602.34	600.36	6114.32	265.78	.075	207.00	14411.58	6890.93	56.36	-.13	.3619	32.936	.0000	.000
776.346	602.52	600.26	6113.93	283.57	.080	293.72	13677.73	6977.20	86.22	-.05	.3619	32.911	.0000	.000
791.346	602.71	600.11	6113.44	304.75	.086	380.44	12941.26	7093.25	116.08	.03	.3618	32.882	.0000	.000
794.831	602.76	600.07	6113.31	310.22	.088	400.50	12769.78	7124.47	31.24	.02	.3618	32.846	.0000	.000
809.831	602.63	599.86	6113.20	314.77	.089	401.56	12833.13	7262.48	138.11	.09	.3618	32.840	.0000	.000
824.831	602.50	599.64	6113.09	319.31	.090	402.54	12896.03	7400.82	138.43	.09	.3617	32.830	.0000	.000
839.831	602.36	599.43	6112.97	323.83	.092	403.52	12958.46	7539.47	138.75	.09	.3617	32.820	.0000	.000
854.781	602.23	599.21	6112.86	328.33	.093	404.49	13020.22	7677.98	138.60	.09	.3616	32.811	.0000	.000
869.781	601.98	598.99	6112.89	326.95	.093	408.87	13318.32	7817.87	139.96	.07	.3616	32.801	.0000	.000
884.781	601.74	598.77	6112.92	325.94	.092	413.34	13606.24	7959.28	141.45	.04	.3615	32.806	.0000	.000
899.781	601.51	598.56	6112.94	325.28	.092	417.80	13883.99	8102.24	142.96	.00	.3614	32.810	.0000	.000
914.781	601.29	598.35	6112.95	324.93	.092	422.25	14151.57	8246.73	144.46	-.03	.3613	32.813	.0000	.000
929.781	601.08	598.13	6112.95	324.89	.092	426.70	14408.98	8392.77	145.98	-.07	.3613	32.815	.0000	.000
944.781	600.88	597.93	6112.94	325.15	.092	431.14	14656.22	8540.40	147.53	-.10	.3615	32.815	.0000	.000
959.781	600.68	597.72	6112.93	325.67	.092	435.58	14893.28	8689.66	149.13	-.13	.3617	32.816	.0000	.000
974.781	600.48	597.51	6112.91	326.47	.093	440.02	15120.17	8840.62	150.80	-.16	.3621	32.817	.0000	.000
989.781	600.30	597.31	6112.88	327.53	.093	444.46	15336.89	8993.38	152.57	-.19	.3628	32.819	.0000	.000
1004.781	600.11	597.10	6112.85	328.85	.093	448.88	15543.14	9147.81	154.22	-.22	.3638	32.820	.0000	.000
1019.781	600.08	597.08	6112.87	327.93	.093	336.84	15604.96	9158.35	10.24	-.30	.3638	32.101	.0000	.000
1034.781	599.96	597.08	6113.04	321.34	.091	.00	15926.02	9158.60	.00	-.25	.3638	31.332	.0000	.000
1040.791	599.94	597.08	6113.07	319.90	.091	.00	15997.77	9158.71	.00	-.11	.3638	31.024	.0000	.000
1055.791	599.95	597.08	6113.06	320.47	.091	.00	15969.84	9158.99	.00	-.28	.3638	30.483	.0000	.000
1070.791	599.96	597.08	6113.04	321.04	.091	.00	15941.80	9159.27	.00	-.28	.3638	29.942	.0000	.000
1084.171	599.97	597.08	6113.03	321.56	.091	.00	15916.89	9159.52	.00	-.25	.3638	29.459	.0000	.000
AFT(A)	594.16	567.61	6076.71	989.39	.281	.....	15823.73	9160.38	.00	-.52	.3627	29.460	....	.....
AFT(B)	594.15	594.15	6114.19	-.02	.000	.....	10413.12	.34	.00	-.34	.3624	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	6.0454+02	6.0445+02	6.1170+03	4.2660+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2713+03
AFT	1.1677+02	6.0454+02	6.0445+02	6.1170+03	4.2660+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2713+03

GAS BUILDUP IN SLOT, DW/DT = -1.9905-04

FOREWARD	4.2705+02	6.0371+02	6.0285+02	6.1159+03	1.3863+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1019+03
AFT	4.2706+02	6.0394+02	6.0309+02	6.1162+03	1.3859+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1019+03

GAS BUILDUP IN SLOT, DW/DT = -1.9770-04

FOREWARD	7.4634+02	6.0224+02	5.9981+02	6.1137+03	2.3207+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8344+03
AFT	7.4635+02	6.0286+02	6.0042+02	6.1146+03	2.3187+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8344+03

GAS BUILDUP IN SLOT, DW/DT = -1.9733-04

```
WEB BURNOUT INCREMENT LOCATION = 1004.7810     SECTOR NO.   1    TAU = 32.8707    TAUWDP = 32.8707    TIME =  87.00
WEB BURNOUT INCREMENT LOCATION = 1004.7810     SECTOR NO.   4    TAU = 32.8707    TAUWDP = 32.8707    TIME =  87.00
WEB BURNOUT INCREMENT LOCATION = 1004.7810     SECTOR NO.   5    TAU = 32.8707    TAUWDP = 32.8707    TIME =  87.00
WEB BURNOUT INCREMENT LOCATION = 1004.7810     SECTOR NO.   6    TAU = 32.8707    TAUWDP = 32.8707    TIME =  87.00
WEB BURNOUT INCREMENT LOCATION = 1004.7810     SECTOR NO.   7    TAU = 32.8707    TAUWDP = 32.8707    TIME =  87.00
WEB BURNOUT INCREMENT LOCATION = 1004.7810     SECTOR NO.   8    TAU = 32.8707    TAUWDP = 32.8707    TIME =  87.00
*PARTBN* TIME= 87.50 IS=1 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1001.78 AINCHI= 989.78 DELZ=11.998 ALP=449.24 ALPHI=445.73
*PARTBN* TIME= 87.50 IS=2 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1001.09 AINCHI= 989.78 DELZ=11.308 ALP=449.25 ALPHI=445.95
*PARTBN* TIME= 87.50 IS=3 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1001.23 AINCHI= 989.78 DELZ=11.447 ALP=449.25 ALPHI=445.91
*PARTBN* TIME= 87.50 IS=4 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1001.96 AINCHI= 989.78 DELZ=12.175 ALP=449.23 ALPHI=445.68
*PARTBN* TIME= 87.50 IS=5 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1002.85 AINCHI= 989.78 DELZ=13.071 ALP=449.21 ALPHI=445.41
*PARTBN* TIME= 87.50 IS=6 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1003.09 AINCHI= 989.78 DELZ=13.305 ALP=449.20 ALPHI=445.33
*PARTBN* TIME= 87.50 IS=7 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1003.04 AINCHI= 989.78 DELZ=13.260 ALP=449.20 ALPHI=445.34
*PARTBN* TIME= 87.50 IS=8 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1002.76 AINCHI= 989.78 DELZ=12.974 ALP=449.21 ALPHI=445.43
*PARTBN* TIME= 87.50 IS=1 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1001.78 AINCHI= 989.78 DELZ=11.998 ALP=449.24 ALPHI=445.73
*PARTBN* TIME= 87.50 IS=2 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1001.09 AINCHI= 989.78 DELZ=11.308 ALP=449.25 ALPHI=445.95
*PARTBN* TIME= 87.50 IS=3 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1001.23 AINCHI= 989.78 DELZ=11.447 ALP=449.25 ALPHI=445.91
*PARTBN* TIME= 87.50 IS=4 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1001.96 AINCHI= 989.78 DELZ=12.175 ALP=449.23 ALPHI=445.68
*PARTBN* TIME= 87.50 IS=5 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1002.85 AINCHI= 989.78 DELZ=13.071 ALP=449.21 ALPHI=445.41
*PARTBN* TIME= 87.50 IS=6 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1003.09 AINCHI= 989.78 DELZ=13.305 ALP=449.20 ALPHI=445.33
*PARTBN* TIME= 87.50 IS=7 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1003.04 AINCHI= 989.78 DELZ=13.260 ALP=449.20 ALPHI=445.34
*PARTBN* TIME= 87.50 IS=8 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW=1002.76 AINCHI= 989.78 DELZ=12.974 ALP=449.21 ALPHI=445.43
*PARTBN* TIME= 88.00 IS=1 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 998.25 AINCHI= 989.78 DELZ= 8.473 ALP=449.33 ALPHI=446.87
*PARTBN* TIME= 88.00 IS=2 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 997.56 AINCHI= 989.78 DELZ= 7.777 ALP=449.35 ALPHI=447.09
*PARTBN* TIME= 88.00 IS=3 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 997.70 AINCHI= 989.78 DELZ= 7.917 ALP=449.34 ALPHI=447.05
*PARTBN* TIME= 88.00 IS=4 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 998.43 AINCHI= 989.78 DELZ= 8.651 ALP=449.32 ALPHI=446.82
*PARTBN* TIME= 88.00 IS=5 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 999.33 AINCHI= 989.78 DELZ= 9.550 ALP=449.30 ALPHI=446.54
*PARTBN* TIME= 88.00 IS=6 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 999.57 AINCHI= 989.78 DELZ= 9.786 ALP=449.29 ALPHI=446.46
*PARTBN* TIME= 88.00 IS=7 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 999.52 AINCHI= 989.78 DELZ= 9.741 ALP=449.30 ALPHI=446.48
*PARTBN* TIME= 88.00 IS=8 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 999.23 AINCHI= 989.78 DELZ= 9.453 ALP=449.30 ALPHI=446.57
*PARTBN* TIME= 88.00 IS=1 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 998.25 AINCHI= 989.78 DELZ= 8.473 ALP=449.33 ALPHI=446.87
```

```
*PARTBN* TIME= 88.00 IS=2 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 997.56 AINCHI= 989.78 DELZ= 7.777 ALP=449.35 ALPHI=447.09
*PARTBN* TIME= 88.00 IS=3 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 997.70 AINCHI= 989.78 DELZ= 7.917 ALP=449.34 ALPHI=447.05
*PARTBN* TIME= 88.00 IS=4 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 998.43 AINCHI= 989.78 DELZ= 8.651 ALP=449.32 ALPHI=446.82
*PARTBN* TIME= 88.00 IS=5 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 999.33 AINCHI= 989.78 DELZ= 9.550 ALP=449.30 ALPHI=446.54
*PARTBN* TIME= 88.00 IS=6 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 999.57 AINCHI= 989.78 DELZ= 9.786 ALP=449.29 ALPHI=446.46
*PARTBN* TIME= 88.00 IS=7 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 999.52 AINCHI= 989.78 DELZ= 9.741 ALP=449.30 ALPHI=446.48
*PARTBN* TIME= 88.00 IS=8 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 999.23 AINCHI= 989.78 DELZ= 9.453 ALP=449.30 ALPHI=446.57
```

IGNITION TIME, TIME (S) 88.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10403451.	2338788.9
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10453919.	2350134.5
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	54908.687	12343.964
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.99105937+09	.22279901+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.60942	256.60942
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.10404806+10	.23390939+09
THRUST COEFFICIENT	CF	1.6255259	1.6255259
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4124.7161	9093.4424
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	409489.40	902769.60
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	29.469094	64.968231
INERT MASS REMAINING (KG,LBM)	MIR	893.37885	1969.5632
TOTAL BURN AREA (M**2,IN**2)	ABTOT	255.87862	396612.66
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	56.466616	3445804.3
PROPELLANT MASS REMAINING (KG,LBM)	WF	96047.733	211749.01
TOTAL GAS MASS (KG,LBM)	WGTOT	1253.5273	2763.5546
RATIO OF SPECIFIC HEATS	GAMA	1.1597198	1.1597198
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.846588	28.321878
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.3487	5115.9733
MAXIMUM CHAMBER MACH NUMBER	AMPN	.93691140-01	.93691140-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.41352606+09	599.76884
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.43738479+11	63437.301
BURN AREA (M**2,IN**2)	AHH	5.9595906	9237.3840
BURN RATE (M/S,IN/S)	RBZ(1)	.91936638-02	.36195527
DISTANCE BURNED (M,IN)	TAUZ(1)	.85607181	33.703615
PROPELLANT VOLUME (M**3,IN**3)	VFH	1.0990069	67065.517
GAS VOLUME (M**3,IN**3)	VPH	54.004825	3295576.6
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3397.7358	6115.9245
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	249.91903	387375.28
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	55.365343	3378618.8
GAS VOLUME (M**3,IN**3)	VP	233.48952	14248405.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.40642325+09	589.46709
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.41478813+11	60159.932
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.91875033-02	.36171273
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.91795750-02	.36140060
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3395.9621	6112.7317
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5823651	2452.6707
EXPANSION RATIO	EPR	6.7926898	6.7926898
PRESSURE RATIO	PEPO	.23163108-01	.23163108-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO. IN.
FORE	599.77	599.76	6115.92	9.81	.003	392.12	12233.87	215.46	212.02	-3.44	.3617	33.704	.0000	.000
15.000	599.76	599.76	6115.92	15.92	.004	392.39	12250.93	350.42	135.05	.10	.3617	33.663	.0000	.000
30.000	599.76	599.75	6115.91	22.03	.006	392.66	12267.96	485.46	135.14	.10	.3617	33.659	.0000	.000
45.000	599.75	599.73	6115.90	28.12	.008	392.92	12284.96	620.59	135.23	.10	.3617	33.654	.0000	.000
60.000	599.74	599.71	6115.88	34.20	.010	393.19	12301.94	755.82	135.32	.10	.3617	33.649	.0000	.000
75.000	599.73	599.69	6115.86	40.27	.011	393.46	12318.89	891.14	135.41	.10	.3617	33.644	.0000	.000
90.000	599.72	599.66	6115.84	46.32	.013	393.72	12335.81	1026.54	135.50	.10	.3617	33.639	.0000	.000
105.000	599.71	599.63	6115.82	52.37	.015	393.99	12352.70	1162.04	135.59	.10	.3617	33.634	.0000	.000
116.761	599.69	599.60	6115.80	57.10	.016	394.20	12365.92	1268.34	106.38	.08	.3617	33.629	.0000	.000
116.771	599.69	599.60	6115.80	57.77	.016	344.22	12223.56	1268.34	.00	-.00	.3617	33.630	.0000	.000
131.771	599.67	599.56	6115.77	63.12	.018	371.36	12272.76	1391.44	123.17	.07	.3617	33.630	.0000	.000
143.919	599.66	599.53	6115.75	67.74	.019	393.34	12312.68	1497.97	106.60	.07	.3617	33.623	.0000	.000
158.919	599.63	599.48	6115.72	73.57	.021	394.27	12363.50	1633.44	135.57	.10	.3617	33.617	.0000	.000
173.919	599.61	599.43	6115.68	79.36	.022	395.20	12414.09	1769.22	135.88	.10	.3617	33.611	.0000	.000
188.919	599.58	599.38	6115.64	85.13	.024	396.13	12464.48	1905.32	136.20	.10	.3617	33.605	.0000	.000
203.919	599.55	599.32	6115.60	90.87	.026	397.06	12514.64	2041.73	136.51	.10	.3617	33.599	.0000	.000
218.919	599.52	599.26	6115.56	96.58	.027	397.98	12564.59	2178.46	136.83	.10	.3616	33.593	.0000	.000
233.919	599.48	599.19	6115.52	102.26	.029	398.91	12614.33	2315.51	137.14	.10	.3616	33.587	.0000	.000
248.919	599.45	599.12	6115.47	107.91	.031	399.84	12663.85	2452.87	137.46	.10	.3616	33.580	.0000	.000
263.919	599.41	599.05	6115.42	113.54	.032	400.77	12713.15	2590.54	137.77	.10	.3616	33.574	.0000	.000
278.919	599.37	598.97	6115.37	119.14	.034	401.70	12762.24	2728.53	138.08	.10	.3616	33.567	.0000	.000
293.919	599.33	598.89	6115.32	124.72	.035	402.63	12811.11	2866.82	138.40	.10	.3616	33.561	.0000	.000
308.919	599.28	598.81	6115.26	130.27	.037	403.56	12859.76	3005.44	138.71	.10	.3615	33.554	.0000	.000
323.919	599.24	598.72	6115.21	135.80	.038	404.49	12908.20	3144.36	139.02	.10	.3615	33.547	.0000	.000
338.919	599.19	598.63	6115.15	141.31	.040	405.41	12956.42	3283.60	139.33	.10	.3615	33.540	.0000	.000
353.919	599.14	598.54	6115.08	146.79	.042	406.34	13004.43	3423.15	139.64	.10	.3615	33.533	.0000	.000
368.919	599.08	598.44	6115.02	152.25	.043	407.27	13052.22	3563.01	139.96	.10	.3615	33.526	.0000	.000
383.919	599.03	598.33	6114.95	157.69	.045	408.20	13099.80	3703.18	140.27	.10	.3614	33.519	.0000	.000
398.919	598.97	598.23	6114.89	163.11	.046	409.13	13147.16	3843.66	140.58	.10	.3614	33.512	.0000	.000
403.048	598.95	598.20	6114.87	164.60	.047	409.38	13160.15	3882.38	38.75	.03	.3614	33.504	.0000	.000
416.048	598.90	598.09	6114.79	170.72	.048	407.52	13149.47	4022.77	140.49	.10	.3614	33.502	.0000	.000
427.051	598.87	598.02	6114.74	174.38	.049	406.40	13143.25	4106.72	84.01	.06	.3614	33.496	.0000	.000
427.061	598.85	598.24	6115.07	147.74	.042	-15.36	15508.32	4106.72	.00	-.00	.3614	33.521	.0000	.000
442.061	598.96	598.23	6114.89	162.39	.046	153.74	14192.11	4130.73	23.80	-.21	.3614	33.522	.0000	.000
457.061	599.11	598.17	6114.61	183.41	.052	322.83	12815.26	4212.75	81.96	-.05	.3614	33.494	.0000	.000
463.204	599.18	598.12	6114.45	194.43	.055	392.08	12233.89	4263.08	50.35	.03	.3614	33.453	.0000	.000
478.204	599.10	597.99	6114.36	200.01	.057	392.66	12271.50	4397.94	134.96	.10	.3614	33.432	.0000	.000
493.204	599.03	597.85	6114.27	205.57	.058	393.23	12308.96	4533.00	135.15	.10	.3614	33.423	.0000	.000
508.204	598.95	597.71	6114.18	211.11	.060	393.81	12346.27	4668.24	135.34	.10	.3613	33.413	.0000	.000
523.204	598.87	597.57	6114.09	216.63	.061	394.38	12383.43	4803.67	135.53	.10	.3613	33.403	.0000	.000
538.204	598.79	597.42	6113.99	222.14	.063	394.96	12420.45	4939.28	135.71	.10	.3613	33.394	.0000	.000
553.204	598.71	597.27	6113.90	227.62	.065	395.54	12457.31	5075.08	135.90	.10	.3612	33.384	.0000	.000
568.204	598.62	597.11	6113.80	233.09	.066	396.11	12494.03	5211.07	136.08	.10	.3612	33.374	.0000	.000
583.204	598.54	596.95	6113.70	238.55	.068	396.69	12530.60	5347.25	136.27	.10	.3612	33.364	.0000	.000
598.204	598.45	596.79	6113.59	243.98	.069	397.27	12567.02	5483.60	136.46	.10	.3611	33.353	.0000	.000
613.204	598.36	596.63	6113.49	249.40	.071	397.84	12603.29	5620.15	136.64	.10	.3611	33.343	.0000	.000

628.204	598.26	596.46	6113.38	254.81	.072	398.42	12639.41	5756.88	136.82	.10	.3611	33.333	.0000	.000
643.204	598.17	596.28	6113.27	260.20	.074	399.00	12675.39	5893.79	137.01	.10	.3610	33.322	.0000	.000
658.204	598.07	596.11	6113.16	265.57	.075	399.57	12711.21	6030.69	137.19	.10	.3610	33.312	.0000	.000
673.204	597.97	595.93	6113.05	270.94	.077	400.15	12746.89	6168.17	137.38	.10	.3610	33.301	.0000	.000
688.204	597.87	595.74	6112.94	276.28	.078	400.72	12782.41	6305.63	137.56	.09	.3609	33.291	.0000	.000
703.204	597.76	595.56	6112.82	281.62	.080	401.30	12817.79	6443.28	137.74	.09	.3609	33.280	.0000	.000
718.204	597.66	595.37	6112.70	286.94	.081	401.88	12853.02	6581.11	137.92	.09	.3608	33.270	.0000	.000
726.191	597.60	595.27	6112.64	289.77	.082	402.18	12871.72	6654.57	73.51	.05	.3608	33.259	.0000	.000
741.191	597.45	595.07	6112.56	292.98	.083	404.16	12999.18	6792.92	138.44	.09	.3608	33.253	.0000	.000
746.336	597.40	595.00	6112.54	294.09	.083	404.84	13042.53	6840.52	47.64	.03	.3607	33.248	.0000	.000
746.346	597.36	595.59	6113.43	252.40	.072	109.18	15184.26	6840.52	.00	-.00	.3608	33.297	.0000	.000
761.346	597.51	595.53	6113.14	266.65	.076	200.04	14485.03	6893.76	53.10	-.14	.3608	33.297	.0000	.000
776.346	597.67	595.44	6112.77	283.69	.080	290.89	13783.27	6978.10	84.29	-.05	.3608	33.273	.0000	.000
791.346	597.85	595.29	6112.31	303.96	.086	381.74	13079.00	7093.56	115.49	.03	.3608	33.243	.0000	.000
794.831	597.90	595.24	6112.18	309.20	.088	402.84	12915.02	7124.84	31.30	.02	.3608	33.207	.0000	.000
809.831	597.77	595.03	6112.07	313.76	.089	403.83	12978.72	7263.24	138.49	.09	.3608	33.202	.0000	.000
824.831	597.64	594.82	6111.96	318.31	.090	404.81	13041.96	7401.96	138.81	.09	.3607	33.192	.0000	.000
839.831	597.50	594.61	6111.84	322.84	.092	405.79	13104.72	7541.00	139.13	.09	.3607	33.182	.0000	.000
854.781	597.37	594.39	6111.73	327.35	.093	406.77	13166.81	7679.89	138.98	.09	.3606	33.172	.0000	.000
869.781	597.13	594.18	6111.75	326.42	.093	411.14	13450.53	7820.16	140.34	.07	.3605	33.162	.0000	.000
884.781	596.90	593.96	6111.77	325.82	.092	415.61	13724.53	7961.95	141.83	.04	.3604	33.168	.0000	.000
899.781	596.68	593.75	6111.77	325.54	.092	420.07	13988.80	8105.27	143.33	.00	.3604	33.172	.0000	.000
914.781	596.47	593.54	6111.77	325.55	.092	424.52	14243.34	8250.14	144.83	-.03	.3603	33.174	.0000	.000
929.781	596.27	593.33	6111.76	325.84	.092	428.97	14488.17	8396.56	146.35	-.07	.3604	33.176	.0000	.000
944.781	596.07	593.12	6111.75	326.41	.093	433.41	14723.27	8544.58	147.92	-.10	.3605	33.177	.0000	.000
959.781	595.87	592.91	6111.73	327.23	.093	437.85	14948.65	8694.26	149.56	-.13	.3609	33.178	.0000	.000
974.781	595.68	592.70	6111.70	328.31	.093	442.29	15164.30	8845.69	151.27	-.16	.3614	33.179	.0000	.000
989.781	595.50	592.49	6111.67	329.64	.093	446.74	15370.23	8998.96	153.08	-.19	.3622	33.181	.0000	.000
1004.781	595.39	592.37	6111.64	330.55	.094	449.32	15488.14	9091.09	91.87	-.27	.3628	32.871	.0000	.000
1019.781	595.29	592.37	6111.79	325.01	.092	.00	15752.92	9091.42	.00	-.33	.3628	32.101	.0000	.000
1034.781	595.23	592.37	6111.88	321.42	.091	.00	15929.68	9091.68	.00	-.26	.3628	31.332	.0000	.000
1040.791	595.20	592.37	6111.91	320.05	.091	.00	15997.77	9091.79	.00	-.11	.3628	31.024	.0000	.000
1055.791	595.21	592.37	6111.90	320.62	.091	.00	15969.84	9092.07	.00	-.28	.3628	30.483	.0000	.000
1070.791	595.22	592.37	6111.88	321.20	.091	.00	15941.80	9092.35	.00	-.28	.3628	29.942	.0000	.000
1064.171	595.23	592.37	6111.87	321.71	.091	.00	15916.69	9092.60	.00	-.25	.3628	29.459	.0000	.000
AFT(A)	589.47	563.10	6075.22	989.89	.281	.....	15823.73	9093.44	.00	-.51	.3617	29.460	....	.....
AFT(B)	589.46	589.46	6112.73	-.02	.000	.....	10413.12	.33	.00	-.33	.3614	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC.
FORWARD	1.1676+02	5.9969+02	5.9960+02	6.1158+03	4.2898+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2683+03
AFT	1.1677+02	5.9969+02	5.9960+02	6.1158+03	4.2899+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2683+03

GAS BUILDUP IN SLOT, DW/DT = -1.9719-04

FORWARD	4.2705+02	5.9887+02	5.9802+02	6.1147+03	1.3990+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1067+03
AFT	4.2706+02	5.9909+02	5.9824+02	6.1151+03	1.3985+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1067+03

GAS BUILDUP IN SLOT, DW/DT = -1.9586-04

FORWARD	7.4634+02	5.9740+02	5.9500+02	6.1125+03	2.3412+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8405+03
AFT	7.4635+02	5.9799+02	5.9559+02	6.1134+03	2.3393+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8405+03

GAS BUILDUP IN SLOT, DW/DT = -1.9530-04

```
*PARTBN* TIME= 88.50 IS=1 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 994.73 AINCHI= 989.78 DELZ= 4.950 ALP=449.42 ALPHI=448.01
*PARTBN* TIME= 88.50 IS=2 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 994.03 AINCHI= 989.78 DELZ= 4.247 ALP=449.44 ALPHI=448.24
*PARTBN* TIME= 88.50 IS=3 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 994.17 AINCHI= 989.78 DELZ= 4.388 ALP=449.44 ALPHI=448.20
*PARTBN* TIME= 88.50 IS=4 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 994.91 AINCHI= 989.78 DELZ= 5.130 ALP=449.42 ALPHI=447.96
*PARTBN* TIME= 88.50 IS=5 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 995.82 AINCHI= 989.78 DELZ= 6.034 ALP=449.39 ALPHI=447.67
*PARTBN* TIME= 88.50 IS=6 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 996.05 AINCHI= 989.78 DELZ= 6.271 ALP=449.39 ALPHI=447.60
*PARTBN* TIME= 88.50 IS=7 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 996.01 AINCHI= 989.78 DELZ= 6.226 ALP=449.39 ALPHI=447.61
*PARTBN* TIME= 88.50 IS=8 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 995.72 AINCHI= 989.78 DELZ= 5.936 ALP=449.40 ALPHI=447.70
*PARTBN* TIME= 88.50 IS=1 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 994.73 AINCHI= 989.78 DELZ= 4.950 ALP=449.42 ALPHI=448.01
*PARTBN* TIME= 88.50 IS=2 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 994.03 AINCHI= 989.78 DELZ= 4.247 ALP=449.44 ALPHI=448.24
*PARTBN* TIME= 88.50 IS=3 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 994.17 AINCHI= 989.78 DELZ= 4.388 ALP=449.44 ALPHI=448.20
*PARTBN* TIME= 88.50 IS=4 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 994.91 AINCHI= 989.78 DELZ= 5.130 ALP=449.42 ALPHI=447.96
*PARTBN* TIME= 88.50 IS=5 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 995.82 AINCHI= 989.78 DELZ= 6.034 ALP=449.39 ALPHI=447.67
*PARTBN* TIME= 88.50 IS=6 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 996.05 AINCHI= 989.78 DELZ= 6.271 ALP=449.39 ALPHI=447.60
*PARTBN* TIME= 88.50 IS=7 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 996.01 AINCHI= 989.78 DELZ= 6.226 ALP=449.39 ALPHI=447.61
*PARTBN* TIME= 88.50 IS=8 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 995.72 AINCHI= 989.78 DELZ= 5.936 ALP=449.40 ALPHI=447.70
*PARTBN* TIME= 89.00 IS=1 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 991.21 AINCHI= 989.78 DELZ= 1.429 ALP=449.52 ALPHI=449.15
*PARTBN* TIME= 89.00 IS=2 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 990.50 AINCHI= 989.78 DELZ=  .719 ALP=449.54 ALPHI=449.38
*PARTBN* TIME= 89.00 IS=3 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 990.64 AINCHI= 989.78 DELZ=  .859 ALP=449.53 ALPHI=449.34
*PARTBN* TIME= 89.00 IS=4 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 991.39 AINCHI= 989.78 DELZ= 1.610 ALP=449.51 ALPHI=449.10
*PARTBN* TIME= 89.00 IS=5 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 992.30 AINCHI= 989.78 DELZ= 2.521 ALP=449.49 ALPHI=448.80
*PARTBN* TIME= 89.00 IS=6 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 992.54 AINCHI= 989.78 DELZ= 2.760 ALP=449.48 ALPHI=448.73
*PARTBN* TIME= 89.00 IS=7 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 992.50 AINCHI= 989.78 DELZ= 2.719 ALP=449.48 ALPHI=448.74
*PARTBN* TIME= 89.00 IS=8 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 992.20 AINCHI= 989.78 DELZ= 2.423 ALP=449.49 ALPHI=448.84
*PARTBN* TIME= 89.00 IS=1 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 991.21 AINCHI= 989.78 DELZ= 1.429 ALP=449.52 ALPHI=449.15
*PARTBN* TIME= 89.00 IS=2 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 990.50 AINCHI= 989.78 DELZ=  .719 ALP=449.54 ALPHI=449.38
*PARTBN* TIME= 89.00 IS=3 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 990.64 AINCHI= 989.78 DELZ=  .859 ALP=449.53 ALPHI=449.34
*PARTBN* TIME= 89.00 IS=4 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 991.39 AINCHI= 989.78 DELZ= 1.610 ALP=449.51 ALPHI=449.10
*PARTBN* TIME= 89.00 IS=5 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 992.30 AINCHI= 989.78 DELZ= 2.521 ALP=449.49 ALPHI=448.80
*PARTBN* TIME= 89.00 IS=6 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 992.54 AINCHI= 989.78 DELZ= 2.760 ALP=449.48 ALPHI=448.73
*PARTBN* TIME= 89.00 IS=7 ZCALC( 75)=1004.78 ZCALC( 74)= 989.78 AINCW= 992.50 AINCHI= 989.78 DELZ= 2.719 ALP=449.48 ALPHI=448.74
```

PARTBN TIME= 89.00 IS=8 ZCALC(75)=1004.78 ZCALC(74)= 989.78 AINCW= 992.20 AINCHI= 989.78 DELZ= 2.423 ALP=449.49 ALPHI=448.84

IGNITION TIME, TIME (S) 89.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10329829.	2322238.0
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10377073.	2332858.9
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	55708.403	12523.747
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.10014261+10	.22512953+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.56761	256.56761
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.10500961+10	.23625085+09
THRUST COEFFICIENT	CF	1.6256399	1.6256399
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4094.4220	9026.6554
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	413598.99	911829.70
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	29.898296	65.914459
INERT MASS REMAINING (KG,LBM)	MIR	863.58772	1903.8850
TOTAL BURN AREA (M**2,IN**2)	ABTOT	254.70043	394786.46
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	54.217845	3308575.9
PROPELLANT MASS REMAINING (KG,LBM)	WF	91939.218	202691.28
TOTAL GAS MASS (KG,LBM)	WGTOT	1245.3044	2745.4261
RATIO OF SPECIFIC HEATS	GAMA	1.1597152	1.1597152
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.845437	28.319341
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.2638	5115.6948
MAXIMUM CHAMBER MACH NUMBER	AMPN	.94107338-01	.94107338-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.41019344+09	594.93530
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.44150240+11	64034.655
BURN AREA (M**2,IN**2)	AHH	5.8035732	8995.5565
BURN RATE (M/S,IN/S)	RBZ(1)	.93075892-02	.36092871
DISTANCE BURNED (M,IN)	TAUZ(1)	.86525896	34.065314
PROPELLANT VOLUME (M**3,IN**3)	VFH	1.0450443	63772.515
GAS VOLUME (M**3,IN**3)	VPH	54.058788	3298869.6
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3396.9036	6114.4265
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	248.89686	385790.91
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	53.170835	3244683.5
GAS VOLUME (M**3,IN**3)	VP	233.82986	14269174.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.40319627+09	584.78676
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.41883624+11	60747.062
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.91619157-02	.36070535
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.91540013-02	.36039375
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3395.1561	6111.2809
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5831936	2453.9550
EXPANSION RATIO	EPR	6.7891350	6.7891350
PRESSURE RATIO	PEPO	.23179304-01	.23179304-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	594.94	594.93	6114.43	9.49	.003	394.39	12376.03	209.38	205.89	-3.50	.3607	34.065	.0000	.000
15.000	594.93	594.92	6114.42	15.61	.004	394.65	12393.19	344.74	135.44	.09	.3607	34.025	.0000	.000
30.000	594.93	594.91	6114.41	21.71	.006	394.92	12410.31	480.18	135.54	.09	.3607	34.020	.0000	.000
45.000	594.92	594.90	6114.40	27.80	.008	395.19	12427.41	615.72	135.63	.09	.3607	34.015	.0000	.000
60.000	594.91	594.88	6114.38	33.87	.010	395.46	12444.48	751.34	135.72	.09	.3607	34.011	.0000	.000
75.000	594.90	594.86	6114.37	39.94	.011	395.72	12461.52	887.06	135.81	.09	.3607	34.006	.0000	.000
90.000	594.89	594.83	6114.35	45.99	.013	395.99	12478.54	1022.86	135.90	.09	.3607	34.001	.0000	.000
105.000	594.87	594.80	6114.32	52.04	.015	396.26	12495.52	1158.76	135.99	.09	.3607	33.996	.0000	.000
116.761	594.86	594.77	6114.30	56.77	.016	396.47	12508.82	1265.38	106.69	.07	.3607	33.990	.0000	.000
116.771	594.86	594.77	6114.30	57.50	.016	345.17	12348.15	1265.38	.00	-.00	.3607	33.991	.0000	.000
131.771	594.84	594.73	6114.28	62.81	.018	373.03	12407.28	1388.58	123.27	.06	.3607	33.991	.0000	.000
143.919	594.82	594.70	6114.25	67.38	.019	395.60	12455.26	1495.36	106.84	.07	.3607	33.984	.0000	.000
158.919	594.80	594.65	6114.22	73.21	.021	396.53	12506.43	1631.22	135.96	.09	.3607	33.978	.0000	.000
173.919	594.78	594.60	6114.19	79.00	.022	397.46	12557.39	1767.41	136.27	.09	.3607	33.972	.0000	.000
188.919	594.75	594.55	6114.15	84.77	.024	398.39	12608.12	1903.90	136.59	.09	.3606	33.966	.0000	.000
203.919	594.72	594.49	6114.11	90.50	.026	399.32	12658.63	2040.71	136.90	.09	.3606	33.960	.0000	.000
218.919	594.69	594.43	6114.07	96.21	.027	400.25	12708.93	2177.84	137.22	.09	.3606	33.954	.0000	.000
233.919	594.65	594.37	6114.02	101.89	.029	401.18	12759.00	2315.27	137.53	.09	.3606	33.948	.0000	.000
248.919	594.62	594.30	6113.98	107.55	.030	402.11	12808.86	2453.03	137.84	.09	.3606	33.942	.0000	.000
263.919	594.58	594.23	6113.93	113.17	.032	403.03	12858.49	2591.09	138.16	.09	.3606	33.935	.0000	.000
278.919	594.54	594.15	6113.88	118.78	.034	403.96	12907.91	2729.47	138.47	.09	.3606	33.929	.0000	.000
293.919	594.50	594.07	6113.82	124.35	.035	404.89	12957.10	2868.16	138.78	.09	.3605	33.922	.0000	.000
308.919	594.46	593.99	6113.77	129.91	.037	405.82	13006.08	3007.16	139.09	.09	.3605	33.915	.0000	.000
323.919	594.41	593.90	6113.71	135.43	.038	406.75	13054.84	3146.47	139.40	.09	.3605	33.909	.0000	.000
338.919	594.36	593.81	6113.65	140.94	.040	407.68	13103.37	3286.10	139.71	.09	.3605	33.902	.0000	.000
353.919	594.31	593.72	6113.59	146.42	.041	408.61	13151.69	3426.03	140.02	.09	.3605	33.895	.0000	.000
368.919	594.26	593.62	6113.53	151.89	.043	409.54	13199.79	3566.28	140.33	.09	.3604	33.887	.0000	.000
383.919	594.20	593.52	6113.46	157.33	.045	410.47	13247.67	3706.83	140.64	.09	.3604	33.880	.0000	.000
398.919	594.15	593.42	6113.39	162.75	.046	411.40	13295.33	3847.70	140.95	.09	.3604	33.873	.0000	.000
403.048	594.13	593.39	6113.37	164.24	.047	411.65	13308.41	3886.52	38.85	.02	.3604	33.865	.0000	.000
418.048	594.08	593.28	6113.29	170.36	.048	409.79	13297.04	4027.30	140.86	.09	.3603	33.863	.0000	.000
427.051	594.05	593.21	6113.24	174.02	.049	408.67	13290.41	4111.48	84.23	.05	.3603	33.857	.0000	.000
427.061	594.03	593.42	6113.56	149.17	.042	-31.46	15499.86	4111.48	.00	-.00	.3603	33.883	.0000	.000
442.061	594.14	593.40	6113.39	163.10	.046	145.25	14244.13	4131.22	19.51	.22	.3604	33.883	.0000	.000
457.061	594.27	593.35	6113.11	183.17	.052	321.97	12930.54	4211.41	80.13	-.06	.3604	33.855	.0000	.000
463.204	594.34	593.30	6112.96	193.67	.055	394.34	12375.89	4261.70	50.31	.02	.3604	33.814	.0000	.000
478.204	594.27	593.17	6112.87	199.25	.056	394.91	12413.72	4396.96	135.35	.09	.3604	33.793	.0000	.000
493.204	594.19	593.03	6112.79	204.81	.058	395.49	12451.40	4532.41	135.54	.09	.3603	33.784	.0000	.000
508.204	594.12	592.89	6112.70	210.36	.060	396.07	12488.92	4668.05	135.73	.09	.3603	33.774	.0000	.000
523.204	594.04	592.75	6112.60	215.88	.061	396.64	12526.29	4803.87	135.92	.09	.3603	33.764	.0000	.000
538.204	593.96	592.61	6112.51	221.38	.063	397.22	12563.52	4939.88	136.10	.09	.3603	33.755	.0000	.000
553.204	593.88	592.46	6112.41	226.87	.064	397.80	12600.58	5076.08	136.29	.09	.3602	33.745	.0000	.000
568.204	593.79	592.30	6112.31	232.34	.066	398.37	12637.50	5212.46	136.47	.09	.3602	33.735	.0000	.000
583.204	593.71	592.15	6112.21	237.80	.067	398.95	12674.27	5349.03	136.66	.09	.3602	33.725	.0000	.000
598.204	593.62	591.98	6112.11	243.24	.069	399.53	12710.88	5485.78	136.84	.09	.3601	33.714	.0000	.000
613.204	593.53	591.82	6112.01	248.66	.070	400.11	12747.35	5622.72	137.03	.09	.3601	33.704	.0000	.000

628.204	593.44	591.65	6111.90	254.07	.072	400.68	12783.66	5759.84	137.21	.09	.3600	33.694	.0000	.000
643.204	593.34	591.48	6111.79	259.46	.074	401.26	12819.82	5897.15	137.40	.09	.3600	33.683	.0000	.000
658.204	593.24	591.31	6111.68	264.84	.075	401.84	12855.83	6034.64	137.58	.09	.3600	33.673	.0000	.000
673.204	593.14	591.13	6111.57	270.21	.077	402.41	12891.68	6172.31	137.76	.09	.3599	33.662	.0000	.000
688.204	593.04	590.95	6111.45	275.56	.078	402.99	12927.39	6310.17	137.94	.09	.3599	33.652	.0000	.000
703.204	592.94	590.77	6111.34	280.89	.080	403.57	12962.94	6448.20	138.13	.09	.3598	33.641	.0000	.000
718.204	592.84	590.58	6111.22	286.22	.081	404.14	12998.34	6586.42	138.31	.09	.3598	33.631	.0000	.000
726.191	592.78	590.48	6111.15	289.05	.082	404.45	13017.13	6660.09	73.72	.05	.3598	33.620	.0000	.000
741.191	592.64	590.28	6111.08	292.29	.083	406.43	13145.29	6798.82	138.82	.09	.3597	33.614	.0000	.000
746.336	592.59	590.22	6111.05	293.40	.083	407.11	13188.87	6846.56	47.77	.03	.3597	33.608	.0000	.000
746.346	592.55	590.77	6111.90	254.01	.072	98.12	15221.65	6846.56	.00	-.00	.3598	33.657	.0000	.000
761.346	592.69	590.72	6111.62	267.59	.076	193.09	14555.76	6896.57	49.86	-.15	.3598	33.658	.0000	.000
776.346	592.84	590.62	6111.27	283.84	.080	288.06	13887.49	6979.01	82.38	-.06	.3598	33.633	.0000	.000
791.346	593.01	590.47	6110.83	303.21	.086	383.03	13216.82	7093.89	114.90	.02	.3598	33.604	.0000	.000
794.631	593.05	590.43	6110.71	308.21	.087	405.10	13060.65	7125.22	31.35	.02	.3597	33.568	.0000	.000
809.631	592.92	590.22	6110.59	312.78	.089	406.08	13124.71	7264.00	138.86	.09	.3597	33.562	.0000	.000
824.831	592.79	590.02	6110.48	317.34	.090	407.07	13188.29	7403.10	139.19	.09	.3597	33.552	.0000	.000
839.831	592.66	589.81	6110.37	321.89	.091	408.05	13251.38	7542.52	139.51	.09	.3596	33.542	.0000	.000
854.781	592.53	589.59	6110.25	326.40	.093	409.03	13313.80	7681.79	139.36	.08	.3596	33.532	.0000	.000
869.781	592.30	589.38	6110.27	325.91	.092	413.40	13583.10	7822.43	140.71	.07	.3595	33.522	.0000	.000
884.781	592.08	589.16	6110.27	325.72	.092	417.87	13843.13	7964.60	142.19	.03	.3594	33.528	.0000	.000
899.781	591.87	588.95	6110.27	325.81	.092	422.33	14093.88	8108.29	143.69	-.00	.3593	33.532	.0000	.000
914.781	591.66	588.74	6110.26	326.18	.092	426.78	14335.37	8253.53	145.23	-.04	.3593	33.534	.0000	.000
929.781	591.47	588.53	6110.24	326.80	.093	431.23	14567.57	8400.34	146.74	-.07	.3594	33.536	.0000	.000
944.781	591.27	588.32	6110.22	327.68	.093	435.67	14790.50	8548.77	148.33	-.10	.3597	33.537	.0000	.000
959.781	591.08	588.11	6110.19	328.80	.093	440.11	15004.16	8698.89	149.99	-.13	.3601	33.538	.0000	.000
974.781	590.90	587.90	6110.16	330.16	.094	444.56	15208.55	8850.80	151.74	-.16	.3608	33.540	.0000	.000
989.781	590.72	587.70	6110.11	331.76	.094	449.01	15403.66	9004.60	153.61	-.19	.3617	33.543	.0000	.000
1004.781	590.69	587.67	6110.11	331.99	.094	449.50	15427.53	9024.29	19.34	-.36	.3618	32.871	.0000	.000
1019.781	590.57	587.67	6110.29	324.88	.092	.00	15766.06	9024.62	.00	-.33	.3617	32.101	.0000	.000
1034.781	590.50	587.67	6110.38	321.48	.091	.00	15933.34	9024.88	.00	-.26	.3617	31.332	.0000	.000
1040.791	590.48	587.67	6110.41	320.19	.091	.00	15997.77	9024.99	.00	-.11	.3617	31.024	.0000	.000
1055.791	590.49	587.67	6110.40	320.76	.091	.00	15969.84	9025.27	.00	-.28	.3617	30.483	.0000	.000
1070.791	590.50	587.67	6110.38	321.34	.091	.00	15941.80	9025.55	.00	-.28	.3617	29.942	.0000	.000
1084.171	590.51	587.67	6110.37	321.85	.091	.00	15916.69	9025.80	.00	-.25	.3617	29.459	.0000	.000
AFT(A)	584.79	558.60	6073.73	990.37	.282	.....	15823.73	9026.66	.00	-.52	.3607	29.460	....	.....
AFT(B)	584.78	584.78	6111.28	-.02	.000	.....	10413.12	.34	.00	-.34	.3604	20.670	....	.....

SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD 1.1676+02	5.9486+02	5.9477+02	6.1143+03	4.3139+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2654+03
AFT 1.1677+02	5.9486+02	5.9477+02	6.1143+03	4.3139+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2654+03

GAS BUILDUP IN SLOT, DW/DT = -1.9897-04

FOREWARD 4.2705+02	5.9405+02	5.9321+02	6.1132+03	1.4117+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1115+03
AFT 4.2706+02	5.9425+02	5.9342+02	6.1136+03	1.4113+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1115+03

GAS BUILDUP IN SLOT, DW/DT = -1.9767-04

FOREWARD 7.4634+02	5.9259+02	5.9022+02	6.1111+03	2.3620+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8466+03
AFT 7.4635+02	5.9314+02	5.9077+02	6.1119+03	2.3601+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8466+03

GAS BUILDUP IN SLOT, DW/DT = -1.9717-04

```
WEB BURNOUT INCREMENT LOCATION = 989.7810    SECTOR NO.  1    TAU = 33.6399    TAUWDP = 33.6399    TIME = 89.00
WEB BURNOUT INCREMENT LOCATION = 989.7810    SECTOR NO.  2    TAU = 33.6399    TAUWDP = 33.6399    TIME = 89.00
WEB BURNOUT INCREMENT LOCATION = 989.7810    SECTOR NO.  3    TAU = 33.6399    TAUWDP = 33.6399    TIME = 89.00
WEB BURNOUT INCREMENT LOCATION = 989.7810    SECTOR NO.  4    TAU = 33.6399    TAUWDP = 33.6399    TIME = 89.00
WEB BURNOUT INCREMENT LOCATION = 989.7810    SECTOR NO.  5    TAU = 33.6399    TAUWDP = 33.6399    TIME = 89.00
WEB BURNOUT INCREMENT LOCATION = 989.7810    SECTOR NO.  6    TAU = 33.6399    TAUWDP = 33.6399    TIME = 89.00
WEB BURNOUT INCREMENT LOCATION = 989.7810    SECTOR NO.  7    TAU = 33.6399    TAUWDP = 33.6399    TIME = 89.00
WEB BURNOUT INCREMENT LOCATION = 989.7810    SECTOR NO.  8    TAU = 33.6399    TAUWDP = 33.6399    TIME = 89.00
*PARTBN* TIME= 89.50 IS=1 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 987.70 AINCHI= 974.78 DELZ=12.923 ALP=449.61 ALPHI=445.83
*PARTBN* TIME= 89.50 IS=2 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 986.99 AINCHI= 974.78 DELZ=12.210 ALP=449.63 ALPHI=446.05
*PARTBN* TIME= 89.50 IS=3 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 987.13 AINCHI= 974.78 DELZ=12.351 ALP=449.63 ALPHI=446.01
*PARTBN* TIME= 89.50 IS=4 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 987.89 AINCHI= 974.78 DELZ=13.104 ALP=449.61 ALPHI=445.78
*PARTBN* TIME= 89.50 IS=5 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 988.80 AINCHI= 974.78 DELZ=14.017 ALP=449.58 ALPHI=445.50
*PARTBN* TIME= 89.50 IS=6 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 989.04 AINCHI= 974.78 DELZ=14.257 ALP=449.57 ALPHI=445.42
*PARTBN* TIME= 89.50 IS=7 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 988.99 AINCHI= 974.78 DELZ=14.211 ALP=449.58 ALPHI=445.43
*PARTBN* TIME= 89.50 IS=8 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 988.70 AINCHI= 974.78 DELZ=13.918 ALP=449.58 ALPHI=445.53
*PARTBN* TIME= 89.50 IS=1 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 987.70 AINCHI= 974.78 DELZ=12.923 ALP=449.61 ALPHI=445.83
*PARTBN* TIME= 89.50 IS=2 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 986.99 AINCHI= 974.78 DELZ=12.210 ALP=449.63 ALPHI=446.05
*PARTBN* TIME= 89.50 IS=3 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 987.13 AINCHI= 974.78 DELZ=12.351 ALP=449.63 ALPHI=446.01
*PARTBN* TIME= 89.50 IS=4 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 987.89 AINCHI= 974.78 DELZ=13.104 ALP=449.61 ALPHI=445.78
*PARTBN* TIME= 89.50 IS=5 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 988.80 AINCHI= 974.78 DELZ=14.017 ALP=449.58 ALPHI=445.50
*PARTBN* TIME= 89.50 IS=6 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 989.04 AINCHI= 974.78 DELZ=14.257 ALP=449.57 ALPHI=445.42
*PARTBN* TIME= 89.50 IS=7 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 988.99 AINCHI= 974.78 DELZ=14.211 ALP=449.58 ALPHI=445.43
*PARTBN* TIME= 89.50 IS=8 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 988.70 AINCHI= 974.78 DELZ=13.918 ALP=449.58 ALPHI=445.53
*PARTBN* TIME= 90.00 IS=1 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 984.20 AINCHI= 974.78 DELZ= 9.420 ALP=449.70 ALPHI=446.96
*PARTBN* TIME= 90.00 IS=2 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 983.49 AINCHI= 974.78 DELZ= 8.705 ALP=449.72 ALPHI=447.19
*PARTBN* TIME= 90.00 IS=3 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 983.63 AINCHI= 974.78 DELZ= 8.846 ALP=449.72 ALPHI=447.14
*PARTBN* TIME= 90.00 IS=4 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 984.38 AINCHI= 974.78 DELZ= 9.603 ALP=449.70 ALPHI=446.91
*PARTBN* TIME= 90.00 IS=5 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 985.30 AINCHI= 974.78 DELZ=10.519 ALP=449.67 ALPHI=446.62
*PARTBN* TIME= 90.00 IS=6 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 985.54 AINCHI= 974.78 DELZ=10.760 ALP=449.67 ALPHI=446.55
*PARTBN* TIME= 90.00 IS=7 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 985.49 AINCHI= 974.78 DELZ=10.714 ALP=449.67 ALPHI=446.56
```

```
*PARTBN* TIME= 90.00 IS=0 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 985.20 AINCHI= 974.78 DELZ=10.419 ALP=449.68 ALPHI=446.65
*PARTBN* TIME= 90.00 IS=1 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 984.20 AINCHI= 974.78 DELZ= 9.420 ALP=449.70 ALPHI=446.96
*PARTBN* TIME= 90.00 IS=2 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 983.49 AINCHI= 974.78 DELZ= 8.705 ALP=449.72 ALPHI=447.19
*PARTBN* TIME= 90.00 IS=3 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 983.63 AINCHI= 974.78 DELZ= 8.846 ALP=449.72 ALPHI=447.14
*PARTBN* TIME= 90.00 IS=4 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 984.38 AINCHI= 974.78 DELZ= 9.603 ALP=449.70 ALPHI=446.91
*PARTBN* TIME= 90.00 IS=5 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 985.30 AINCHI= 974.78 DELZ=10.519 ALP=449.67 ALPHI=446.62
*PARTBN* TIME= 90.00 IS=6 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 985.54 AINCHI= 974.78 DELZ=10.760 ALP=449.67 ALPHI=446.55
*PARTBN* TIME= 90.00 IS=7 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 985.49 AINCHI= 974.78 DELZ=10.714 ALP=449.67 ALPHI=446.56
*PARTBN* TIME= 90.00 IS=8 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 985.20 AINCHI= 974.78 DELZ=10.419 ALP=449.68 ALPHI=446.65
```

IGNITION TIME, TIME (S) 90.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10254404.	2305281.8
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10298424.	2315177.9
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	56499.015	12701.484
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.10117100+10	.22744325+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.52522	256.52522
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.10612337+10	.23857482+09
THRUST COEFFICIENT	CF	1.6257574	1.6257574
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	8063.4155	8958.2977
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	417677.84	920822.02
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	30.322611	66.849915
INERT MASS REMAINING (KG,LBM)	MIR	833.37086	1837.2683
TOTAL BURN AREA (M**2,IN**2)	ABTOT	253.49615	392919.82
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	52.076503	3177903.2
PROPELLANT MASS REMAINING (KG,LBM)	WF	87861.802	193701.68
TOTAL GAS MASS (KG,LBM)	WGTOT	1252.3791	2761.0232
RATIO OF SPECIFIC HEATS	GAMA	1.1597105	1.1597105
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.844263	28.316754
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.1772	5115.4106
MAXIMUM CHAMBER MACH NUMBER	AMPN	.94472885-01	.94472885-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.40679551+09	590.00701
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.44558826+11	64627.115
BURN AREA (M**2,IN**2)	AHH	5.6336331	8732.1489
BURN RATE (M/S,IN/S)	RBZ(1)	.91408638-02	.35987653
DISTANCE BURNED (M,IN)	TAUZ(1)	.87441982	34.425977
PROPELLANT VOLUME (M**3,IN**3)	VFH	.99273223	60580.238
GAS VOLUME (M**3,IN**3)	VPH	54.111100	3302061.9
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3396.0549	6112.0989
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	247.86252	384187.68
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	51.081805	3117203.0
GAS VOLUME (M**3,IN**3)	VP	238.02242	14525019.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.39990362+09	580.01118
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.42285166+11	61329.449
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.91356694-02	.35967203
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.91277693-02	.35936100
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3394.3337	6109.8007
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5840166	2455.2306
EXPANSION RATIO	EPR	6.7856077	6.7856077
PRESSURE RATIO	PEPO	.23195402-01	.23195402-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO. IN.
FORE	590.01	590.00	6112.90	9.17	.003	396.66	12518.60	202.83	199.28	-3.55	.3597	34.426	.0000	.000
15.000	590.00	590.00	6112.89	15.28	.004	396.92	12535.85	338.57	135.83	.09	.3597	34.385	.0000	.000
30.000	590.00	589.99	6112.88	21.38	.006	397.19	12553.07	474.40	135.92	.09	.3597	34.380	.0000	.000
45.000	589.99	589.97	6112.87	27.46	.008	397.46	12570.27	610.32	136.01	.09	.3597	34.376	.0000	.000
60.000	589.98	589.95	6112.86	33.54	.010	397.72	12587.43	746.34	136.10	.09	.3597	34.371	.0000	.000
75.000	589.97	589.93	6112.84	39.60	.011	397.99	12604.57	882.44	136.19	.09	.3597	34.366	.0000	.000
90.000	589.96	589.90	6112.82	45.65	.013	398.26	12621.68	1018.63	136.28	.09	.3597	34.361	.0000	.000
105.000	589.95	589.87	6112.80	51.70	.015	398.53	12638.76	1154.91	136.37	.09	.3596	34.356	.0000	.000
116.761	589.93	589.85	6112.78	56.42	.016	398.74	12652.13	1261.83	106.98	.07	.3596	34.351	.0000	.000
116.771	589.93	589.84	6112.77	57.24	.016	345.96	12472.70	1261.83	.00	-.00	.3596	34.352	.0000	.000
131.771	589.92	589.81	6112.75	62.48	.018	374.64	12532.01	1385.09	123.32	.06	.3596	34.352	.0000	.000
143.919	589.90	589.78	6112.73	67.01	.019	397.87	12598.25	1492.10	107.07	.06	.3596	34.344	.0000	.000
158.919	589.88	589.73	6112.69	72.84	.021	398.80	12649.73	1628.35	136.34	.09	.3596	34.339	.0000	.000
173.919	589.85	589.68	6112.66	78.64	.022	399.73	12701.08	1764.92	136.65	.09	.3596	34.333	.0000	.000
188.919	589.82	589.63	6112.62	84.40	.024	400.66	12752.16	1901.80	136.97	.09	.3596	34.327	.0000	.000
203.919	589.80	589.57	6112.58	90.14	.026	401.59	12803.02	2038.99	137.28	.09	.3596	34.321	.0000	.000
218.919	589.76	589.51	6112.54	95.85	.027	402.51	12853.66	2176.50	137.59	.09	.3596	34.315	.0000	.000
233.919	589.73	589.45	6112.50	101.53	.029	403.44	12904.07	2314.31	137.90	.08	.3596	34.308	.0000	.000
248.919	589.70	589.38	6112.45	107.19	.030	404.37	12954.26	2452.45	138.22	.08	.3595	34.302	.0000	.000
263.919	589.66	589.31	6112.40	112.81	.032	405.30	13004.23	2590.89	138.53	.08	.3595	34.296	.0000	.000
278.919	589.62	589.23	6112.35	118.42	.034	406.23	13053.97	2729.64	138.84	.08	.3595	34.289	.0000	.000
293.919	589.58	589.16	6112.30	123.99	.035	407.16	13103.49	2868.71	139.15	.08	.3595	34.282	.0000	.000
308.919	589.53	589.07	6112.24	129.55	.037	408.09	13152.79	3008.08	139.46	.08	.3595	34.276	.0000	.000
323.919	589.49	588.99	6112.19	135.08	.038	409.02	13201.86	3147.77	139.77	.08	.3594	34.269	.0000	.000
338.919	589.44	588.90	6112.13	140.59	.040	409.95	13250.72	3287.76	140.08	.08	.3594	34.262	.0000	.000
353.919	589.39	588.81	6112.07	146.07	.041	410.87	13299.34	3428.07	140.39	.08	.3594	34.255	.0000	.000
368.919	589.34	588.71	6112.00	151.53	.043	411.80	13347.75	3568.68	140.70	.08	.3594	34.248	.0000	.000
383.919	589.29	588.61	6111.94	156.98	.044	412.73	13395.93	3709.60	141.01	.08	.3594	34.240	.0000	.000
398.919	589.23	588.51	6111.87	162.40	.046	413.66	13443.89	3850.83	141.31	.08	.3593	34.233	.0000	.000
403.048	589.21	588.48	6111.85	163.89	.046	413.92	13457.05	3889.76	38.95	.02	.3593	34.226	.0000	.000
418.048	589.16	588.37	6111.77	170.01	.048	412.05	13445.00	4030.91	141.22	.08	.3593	34.223	.0000	.000
427.051	589.13	588.30	6111.72	173.68	.049	410.93	13437.96	4115.31	84.45	.05	.3593	34.217	.0000	.000
427.061	589.12	588.49	6112.01	150.68	.043	-47.95	15485.58	4115.31	.00	-.00	.3593	34.243	.0000	.000
442.061	589.22	588.48	6111.85	163.86	.046	136.55	14292.82	4130.69	15.15	-.24	.3593	34.243	.0000	.000
457.061	589.35	588.43	6111.59	182.94	.052	321.04	13045.13	4209.01	78.25	-.07	.3593	34.215	.0000	.000
463.204	589.41	588.38	6111.44	192.93	.055	396.60	12518.31	4259.25	50.26	.02	.3593	34.174	.0000	.000
478.204	589.33	588.25	6111.36	198.51	.056	397.17	12556.35	4394.89	135.73	.09	.3593	34.153	.0000	.000
493.204	589.26	588.12	6111.27	204.07	.058	397.75	12594.24	4530.73	135.92	.09	.3593	34.144	.0000	.000
508.204	589.19	587.98	6111.18	209.62	.059	398.33	12631.98	4666.75	136.11	.09	.3593	34.134	.0000	.000
523.204	589.11	587.84	6111.09	215.15	.061	398.90	12669.56	4802.95	136.29	.08	.3592	34.124	.0000	.000
538.204	589.03	587.70	6110.99	220.65	.063	399.48	12706.99	4939.35	136.48	.08	.3592	34.115	.0000	.000
553.204	588.95	587.55	6110.90	226.15	.064	400.06	12744.26	5075.93	136.66	.08	.3592	34.105	.0000	.000
568.204	588.87	587.40	6110.80	231.62	.066	400.63	12781.38	5212.69	136.85	.08	.3591	34.095	.0000	.000
583.204	588.78	587.24	6110.70	237.08	.067	401.21	12818.34	5349.64	137.03	.08	.3591	34.084	.0000	.000
598.204	588.69	587.08	6110.60	242.52	.069	401.79	12855.15	5486.77	137.22	.08	.3591	34.074	.0000	.000
613.204	588.60	586.92	6110.49	247.95	.070	402.36	12891.80	5624.08	137.40	.08	.3590	34.064	.0000	.000

628.204	588.51	586.76	6110.39	253.36	.072	402.94	12928.30	5761.58	137.58	.08	.3590	34.053	.0000	.000
643.204	588.42	586.59	6110.28	258.76	.073	403.52	12964.65	5899.26	137.76	.08	.3590	34.043	.0000	.000
658.204	588.32	586.42	6110.17	264.14	.075	404.10	13000.84	6037.13	137.95	.08	.3589	34.032	.0000	.000
673.204	588.23	586.24	6110.05	269.51	.076	404.67	13036.88	6175.17	138.13	.08	.3589	34.022	.0000	.000
688.204	588.13	586.06	6109.94	274.86	.078	405.25	13072.76	6313.40	138.31	.08	.3589	34.011	.0000	.000
703.204	588.03	585.88	6109.82	280.21	.079	405.83	13108.49	6451.81	138.49	.08	.3588	34.001	.0000	.000
718.204	587.92	585.69	6109.71	285.54	.081	406.40	13144.06	6590.40	138.67	.08	.3588	33.990	.0000	.000
726.191	587.87	585.59	6109.64	288.37	.082	406.71	13162.94	6664.27	73.91	.04	.3587	33.979	.0000	.000
741.191	587.73	585.40	6109.57	291.63	.083	408.69	13291.78	6803.37	139.18	.08	.3587	33.973	.0000	.000
746.336	587.68	585.34	6109.54	292.74	.083	409.37	13335.60	6851.24	47.89	.03	.3586	33.968	.0000	.000
746.346	587.64	585.85	6110.34	255.72	.072	86.83	15254.92	6851.24	.00	-.00	.3587	34.017	.0000	.000
761.346	587.78	585.80	6110.07	268.59	.076	185.99	14623.77	6897.97	46.57	-.16	.3587	34.018	.0000	.000
776.346	587.92	585.71	6109.74	284.05	.081	285.15	13990.37	6978.47	80.43	-.07	.3587	33.993	.0000	.000
791.346	588.07	585.57	6109.31	302.50	.086	384.31	13354.69	7092.73	114.28	.01	.3587	33.963	.0000	.000
794.831	588.10	585.52	6109.20	307.26	.087	407.34	13206.68	7124.11	31.39	.02	.3587	33.927	.0000	.000
809.831	587.98	585.32	6109.09	311.84	.088	408.33	13271.08	7263.25	139.22	.08	.3587	33.922	.0000	.000
824.831	587.85	585.11	6108.98	316.41	.090	409.32	13335.00	7402.72	139.54	.08	.3586	33.912	.0000	.000
839.831	587.72	584.90	6108.86	320.97	.091	410.31	13398.43	7542.50	139.86	.08	.3586	33.902	.0000	.000
854.781	587.59	584.70	6108.75	325.50	.092	411.29	13461.17	7682.13	139.71	.08	.3585	33.892	.0000	.000
869.781	587.37	584.48	6108.75	325.43	.092	415.66	13716.02	7823.14	141.06	.06	.3584	33.881	.0000	.000
864.781	587.16	584.27	6108.74	325.64	.092	420.13	13962.05	7965.65	142.54	.02	.3583	33.887	.0000	.000
899.781	586.96	584.06	6108.73	326.11	.092	424.59	14199.25	8109.71	144.04	-.01	.3583	33.891	.0000	.000
914.781	586.76	583.85	6108.71	326.83	.093	429.04	14427.63	8255.30	145.55	-.04	.3583	33.893	.0000	.000
929.781	586.57	583.64	6108.69	327.78	.093	433.48	14647.18	8402.49	147.11	-.08	.3585	33.895	.0000	.000
944.781	586.38	583.43	6108.66	328.97	.093	437.93	14857.92	8551.33	148.73	-.11	.3588	33.896	.0000	.000
959.781	586.19	583.22	6108.62	330.39	.094	442.37	15059.83	8701.90	150.43	-.14	.3594	33.898	.0000	.000
974.781	586.01	583.01	6108.58	332.04	.094	446.82	15252.91	8854.29	152.22	-.17	.3601	33.901	.0000	.000
989.781	585.90	582.87	6108.55	333.25	.094	449.69	15375.28	8955.69	101.17	-.23	.3607	33.640	.0000	.000
1004.781	585.81	582.87	6108.68	328.20	.093	.00	15612.61	8956.00	.00	-.31	.3607	32.871	.0000	.000
1019.781	585.74	582.87	6108.77	324.75	.092	.00	15779.23	8956.24	.00	-.24	.3607	32.101	.0000	.000
1034.781	585.69	582.87	6108.85	321.55	.091	.00	15937.02	8956.50	.00	-.26	.3607	31.332	.0000	.000
1040.791	585.67	582.87	6108.88	320.33	.091	.00	15997.77	8956.62	.00	-.11	.3607	31.024	.0000	.000
1055.791	585.68	582.87	6108.87	320.90	.091	.00	15969.84	8956.90	.00	-.28	.3607	30.483	.0000	.000
1070.791	585.69	582.87	6108.85	321.47	.091	.00	15941.80	8957.18	.00	-.28	.3607	29.942	.0000	.000
1084.171	585.70	582.87	6108.84	321.99	.091	.00	15916.69	8957.44	.00	-.25	.3607	29.459	.0000	.000
AFT(A)	580.01	554.00	6072.21	990.86	.282	.....	15823.73	8958.30	.00	-.52	.3597	29.460	....	.....
AFT(B)	580.00	580.00	6109.80	-.02	.000	.....	10413.12	.34	.00	-.34	.3594	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	5.8993+02	5.8985+02	6.1128+03	4.3370+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2618+03
AFT	1.1677+02	5.8993+02	5.8984+02	6.1128+03	4.3371+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2618+03

GAS BUILDUP IN SLOT, DW/DT = -2.0060-04

FOREWARD	4.2705+02	5.8913+02	5.8830+02	6.1117+03	1.4246+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1153+03
AFT	4.2706+02	5.8932+02	5.8849+02	6.1120+03	1.4242+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1153+03

GAS BUILDUP IN SLOT, DW/DT = -1.9930-04

FOREWARD	7.4634+02	5.8768+02	5.8534+02	6.1095+03	2.3829+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8512+03
AFT	7.4635+02	5.8820+02	5.8585+02	6.1103+03	2.3811+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8512+03

GAS BUILDUP IN SLOT, DW/DT = -1.9882-04

```
*PARTBN* TIME= 90.50 IS=1 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 980.70 AINCHI= 974.78 DELZ= 5.920 ALP=449.80 ALPHI=448.10
*PARTBN* TIME= 90.50 IS=2 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 979.98 AINCHI= 974.78 DELZ= 5.201 ALP=449.81 ALPHI=448.33
*PARTBN* TIME= 90.50 IS=3 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 980.12 AINCHI= 974.78 DELZ= 5.344 ALP=449.81 ALPHI=448.28
*PARTBN* TIME= 90.50 IS=4 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 980.89 AINCHI= 974.78 DELZ= 6.104 ALP=449.79 ALPHI=448.04
*PARTBN* TIME= 90.50 IS=5 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 981.81 AINCHI= 974.78 DELZ= 7.024 ALP=449.77 ALPHI=447.75
*PARTBN* TIME= 90.50 IS=6 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 982.05 AINCHI= 974.78 DELZ= 7.267 ALP=449.76 ALPHI=447.67
*PARTBN* TIME= 90.50 IS=7 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 982.00 AINCHI= 974.78 DELZ= 7.221 ALP=449.76 ALPHI=447.69
*PARTBN* TIME= 90.50 IS=8 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 981.71 AINCHI= 974.78 DELZ= 6.924 ALP=449.77 ALPHI=447.78
*PARTBN* TIME= 90.50 IS=1 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 980.70 AINCHI= 974.78 DELZ= 5.920 ALP=449.80 ALPHI=448.10
*PARTBN* TIME= 90.50 IS=2 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 979.98 AINCHI= 974.78 DELZ= 5.201 ALP=449.81 ALPHI=448.33
*PARTBN* TIME= 90.50 IS=3 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 980.12 AINCHI= 974.78 DELZ= 5.344 ALP=449.81 ALPHI=448.28
*PARTBN* TIME= 90.50 IS=4 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 980.89 AINCHI= 974.78 DELZ= 6.104 ALP=449.79 ALPHI=448.04
*PARTBN* TIME= 90.50 IS=5 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 981.81 AINCHI= 974.78 DELZ= 7.024 ALP=449.77 ALPHI=447.75
*PARTBN* TIME= 90.50 IS=6 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 982.05 AINCHI= 974.78 DELZ= 7.267 ALP=449.76 ALPHI=447.67
*PARTBN* TIME= 90.50 IS=7 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 982.00 AINCHI= 974.78 DELZ= 7.221 ALP=449.76 ALPHI=447.69
*PARTBN* TIME= 90.50 IS=8 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 981.71 AINCHI= 974.78 DELZ= 6.924 ALP=449.77 ALPHI=447.78
*PARTBN* TIME= 91.00 IS=1 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 977.20 AINCHI= 974.78 DELZ= 2.422 ALP=449.89 ALPHI=449.23
*PARTBN* TIME= 91.00 IS=2 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 976.48 AINCHI= 974.78 DELZ= 1.699 ALP=449.91 ALPHI=449.46
*PARTBN* TIME= 91.00 IS=3 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 976.62 AINCHI= 974.78 DELZ= 1.842 ALP=449.90 ALPHI=449.42
*PARTBN* TIME= 91.00 IS=4 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 977.39 AINCHI= 974.78 DELZ= 2.608 ALP=449.88 ALPHI=449.17
*PARTBN* TIME= 91.00 IS=5 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 978.32 AINCHI= 974.78 DELZ= 3.534 ALP=449.86 ALPHI=448.88
*PARTBN* TIME= 91.00 IS=6 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 978.56 AINCHI= 974.78 DELZ= 3.779 ALP=449.85 ALPHI=448.80
*PARTBN* TIME= 91.00 IS=7 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 978.51 AINCHI= 974.78 DELZ= 3.732 ALP=449.85 ALPHI=448.81
*PARTBN* TIME= 91.00 IS=1 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 978.21 AINCHI= 974.78 DELZ= 3.433 ALP=449.86 ALPHI=448.91
*PARTBN* TIME= 91.00 IS=2 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 977.20 AINCHI= 974.78 DELZ= 2.422 ALP=449.89 ALPHI=449.23
*PARTBN* TIME= 91.00 IS=3 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 976.48 AINCHI= 974.78 DELZ= 1.699 ALP=449.91 ALPHI=449.46
*PARTBN* TIME= 91.00 IS=4 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 976.62 AINCHI= 974.78 DELZ= 1.842 ALP=449.90 ALPHI=449.42
*PARTBN* TIME= 91.00 IS=5 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 977.39 AINCHI= 974.78 DELZ= 2.608 ALP=449.88 ALPHI=449.17
*PARTBN* TIME= 91.00 IS=6 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 978.32 AINCHI= 974.78 DELZ= 3.534 ALP=449.86 ALPHI=448.88
*PARTBN* TIME= 91.00 IS=7 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 978.56 AINCHI= 974.78 DELZ= 3.779 ALP=449.85 ALPHI=448.80
```

PARTBN TIME= 91.00 IS=8 ZCALC(74)= 989.78 ZCALC(73)= 974.78 AINCW= 978.21 AINCHI= 974.78 DELZ= 3.433 ALP=449.86 ALPHI=448.91

IGNITION TIME, TIME (S) 91.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10176857.	2287848.4
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10217653.	2297019.9
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	57272.293	12875.324
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.10219338+10	.22973985+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.48091	256.48091
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.10714919+10	.24088096+09
THRUST COEFFICIENT	CF	1.6258778	1.6258778
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	4031.5947	8888.1449
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	421725.40	929745.37
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	30.737624	67.764862
INERT MASS REMAINING (KG,LBM)	MIR	802.73622	1769.7304
TOTAL BURN AREA (M**2,IN**2)	ABTOT	252.22991	390957.15
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	49.812583	3039750.3
PROPELLANT MASS REMAINING (KG,LBM)	WF	83815.750	184782.10
TOTAL GAS MASS (KG,LBM)	WGTOT	1243.6327	2741.7408
RATIO OF SPECIFIC HEATS	GAMA	1.1597057	1.1597057
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.843063	28.314107
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1559.0885	5115.1198
MAXIMUM CHAMBER MACH NUMBER	AMPN	.94790565-01	.94790565-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.40331990+09	584.96606
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.44963890+11	65214.609
BURN AREA (M**2,IN**2)	AHH	5.4641904	8469.5121
BURN RATE (M/S,IN/S)	RBZ(1)	.91133798-02	.35879448
DISTANCE BURNED (M,IN)	TAUZ(1)	.88355385	34.785585
PROPELLANT VOLUME (M**3,IN**3)	VFH	.94212145	57491.778
GAS VOLUME (M**3,IN**3)	VPH	54.161711	3305150.4
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3395.1869	6111.3364
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	246.76572	382487.64
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	481868496	2982138.6
GAS VOLUME (M**3,IN**3)	VP	238.39062	14547488.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.39653315+09	575.12271
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.42683390+11	61907.023
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.91086566-02	.35860853
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.91007713-02	.35829809
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3393.4919	6108.2853
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5848340	2456.4976
EXPANSION RATIO	EPR	6.7821079	6.7821079
PRESSURE RATIO	PEPO	.23211404-01	.23211404-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	584.97	584.96	6111.34	8.86	.003	398.92	12661.56	196.43	192.70	-3.73	.3586	34.786	.0000	.000
15.000	584.96	584.96	6111.33	14.96	.004	399.19	12678.91	332.55	136.19	.07	.3586	34.744	.0000	.000
30.000	584.96	584.95	6111.32	21.06	.006	399.45	12696.23	468.76	136.28	.07	.3586	34.740	.0000	.000
45.000	584.95	584.93	6111.31	27.15	.008	399.72	12713.52	605.06	136.37	.07	.3586	34.735	.0000	.000
60.000	584.94	584.91	6111.30	33.22	.009	399.99	12730.78	741.45	136.46	.07	.3586	34.731	.0000	.000
75.000	584.93	584.89	6111.28	39.29	.011	400.25	12748.01	877.93	136.55	.07	.3586	34.726	.0000	.000
90.000	584.92	584.87	6111.26	45.34	.013	400.52	12765.21	1014.49	136.64	.07	.3586	34.721	.0000	.000
105.000	584.91	584.84	6111.24	51.38	.015	400.78	12782.38	1151.15	136.73	.07	.3586	34.715	.0000	.000
116.761	584.89	584.81	6111.22	56.11	.016	400.99	12795.82	1258.36	107.27	.06	.3586	34.710	.0000	.000
116.771	584.89	584.81	6111.21	56.99	.016	346.73	12597.16	1258.36	.00	-.00	.3585	34.711	.0000	.000
131.771	584.88	584.77	6111.19	62.19	.018	376.24	12676.92	1381.67	123.36	.04	.3585	34.711	.0000	.000
143.919	584.86	584.74	6111.17	66.68	.019	400.13	12741.63	1488.90	107.28	.05	.3585	34.704	.0000	.000
158.919	584.84	584.69	6111.13	72.50	.021	401.06	12793.52	1625.53	136.70	.07	.3585	34.698	.0000	.000
173.919	584.81	584.65	6111.10	78.30	.022	401.99	12845.17	1762.47	137.01	.07	.3585	34.692	.0000	.000
188.919	584.79	584.59	6111.06	84.07	.024	402.92	12896.60	1899.72	137.32	.07	.3585	34.686	.0000	.000
203.919	584.76	584.54	6111.02	89.81	.025	403.85	12947.81	2037.28	137.64	.07	.3585	34.680	.0000	.000
218.919	584.73	584.48	6110.98	95.52	.027	404.78	12998.78	2175.16	137.95	.07	.3585	34.674	.0000	.000
233.919	584.69	584.42	6110.94	101.20	.029	405.70	13049.53	2313.35	138.26	.07	.3585	34.668	.0000	.000
248.919	584.66	584.35	6110.89	106.86	.030	406.63	13100.06	2451.85	138.57	.07	.3584	34.661	.0000	.000
263.919	584.62	584.28	6110.84	112.49	.032	407.56	13150.35	2590.65	138.88	.07	.3584	34.655	.0000	.000
278.919	584.58	584.20	6110.79	118.10	.033	408.49	13200.42	2729.77	139.19	.07	.3584	34.648	.0000	.000
293.919	584.54	584.13	6110.74	123.68	.035	409.42	13250.27	2869.20	139.50	.07	.3584	34.642	.0000	.000
308.919	584.50	584.04	6110.68	129.23	.037	410.35	13299.88	3008.94	139.81	.07	.3584	34.635	.0000	.000
323.919	584.45	583.96	6110.63	134.77	.038	411.27	13349.27	3148.99	140.12	.07	.3584	34.628	.0000	.000
338.919	584.41	583.87	6110.57	140.28	.040	412.20	13398.44	3289.34	140.42	.07	.3583	34.621	.0000	.000
353.919	584.36	583.78	6110.51	145.77	.041	413.13	13447.37	3430.00	140.73	.07	.3583	34.614	.0000	.000
368.919	584.31	583.68	6110.44	151.23	.043	414.06	13496.08	3570.98	141.04	.07	.3583	34.607	.0000	.000
383.919	584.25	583.59	6110.38	156.68	.044	414.99	13544.56	3712.25	141.35	.07	.3583	34.599	.0000	.000
398.919	584.20	583.48	6110.31	162.10	.046	415.92	13592.82	3853.84	141.65	.07	.3582	34.592	.0000	.000
403.048	584.18	583.46	6110.29	163.59	.046	416.17	13606.06	3892.86	39.05	.02	.3582	34.585	.0000	.000
418.048	584.13	583.35	6110.21	169.72	.048	414.31	13593.33	4034.36	141.56	.07	.3582	34.582	.0000	.000
427.051	584.10	583.28	6110.16	173.40	.049	413.19	13585.89	4118.97	84.66	.04	.3582	34.576	.0000	.000
427.061	584.09	583.46	6110.43	152.29	.043	-64.59	15465.38	4118.98	.00	-.00	.3582	34.602	.0000	.000
442.061	584.19	583.45	6110.28	164.70	.047	127.75	14338.12	4130.00	10.77	-.26	.3582	34.602	.0000	.000
457.061	584.31	583.40	6110.03	182.78	.052	320.09	13158.99	4206.44	76.35	-.09	.3583	34.574	.0000	.000
463.204	584.36	583.35	6109.89	192.25	.054	398.86	12661.12	4256.62	50.20	.01	.3582	34.533	.0000	.000
478.204	584.29	583.22	6109.81	197.84	.056	399.43	12699.38	4392.64	136.09	.07	.3582	34.512	.0000	.000
493.204	584.22	583.09	6109.72	203.40	.058	400.01	12737.48	4528.85	136.28	.07	.3582	34.503	.0000	.000
508.204	584.14	582.96	6109.63	208.95	.059	400.59	12775.43	4665.25	136.47	.07	.3582	34.493	.0000	.000
523.204	584.07	582.82	6109.54	214.48	.061	401.16	12813.22	4801.83	136.65	.07	.3581	34.483	.0000	.000
538.204	583.99	582.67	6109.44	220.00	.062	401.74	12850.85	4938.59	136.84	.07	.3581	34.473	.0000	.000
553.204	583.91	582.53	6109.35	225.49	.064	402.32	12888.32	5075.54	137.02	.07	.3581	34.463	.0000	.000
568.204	583.83	582.38	6109.25	230.97	.065	402.89	12925.64	5212.67	137.20	.07	.3580	34.453	.0000	.000
583.204	583.74	582.22	6109.15	236.44	.067	403.47	12962.80	5349.99	137.39	.07	.3580	34.443	.0000	.000
598.204	583.66	582.07	6109.05	241.88	.069	404.04	12999.80	5487.49	137.57	.07	.3580	34.433	.0000	.000
613.204	583.57	581.91	6108.94	247.32	.070	404.62	13036.65	5625.17	137.75	.07	.3579	34.423	.0000	.000

628.204	583.48	581.74	6108.84	252.73	.072	405.20	13073.33	5763.04	137.93	.07	.3579	34.412	.0000	.000
643.204	583.38	581.58	6108.73	258.13	.073	405.77	13109.86	5901.08	138.12	.07	.3579	34.402	.0000	.000
658.204	583.29	581.41	6108.62	263.52	.075	406.35	13146.24	6039.31	138.30	.07	.3578	34.391	.0000	.000
673.204	583.19	581.23	6108.51	268.90	.076	406.93	13182.45	6177.72	138.48	.07	.3578	34.380	.0000	.000
688.204	583.10	581.06	6108.39	274.26	.078	407.50	13218.51	6316.31	138.66	.07	.3577	34.370	.0000	.000
703.204	583.00	580.88	6108.28	279.61	.079	408.08	13254.41	6455.08	138.84	.07	.3577	34.359	.0000	.000
718.204	582.89	580.69	6108.16	284.94	.081	408.65	13290.16	6594.03	139.02	.07	.3577	34.349	.0000	.000
720.191	582.84	580.59	6108.09	287.78	.082	408.96	13309.12	6668.09	74.09	.04	.3576	34.338	.0000	.000
741.191	582.70	580.40	6108.02	291.05	.083	410.94	13438.66	6807.55	139.53	.07	.3576	34.332	.0000	.000
746.336	582.65	580.34	6107.99	292.18	.083	411.62	13482.71	6855.54	48.01	.02	.3575	34.326	.0000	.000
746.346	582.62	580.82	6108.74	257.57	.073	72.26	15283.44	6855.54	.00	-.00	.3576	34.375	.0000	.000
761.346	582.75	580.78	6108.49	269.67	.076	176.63	14688.62	6898.08	42.36	-.19	.3576	34.376	.0000	.000
776.346	582.88	580.69	6108.17	284.31	.081	280.99	14091.66	6976.05	77.88	-.09	.3576	34.351	.0000	.000
791.346	583.01	580.54	6107.77	301.81	.086	385.35	13492.57	7089.45	113.40	-.00	.3576	34.322	.0000	.000
794.831	583.04	580.50	6107.66	306.33	.087	409.60	13353.08	7120.87	31.43	.01	.3576	34.285	.0000	.000
809.831	582.92	580.30	6107.55	310.93	.088	410.58	13417.83	7260.37	139.56	.07	.3576	34.280	.0000	.000
824.831	582.79	580.10	6107.44	315.51	.089	411.57	13482.09	7400.19	139.89	.07	.3575	34.270	.0000	.000
839.831	582.66	579.89	6107.32	320.08	.091	412.56	13545.85	7540.32	140.20	.06	.3575	34.260	.0000	.000
854.761	582.54	579.68	6107.21	324.62	.092	413.54	13608.91	7680.31	140.05	.06	.3574	34.250	.0000	.000
869.781	582.33	579.47	6107.20	324.98	.092	417.91	13849.27	7821.66	141.40	.05	.3573	34.240	.0000	.000
884.781	582.13	579.26	6107.18	325.58	.092	422.38	14081.26	7964.52	142.87	.01	.3573	34.245	.0000	.000
899.781	581.93	579.05	6107.16	326.41	.093	426.84	14304.88	8108.92	144.38	-.02	.3573	34.249	.0000	.000
914.781	581.74	578.84	6107.14	327.48	.093	431.29	14520.12	8254.89	145.91	-.06	.3573	34.251	.0000	.000
929.781	581.56	578.63	6107.10	328.77	.093	435.73	14726.99	8402.46	147.48	-.09	.3576	34.253	.0000	.000
944.781	581.37	578.42	6107.06	330.28	.094	440.18	14925.50	8551.70	149.13	-.12	.3580	34.255	.0000	.000
959.781	581.19	578.22	6107.02	332.00	.094	444.63	15115.63	8702.72	150.87	-.15	.3586	34.258	.0000	.000
974.781	581.02	578.00	6106.97	333.94	.095	449.08	15297.39	8855.62	152.72	-.18	.3595	34.261	.0000	.000
989.781	580.98	577.96	6106.96	334.34	.095	449.88	15331.43	8885.44	29.50	-.32	.3597	33.640	.0000	.000
1004.781	580.87	577.96	6107.13	327.85	.093	.00	15635.79	8885.75	.00	-.31	.3596	32.871	.0000	.000
1019.781	580.81	577.96	6107.21	324.61	.092	.00	15792.44	8886.00	.00	-.25	.3596	32.101	.0000	.000
1034.781	580.76	577.96	6107.29	321.61	.091	.00	15946.71	8886.28	.00	-.28	.3596	31.332	.0000	.000
1040.791	580.74	577.96	6107.31	320.47	.091	.00	15997.77	8886.40	.00	-.12	.3596	31.024	.0000	.000
1055.791	580.75	577.96	6107.30	321.04	.091	.00	15969.84	8886.69	.00	-.30	.3596	30.483	.0000	.000
1070.791	580.76	577.96	6107.29	321.61	.091	.00	15941.80	8886.99	.00	-.30	.3596	29.942	.0000	.000
1084.171	580.77	577.96	6107.27	322.13	.091	.00	15916.69	8887.25	.00	-.26	.3596	29.459	.0000	.000
AFT(A)	575.12	549.31	6070.65	991.33	.282	.....	15823.73	8888.14	.00	-.54	.3586	29.460	....	.....
AFT(B)	575.11	575.11	6108.29	-.02	.000	.....	10413.12	.35	.00	-.35	.3583	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FORWARD	1.1676+02	5.8489+02	5.8481+02	6.1112+03	4.3617+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2584+03
AFT	1.1677+02	5.8489+02	5.8481+02	6.1112+03	4.3617+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2584+03

GAS BUILDUP IN SLOT, DW/DT = -2.0847-04

FORWARD	4.2705+02	5.8410+02	5.8328+02	6.1102+03	1.4379+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1190+03
AFT	4.2706+02	5.8428+02	5.8346+02	6.1104+03	1.4376+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1190+03

GAS BUILDUP IN SLOT, DW/DT = -2.0717-04

FORWARD	7.4634+02	5.8265+02	5.8034+02	6.1080+03	2.4046+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8555+03
AFT	7.4635+02	5.8314+02	5.8082+02	6.1087+03	2.4028+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8555+03

GAS BUILDUP IN SLOT, DW/DT = -2.0678-04

```
WEB BURNOUT INCREMENT LOCATION =  974.7810     SECTOR NO.   1    TAU = 34.4091    TAUWDP = 34.4091    TIME =  91.00
WEB BURNOUT INCREMENT LOCATION =  974.7810     SECTOR NO.   2    TAU = 34.4091    TAUWDP = 34.4091    TIME =  91.00
WEB BURNOUT INCREMENT LOCATION =  974.7810     SECTOR NO.   3    TAU = 34.4091    TAUWDP = 34.4091    TIME =  91.00
WEB BURNOUT INCREMENT LOCATION =  974.7810     SECTOR NO.   4    TAU = 34.4091    TAUWDP = 34.4091    TIME =  91.00
WEB BURNOUT INCREMENT LOCATION =  974.7810     SECTOR NO.   8    TAU = 34.4091    TAUWDP = 34.4091    TIME =  91.00
*PARTBN* TIME= 91.50 IS=1 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 973.72 AINCHI= 959.78 DELZ=13.938 ALP=449.98 ALPHI=445.90
*PARTBN* TIME= 91.50 IS=2 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 972.99 AINCHI= 959.78 DELZ=13.214 ALP=450.00 ALPHI=446.12
*PARTBN* TIME= 91.50 IS=3 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 973.14 AINCHI= 959.78 DELZ=13.357 ALP=450.00 ALPHI=446.08
*PARTBN* TIME= 91.50 IS=4 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 973.91 AINCHI= 959.78 DELZ=14.125 ALP=449.98 ALPHI=445.84
*PARTBN* TIME= 91.50 IS=5 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 974.83 AINCHI= 959.78 DELZ=15.052 ALP=449.95 ALPHI=445.56
*PARTBN* TIME= 91.50 IS=8 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 974.73 AINCHI= 959.78 DELZ=14.951 ALP=449.95 ALPHI=445.59
*PARTBN* TIME= 91.50 IS=6 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 975.08 AINCHI= 974.78 DELZ=  .295 ALP=449.95 ALPHI=449.92
*PARTBN* TIME= 91.50 IS=7 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 975.03 AINCHI= 974.78 DELZ=  .246 ALP=449.95 ALPHI=449.94
*PARTBN* TIME= 91.50 IS=1 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 973.72 AINCHI= 959.78 DELZ=13.938 ALP=449.98 ALPHI=445.90
*PARTBN* TIME= 91.50 IS=2 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 972.99 AINCHI= 959.78 DELZ=13.214 ALP=450.00 ALPHI=446.12
*PARTBN* TIME= 91.50 IS=3 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 973.14 AINCHI= 959.78 DELZ=13.357 ALP=450.00 ALPHI=446.08
*PARTBN* TIME= 91.50 IS=4 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 973.91 AINCHI= 959.78 DELZ=14.125 ALP=449.98 ALPHI=445.84
*PARTBN* TIME= 91.50 IS=5 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 974.83 AINCHI= 959.78 DELZ=15.052 ALP=449.95 ALPHI=445.56
*PARTBN* TIME= 91.50 IS=8 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 974.73 AINCHI= 959.78 DELZ=14.951 ALP=449.95 ALPHI=445.59
*PARTBN* TIME= 91.50 IS=6 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 975.08 AINCHI= 974.78 DELZ=  .295 ALP=449.95 ALPHI=449.92
*PARTBN* TIME= 91.50 IS=7 ZCALC( 74)= 989.78 ZCALC( 73)= 974.78 AINCW= 975.03 AINCHI= 974.78 DELZ=  .246 ALP=449.95 ALPHI=449.94
WEB BURNOUT INCREMENT LOCATION =  974.7810     SECTOR NO.   5    TAU = 34.4091    TAUWDP = 34.4091    TIME =  91.50
WEB BURNOUT INCREMENT LOCATION =  974.7810     SECTOR NO.   6    TAU = 34.4091    TAUWDP = 34.4091    TIME =  91.50
WEB BURNOUT INCREMENT LOCATION =  974.7810     SECTOR NO.   7    TAU = 34.4091    TAUWDP = 34.4091    TIME =  91.50
*PARTBN* TIME= 92.00 IS=1 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 970.24 AINCHI= 959.78 DELZ=10.458 ALP=450.07 ALPHI=447.02
*PARTBN* TIME= 92.00 IS=2 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 969.51 AINCHI= 959.78 DELZ= 9.732 ALP=450.09 ALPHI=447.25
*PARTBN* TIME= 92.00 IS=3 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 969.66 AINCHI= 959.78 DELZ= 9.876 ALP=450.09 ALPHI=447.21
*PARTBN* TIME= 92.00 IS=4 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 970.43 AINCHI= 959.78 DELZ=10.646 ALP=450.07 ALPHI=446.97
*PARTBN* TIME= 92.00 IS=5 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 971.36 AINCHI= 959.78 DELZ=11.576 ALP=450.04 ALPHI=446.68
*PARTBN* TIME= 92.00 IS=6 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 971.60 AINCHI= 959.78 DELZ=11.821 ALP=450.04 ALPHI=446.60
*PARTBN* TIME= 92.00 IS=7 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 971.55 AINCHI= 959.78 DELZ=11.773 ALP=450.04 ALPHI=446.61
```

```
*PARTBN* TIME= 92.00 IS=0 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 971.26 AINCHI= 959.78 DELZ=11.475 ALP=450.05 ALPHI=446.71
*PARTBN* TIME= 92.00 IS=1 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 970.24 AINCHI= 959.78 DELZ=10.458 ALP=450.07 ALPHI=447.02
*PARTBN* TIME= 92.00 IS=2 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 969.51 AINCHI= 959.78 DELZ= 9.732 ALP=450.09 ALPHI=447.25
*PARTBN* TIME= 92.00 IS=3 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 969.66 AINCHI= 959.78 DELZ= 9.876 ALP=450.09 ALPHI=447.21
*PARTBN* TIME= 92.00 IS=4 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 970.43 AINCHI= 959.78 DELZ=10.646 ALP=450.07 ALPHI=446.97
*PARTBN* TIME= 92.00 IS=5 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 971.36 AINCHI= 959.78 DELZ=11.576 ALP=450.04 ALPHI=446.68
*PARTBN* TIME= 92.00 IS=6 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 971.60 AINCHI= 959.78 DELZ=11.821 ALP=450.04 ALPHI=446.60
*PARTBN* TIME= 92.00 IS=7 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 971.55 AINCHI= 959.78 DELZ=11.773 ALP=450.04 ALPHI=446.61
*PARTBN* TIME= 92.00 IS=8 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 971.26 AINCHI= 959.78 DELZ=11.475 ALP=450.05 ALPHI=446.71
```

IGNITION TIME, TIME (S) 92.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10097418.	2269989.9
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10134991.	2278436.7
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	58031.696	13046.044
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.10320708+10	.23201874+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.43733	256.43733
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.10816681+10	.24316866+09
THRUST COEFFICIENT	CF	1.6260012	1.6260012
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3999.0070	8816.3013
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	425740.66	938597.50
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	31.145190	68.663391
INERT MASS REMAINING (KG,LBM)	MIR	771.69267	1701.2911
TOTAL BURN AREA (M**2,IN**2)	ABTOT	250.95798	388985.64
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	47.693926	2910461.9
PROPELLANT MASS REMAINING (KG,LBM)	WF	79802.507	175934.41
TOTAL GAS MASS (KG,LBM)	WGTOT	1249.7867	2755.3080
RATIO OF SPECIFIC HEATS	GAMA	1.1597008	1.1597008
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.841839	28.311409
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1558.9980	5114.8230
MAXIMUM CHAMBER MACH NUMBER	AMPN	.95054423-01	.95054423-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.39977688+09	579.82735
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.45365433+11	65796.998
BURN AREA (M**2,IN**2)	AHH	5.2952631	8207.6743
BURN RATE (M/S,IN/S)	RBZ(1)	.90852060-02	.35760528
DISTANCE BURNED (M,IN)	TAUZ(1)	.89266015	35.144101
PROPELLANT VOLUME (M**3,IN**3)	VFH	.89320318	54506.602
GAS VOLUME (M**3,IN**3)	VPH	54.210629	3308135.5
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3394.3020	6109.7436
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	245.66272	380777.97
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	46.798757	2855835.9
GAS VOLUME (M**3,IN**3)	VP	242.57972	14803123.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.39309395+09	570.13458
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.43078198+11	62479.645
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.90809382-02	.35751725
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.90730686-02	.35720743
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3372.6329	6106.7391
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5856456	2457.7556
EXPANSION RATIO	EPR	6.7786363	6.7786363
PRESSURE RATIO	PEPO	.23227303-01	.23227303-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA;

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO. IN.
FORE	579.83	579.82	6109.74	8.54	.002	401.18	12804.90	189.95	186.17	-3.79	.3575	35.144	.0000	.000
15.000	579.82	579.82	6109.74	14.65	.004	401.44	12822.35	326.42	136.54	.07	.3575	35.103	.0000	.000
30.000	579.82	579.81	6109.73	20.75	.006	401.71	12839.76	462.99	136.63	.07	.3575	35.098	.0000	.000
45.000	579.81	579.79	6109.72	26.83	.008	401.97	12857.15	599.64	136.72	.07	.3575	35.094	.0000	.000
60.000	579.81	579.78	6109.70	32.91	.009	402.24	12874.50	736.38	136.81	.07	.3575	35.089	.0000	.000
75.000	579.80	579.75	6109.69	38.97	.011	402.51	12891.82	873.20	136.89	.07	.3575	35.084	.0000	.000
90.000	579.78	579.73	6109.67	45.03	.013	402.77	12909.12	1010.12	136.98	.07	.3575	35.079	.0000	.000
105.000	579.77	579.70	6109.64	51.07	.014	403.04	12926.38	1147.12	137.07	.07	.3574	35.074	.0000	.000
116.761	579.76	579.67	6109.62	55.80	.016	403.25	12939.89	1254.61	107.53	.05	.3574	35.069	.0000	.000
116.771	579.76	579.67	6109.62	56.76	.016	347.50	12721.52	1254.61	.00	-.00	.3574	35.069	.0000	.000
131.771	579.74	579.64	6109.60	61.90	.018	377.83	12811.99	1377.94	123.37	.04	.3574	35.070	.0000	.000
143.919	579.72	579.60	6109.57	66.35	.019	402.39	12885.39	1485.37	107.48	.05	.3574	35.062	.0000	.000
158.919	579.70	579.56	6109.54	72.18	.020	403.32	12937.63	1622.35	137.04	.07	.3574	35.056	.0000	.000
173.919	579.68	579.51	6109.51	77.98	.022	404.25	12989.63	1759.64	137.35	.07	.3574	35.050	.0000	.000
188.919	579.65	579.46	6109.47	83.75	.024	405.17	13041.41	1897.24	137.66	.07	.3574	35.044	.0000	.000
203.919	579.62	579.41	6109.43	89.49	.025	406.10	13092.96	2035.15	137.98	.07	.3574	35.038	.0000	.000
218.919	579.59	579.35	6109.39	95.21	.027	407.03	13144.27	2173.37	138.29	.06	.3574	35.032	.0000	.000
233.919	579.56	579.28	6109.35	100.89	.029	407.96	13195.36	2311.90	138.60	.06	.3574	35.026	.0000	.000
248.919	579.52	579.22	6109.30	106.55	.030	408.89	13246.21	2450.74	138.90	.06	.3573	35.019	.0000	.000
263.919	579.49	579.15	6109.25	112.19	.032	409.81	13296.84	2589.89	139.21	.06	.3573	35.013	.0000	.000
278.919	579.45	579.08	6109.20	117.80	.033	410.74	13347.23	2729.35	139.52	.06	.3573	35.006	.0000	.000
293.919	579.41	579.00	6109.15	123.38	.035	411.67	13397.40	2869.12	139.83	.06	.3573	35.000	.0000	.000
308.919	579.37	578.92	6109.09	128.94	.037	412.60	13447.33	3009.19	140.14	.06	.3573	34.993	.0000	.000
323.919	579.32	578.83	6109.04	134.47	.038	413.52	13497.04	3149.57	140.44	.06	.3572	34.986	.0000	.000
338.919	579.28	578.75	6108.98	139.99	.040	414.45	13546.51	3290.26	140.75	.06	.3572	34.979	.0000	.000
353.919	579.23	578.66	6108.92	145.48	.041	415.38	13595.75	3431.25	141.06	.06	.3572	34.972	.0000	.000
368.919	579.18	578.56	6108.85	150.95	.043	416.31	13644.77	3572.56	141.36	.06	.3572	34.965	.0000	.000
383.919	579.12	578.46	6108.79	156.40	.044	417.24	13693.55	3714.16	141.67	.06	.3571	34.957	.0000	.000
396.919	579.07	578.36	6108.72	161.83	.046	418.16	13742.10	3856.08	141.97	.06	.3571	34.950	.0000	.000
403.048	579.05	578.33	6108.70	163.32	.046	418.42	13755.43	3895.19	39.13	.02	.3571	34.943	.0000	.000
416.048	579.00	578.23	6108.62	169.46	.048	416.56	13742.02	4037.02	141.88	.06	.3571	34.940	.0000	.000
427.051	578.97	578.16	6108.57	173.14	.049	415.44	13734.16	4121.83	84.85	.04	.3570	34.934	.0000	.000
427.061	578.96	578.32	6108.82	153.98	.044	-81.17	15439.30	4121.83	.00	-.00	.3571	34.960	.0000	.000
442.061	579.06	578.32	6108.67	165.59	.047	118.98	14380.06	4128.53	6.43	-.27	.3571	34.960	.0000	.000
457.061	579.17	578.27	6108.44	182.66	.052	319.14	13272.10	4203.08	74.46	-.10	.3571	34.932	.0000	.000
463.204	579.21	578.22	6108.31	191.60	.054	401.11	12804.30	4253.20	50.13	.01	.3571	34.891	.0000	.000
478.204	579.14	578.10	6108.22	197.19	.056	401.69	12842.78	4389.57	136.44	.07	.3571	34.870	.0000	.000
493.204	579.07	577.97	6108.14	202.76	.057	402.26	12881.09	4526.13	136.62	.07	.3571	34.861	.0000	.000
508.204	579.00	577.83	6108.05	208.32	.059	402.84	12919.25	4662.88	136.81	.06	.3571	34.851	.0000	.000
523.204	578.93	577.69	6107.95	213.85	.061	403.42	12957.24	4799.81	136.99	.06	.3570	34.841	.0000	.000
538.204	578.85	577.55	6107.86	219.37	.062	403.99	12995.08	4936.92	137.18	.06	.3570	34.831	.0000	.000
553.204	578.77	577.41	6107.76	224.88	.064	404.57	13032.75	5074.21	137.36	.06	.3570	34.821	.0000	.000
568.204	578.69	577.26	6107.67	230.36	.065	405.14	13070.27	5211.69	137.54	.06	.3569	34.811	.0000	.000
583.204	578.60	577.11	6107.57	235.83	.067	405.72	13107.62	5349.35	137.72	.06	.3569	34.801	.0000	.000
598.204	578.52	576.95	6107.46	241.28	.068	406.29	13144.82	5487.19	137.91	.06	.3569	34.791	.0000	.000
613.204	578.43	576.79	6107.36	246.72	.070	406.87	13181.85	5625.21	138.09	.06	.3568	34.780	.0000	.000

628.204	578.34	576.63	6107.25	252.14	.071	407.45	13218.73	5763.42	138.27	.06	.3568	34.770	.0000	.000
643.204	578.25	576.47	6107.15	257.55	.073	408.02	13255.44	5901.81	138.45	.06	.3568	34.759	.0000	.000
658.204	578.16	576.30	6107.04	262.95	.075	408.60	13291.99	6040.37	138.63	.06	.3567	34.749	.0000	.000
673.204	578.06	576.13	6106.92	268.33	.076	409.17	13328.39	6179.12	138.81	.06	.3567	34.738	.0000	.000
688.204	577.97	575.95	6106.81	273.69	.078	409.75	13364.62	6318.04	138.99	.06	.3566	34.727	.0000	.000
703.204	577.87	575.77	6106.69	279.05	.079	410.32	13400.69	6457.15	139.17	.06	.3566	34.717	.0000	.000
718.204	577.77	575.59	6106.58	284.39	.081	410.90	13436.61	6596.43	139.35	.06	.3565	34.706	.0000	.000
726.191	577.71	575.49	6106.51	287.23	.081	411.21	13455.66	6670.67	74.27	.03	.3565	34.695	.0000	.000
741.191	577.57	575.31	6106.44	290.53	.082	413.18	13585.89	6810.46	139.65	.06	.3565	34.689	.0000	.000
746.336	577.53	575.24	6106.41	291.66	.083	413.86	13630.16	6858.56	48.12	.02	.3564	34.683	.0000	.000
746.346	577.50	575.69	6107.11	259.54	.074	57.67	15306.65	6858.56	.00	-.00	.3565	34.733	.0000	.000
761.346	577.62	575.65	6106.87	270.85	.077	167.24	14749.90	6896.91	38.16	-.20	.3565	34.733	.0000	.000
776.346	577.74	575.56	6106.57	284.63	.081	276.82	14191.14	6972.35	75.33	-.10	.3565	34.709	.0000	.000
791.346	577.86	575.42	6106.19	301.17	.085	386.39	13630.40	7084.87	112.51	-.01	.3565	34.679	.0000	.000
794.631	577.88	575.38	6106.09	305.45	.087	411.85	13499.83	7116.32	31.46	.01	.3565	34.643	.0000	.000
809.831	577.76	575.18	6105.98	310.06	.088	412.83	13564.93	7256.15	139.89	.06	.3564	34.637	.0000	.000
824.831	577.64	574.98	6105.87	314.66	.089	413.82	13629.53	7396.30	140.21	.06	.3564	34.627	.0000	.000
839.831	577.51	574.78	6105.75	319.24	.091	414.80	13693.62	7536.77	140.52	.06	.3563	34.617	.0000	.000
854.781	577.38	574.57	6105.64	323.79	.092	415.79	13757.00	7677.08	140.37	.06	.3563	34.607	.0000	.000
869.781	577.19	574.36	6105.62	324.56	.092	420.16	13982.83	7818.75	141.72	.04	.3562	34.597	.0000	.000
884.781	576.99	574.15	6105.59	325.55	.092	424.62	14200.75	7961.94	143.19	.00	.3562	34.602	.0000	.000
899.781	576.81	573.94	6105.56	326.75	.093	429.08	14410.75	8106.66	144.70	-.03	.3562	34.606	.0000	.000
914.781	576.62	573.74	6105.53	328.17	.093	433.53	14612.83	8252.97	146.24	-.06	.3563	34.608	.0000	.000
929.781	576.44	573.53	6105.48	329.79	.094	437.98	14806.99	8400.92	147.85	-.09	.3567	34.611	.0000	.000
944.781	576.26	573.32	6105.44	331.61	.094	442.43	14993.24	8550.58	149.53	-.12	.3572	34.613	.0000	.000
959.781	576.09	573.11	6105.38	333.64	.095	446.88	15171.56	8702.04	151.31	-.15	.3579	34.616	.0000	.000
974.781	575.96	572.96	6105.34	335.24	.095	450.06	15296.50	8813.55	111.28	-.23	.3586	34.409	.0000	.000
989.781	575.88	572.96	6105.46	330.76	.094	.00	15504.45	8813.75	.00	-.20	.3586	33.640	.0000	.000
1004.781	575.83	572.96	6105.54	327.50	.093	.00	15659.02	8813.89	.00	-.14	.3586	32.871	.0000	.000
1019.781	575.77	572.96	6105.62	324.48	.092	.00	15805.67	8814.14	.00	-.25	.3586	32.101	.0000	.000
1034.781	575.72	572.96	6105.69	321.67	.091	.00	15944.41	8814.42	.00	-.28	.3586	31.332	.0000	.000
1040.791	575.71	572.96	6105.72	320.60	.091	.00	15997.77	8814.54	.00	-.12	.3586	31.024	.0000	.000
1055.791	575.72	572.96	6105.70	321.17	.091	.00	15969.84	8814.84	.00	-.30	.3586	30.483	.0000	.000
1070.791	575.73	572.96	6105.69	321.75	.091	.00	15941.80	8815.13	.00	-.30	.3586	29.942	.0000	.000
1084.171	575.73	572.96	6105.68	322.26	.091	.00	15916.69	8815.40	.00	-.27	.3586	29.459	.0000	.000
AFT(A)	570.14	544.52	6069.07	991.80	.282	.....	15823.73	8816.30	.00	-.55	.3575	29.460	....	.....
AFT(B)	570.13	570.13	6106.74	-.02	.000	.....	10413.12	.35	.00	-.35	.3572	20.670	....	.....

SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	#SLOT LB/SEC.
FORWARD 1.1676+02	5.7976+02	5.7967+02	6.1096+03	4.3865+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2546+03
AFT 1.1677+02	5.7975+02	5.7967+02	6.1096+03	4.3865+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2546+03

GAS BUILDUP IN SLOT, DW/DT = -2.1002-04

FORWARD 4.2705+02	5.7897+02	5.7816+02	6.1086+03	1.4514+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1218+03
AFT 4.2706+02	5.7913+02	5.7832+02	6.1088+03	1.4511+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1218+03

GAS BUILDUP IN SLOT, DW/DT = -2.0874-04

FORWARD 7.4634+02	5.7753+02	5.7524+02	6.1064+03	2.4265+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8586+03
AFT 7.4635+02	5.7798+02	5.7569+02	6.1071+03	2.4249+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8586+03

GAS BUILDUP IN SLOT, DW/DT = -2.0840-04

```
*PARTBN* TIME= 92.50 IS=1 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 966.76 AINCHI= 959.78 DELZ= 6.982 ALP=450.17 ALPHI=448.15
*PARTBN* TIME= 92.50 IS=2 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 966.03 AINCHI= 959.78 DELZ= 6.252 ALP=450.19 ALPHI=448.38
*PARTBN* TIME= 92.50 IS=3 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 966.18 AINCHI= 959.78 DELZ= 6.397 ALP=450.18 ALPHI=448.34
*PARTBN* TIME= 92.50 IS=4 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 966.95 AINCHI= 959.78 DELZ= 7.171 ALP=450.16 ALPHI=448.09
*PARTBN* TIME= 92.50 IS=5 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 967.89 AINCHI= 959.78 DELZ= 8.105 ALP=450.14 ALPHI=447.80
*PARTBN* TIME= 92.50 IS=6 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 968.13 AINCHI= 959.78 DELZ= 8.353 ALP=450.13 ALPHI=447.72
*PARTBN* TIME= 92.50 IS=7 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 968.09 AINCHI= 959.78 DELZ= 8.304 ALP=450.13 ALPHI=447.73
*PARTBN* TIME= 92.50 IS=8 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 967.78 AINCHI= 959.78 DELZ= 8.003 ALP=450.14 ALPHI=447.83
*PARTBN* TIME= 92.50 IS=1 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 966.76 AINCHI= 959.78 DELZ= 6.982 ALP=450.17 ALPHI=448.15
*PARTBN* TIME= 92.50 IS=2 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 966.03 AINCHI= 959.78 DELZ= 6.252 ALP=450.19 ALPHI=448.38
*PARTBN* TIME= 92.50 IS=3 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 966.18 AINCHI= 959.78 DELZ= 6.397 ALP=450.18 ALPHI=448.34
*PARTBN* TIME= 92.50 IS=4 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 966.95 AINCHI= 959.78 DELZ= 7.171 ALP=450.16 ALPHI=448.09
*PARTBN* TIME= 92.50 IS=5 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 967.89 AINCHI= 959.78 DELZ= 8.105 ALP=450.14 ALPHI=447.80
*PARTBN* TIME= 92.50 IS=6 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 968.13 AINCHI= 959.78 DELZ= 8.353 ALP=450.13 ALPHI=447.72
*PARTBN* TIME= 92.50 IS=7 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 968.09 AINCHI= 959.78 DELZ= 8.304 ALP=450.13 ALPHI=447.73
*PARTBN* TIME= 92.50 IS=8 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 967.78 AINCHI= 959.78 DELZ= 8.003 ALP=450.14 ALPHI=447.83
*PARTBN* TIME= 93.00 IS=1 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 963.29 AINCHI= 959.78 DELZ= 3.508 ALP=450.26 ALPHI=449.28
*PARTBN* TIME= 93.00 IS=2 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 962.56 AINCHI= 959.78 DELZ= 2.774 ALP=450.28 ALPHI=449.51
*PARTBN* TIME= 93.00 IS=3 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 962.70 AINCHI= 959.78 DELZ= 2.919 ALP=450.27 ALPHI=449.47
*PARTBN* TIME= 93.00 IS=4 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 963.48 AINCHI= 959.78 DELZ= 3.699 ALP=450.25 ALPHI=449.22
*PARTBN* TIME= 93.00 IS=5 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 964.42 AINCHI= 959.78 DELZ= 4.639 ALP=450.23 ALPHI=448.92
*PARTBN* TIME= 93.00 IS=6 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 964.67 AINCHI= 959.78 DELZ= 4.889 ALP=450.22 ALPHI=448.84
*PARTBN* TIME= 93.00 IS=7 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 964.62 AINCHI= 959.78 DELZ= 4.840 ALP=450.22 ALPHI=448.85
*PARTBN* TIME= 93.00 IS=8 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 964.32 AINCHI= 959.78 DELZ= 4.536 ALP=450.23 ALPHI=448.95
*PARTBN* TIME= 93.00 IS=1 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 963.29 AINCHI= 959.78 DELZ= 3.508 ALP=450.26 ALPHI=449.28
*PARTBN* TIME= 93.00 IS=2 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 962.56 AINCHI= 959.78 DELZ= 2.774 ALP=450.28 ALPHI=449.51
*PARTBN* TIME= 93.00 IS=3 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 962.70 AINCHI= 959.78 DELZ= 2.919 ALP=450.27 ALPHI=449.47
*PARTBN* TIME= 93.00 IS=4 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 963.48 AINCHI= 959.78 DELZ= 3.699 ALP=450.25 ALPHI=449.22
*PARTBN* TIME= 93.00 IS=5 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 964.42 AINCHI= 959.78 DELZ= 4.639 ALP=450.23 ALPHI=448.92
*PARTBN* TIME= 93.00 IS=6 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 964.67 AINCHI= 959.78 DELZ= 4.889 ALP=450.22 ALPHI=448.84
*PARTBN* TIME= 93.00 IS=7 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 964.62 AINCHI= 959.78 DELZ= 4.840 ALP=450.22 ALPHI=448.85
```

PARTBN TIME= 93.00 IS=8 ZCALC(73)= 974.78 ZCALC(72)= 959.78 AINCW= 964.32 AINCHI= 959.78 DELZ= 4.536 ALP=450.23 ALPHI=448.95

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	10017551.	2252035.0
TOTAL VACUUM THRUST (N,LBF)	FTVAC	10052878.	2259932.0
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	58784.315	13215.240
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.10421283+10	.23427976+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.39410	256.39410
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.10917619+10	.24543785+09
THRUST COEFFICIENT	CF	1.6261271	1.6261271
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3966.5455	8744.7360
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	429723.45	947378.05
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	31.549116	69.553894
INERT MASS REMAINING (KG,LBM)	MIR	740.24425	1631.9592
TOTAL BURN AREA (M**2,IN**2)	ABTOT	249.67809	387001.82
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	45.420393	2771722.4
PROPELLANT MASS REMAINING (KG,LBM)	WF	75821.959	167158.81
TOTAL GAS MASS (KG,LBM)	WGTOT	1240.7717	2735.4334
RATIO OF SPECIFIC HEATS	GAMA	1.1596960	1.1596960
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.840623	28.308727
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1558.9081	5114.5278
MAXIMUM CHAMBER MACH NUMBER	AMPN	.95261300-01	.95261300-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.39625430+09	574.71828
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.45763449+11	66374.271
BURN AREA (M**2,IN**2)	AHH	5.1268582	7946.6462
BURN RATE (M/S,IN/S)	RBZ(1)	.90568014-02	.35656699
DISTANCE BURNED (M,IN)	TAUZ(1)	.90173826	35.501507
PROPELLANT VOLUME (M**3,IN**3)	VFH	.84596521	51623.965
GAS VOLUME (M**3,IN**3)	VPH	54.257867	3311018.2
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3393.4222	6108.1600
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	244.55124	379055.18
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	44.572462	2719978.5
GAS VOLUME (M**3,IN**3)	VP	242.97051	14826970.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.38967316+09	565.17315
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.43469582+11	63047.300
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.93532112-02	.35642564
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.90453576-02	.35611644
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3391.7785	6105.2012
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5864514	2459.0046
EXPANSION RATIO	EPR	6.7751933	6.7751933
PRESSURE RATIO	PEPO	.23243088-01	.23243088-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	574.72	574.71	6108.16	8.23	.002	403.43	12948.61	183.50	179.68	-3.82	.3564	35.502	.0000	.000
15.000	574.71	574.71	6108.15	14.34	.004	403.69	12966.14	320.31	136.87	-.06	.3564	35.460	.0000	.000
30.000	574.71	574.70	6108.15	20.44	.006	403.96	12983.65	457.21	136.96	.06	.3564	35.455	.0000	.000
45.000	574.71	574.69	6108.14	26.53	.008	404.22	13001.13	594.21	137.05	.06	.3564	35.451	.0000	.000
60.000	574.70	574.67	6108.12	32.60	.009	404.49	13018.58	731.29	137.14	.06	.3564	35.446	.0000	.000
75.000	574.69	574.65	6108.10	38.67	.011	404.75	13035.99	868.45	137.23	.06	.3563	35.441	.0000	.000
90.000	574.68	574.62	6108.08	44.72	.013	405.02	13053.38	1005.71	137.32	.06	.3563	35.436	.0000	.000
105.000	574.66	574.59	6108.06	50.76	.014	405.28	13070.73	1143.05	137.40	.06	.3563	35.431	.0000	.000
116.761	574.65	574.57	6108.04	55.49	.016	405.49	13084.32	1250.80	107.79	.05	.3563	35.426	.0000	.000
116.771	574.65	574.56	6108.04	56.53	.016	348.27	12845.77	1250.80	.00	-.00	.3563	35.427	.0000	.000
131.771	574.63	574.53	6108.01	61.62	.017	379.41	12947.21	1374.16	123.39	.03	.3563	35.427	.0000	.000
143.919	574.62	574.50	6107.99	66.03	.019	404.64	13029.51	1481.79	107.67	.04	.3563	35.419	.0000	.000
158.919	574.59	574.46	6107.96	71.86	.020	405.57	13082.09	1619.10	137.38	.06	.3563	35.413	.0000	.000
173.919	574.57	574.41	6107.93	77.66	.022	406.50	13134.45	1756.73	137.69	.06	.3563	35.407	.0000	.000
188.919	574.54	574.36	6107.89	83.44	.024	407.42	13186.57	1894.67	138.00	.06	.3563	35.401	.0000	.000
203.919	574.52	574.30	6107.85	89.18	.025	408.35	13238.46	2032.92	138.31	.06	.3563	35.395	.0000	.000
218.919	574.49	574.24	6107.81	94.90	.027	409.28	13290.11	2171.47	138.62	.06	.3563	35.389	.0000	.000
233.919	574.45	574.18	6107.77	100.59	.029	410.20	13341.53	2310.34	138.92	.06	.3562	35.383	.0000	.000
248.919	574.42	574.12	6107.72	106.25	.030	411.13	13392.72	2449.51	139.23	.06	.3562	35.377	.0000	.000
263.919	574.38	574.05	6107.67	111.89	.032	412.06	13443.67	2588.99	139.54	.06	.3562	35.370	.0000	.000
278.919	574.35	573.98	6107.62	117.50	.033	412.99	13494.39	2728.78	139.85	.06	.3562	35.363	.0000	.000
293.919	574.31	573.90	6107.57	123.09	.035	413.91	13544.87	2868.87	140.15	.06	.3562	35.357	.0000	.000
308.919	574.26	573.82	6107.51	128.65	.036	414.84	13595.12	3009.27	140.46	.06	.3561	35.350	.0000	.000
323.919	574.22	573.74	6107.46	134.19	.038	415.77	13645.14	3149.98	140.76	.06	.3561	35.343	.0000	.000
338.919	574.17	573.65	6107.40	139.71	.040	416.70	13694.93	3290.99	141.07	.06	.3561	35.336	.0000	.000
353.919	574.13	573.56	6107.34	145.20	.041	417.62	13744.47	3432.31	141.38	.06	.3561	35.329	.0000	.000
368.919	574.08	573.47	6107.27	150.68	.043	418.55	13793.79	3573.93	141.68	.06	.3560	35.322	.0000	.000
383.919	574.02	573.37	6107.21	156.13	.044	419.48	13842.87	3715.86	141.98	.06	.3560	35.314	.0000	.000
398.919	573.97	573.27	6107.14	161.56	.046	420.40	13891.72	3858.09	142.29	.06	.3560	35.307	.0000	.000
403.048	573.95	573.24	6107.12	163.06	.046	420.66	13905.12	3897.30	39.22	.02	.3560	35.299	.0000	.000
418.048	573.91	573.14	6107.04	169.20	.048	418.80	13891.04	4039.44	142.20	.06	.3559	35.297	.0000	.000
427.051	573.87	573.08	6106.99	172.88	.049	417.68	13882.78	4124.45	85.04	.03	.3559	35.291	.0000	.000
427.061	573.87	573.22	6107.21	155.74	.044	-97.71	15407.39	4124.45	.00	-.00	.3559	35.316	.0000	.000
442.061	573.96	573.22	6107.08	166.52	.047	110.24	14418.65	4126.85	2.12	-.28	.3560	35.317	.0000	.000
457.061	574.06	573.16	6106.86	182.55	.052	318.20	13384.48	4199.54	72.59	-.11	.3560	35.289	.0000	.000
463.204	574.10	573.12	6106.73	190.97	.054	403.36	12947.84	4249.60	50.06	.01	.3560	35.248	.0000	.000
478.204	574.03	573.00	6106.65	196.57	.056	403.94	12986.53	4386.31	136.77	.06	.3560	35.227	.0000	.000
493.204	573.96	572.87	6106.56	202.14	.057	404.51	13025.06	4523.21	136.96	.06	.3560	35.218	.0000	.000
508.204	573.89	572.73	6106.47	207.70	.059	405.09	13063.42	4660.29	137.14	.06	.3560	35.209	.0000	.000
523.204	573.81	572.60	6106.38	213.25	.060	405.66	13101.62	4797.56	137.33	.06	.3559	35.198	.0000	.000
538.204	573.74	572.46	6106.29	218.77	.062	406.24	13139.66	4935.01	137.51	.06	.3559	35.188	.0000	.000
553.204	573.66	572.32	6106.19	224.28	.064	406.81	13177.54	5072.64	137.69	.06	.3559	35.178	.0000	.000
568.204	573.58	572.17	6106.09	229.77	.065	407.39	13215.25	5210.45	137.87	.06	.3558	35.168	.0000	.000
583.204	573.50	572.02	6105.99	235.24	.067	407.96	13252.80	5348.44	138.05	.06	.3558	35.158	.0000	.000
598.204	573.41	571.87	6105.89	240.70	.068	408.54	13290.18	5486.62	138.23	.06	.3557	35.147	.0000	.000
613.204	573.33	571.71	6105.79	246.15	.070	409.11	13327.41	5624.97	138.41	.06	.3557	35.137	.0000	.000

628.204	573.24	571.55	6105.68	251.57	.071	409.69	13364.47	5763.51	138.59	.06	.3557	35.126	.0000	.000
643.204	573.15	571.39	6105.57	256.99	.073	410.26	13401.36	5902.23	138.77	.06	.3556	35.116	.0000	.000
658.204	573.05	571.22	6105.46	262.39	.074	410.84	13438.09	6041.12	138.95	.06	.3556	35.105	.0000	.000
673.204	572.96	571.05	6105.35	267.78	.076	411.41	13474.66	6180.19	139.13	.06	.3556	35.094	.0000	.000
688.204	572.86	570.88	6105.24	273.15	.077	411.99	13511.07	6319.45	139.31	.06	.3555	35.084	.0000	.000.
703.204	572.77	570.70	6105.12	278.51	.079	412.56	13547.32	6458.88	139.49	.06	.3555	35.073	.0000	.000
718.204	572.67	570.52	6105.01	283.86	.080	413.14	13583.45	6598.49	139.67	.06	.3554	35.062	.0000	.000
726.191	572.61	570.42	6104.94	286.70	.081	413.44	13602.54	6672.90	74.44	.03	.3554	35.051	.0000	.000
741.191	572.48	570.24	6104.87	290.02	.082	415.42	13733.45	6813.01	140.17	.05	.3553	35.045	.0000	.000
746.336	572.43	570.17	6104.84	291.16	.083	416.10	13777.95	6861.22	48.23	.02	.3553	35.039	.0000	.000
746.346	572.41	570.59	6105.48	261.61	.074	43.11	15324.60	6861.22	.00	-.00	.3654	35.089	.0000	.000
761.346	572.52	570.55	6105.26	272.11	.077	157.89	14807.64	6895.42	33.99	-.21	.3554	35.090	.0000	.000
776.346	572.63	570.47	6104.98	285.00	.081	272.66	14288.82	6968.35	72.81	-.11	.3554	35.065	.0000	.000
791.346	572.73	570.33	6104.62	300.57	.085	387.43	13768.16	7079.99	111.63	-.02	.3554	35.035	.0000	.000
794.831	572.75	570.28	6104.53	304.61	.086	414.09	13646.92	7111.47	31.49	.01	.3553	34.999	.0000	.000
809.831	572.63	570.09	6104.42	309.23	.088	415.08	13712.37	7251.62	140.20	.05	.3553	34.994	.0000	.000
824.831	572.51	569.89	6104.30	313.83	.089	416.06	13777.30	7392.09	140.52	.05	.3553	34.983	.0000	.000
837.831	572.39	569.69	6104.19	318.43	.090	417.04	13841.72	7532.87	140.84	.05	.3552	34.973	.0000	.000
854.781	572.26	569.48	6104.07	323.00	.092	418.02	13905.42	7673.50	140.68	.05	.3552	34.963	.0000	.000
869.781	572.07	569.28	6104.04	324.17	.092	422.39	14116.70	7815.49	142.03	.03	.3551	34.953	.0000	.000
884.781	571.89	569.07	6104.01	325.54	.092	426.86	14320.51	7959.00	143.51	-.00	.3551	34.958	.0000	.000
899.781	571.71	568.86	6103.97	327.10	.093	431.32	14516.86	8104.06	145.03	-.03	.3552	34.962	.0000	.000
914.781	571.53	568.66	6103.92	328.86	.093	435.77	14705.75	8250.71	146.59	-.07	.3554	34.964	.0000	.000
929.781	571.35	568.45	6103.87	330.81	.094	440.22	14887.17	8399.03	148.22	-.10	.3558	34.967	.0000	.000
944.781	571.18	568.24	6103.82	332.95	.094	444.67	15061.13	8549.10	149.95	-.13	.3564	34.970	.0000	.000
959.781	571.01	568.03	6103.76	335.29	.095	449.13	15227.62	8701.04	151.78	-.16	.3573	34.974	.0000	.000
974.781	570.97	567.97	6103.74	335.94	.095	450.25	15270.60	8741.81	40.49	-.28	.3575	34.409	.0000	.000
989.781	570.87	567.97	6103.89	330.18	.094	.00	15538.21	8742.08	.00	-.28	.3575	33.640	.0000	.000
1004.781	570.81	567.97	6103.97	327.15	.093	.00	15682.31	8742.32	.00	-.23	.3575	32.871	.0000	.000
1019.781	570.76	567.97	6104.04	324.34	.092	.00	15818.94	8742.57	.00	-.26	.3575	32.101	.0000	.000
1034.781	570.72	567.97	6104.11	321.73	.091	.00	15948.11	8742.85	.00	-.28	.3575	31.332	.0000	.000
1040.791	570.70	567.97	6104.13	320.74	.091	.00	15997.77	8742.97	.00	-.12	.3575	31.024	.0000	.000
1055.791	570.71	567.97	6104.12	321.31	.091	.00	15969.84	8743.27	.00	-.30	.3575	30.483	.0000	.000
1070.791	570.72	567.97	6104.10	321.88	.091	.00	15941.80	8743.57	.00	-.30	.3575	29.942	.0000	.000
1084.171	570.73	567.97	6104.09	322.40	.091	.00	15916.69	8743.83	.00	-.27	.3575	29.459	.0000	.000
AFT(A)	565.17	539.75	6067.49	992.27	.282	.....	15823.73	8744.74	.00	-.55	.3564	29.460	....	.....
AFT(B)	565.17	565.17	6105.23	-.02	.000	.....	10413.12	.36	.00	-.36	.3561	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FORWARD	1.1676+02	5.7465+02	5.7457+02	6.1080+03	4.4113+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2508+03
AFT	1.1677+02	5.7465+02	5.7456+02	6.1080+03	4.4113+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2508+03

GAS BUILDUP IN SLOT, DW/DT = -2.1027-04

FORWARD	4.2705+02	5.7387+02	5.7308+02	6.1070+03	1.4650+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1244+03
AFT	4.2706+02	5.7402+02	5.7322+02	6.1072+03	1.4647+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1244+03

GAS BUILDUP IN SLOT, DW/DT = -2.0903-04

FORWARD	7.4634+02	5.7243+02	5.7017+02	6.1048+03	2.4486+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8612+03
AFT	7.4635+02	5.7284+02	5.7059+02	6.1055+03	2.4471+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8612+03

GAS BUILDUP IN SLOT, DW/DT = -2.0875-04

```
*EB BURNOUT INCREMENT LOCATION =  959.7810      SECTOR NO.   2    TAU = 35.1784    TAUWDP = 35.1784    TIME =  93.00
*EB BURNOUT INCREMENT LOCATION =  959.7810      SECTOR NO.   3    TAU = 35.1784    TAUWDP = 35.1784    TIME =  93.00
*PARTBN* TIME= 93.50 IS=1 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 959.83 AINCHI= 944.78 DELZ=15.047 ALP=450.35 ALPHI=445.93
*PARTBN* TIME= 93.50 IS=2 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 959.09 AINCHI= 944.78 DELZ=14.313 ALP=450.37 ALPHI=446.16
*PARTBN* TIME= 93.50 IS=3 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 959.24 AINCHI= 944.78 DELZ=14.458 ALP=450.37 ALPHI=446.12
*PARTBN* TIME= 93.50 IS=4 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 960.01 AINCHI= 959.78 DELZ=  .228 ALP=450.35 ALPHI=450.34
*PARTBN* TIME= 93.50 IS=5 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 960.96 AINCHI= 959.78 DELZ= 1.176 ALP=450.32 ALPHI=450.03
*PARTBN* TIME= 93.50 IS=6 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 961.21 AINCHI= 959.78 DELZ= 1.429 ALP=450.31 ALPHI=449.95
*PARTBN* TIME= 93.50 IS=7 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 961.16 AINCHI= 959.78 DELZ= 1.379 ALP=450.31 ALPHI=449.97
*PARTBN* TIME= 93.50 IS=8 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 960.85 AINCHI= 959.78 DELZ= 1.073 ALP=450.32 ALPHI=450.07
*PARTBN* TIME= 93.50 IS=1 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 959.83 AINCHI= 944.78 DELZ=15.047 ALP=450.35 ALPHI=445.93
*PARTBN* TIME= 93.50 IS=2 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 959.09 AINCHI= 944.78 DELZ=14.313 ALP=450.37 ALPHI=446.16
*PARTBN* TIME= 93.50 IS=3 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 959.24 AINCHI= 944.78 DELZ=14.458 ALP=450.37 ALPHI=446.12
*PARTBN* TIME= 93.50 IS=4 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 960.01 AINCHI= 959.78 DELZ=  .228 ALP=450.35 ALPHI=450.34
*PARTBN* TIME= 93.50 IS=5 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 960.96 AINCHI= 959.78 DELZ= 1.176 ALP=450.32 ALPHI=450.03
*PARTBN* TIME= 93.50 IS=6 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 961.21 AINCHI= 959.78 DELZ= 1.429 ALP=450.31 ALPHI=449.95
*PARTBN* TIME= 93.50 IS=7 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 961.16 AINCHI= 959.78 DELZ= 1.379 ALP=450.31 ALPHI=449.97
*PARTBN* TIME= 93.50 IS=8 ZCALC( 73)= 974.78 ZCALC( 72)= 959.78 AINCW= 960.85 AINCHI= 959.78 DELZ= 1.073 ALP=450.32 ALPHI=450.07
*EB BURNOUT INCREMENT LOCATION =  959.7810      SECTOR NO.   1    TAU = 35.1784    TAUWDP = 35.1784    TIME =  93.50
*EB BURNOUT INCREMENT LOCATION =  959.7810      SECTOR NO.   4    TAU = 35.1784    TAUWDP = 35.1784    TIME =  93.50
*EB BURNOUT INCREMENT LOCATION =  959.7810      SECTOR NO.   5    TAU = 35.1784    TAUWDP = 35.1784    TIME =  93.50
*EB BURNOUT INCREMENT LOCATION =  959.7810      SECTOR NO.   6    TAU = 35.1784    TAUWDP = 35.1784    TIME =  93.50
*EB BURNOUT INCREMENT LOCATION =  959.7810      SECTOR NO.   7    TAU = 35.1784    TAUWDP = 35.1784    TIME =  93.50
*EB BURNOUT INCREMENT LOCATION =  959.7810      SECTOR NO.   8    TAU = 35.1784    TAUWDP = 35.1784    TIME =  93.50
*PARTBN* TIME= 94.00 IS=1 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 956.37 AINCHI= 944.78 DELZ=11.592 ALP=450.44 ALPHI=447.05
*PARTBN* TIME= 94.00 IS=2 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 955.64 AINCHI= 944.78 DELZ=10.855 ALP=450.46 ALPHI=447.28
*PARTBN* TIME= 94.00 IS=3 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 955.78 AINCHI= 944.78 DELZ=11.001 ALP=450.46 ALPHI=447.24
*PARTBN* TIME= 94.00 IS=4 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 956.56 AINCHI= 944.78 DELZ=11.776 ALP=450.44 ALPHI=447.00
*PARTBN* TIME= 94.00 IS=5 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 957.51 AINCHI= 944.78 DELZ=12.724 ALP=450.41 ALPHI=446.70
*PARTBN* TIME= 94.00 IS=6 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 957.76 AINCHI= 944.78 DELZ=12.979 ALP=450.41 ALPHI=446.62
*PARTBN* TIME= 94.00 IS=7 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 957.71 AINCHI= 944.78 DELZ=12.929 ALP=450.41 ALPHI=446.64
```

```
*PARTBN* TIME= 94.00 IS=8 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 957.40 AINCHI= 944.78 DELZ=12.621 ALP=450.41 ALPHI=446.73
*PARTBN* TIME= 94.00 IS=1 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 958.37 AINCHI= 944.78 DELZ=11.592 ALP=450.44 ALPHI=447.05
*PARTBN* TIME= 94.00 IS=2 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 955.64 AINCHI= 944.78 DELZ=10.655 ALP=450.46 ALPHI=447.28
*PARTBN* TIME= 94.00 IS=3 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 955.78 AINCHI= 944.78 DELZ=11.001 ALP=450.46 ALPHI=447.24
*PARTBN* TIME= 94.00 IS=4 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 956.56 AINCHI= 944.78 DELZ=11.776 ALP=450.44 ALPHI=447.00
*PARTBN* TIME= 94.00 IS=5 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 957.51 AINCHI= 944.78 DELZ=12.724 ALP=450.41 ALPHI=446.70
*PARTBN* TIME= 94.00 IS=6 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 957.76 AINCHI= 944.78 DELZ=12.979 ALP=450.41 ALPHI=446.62
*PARTBN* TIME= 94.00 IS=7 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 957.71 AINCHI= 944.78 DELZ=12.929 ALP=450.41 ALPHI=446.64
*PARTBN* TIME= 94.00 IS=8 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 957.40 AINCHI= 944.78 DELZ=12.621 ALP=450.41 ALPHI=446.73
```

IGNITION TIME, TIME (S) 94.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	9938847.4	2234341.8
TOTAL VACUUM THRUST (N,LBF)	FTVAC	9971529.1	2241688.9
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	59537.708	13384.609
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.10521061+10	.23652285+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.35331	256.35331
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.11017736+10	.24768856+09
THRUST COEFFICIENT	CF	1.6262559	1.6262559
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3934.4981	8674.0835
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	433673.82	956087.12
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	31.953456	70.445312
INERT MASS REMAINING (KG,LBM)	MIR	708.39268	1561.7385
TOTAL BURN AREA (M**2,IN**2)	ABTOT	248.39359	385010.05
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	43.320615	2643586.1
PROPELLANT MASS REMAINING (KG,LBM)	WF	71873.847	158454.71
TOTAL GAS MASS (KG,LBM)	WGTOT	1246.6814	2748.4619
RATIO OF SPECIFIC HEATS	GAMA	1.1596912	1.1596912
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.839424	28.306086
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1558.8194	5114.2369
MAXIMUM CHAMBER MACH NUMBER	AMPN	.95413964-01	.95413964-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.39278553+09	569.68726
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.46157951+11	66946.449
BURN AREA (M**2,IN**2)	AHH	4.9589804	7686.4351
BURN RATE (M/S,IN/S)	RBZ(1)	.90286613-02	.35545911
DISTANCE BURNED (M,IN)	TAUZ(1)	.91078790	35.857791
PROPELLANT VOLUME (M**3,IN**3)	VFH	.85039337	48843.000
GAS VOLUME (M**3,IN**3)	VPH	54.303438	3313799.1
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3392.5558	6106.6005
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	243.43410	377323.62
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	42.518256	2594623.2
GAS VOLUME (M**3,IN**3)	VP	247.16010	15082634.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.38630218+09	560.28395
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.43857554+11	63610.004
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.90257325-02	.35539380
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.90178949-02	.35503523
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040330.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3390.9365	6103.6857
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5872514	2460.2446
EXPANSION RATIO	EPR	6.7717786	6.7717786
PRESSURE RATIO	PEPO	.23258764-01	.23258764-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO. IN.
FORE	569.69	569.68	6106.60	7.92	.002	405.67	13092.66	176.95	173.26	-3.69	.3553	35.858	.0000	.000
15.000	569.68	569.68	6106.60	14.03	.004	405.94	13110.29	314.09	137.21	.07	.3553	35.816	.0000	.000
30.000	569.68	569.67	6106.59	20.13	.006	406.20	13127.89	451.32	137.30	.07	.3553	35.811	.0000	.000
45.000	569.67	569.66	6106.58	26.22	.007	406.46	13145.46	588.65	137.39	.07	.3553	35.807	.0000	.000
60.000	569.67	569.64	6106.56	32.29	.009	406.73	13163.00	726.05	137.47	.07	.3552	35.802	.0000	.000
75.000	569.66	569.62	6106.55	38.36	.011	406.99	13180.51	863.55	137.56	.07	.3552	35.797	.0000	.000
90.000	569.65	569.59	6106.53	44.41	.013	407.26	13197.99	1001.13	137.65	.06	.3552	35.792	.0000	.000
105.000	569.63	569.56	6106.50	50.46	.014	407.52	13215.43	1138.80	137.74	.06	.3552	35.787	.0000	.000
116.761	569.62	569.54	6106.48	55.19	.016	407.73	13229.09	1246.81	108.05	.05	.3552	35.782	.0000	.000
116.771	569.62	569.54	6106.48	56.29	.016	349.03	12969.90	1246.81	.00	-.00	.3552	35.783	.0000	.000
131.771	569.60	569.50	6106.46	61.33	.017	381.00	13082.57	1370.18	123.40	.04	.3552	35.783	.0000	.000
143.919	569.59	569.47	6106.43	65.70	.019	406.88	13173.97	1477.99	107.86	.05	.3552	35.775	.0000	.000
158.919	569.56	569.43	6106.40	71.54	.020	407.81	13226.91	1615.64	137.71	.06	.3552	35.769	.0000	.000
173.919	569.54	569.38	6106.37	77.34	.022	408.74	13279.61	1753.59	138.02	.06	.3552	35.763	.0000	.000
188.919	569.52	569.33	6106.33	83.12	.024	409.66	13332.08	1891.85	138.33	.06	.3552	35.757	.0000	.000
203.919	569.49	569.28	6106.29	88.87	.025	410.59	13384.30	2030.42	138.63	.06	.3552	35.751	.0000	.000
218.919	569.46	569.22	6106.25	94.59	.027	411.52	13436.30	2169.30	138.94	.06	.3551	35.745	.0000	.000
233.919	569.43	569.16	6106.21	100.28	.028	412.44	13488.05	2308.49	139.25	.06	.3551	35.739	.0000	.000
248.919	569.39	569.10	6106.16	105.94	.030	413.37	13539.56	2447.98	139.56	.06	.3551	35.732	.0000	.000
263.919	569.36	569.03	6106.12	111.58	.032	414.30	13590.84	2587.78	139.86	.06	.3551	35.726	.0000	.000
278.919	569.32	568.96	6106.06	117.20	.033	415.22	13641.88	2727.88	140.17	.06	.3551	35.719	.0000	.000
293.919	569.28	568.88	6106.01	122.79	.035	416.15	13692.68	2868.29	140.47	.06	.3550	35.713	.0000	.000
308.919	569.24	568.80	6105.96	128.36	.036	417.08	13743.25	3009.00	140.78	.06	.3550	35.706	.0000	.000
323.919	569.20	568.72	6105.90	133.90	.038	418.00	13793.58	3150.02	141.08	.06	.3550	35.699	.0000	.000
338.919	569.15	568.63	6105.84	139.42	.040	418.93	13843.67	3291.35	141.39	.06	.3550	35.692	.0000	.000
353.919	569.10	568.55	6105.78	144.92	.041	419.86	13893.52	3432.97	141.69	.06	.3550	35.685	.0000	.000
368.919	569.05	568.45	6105.72	150.40	.043	420.79	13943.14	3574.91	141.99	.06	.3549	35.677	.0000	.000
383.919	569.00	568.36	6105.65	155.85	.044	421.71	13992.52	3717.14	142.30	.06	.3549	35.670	.0000	.000
398.919	568.95	568.26	6105.58	161.29	.046	422.64	14041.66	3859.68	142.60	.06	.3549	35.663	.0000	.000
403.048	568.93	568.23	6105.56	162.78	.046	422.89	14055.14	3898.97	39.30	.02	.3549	35.655	.0000	.000
418.048	568.88	568.13	6105.48	168.94	.048	421.03	14040.39	4041.42	142.51	.06	.3548	35.653	.0000	.000
427.051	568.85	568.06	6105.44	172.62	.049	419.92	14031.72	4126.61	85.23	.04	.3548	35.646	.0000	.000
427.061	568.85	568.19	6105.63	157.56	.045	-114.20	15369.71	4126.61	.00	-.00	.3548	35.672	.0000	.000
442.061	568.93	568.19	6105.50	167.55	.048	101.53	14453.92	4126.89	.00	-.28	.3549	35.673	.0000	.000
457.061	569.02	568.14	6105.30	182.54	.052	317.26	13496.11	4197.72	70.73	-.10	.3549	35.645	.0000	.000
463.204	569.06	568.10	6105.18	190.43	.054	405.60	13091.73	4247.71	50.00	.01	.3549	35.604	.0000	.000
478.204	568.99	567.97	6105.10	196.03	.056	406.18	13130.64	4384.75	137.11	.06	.3549	35.583	.0000	.000
493.204	568.92	567.84	6105.01	201.61	.057	406.75	13169.38	4521.98	137.29	.06	.3549	35.573	.0000	.000
508.204	568.85	567.71	6104.92	207.17	.059	407.33	13207.95	4659.38	137.47	.06	.3548	35.564	.0000	.000
523.204	568.78	567.58	6104.83	212.72	.060	407.90	13246.35	4796.98	137.65	.06	.3548	35.554	.0000	.000
538.204	568.70	567.44	6104.74	218.25	.062	408.47	13284.59	4934.75	137.84	.06	.3548	35.544	.0000	.000
553.204	568.62	567.30	6104.64	223.76	.063	409.05	13322.66	5072.70	138.02	.06	.3547	35.534	.0000	.000
568.204	568.54	567.15	6104.54	229.26	.065	409.62	13360.57	5210.84	138.20	.06	.3547	35.523	.0000	.000
583.204	568.46	567.01	6104.44	234.74	.067	410.20	13398.31	5349.15	138.38	.06	.3547	35.513	.0000	.000
598.204	568.38	566.85	6104.34	240.20	.068	410.77	13435.89	5487.64	138.56	.06	.3546	35.503	.0000	.000
613.204	568.30	566.70	6104.24	245.65	.070	411.35	13473.30	5626.32	138.74	.06	.3546	35.492	.0000	.000

628.204	568.21	566.54	6104.13	251.09	.071	411.92	13510.54	5765.17	138.91	.06	.3546	35.482	.0000	.000
643.204	568.12	566.38	6104.02	256.51	.073	412.49	13547.62	5904.20	139.09	.06	.3545	35.471	.0000	.000
658.204	568.03	566.21	6103.92	261.91	.074	413.07	13584.53	6043.41	139.27	.06	.3545	35.460	.0000	.000
673.204	567.93	566.05	6103.80	267.31	.076	413.64	13621.28	6182.80	139.45	.06	.3544	35.450	.0000	.000
688.204	567.84	565.87	6103.69	272.68	.077	414.22	13657.86	6322.37	139.63	.06	.3544	35.439	.0000	.000
703.204	567.74	565.70	6103.57	278.05	.079	414.79	13694.27	6462.11	139.80	.06	.3544	35.428	.0000	.000
718.204	567.64	565.52	6103.46	283.41	.080	415.37	13730.52	6602.03	139.98	.06	.3543	35.417	.0000	.000
726.191	567.59	565.43	6103.39	286.25	.081	415.67	13749.75	6676.61	74.61	.03	.3543	35.406	.0000	.000
741.191	567.46	565.24	6103.32	289.59	.082	417.65	13881.34	6817.03	140.48	.06	.3542	35.400	.0000	.000
746.336	567.41	565.18	6103.29	290.74	.082	418.33	13926.07	6865.35	48.33	.02	.3542	35.394	.0000	.000
746.346	567.39	565.55	6103.88	263.84	.075	28.61	15337.33	6865.35	.00	-.00	.3543	35.444	.0000	.000
761.346	567.50	565.52	6103.67	273.48	.078	148.56	14861.87	6895.42	29.87	-.21	.3543	35.445	.0000	.000
776.346	567.59	565.44	6103.41	285.46	.081	268.51	14384.71	6965.85	70.31	-.11	.3543	35.420	.0000	.000
791.346	567.68	565.30	6103.08	300.05	.085	388.46	13905.84	7076.61	110.75	-.01	.3542	35.390	.0000	.000
794.831	567.70	565.26	6102.99	303.84	.086	416.33	13794.34	7108.12	31.52	.01	.3542	35.354	.0000	.000
809.831	567.58	565.07	6102.87	308.47	.087	417.31	13860.13	7248.58	140.52	.06	.3542	35.349	.0000	.000
824.831	567.46	564.87	6102.76	313.09	.089	418.29	13925.90	7389.36	140.83	.06	.3541	35.338	.0000	.000
839.831	567.33	564.67	6102.65	317.70	.090	419.27	13990.15	7530.45	141.15	.06	.3541	35.328	.0000	.000
854.781	567.21	564.47	6102.53	322.28	.091	420.25	14054.16	7671.38	140.99	.06	.3541	35.318	.0000	.000
869.781	567.03	564.27	6102.49	323.84	.092	424.62	14250.85	7813.68	142.34	.04	.3540	35.307	.0000	.000
884.781	566.85	564.06	6102.45	325.58	.092	429.09	14440.53	7957.49	143.82	.00	.3540	35.313	.0000	.000
899.781	566.68	563.86	6102.40	327.51	.093	433.55	14623.21	8102.88	145.36	-.03	.3542	35.317	.0000	.000
914.781	566.51	563.65	6102.35	329.61	.093	438.00	14798.87	8249.89	146.95	-.06	.3545	35.320	.0000	.000
929.781	566.34	563.44	6102.29	331.89	.094	442.45	14967.52	8398.59	148.62	-.09	.3549	35.323	.0000	.000
944.781	566.17	563.23	6102.22	334.35	.095	446.91	15129.17	8549.09	150.37	-.12	.3557	35.326	.0000	.000
959.781	566.04	563.06	6102.17	336.45	.095	450.43	15254.15	8671.46	122.19	-.18	.3564	35.178	.0000	.000
974.781	565.97	563.06	6102.27	332.59	.094	.00	15431.42	8671.52	.00	-.05	.3564	34.409	.0000	.000
989.781	565.92	563.06	6102.35	329.60	.093	.00	15572.04	8671.53	.00	-.01	.3564	33.640	.0000	.000
1004.781	565.87	563.06	6102.42	326.80	.093	.00	15705.64	8671.75	.00	-.22	.3564	32.871	.0000	.000
1019.781	565.83	563.06	6102.48	324.20	.092	.00	15832.24	8671.99	.00	-.25	.3564	32.101	.0000	.000
1034.781	565.79	563.06	6102.55	321.79	.091	.00	15951.82	8672.26	.00	-.27	.3564	31.332	.0000	.000
1040.791	565.77	563.06	6102.57	320.87	.091	.00	15997.77	8672.38	.00	-.11	.3564	31.024	.0000	.000
1055.791	565.78	563.06	6102.55	321.44	.091	.00	15969.84	8672.67	.00	-.29	.3564	30.483	.0000	.000
1070.791	565.79	563.06	6102.54	322.01	.091	.00	15941.80	8672.95	.00	-.29	.3564	29.942	.0000	.000
1084.171	565.80	563.06	6102.53	322.53	.091	.00	15916.69	8673.21	.00	-.26	.3564	29.459	.0000	.000
AFT(A)	560.28	535.05	6065.94	992.74	.282	.....	15823.73	8674.08	.00	-.53	.3553	29.460	....	.....
AFT(B)	560.28	560.28	6103.69	-.02	.000	.....	10413.12	.34	.00	-.34	.3550	20.670	....	.....

SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD 1.1676+02	5.6962+02	5.6954+02	6.1065+03	4.4353+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2468+03
AFT 1.1677+02	5.6962+02	5.6954+02	6.1065+03	4.4353+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2468+03

GAS BUILDUP IN SLOT, DW/DT = -2.0286-04

FOREWARD 4.2705+02	5.6885+02	5.6806+02	6.1054+03	1.4785+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1266+03
AFT 4.2706+02	5.6898+02	5.6819+02	6.1056+03	1.4782+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1266+03

GAS BUILDUP IN SLOT, DW/DT = -2.0165-04

FOREWARD 7.4634+02	5.6791+02	5.6518+02	6.1033+03	2.4714+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8653+03
AFT 7.4635+02	5.6779+02	5.6555+02	6.1039+03	2.4700+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8653+03

GAS BUILDUP IN SLOT, DW/DT = -2.0157-04

```
*PARTBN* TIME= 94.50 IS=1 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 952.92 AINCHI= 944.78 DELZ= 8.140 ALP=450.53 ALPHI=448.17
*PARTBN* TIME= 94.50 IS=2 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 952.18 AINCHI= 944.78 DELZ= 7.399 ALP=450.55 ALPHI=448.41
*PARTBN* TIME= 94.50 IS=3 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 952.33 AINCHI= 944.78 DELZ= 7.546 ALP=450.55 ALPHI=448.36
*PARTBN* TIME= 94.50 IS=4 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 953.11 AINCHI= 944.78 DELZ= 8.327 ALP=450.53 ALPHI=448.11
*PARTBN* TIME= 94.50 IS=5 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 954.06 AINCHI= 944.78 DELZ= 9.278 ALP=450.50 ALPHI=447.82
*PARTBN* TIME= 94.50 IS=6 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 954.31 AINCHI= 944.78 DELZ= 9.534 ALP=450.50 ALPHI=447.73
*PARTBN* TIME= 94.50 IS=7 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 954.27 AINCHI= 944.78 DELZ= 9.484 ALP=450.50 ALPHI=447.75
*PARTBN* TIME= 94.50 IS=8 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 953.96 AINCHI= 944.78 DELZ= 9.174 ALP=450.51 ALPHI=447.85
*PARTBN* TIME= 94.50 IS=1 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 952.92 AINCHI= 944.78 DELZ= 8.140 ALP=450.53 ALPHI=448.17
*PARTBN* TIME= 94.50 IS=2 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 952.18 AINCHI= 944.78 DELZ= 7.399 ALP=450.55 ALPHI=448.41
*PARTBN* TIME= 94.50 IS=3 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 952.33 AINCHI= 944.78 DELZ= 7.546 ALP=450.55 ALPHI=448.36
*PARTBN* TIME= 94.50 IS=4 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 953.11 AINCHI= 944.78 DELZ= 8.327 ALP=450.53 ALPHI=448.11
*PARTBN* TIME= 94.50 IS=5 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 954.06 AINCHI= 944.78 DELZ= 9.278 ALP=450.50 ALPHI=447.82
*PARTBN* TIME= 94.50 IS=6 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 954.31 AINCHI= 944.78 DELZ= 9.534 ALP=450.50 ALPHI=447.73
*PARTBN* TIME= 94.50 IS=7 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 954.27 AINCHI= 944.78 DELZ= 9.484 ALP=450.50 ALPHI=447.75
*PARTBN* TIME= 94.50 IS=8 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 953.96 AINCHI= 944.78 DELZ= 9.174 ALP=450.51 ALPHI=447.85
*PARTBN* TIME= 95.00 IS=1 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 949.47 AINCHI= 944.78 DELZ= 4.690 ALP=450.63 ALPHI=449.29
*PARTBN* TIME= 95.00 IS=2 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 948.73 AINCHI= 944.78 DELZ= 3.946 ALP=450.65 ALPHI=449.53
*PARTBN* TIME= 95.00 IS=3 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 948.87 AINCHI= 944.78 DELZ= 4.093 ALP=450.64 ALPHI=449.48
*PARTBN* TIME= 95.00 IS=4 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 949.66 AINCHI= 944.78 DELZ= 4.881 ALP=450.62 ALPHI=449.23
*PARTBN* TIME= 95.00 IS=5 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 950.62 AINCHI= 944.78 DELZ= 5.836 ALP=450.59 ALPHI=448.93
*PARTBN* TIME= 95.00 IS=6 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 950.87 AINCHI= 944.78 DELZ= 6.093 ALP=450.59 ALPHI=448.85
*PARTBN* TIME= 95.00 IS=7 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 950.82 AINCHI= 944.78 DELZ= 6.043 ALP=450.59 ALPHI=448.86
*PARTBN* TIME= 95.00 IS=8 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 950.51 AINCHI= 944.78 DELZ= 5.731 ALP=450.60 ALPHI=448.96
*PARTBN* TIME= 95.00 IS=1 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 949.47 AINCHI= 944.78 DELZ= 4.690 ALP=450.63 ALPHI=449.29
*PARTBN* TIME= 95.00 IS=2 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 948.73 AINCHI= 944.78 DELZ= 3.946 ALP=450.65 ALPHI=449.53
*PARTBN* TIME= 95.00 IS=3 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 948.87 AINCHI= 944.78 DELZ= 4.093 ALP=450.64 ALPHI=449.48
*PARTBN* TIME= 95.00 IS=4 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 949.66 AINCHI= 944.78 DELZ= 4.881 ALP=450.62 ALPHI=449.23
*PARTBN* TIME= 95.00 IS=5 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 950.62 AINCHI= 944.78 DELZ= 5.836 ALP=450.59 ALPHI=448.93
*PARTBN* TIME= 95.00 IS=6 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 950.87 AINCHI= 944.78 DELZ= 6.093 ALP=450.59 ALPHI=448.85
*PARTBN* TIME= 95.00 IS=7 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 950.82 AINCHI= 944.78 DELZ= 6.043 ALP=450.59 ALPHI=448.86
```

```
*PARTBN* TIME= 95.00 IS=8 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 950.51 AINCHI= 944.78 DELZ= 5.731 ALP=450.60 ALPHI=448.96
```

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	9863014.2	2217293.8
TOTAL VACUUM THRUST (N,LBF)	FTVAC	9893250.2	2224091.2
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	60304.153	13556.913
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.10620074+10	.23874876+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.31070	256.31070
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.11117064+10	.24992154+09
THRUST COEFFICIENT	CF	1.6263878	1.6263878
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3903.6034	8605.9723
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	437593.01	964727.45
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	32.364001	71.352173
INERT MASS REMAINING (KG,LBM)	MIR	676.12955	1490.6105
TOTAL BURN AREA (M**2,IN**2)	ABTOT	247.04060	382913.69
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	41.041682	2504517.1
PROPELLANT MASS REMAINING (KG,LBM)	WF	67956.636	149818.74
TOTAL GAS MASS (KG,LBM)	WGTOT	1238.0604	2729.4559
RATIO OF SPECIFIC HEATS	GAMA	1.1596866	1.1596866
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.838267	28.303535
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1558.7338	5113.9560
MAXIMUM CHAMBER MACH NUMBER	AMPN	.95499416-01	.95499416-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.38943530+09	564.82816
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.46549077+11	67513.729
BURN AREA (M**2,IN**2)	AHH	4.7857462	7417.9216
BURN RATE (M/S,IN/S)	RBZ(1)	.90013226-02	.35438278
DISTANCE BURNED (M,IN)	TAUZ(1)	.91980984	36.212986
PROPELLANT VOLUME (M**3,IN**3)	VFH	.75648474	46163.531
GAS VOLUME (M**3,IN**3)	VPH	54.347347	3316478.6
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3391.7192	6105.0945
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	242.25485	375495.77
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	40.283231	2458233.6
GAS VOLUME (M**3,IN**3)	VP	247.56956	15107621.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.38304687+09	555.56252
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.44242243+11	64167.949
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.89990488-02	.35429326
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.89912263-02	.35398529
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3390.1239	6102.2222
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5880456	2461.4757
EXPANSION RATIO	EPR	6.7683917	6.7683917
PRESSURE RATIO	PEPO	.23274322-01	.23274322-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FONE	564.83	564.83	6105.09	7.61	.002	407.91	13237.07	170.42	166.70	-3.72	.3542	36.213	.0000	.000
15.000	564.83	564.82	6105.09	13.71	.004	408.17	13254.79	307.91	137.55	.06	.3542	36.171	.0000	.000
30.000	564.82	564.81	6105.08	19.82	.006	408.43	13272.49	445.49	137.64	.06	.3542	36.166	.0000	.000
45.000	564.82	564.80	6105.07	25.90	.007	408.70	13290.15	583.15	137.72	.06	.3542	36.162	.0000	.000
60.000	564.81	564.78	6105.06	31.98	.009	408.96	13307.78	720.90	137.81	.06	.3542	36.157	.0000	.000
75.000	564.80	564.76	6105.04	38.05	.011	409.22	13325.38	858.74	137.90	.06	.3542	36.152	.0000	.000
90.000	564.79	564.74	6105.02	44.10	.013	409.49	13342.95	996.66	137.98	.06	.3542	36.147	.0000	.000
105.000	564.77	564.71	6105.00	50.15	.014	407.75	13360.49	1134.67	138.07	.06	.3542	36.142	.0000	.000
116.761	564.76	564.68	6104.98	54.88	.016	409.96	13374.21	1242.94	108.32	.05	.3541	36.137	.0000	.000
116.771	564.76	564.68	6104.97	56.05	.016	343.67	13093.36	1242.94	.00	-.00	.3541	36.138	.0000	.000
131.771	564.75	564.65	6104.95	60.98	.017	379.83	13217.82	1364.84	121.93	.03	.3541	36.138	.0000	.000
143.919	564.73	564.62	6104.93	65.29	.019	409.12	13318.79	1472.48	107.68	.04	.3541	36.130	.0000	.000
158.919	564.71	564.57	6104.90	71.13	.020	410.05	13372.08	1610.47	138.05	.06	.3541	36.124	.0000	.000
173.919	564.68	564.53	6104.86	76.94	.022	410.97	13425.13	1748.76	138.35	.06	.3541	36.118	.0000	.000
188.919	564.66	564.48	6104.83	82.72	.023	411.90	13477.93	1887.36	138.66	.06	.3541	36.112	.0000	.000
203.919	564.63	564.43	6104.79	88.47	.025	412.82	13530.50	2026.27	138.97	.06	.3541	36.106	.0000	.000
218.919	564.60	564.37	6104.75	94.19	.027	413.75	13582.82	2165.48	139.27	.06	.3541	36.100	.0000	.000
233.919	564.57	564.31	6104.71	99.88	.028	414.68	13634.91	2305.00	139.58	.06	.3540	36.094	.0000	.000
248.919	564.54	564.25	6104.66	105.55	.030	415.60	13686.75	2444.83	139.88	.06	.3540	36.087	.0000	.000
263.919	564.50	564.18	6104.61	111.20	.032	416.53	13738.35	2584.96	140.19	.06	.3540	36.081	.0000	.000
278.919	564.47	564.11	6104.56	116.81	.033	417.46	13789.72	2725.39	140.49	.06	.3540	36.074	.0000	.000
293.919	564.43	564.03	6104.51	122.41	.035	418.38	13840.84	2866.13	140.80	.06	.3540	36.067	.0000	.000
308.919	564.39	563.96	6104.46	127.98	.036	419.31	13891.71	3007.18	141.10	.06	.3539	36.060	.0000	.000
323.919	564.34	563.87	6104.41	133.52	.038	420.23	13942.35	3148.52	141.40	.06	.3539	36.054	.0000	.000
338.919	564.30	563.79	6104.34	139.05	.039	421.16	13992.75	3290.17	141.71	.06	.3539	36.046	.0000	.000
353.919	564.25	563.70	6104.28	144.55	.041	422.09	14042.91	3432.13	142.01	.06	.3539	36.039	.0000	.000
368.919	564.20	563.61	6104.21	150.03	.043	423.01	14092.82	3574.38	142.31	.06	.3539	36.032	.0000	.000
383.919	564.15	563.52	6104.15	155.49	.044	423.94	14142.50	3716.94	142.61	.06	.3538	36.025	.0000	.000
398.919	564.10	563.42	6104.08	160.93	.046	424.87	14191.93	3859.80	142.92	.06	.3538	36.017	.0000	.000
403.048	564.08	563.39	6104.06	162.43	.046	425.12	14205.49	3899.18	39.39	.02	.3538	36.010	.0000	.000
418.048	564.04	563.29	6103.98	168.59	.048	423.26	14190.07	4041.95	142.83	.05	.3538	36.007	.0000	.000
427.051	564.01	563.23	6103.93	172.27	.049	422.15	14180.99	4127.34	85.42	.03	.3537	36.001	.0000	.000
427.061	564.00	563.33	6104.10	159.37	.045	-130.73	15326.29	4127.34	.00	-.00	.3538	36.027	.0000	.000
442.061	564.08	563.33	6103.98	168.63	.048	92.78	14485.90	4127.63	.00	-.29	.3538	36.027	.0000	.000
457.061	564.16	563.28	6103.79	182.53	.052	316.30	13607.02	4196.62	68.88	-.11	.3538	35.999	.0000	.000
463.204	564.19	563.24	6103.68	189.89	.054	407.84	13235.98	4246.55	49.94	.01	.3538	35.958	.0000	.000
478.204	564.12	563.12	6103.60	195.50	.055	408.41	13275.10	4383.93	137.44	.06	.3538	35.938	.0000	.000
493.204	564.05	562.99	6103.51	201.09	.057	408.98	13314.04	4521.49	137.63	.06	.3538	35.928	.0000	.000
508.204	563.98	562.86	6103.42	206.65	.059	409.56	13352.82	4659.24	137.81	.06	.3538	35.918	.0000	.000
523.204	563.91	562.73	6103.33	212.21	.060	410.13	13391.43	4797.17	137.99	.06	.3537	35.908	.0000	.000
534.204	563.84	562.59	6103.24	217.74	.062	410.71	13429.87	4935.28	138.17	.06	.3537	35.898	.0000	.000
553.204	563.76	562.45	6103.14	223.26	.063	411.28	13468.14	5073.57	138.35	.06	.3537	35.888	.0000	.000
568.204	563.68	562.31	6103.05	228.76	.065	411.85	13506.24	5212.04	138.53	.06	.3536	35.878	.0000	.000
583.204	563.60	562.16	6102.95	234.24	.066	412.43	13544.17	5350.69	138.71	.06	.3536	35.868	.0000	.000
598.204	563.52	562.01	6102.85	239.71	.068	413.00	13581.94	5489.52	138.89	.06	.3536	35.857	.0000	.000
613.204	563.44	561.86	6102.74	245.17	.070	413.57	13619.53	5628.52	139.06	.06	.3535	35.847	.0000	.000

628.204	563.35	561.70	6102.64	250.61	.071	414.15	13656.96	5767.71	139.24	.06	.3535	35.836	.0000	.000
643.204	563.26	561.54	6102.53	256.03	.073	414.72	13694.22	5907.07	139.42	.06	.3534	35.825	.0000	.000
658.204	563.17	561.38	6102.42	261.44	.074	415.30	13731.31	6046.61	139.60	.06	.3534	35.815	.0000	.000
673.204	563.08	561.21	6102.31	266.84	.076	415.87	13768.23	6186.33	139.77	.06	.3534	35.804	.0000	.000
688.204	562.99	561.04	6102.19	272.23	.077	416.44	13804.98	6326.23	139.95	.06	.3533	35.793	.0000	.000
703.204	562.89	560.87	6102.08	277.60	.079	417.02	13841.56	6466.30	140.13	.05	.3533	35.782	.0000	.000
718.204	562.79	560.69	6101.96	282.96	.080	417.59	13877.98	6606.55	140.30	.05	.3532	35.771	.0000	.000
726.191	562.74	560.60	6101.90	285.81	.081	417.90	13897.30	6681.29	74.78	.03	.3532	35.760	.0000	.000
741.191	562.61	560.42	6101.82	289.17	.082	419.88	14029.57	6822.09	140.80	.05	.3532	35.754	.0000	.000
746.336	562.56	560.36	6101.79	290.32	.082	420.56	14074.53	6870.47	48.44	.02	.3531	35.748	.0000	.000
746.346	562.55	560.69	6102.32	266.15	.075	14.15	15344.90	6870.47	.00	-.00	.3532	35.798	.0000	.000
761.346	562.64	560.66	6102.14	274.90	.078	139.26	14912.63	6896.47	25.78	-.22	.3532	35.799	.0000	.000
776.346	562.73	560.59	6101.89	285.96	.081	264.38	14478.82	6964.43	67.84	-.12	.3532	35.774	.0000	.000
791.346	562.80	560.45	6101.58	299.54	.085	389.49	14043.47	7074.34	109.89	-.02	.3532	35.744	.0000	.000
744.831	562.81	560.41	6101.50	303.08	.086	418.56	13942.10	7105.88	31.55	.01	.3531	35.708	.0000	.000
809.831	562.69	560.22	6101.39	307.72	.087	419.54	14038.23	7246.67	140.84	.05	.3531	35.702	.0000	.000
824.831	562.57	560.02	6101.27	312.35	.089	420.52	14073.83	7387.77	141.15	.05	.3531	35.692	.0000	.000
839.831	562.45	559.82	6101.16	316.97	.090	421.50	14138.90	7529.19	141.47	.05	.3530	35.682	.0000	.000
854.781	562.33	559.63	6101.05	321.57	.091	422.48	14203.23	7670.49	141.30	.05	.3530	35.672	.0000	.000
869.781	562.16	559.42	6101.00	323.51	.092	426.84	14385.31	7813.06	142.66	.03	.3530	35.661	.0000	.000
884.781	561.99	559.22	6100.94	325.63	.092	431.31	14560.82	7957.21	144.15	-.00	.3530	35.666	.0000	.000
899.781	561.83	559.02	6100.88	327.90	.093	435.77	14729.79	8102.95	145.70	-.03	.3532	35.671	.0000	.000
914.781	561.66	558.81	6100.82	330.34	.094	440.23	14892.20	8250.34	147.32	-.06	.3536	35.674	.0000	.000
929.781	561.50	558.60	6100.75	332.95	.094	444.68	15048.05	8399.47	149.04	-.09	.3542	35.677	.0000	.000
944.781	561.34	558.39	6100.68	335.73	.095	449.14	15197.36	8550.43	150.84	-.12	.3550	35.681	.0000	.000
959.781	561.28	558.32	6100.65	336.73	.095	450.61	15247.35	8602.97	52.32	-.22	.3553	35.178	.0000	.000
974.781	561.19	558.32	6100.78	331.76	.094	.00	15476.30	8603.21	.00	-.24	.3553	34.409	.0000	.000
989.781	561.15	558.32	6100.86	329.02	.093	.00	15605.94	8603.41	.00	-.20	.3553	33.640	.0000	.000
1004.781	561.10	558.32	6100.92	326.45	.093	.00	15729.03	8603.63	.00	-.22	.3553	32.871	.0000	.000
1019.781	561.06	558.32	6100.98	324.07	.092	.00	15845.56	8603.88	.00	-.25	.3553	32.101	.0000	.000
1034.781	561.02	558.32	6101.04	321.85	.091	.00	15955.54	8604.15	.00	-.27	.3553	31.332	.0000	.000
1040.791	561.01	558.32	6101.06	321.00	.091	.00	15997.77	8604.26	.00	-.11	.3553	31.024	.0000	.000
1055.791	561.02	558.32	6101.05	321.57	.091	.00	15969.84	8604.55	.00	-.29	.3553	30.483	.0000	.000
1070.791	561.03	558.32	6101.03	322.15	.091	.00	15941.80	8604.84	.00	-.29	.3553	29.942	.0000	.000
1085.171	561.04	558.32	6101.02	322.67	.092	.00	15916.69	8605.10	.00	-.26	.3553	29.459	.0000	.000
AFT(A)	555.56	530.52	6064.44	993.20	.283	.....	15823.73	8605.97	.00	-.53	.3543	29.460	....	.....
AFT(B)	555.56	555.56	6102.22	-.02	.000	.....	10413.12	.34	.00	-.34	.3540	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	5.6476+02	5.6468+02	6.1050+03	4.4589+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2429+03
AFT	1.1677+02	5.6476+02	5.6468+02	6.1050+03	4.4589+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2429+03

GAS BUILDUP IN SLOT, DW/DT = -2.0343-04

FOREWARD	4.2705+02	5.6401+02	5.6323+02	6.1039+03	1.4912+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1273+03
AFT	4.2706+02	5.6411+02	5.6333+02	6.1041+03	1.4910+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1273+03

GAS BUILDUP IN SLOT, DW/DT = -2.0215-04

FOREWARD	7.4634+02	5.6256+02	5.6036+02	6.1018+03	2.4941+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8705+03
AFT	7.4635+02	5.6290+02	5.6069+02	6.1023+03	2.4928+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8705+03

GAS BUILDUP IN SLOT, DW/DT = -2.0211-04

```
*PARTBN* TIME= 95.50 IS=1 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 946.02 AINCHI= 944.78 DELZ= 1.242 ALP=450.72 ALPHI=450.41
*PARTBN* TIME= 95.50 IS=2 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 945.28 AINCHI= 944.78 DELZ=  .494 ALP=450.74 ALPHI=450.65
*PARTBN* TIME= 95.50 IS=3 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 945.42 AINCHI= 944.78 DELZ=  .640 ALP=450.73 ALPHI=450.60
*PARTBN* TIME= 95.50 IS=4 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 946.22 AINCHI= 944.78 DELZ= 1.437 ALP=450.71 ALPHI=450.35
*PARTBN* TIME= 95.50 IS=5 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 947.18 AINCHI= 944.78 DELZ= 2.398 ALP=450.69 ALPHI=450.04
*PARTBN* TIME= 95.50 IS=6 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 947.44 AINCHI= 944.78 DELZ= 2.657 ALP=450.68 ALPHI=449.95
*PARTBN* TIME= 95.50 IS=7 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 947.39 AINCHI= 944.78 DELZ= 2.606 ALP=450.68 ALPHI=449.97
*PARTBN* TIME= 95.50 IS=8 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 947.07 AINCHI= 944.78 DELZ= 2.293 ALP=450.69 ALPHI=450.07
*PARTBN* TIME= 95.50 IS=1 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 946.02 AINCHI= 944.78 DELZ= 1.242 ALP=450.72 ALPHI=450.41
*PARTBN* TIME= 95.50 IS=2 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 945.28 AINCHI= 944.78 DELZ=  .494 ALP=450.74 ALPHI=450.65
*PARTBN* TIME= 95.50 IS=3 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 945.42 AINCHI= 944.78 DELZ=  .640 ALP=450.73 ALPHI=450.60
*PARTBN* TIME= 95.50 IS=4 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 946.22 AINCHI= 944.78 DELZ= 1.437 ALP=450.71 ALPHI=450.35
*PARTBN* TIME= 95.50 IS=5 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 947.18 AINCHI= 944.78 DELZ= 2.398 ALP=450.69 ALPHI=450.04
*PARTBN* TIME= 95.50 IS=6 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 947.44 AINCHI= 944.78 DELZ= 2.657 ALP=450.68 ALPHI=449.95
*PARTBN* TIME= 95.50 IS=7 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 947.39 AINCHI= 944.78 DELZ= 2.606 ALP=450.68 ALPHI=449.97
*PARTBN* TIME= 95.50 IS=8 ZCALC( 72)= 959.78 ZCALC( 71)= 944.78 AINCW= 947.07 AINCHI= 944.78 DELZ= 2.293 ALP=450.69 ALPHI=450.07
WEB BURNOUT INCREMENT LOCATION =  944.7810   SECTOR NO.  1   TAU = 35.9476   TAUWDP = 35.9476   TIME =  95.50
WEB BURNOUT INCREMENT LOCATION =  944.7810   SECTOR NO.  2   TAU = 35.9476   TAUWDP = 35.9476   TIME =  95.50
WEB BURNOUT INCREMENT LOCATION =  944.7810   SECTOR NO.  3   TAU = 35.9476   TAUWDP = 35.9476   TIME =  95.50
WEB BURNOUT INCREMENT LOCATION =  944.7810   SECTOR NO.  4   TAU = 35.9476   TAUWDP = 35.9476   TIME =  95.50
WEB BURNOUT INCREMENT LOCATION =  944.7810   SECTOR NO.  5   TAU = 35.9476   TAUWDP = 35.9476   TIME =  95.50
WEB BURNOUT INCREMENT LOCATION =  944.7810   SECTOR NO.  6   TAU = 35.9476   TAUWDP = 35.9476   TIME =  95.50
WEB BURNOUT INCREMENT LOCATION =  944.7810   SECTOR NO.  7   TAU = 35.9476   TAUWDP = 35.9476   TIME =  95.50
WEB BURNOUT INCREMENT LOCATION =  944.7810   SECTOR NO.  8   TAU = 35.9476   TAUWDP = 35.9476   TIME =  95.50
*PARTBN* TIME= 96.00 IS=1 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 942.59 AINCHI= 929.78 DELZ=12.810 ALP=450.81 ALPHI=447.05
*PARTBN* TIME= 96.00 IS=2 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 941.84 AINCHI= 929.78 DELZ=12.062 ALP=450.83 ALPHI=447.28
*PARTBN* TIME= 96.00 IS=3 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 941.99 AINCHI= 929.78 DELZ=12.208 ALP=450.82 ALPHI=447.24
*PARTBN* TIME= 96.00 IS=4 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 942.79 AINCHI= 929.78 DELZ=13.007 ALP=450.80 ALPHI=447.00
*PARTBN* TIME= 96.00 IS=5 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 943.75 AINCHI= 929.78 DELZ=13.968 ALP=450.78 ALPHI=446.70
*PARTBN* TIME= 96.00 IS=6 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 944.01 AINCHI= 929.78 DELZ=14.229 ALP=450.77 ALPHI=446.61
*PARTBN* TIME= 96.00 IS=7 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 943.96 AINCHI= 929.78 DELZ=14.178 ALP=450.77 ALPHI=446.63
```

```
*PARTBN* TIME= 96.00 IS=0 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 943.64 AINCHI= 929.78 DELZ=13.863 ALP=450.78 ALPHI=446.73
*PARTBN* TIME= 96.00 IS=1 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 942.59 AINCHI= 929.78 DELZ=12.810 ALP=450.81 ALPHI=447.05
*PARTBN* TIME= 96.00 IS=2 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 941.84 AINCHI= 929.78 DELZ=12.062 ALP=450.83 ALPHI=447.28
*PARTBN* TIME= 96.00 IS=3 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 941.99 AINCHI= 929.78 DELZ=12.208 ALP=450.82 ALPHI=447.24
*PARTBN* TIME= 96.00 IS=4 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 942.79 AINCHI= 929.78 DELZ=13.007 ALP=450.80 ALPHI=447.00
*PARTBN* TIME= 96.00 IS=5 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 943.75 AINCHI= 929.78 DELZ=13.968 ALP=450.78 ALPHI=446.70
*PARTBN* TIME= 96.00 IS=6 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 944.01 AINCHI= 929.78 DELZ=14.229 ALP=450.77 ALPHI=446.61
*PARTBN* TIME= 96.00 IS=7 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 943.96 AINCHI= 929.78 DELZ=14.178 ALP=450.77 ALPHI=446.63
*PARTBN* TIME= 96.00 IS=8 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 943.64 AINCHI= 929.78 DELZ=13.863 ALP=450.78 ALPHI=446.73
```

C-2

IGNITION TIME, TIME (S) 96.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	9779456.0	2198509.2
TOTAL VACUUM THRUST (N,LBF)	FTVAC	9807246.6	2204756.7
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	61013.750	13716.437
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.13718294+10	.24095684+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.25834	256.25834
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.11215574+10	.25213614+09
THRUST COEFFICIENT	CF	1.6265221	1.6265221
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3869.8037	8531.4569
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	441480.00	973296.80
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	32.745637	72.191772
INERT MASS REMAINING (KG,LBM)	MIR	643.47678	1418.6235
TOTAL BURN AREA (M**2,IN**2)	ABTOT	245.51532	380549.50
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	38.956689	2377283.0
PROPELLANT MASS REMAINING (KG,LBM)	WF	64072.426	141255.52
TOTAL GAS MASS (KG,LBM)	WGTOT	1242.9607	2740.2593
RATIO OF SPECIFIC HEATS	GAMA	1.1596816	1.1596816
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.837008	28.300758
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1558.6404	5113.6497
MAXIMUM CHAMBER MACH NUMBER	AMPN	.95529100-01	.95529100-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.38578880+09	559.53935
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.46936718+11	68075.955
BURN AREA (M**2,IN**2)	AHH	4.6080643	7142.5140
BURN RATE (M/S,IN/S)	RBZ(1)	.89714242-02	.35320568
DISTANCE BURNED (M,IN)	TAUZ(1)	.92880394	36.567084
PROPELLANT VOLUME (M**3,IN**3)	VFH	.71429772	43589.121
GAS VOLUME (M**3,IN**3)	VPH	54.389534	3319053.0
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3390.8084	6103.4551
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	240.90725	373406.99
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	38.240426	2333574.0
GAS VOLUME (M**3,IN**3)	VP	251.76305	15363524.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.37949716+09	550.41411
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.44623545+11	64720.980
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.89697829-02	.35314106
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.89619773-02	.35283376
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74628400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3389.2368	6100.6263
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5888342	2462.6980
EXPANSION RATIO	EPR	6.7650324	6.7650324
PRESSURE RATIO	PEPO	.23289795-01	.23289795-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO. IN.
FORE	559.54	559.54	6103.46	7.30	.002	410.14	13381.82	164.15	159.98	-4.17	.3530	36.567	.0000	.000
15.000	559.54	559.53	6103.45	13.43	.004	410.40	13399.64	301.96	137.84	.03	.3530	36.525	.0000	.000
30.000	559.53	559.52	6103.44	19.53	.006	410.66	13417.43	439.86	137.93	.03	.3530	36.520	.0000	.000
45.000	559.53	559.51	6103.43	25.63	.007	410.92	13435.18	577.84	138.01	.03	.3530	36.516	.0000	.000
60.000	559.52	559.49	6103.42	31.71	.009	411.19	13452.90	715.91	138.10	.03	.3530	36.511	.0000	.000
75.000	559.51	559.47	6103.40	37.78	.011	411.45	13470.59	854.07	138.19	.03	.3530	36.506	.0000	.000
90.000	559.50	559.45	6103.38	43.84	.012	411.71	13488.25	992.31	138.27	.03	.3530	36.501	.0000	.000
105.000	559.49	559.42	6103.36	49.89	.014	411.97	13505.88	1130.64	138.36	.03	.3530	36.496	.0000	.000
116.761	559.48	559.40	6103.34	54.62	.015	412.18	13519.67	1239.16	108.54	.02	.3530	36.491	.0000	.000
116.771	559.48	559.39	6103.33	55.89	.016	328.67	13212.32	1239.16	.00	-.00	.3530	36.491	.0000	.000
131.771	559.46	559.36	6103.31	60.59	.017	374.35	13351.25	1357.25	118.08	-.01	.3530	36.492	.0000	.000
143.919	559.44	559.33	6103.29	64.81	.018	411.35	13463.95	1464.11	106.88	.01	.3530	36.484	.0000	.000
158.919	559.42	559.29	6103.26	70.66	.020	412.27	13517.59	1602.42	138.34	.03	.3529	36.478	.0000	.000
173.919	559.40	559.25	6103.23	76.48	.022	413.20	13570.98	1741.03	138.64	.03	.3529	36.472	.0000	.000
188.919	559.37	559.20	6103.19	82.26	.023	414.13	13624.13	1879.95	138.95	.03	.3529	36.466	.0000	.000
203.919	559.35	559.15	6103.15	88.02	.025	415.05	13677.03	2019.18	139.25	.03	.3529	36.460	.0000	.000
218.919	559.32	559.09	6103.11	93.75	.027	415.98	13729.69	2158.71	139.56	.03	.3529	36.454	.0000	.000
233.919	559.29	559.03	6103.07	99.45	.028	416.90	13782.10	2298.54	139.86	.03	.3529	36.447	.0000	.000
248.919	559.25	558.97	6103.02	105.13	.030	417.83	13834.27	2438.68	140.17	.03	.3528	36.441	.0000	.000
263.919	559.22	558.90	6102.98	110.78	.031	418.76	13886.20	2579.12	140.47	.03	.3528	36.434	.0000	.000
278.919	559.18	558.83	6102.93	116.41	.033	419.68	13937.88	2719.87	140.77	.03	.3528	36.428	.0000	.000
293.919	559.15	558.76	6102.87	122.01	.035	420.61	13989.32	2860.92	141.07	.03	.3528	36.421	.0000	.000
308.919	559.10	558.68	6102.82	127.59	.036	421.53	14040.51	3002.27	141.38	.03	.3528	36.414	.0000	.000
323.919	559.06	558.60	6102.76	133.14	.038	422.46	14091.45	3143.92	141.68	.02	.3527	36.407	.0000	.000
338.919	559.02	558.52	6102.70	138.67	.039	423.38	14142.16	3285.88	141.98	.02	.3527	36.400	.0000	.000
353.919	558.97	558.43	6102.64	144.18	.041	424.31	14192.62	3428.14	142.28	.02	.3527	36.393	.0000	.000
368.919	558.92	558.34	6102.58	149.67	.042	425.24	14242.83	3570.70	142.58	.02	.3527	36.386	.0000	.000
383.919	558.87	558.25	6102.51	155.14	.044	426.16	14292.80	3713.56	142.89	.02	.3527	36.378	.0000	.000
398.919	558.82	558.15	6102.45	160.59	.046	427.09	14342.52	3856.73	143.19	.02	.3526	36.371	.0000	.000
403.048	558.81	558.12	6102.43	162.09	.046	427.34	14356.17	3896.19	39.47	.01	.3526	36.363	.0000	.000
418.048	558.76	558.02	6102.35	168.26	.048	425.48	14340.07	4039.27	143.10	.02	.3526	36.361	.0000	.000
427.051	558.73	557.96	6102.30	171.95	.049	424.37	14330.60	4124.84	85.58	.01	.3526	36.354	.0000	.000
427.061	558.73	558.05	6102.44	161.28	.046	-148.30	15276.98	4124.84	.00	-.00	.3526	36.380	.0000	.000
442.061	558.80	558.05	6102.33	169.76	.048	83.43	14514.49	4125.17	.00	-.33	.3526	36.381	.0000	.000
457.061	558.87	558.00	6102.15	182.56	.052	315.16	13717.16	4192.21	66.89	-.15	.3527	36.353	.0000	.000
463.204	558.89	557.96	6102.05	189.39	.054	410.06	13380.57	4242.05	49.84	-.00	.3527	36.312	.0000	.000
478.204	558.83	557.84	6101.97	195.00	.055	410.64	13419.89	4379.76	137.73	.03	.3526	36.291	.0000	.000
493.204	558.76	557.71	6101.88	200.60	.057	411.21	13459.05	4517.64	137.91	.03	.3526	36.281	.0000	.000
508.204	558.69	557.58	6101.79	206.18	.058	411.78	13498.03	4655.71	138.09	.03	.3526	36.272	.0000	.000
523.204	558.62	557.45	6101.70	211.74	.060	412.36	13536.84	4793.96	138.27	.03	.3526	36.262	.0000	.000
538.204	558.54	557.32	6101.61	217.28	.062	412.93	13575.48	4932.38	138.45	.03	.3525	36.252	.0000	.000
553.204	558.47	557.18	6101.51	222.81	.063	413.50	13613.95	5070.99	138.63	.03	.3525	36.241	.0000	.000
568.204	558.39	557.04	6101.42	228.32	.065	414.08	13652.24	5209.77	138.81	.03	.3525	36.231	.0000	.000
583.204	558.31	556.89	6101.32	233.81	.066	414.65	13690.37	5348.74	138.99	.03	.3524	36.221	.0000	.000
598.204	558.23	556.74	6101.21	239.29	.068	415.22	13728.32	5487.88	139.17	.03	.3524	36.210	.0000	.000
613.204	558.15	556.59	6101.11	244.75	.069	415.80	13766.10	5627.20	139.34	.03	.3523	36.200	.0000	.000

628.204	558.06	556.44	6101.00	250.20	.071	416.37	13803.71	5766.69	139.52	.02	.3523	36.189	.0000	.000
643.204	557.97	556.28	6100.90	255.64	.072	416.94	13841.15	5906.36	139.70	.02	.3523	36.179	.0000	.000
658.204	557.89	556.12	6100.79	261.06	.074	417.51	13878.41	6046.21	139.87	.02	.3522	36.168	.0000	.000
673.204	557.79	555.95	6100.68	266.47	.076	418.09	13915.51	6186.24	140.05	.02	.3522	36.157	.0000	.000
688.204	557.70	555.78	6100.56	271.86	.077	418.66	13952.43	6326.44	140.23	.02	.3521	36.146	.0000	.000
703.204	557.61	555.61	6100.45	277.24	.079	419.23	13989.18	6466.82	140.40	.02	.3521	36.135	.0000	.000
718.204	557.51	555.44	6100.33	282.61	.080	419.81	14025.76	6607.38	140.58	.02	.3521	36.124	.0000	.000
726.191	557.46	555.34	6100.26	285.47	.081	420.11	14045.17	6682.29	74.92	.01	.3520	36.113	.0000	.000
741.191	557.33	555.16	6100.19	288.85	.082	422.09	14178.12	6823.34	141.08	.02	.3520	36.107	.0000	.000
746.336	557.28	555.10	6100.16	290.01	.082	422.78	14223.31	6871.87	48.54	.01	.3519	36.101	.0000	.000
746.346	557.27	555.40	6100.63	268.66	.076	-4.37	15346.96	6871.87	.00	-.00	.3520	36.151	.0000	.000
761.346	557.36	555.38	6100.46	276.45	.078	127.16	14959.68	6892.70	20.57	-.26	.3520	36.152	.0000	.000
776.346	557.43	555.30	6100.24	286.52	.081	258.69	14571.03	6957.49	64.63	-.16	.3520	36.127	.0000	.000
791.346	557.49	555.17	6099.95	299.06	.085	390.22	14180.99	7066.25	108.69	-.06	.3520	36.097	.0000	.000
794.831	557.50	555.13	6099.88	302.35	.086	420.78	14090.18	7097.80	31.56	.00	.3520	36.061	.0000	.000
809.831	557.38	554.94	6099.76	307.01	.087	421.76	14156.65	7238.90	141.11	.02	.3519	36.055	.0000	.000
824.831	557.26	554.79	6099.65	311.66	.088	422.74	14222.58	7380.30	141.43	.02	.3519	36.045	.0000	.000
839.831	557.14	554.55	6099.54	316.30	.090	423.72	14287.98	7522.02	141.74	.02	.3518	36.035	.0000	.000
854.781	557.02	554.35	6099.42	320.90	.091	424.69	14352.63	7663.58	141.57	.02	.3518	36.024	.0000	.000
869.781	556.86	554.15	6099.36	323.23	.092	429.06	14520.05	7806.51	142.93	.00	.3518	36.014	.0000	.000
884.781	556.70	553.95	6099.30	325.71	.092	433.53	14681.37	7950.99	144.44	-.03	.3520	36.019	.0000	.000
899.781	556.54	553.75	6099.23	328.35	.093	437.99	14836.60	8097.08	146.02	-.07	.3522	36.024	.0000	.000
914.781	556.38	553.54	6099.16	331.13	.094	442.45	14985.73	8244.85	147.67	-.10	.3527	36.027	.0000	.000
929.781	556.22	553.34	6099.09	334.07	.095	446.91	15128.76	8394.39	149.42	-.13	.3534	36.031	.0000	.000
944.781	556.08	553.15	6099.01	336.80	.096	450.80	15250.51	8528.43	133.88	-.16	.3542	35.948	.0000	.000
959.781	556.03	553.15	6099.10	333.61	.095	.00	15396.53	8528.42	.00	.01	.3542	35.178	.0000	.000
974.781	555.98	553.15	6099.17	330.93	.094	.00	15521.27	8528.37	.00	.05	.3542	34.409	.0000	.000
989.781	555.94	553.15	6099.23	328.43	.093	.00	15639.92	8528.60	.00	-.23	.3542	33.640	.0000	.000
1004.781	555.90	553.15	6099.29	326.10	.092	.00	15752.47	8528.86	.00	-.26	.3542	32.871	.0000	.000
1019.781	555.86	553.15	6099.35	323.93	.092	.00	15858.92	8529.13	.00	-.28	.3542	32.101	.0000	.000
1034.781	555.83	553.15	6099.40	321.90	.091	.00	15959.27	8529.44	.00	-.30	.3542	31.332	.0000	.000
1040.791	555.82	553.15	6099.42	321.13	.091	.00	15997.77	8529.56	.00	-.13	.3542	31.024	.0000	.000
1055.791	555.83	553.15	6099.40	321.71	.091	.00	15969.84	8529.88	.00	-.32	.3542	30.483	.0000	.000
1070.791	555.84	553.15	6099.39	322.28	.091	.00	15941.80	8530.20	.00	-.32	.3542	29.942	.0000	.000
1084.171	555.84	553.15	6099.38	322.80	.092	.00	15916.69	8530.49	.00	-.29	.3542	29.459	.0000	.000
AFT(A)	550.41	525.57	6062.80	993.65	.283	.....	15823.73	8531.46	.00	-.59	.3531	29.460	....	.....
AFT(B)	550.41	550.41	6100.63	-.02	.000	.....	10413.12	.38	.00	-.38	.3528	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC.
FOREWARD	1.1676+02	5.5948+02	5.5940+02	6.1033+03	4.4865+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2392+03
AFT	1.1677+02	5.5947+02	5.5939+02	6.1033+03	4.4866+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2392+03

GAS BUILDUP IN SLOT, DW/DT = -2.2475-04

FOREWARD	4.2705+02	5.5873+02	5.5796+02	6.1023+03	1.5041+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1248+03
AFT	4.2706+02	5.5882+02	5.5805+02	6.1024+03	1.5039+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1248+03

GAS BUILDUP IN SLOT, DW/DT = -2.2340-04

FOREWARD	7.4634+02	5.5728+02	5.5510+02	6.1002+03	2.5178+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8719+03
AFT	7.4635+02	5.5758+02	5.5540+02	6.1006+03	2.5167+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8719+03

GAS BUILDUP IN SLOT, DW/DT = -2.2345-04

```
*PARTBN* TIME= 96.50 IS=1 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 939.16 AINCHI= 929.78 DELZ= 9.383 ALP=450.90 ALPHI=448.17
*PARTBN* TIME= 96.50 IS=2 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 938.41 AINCHI= 929.78 DELZ= 8.632 ALP=450.92 ALPHI=448.40
*PARTBN* TIME= 96.50 IS=3 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 938.56 AINCHI= 929.78 DELZ= 8.780 ALP=450.92 ALPHI=448.36
*PARTBN* TIME= 96.50 IS=4 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 939.36 AINCHI= 929.78 DELZ= 9.581 ALP=450.89 ALPHI=448.11
*PARTBN* TIME= 96.50 IS=5 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 940.33 AINCHI= 929.78 DELZ=10.545 ALP=450.87 ALPHI=447.81
*PARTBN* TIME= 96.50 IS=6 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 940.59 AINCHI= 929.78 DELZ=10.807 ALP=450.86 ALPHI=447.72
*PARTBN* TIME= 96.50 IS=7 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 940.54 AINCHI= 929.78 DELZ=10.756 ALP=450.86 ALPHI=447.74
*PARTBN* TIME= 96.50 IS=8 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 940.22 AINCHI= 929.78 DELZ=10.440 ALP=450.87 ALPHI=447.84
*PARTBN* TIME= 96.50 IS=1 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 939.16 AINCHI= 929.78 DELZ= 9.383 ALP=450.90 ALPHI=448.17
*PARTBN* TIME= 96.50 IS=2 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 938.41 AINCHI= 929.78 DELZ= 8.632 ALP=450.92 ALPHI=448.40
*PARTBN* TIME= 96.50 IS=3 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 938.56 AINCHI= 929.78 DELZ= 8.780 ALP=450.92 ALPHI=448.36
*PARTBN* TIME= 96.50 IS=4 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 939.36 AINCHI= 929.78 DELZ= 9.581 ALP=450.89 ALPHI=448.11
*PARTBN* TIME= 96.50 IS=5 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 940.33 AINCHI= 929.78 DELZ=10.545 ALP=450.87 ALPHI=447.81
*PARTBN* TIME= 96.50 IS=6 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 940.59 AINCHI= 929.78 DELZ=10.807 ALP=450.86 ALPHI=447.72
*PARTBN* TIME= 96.50 IS=7 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 940.54 AINCHI= 929.78 DELZ=10.756 ALP=450.86 ALPHI=447.74
*PARTBN* TIME= 96.50 IS=8 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 940.22 AINCHI= 929.78 DELZ=10.440 ALP=450.87 ALPHI=447.84
*PARTBN* TIME= 97.00 IS=1 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 935.74 AINCHI= 929.78 DELZ= 5.960 ALP=450.99 ALPHI=449.28
*PARTBN* TIME= 97.00 IS=2 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 934.99 AINCHI= 929.78 DELZ= 5.206 ALP=451.01 ALPHI=449.52
*PARTBN* TIME= 97.00 IS=3 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 935.14 AINCHI= 929.78 DELZ= 5.354 ALP=451.01 ALPHI=449.47
*PARTBN* TIME= 97.00 IS=4 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 935.94 AINCHI= 929.78 DELZ= 6.159 ALP=450.98 ALPHI=449.22
*PARTBN* TIME= 97.00 IS=5 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 936.91 AINCHI= 929.78 DELZ= 7.127 ALP=450.96 ALPHI=448.91
*PARTBN* TIME= 97.00 IS=6 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 937.17 AINCHI= 929.78 DELZ= 7.390 ALP=450.95 ALPHI=448.82
*PARTBN* TIME= 97.00 IS=7 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 937.12 AINCHI= 929.78 DELZ= 7.339 ALP=450.95 ALPHI=448.84
*PARTBN* TIME= 97.00 IS=8 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 936.80 AINCHI= 929.78 DELZ= 7.021 ALP=450.96 ALPHI=448.94
*PARTBN* TIME= 97.00 IS=1 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 935.74 AINCHI= 929.78 DELZ= 5.960 ALP=450.99 [illegible] 449.28
*PARTBN* TIME= 97.00 IS=2 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 934.99 AINCHI= 929.78 DELZ= 5.206 ALP=451.01 [illegible] 449.52
*PARTBN* TIME= 97.00 IS=3 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 935.14 AINCHI= 929.78 DELZ= 5.354 ALP=451.01 ALPHI=449.47
*PARTBN* TIME= 97.00 IS=4 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 935.94 AINCHI= 929.78 DELZ= 6.159 ALP=450.98 ALPHI=449.22
*PARTBN* TIME= 97.00 IS=5 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 936.91 AINCHI= 929.78 DELZ= 7.127 ALP=450.96 ALPHI=448.91
*PARTBN* TIME= 97.00 IS=6 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 937.17 AINCHI= 929.78 DELZ= 7.390 ALP=450.95 ALPHI=448.82
*PARTBN* TIME= 97.00 IS=7 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 937.12 AINCHI= 929.78 DELZ= 7.339 ALP=450.95 ALPHI=448.84
```

PARTBN TIME= 97.00 IS=8 ZCALC(71)= 944.78 ZCALC(70)= 929.78 AINCW= 936.80 AINCHI= 929.78 DELZ= 7.021 ALP=450.96 ALPHI=448.94

IGNITION TIME, TIME (S) 97.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
ROTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	9689584.4	2178305.2
TOTAL VACUUM THRUST (N,LBF)	FTVAC	9715577.7	2184148.8
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	61686.167	13863.106
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.10815641*10	.24314529*09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.20978	256.20978
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.11313190*10	.25433064*09
THRUST COEFFICIENT	CF	1.6266575	1.6266575
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3833.7091	8451.8618
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	445331.84	981788.65
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	33.095784	72.963715
INERT MASS REMAINING (KG,LBM)	MIR	610.46758	1345.8506
TOTAL BURN AREA (M**2,IN**2)	ABTOT	243.90038	378046.36
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	36.680778	2238398.4
PROPELLANT MASS REMAINING (KG,LBM)	WF	60224.405	132772.09
TOTAL GAS MASS (KG,LBM)	WGTOT	1232.5483	2717.3038
RATIO OF SPECIFIC HEATS	GAMA	1.1596762	1.1596762
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.835674	28.297818
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1558.5414	5113.3249
MAXIMUM CHAMBER MACH NUMBER	AMPN	.95485553-01	.95485553-01
FORE END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.38192797+09	553.93969
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.47320584*11	68632.705
BURN AREA (M**2,IN**2)	AHH	4.4309876	6868.0446
BURN RATE (M/S,IN/S)	RBZ(1)	.89395911-02	.35195241
DISTANCE BURNED (M,IN)	TAUZ(1)	.93776748	36.919960
PROPELLANT VOLUME (M**3,IN**3)	VFH	.67384184	41120.352
GAS VOLUME (M**3,IN**3)	VPH	54.429990	3321521.8
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3389.8441	6101.7193
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	239.46940	371178.31
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	36.604970	2197158.1
GAS VOLUME (M**3,IN**3)	VP	252.18308	15389156.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.37573369+09	544.95565
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.45001168*11	65268.676
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.89385584-02	.35191175
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.89307720-02	.35160520
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3388.2968	6098.9343
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5896166	2463.9166
EXPANSION RATIO	EPR	6.7617030	6.7617030
PRESSURE RATIO	PEPO	.23305170-01	.23305170-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	553.94	553.94	6101.72	7.01	.002	412.36	13526.86	157.63	153.28	-4.34	.3517	36.920	.0000	.000
15.000	553.94	553.93	6101.71	13.14	.004	412.62	13544.78	295.71	138.09	.02	.3517	36.878	.0000	.000
30.000	553.93	553.92	6101.71	19.25	.005	412.88	13562.66	433.87	138.18	.01	.3517	36.873	.0000	.000
45.000	553.93	553.91	6101.70	25.35	.007	413.14	13580.50	572.12	138.27	.01	.3517	36.868	.0000	.000
60.000	553.92	553.90	6101.68	31.44	.009	413.41	13598.31	710.46	138.35	.01	.3517	36.864	.0000	.000
75.000	553.91	553.88	6101.67	37.52	.011	413.67	13616.09	848.88	138.44	.01	.3517	36.859	.0000	.000
90.000	553.90	553.85	6101.65	43.59	.012	413.93	13633.84	987.39	138.52	.01	.3517	36.854	.0000	.000
105.000	553.89	553.83	6101.62	49.64	.014	414.19	13651.56	1125.98	138.61	.01	.3517	36.848	.0000	.000
116.761	553.88	553.80	6101.61	54.38	.015	414.40	13665.42	1234.71	108.74	.01	.3517	36.843	.0000	.000
116.771	553.88	553.80	6101.60	55.77	.016	313.71	13325.58	1234.71	.00	-.00	.3517	36.844	.0000	.000
131.771	553.86	553.77	6101.58	60.22	.017	368.89	13482.29	1348.98	114.24	-.03	.3517	36.844	.0000	.000
143.919	553.84	553.74	6101.56	64.36	.018	413.57	13609.40	1455.04	106.06	.00	.3517	36.837	.0000	.000
158.919	553.82	553.70	6101.53	70.21	.020	414.50	13663.39	1593.61	138.59	.01	.3517	36.831	.0000	.000
173.919	553.80	553.65	6101.49	76.04	.022	415.42	13717.12	1732.49	138.89	.01	.3517	36.825	.0000	.000
188.919	553.78	553.60	6101.46	81.83	.023	416.35	13770.61	1871.67	139.20	.01	.3517	36.819	.0000	.000
203.919	553.75	553.55	6101.42	87.60	.025	417.27	13823.85	2011.16	139.50	.01	.3516	36.813	.0000	.000
218.919	553.72	553.50	6101.38	93.34	.026	418.20	13876.84	2150.95	139.80	.01	.3516	36.806	.0000	.000
233.919	553.69	553.44	6101.34	99.05	.028	419.12	13929.58	2291.04	140.11	.01	.3516	36.800	.0000	.000
248.919	553.66	553.38	6101.29	104.74	.030	420.05	13982.08	2431.44	140.41	.01	.3516	36.794	.0000	.000
263.919	553.63	553.31	6101.24	110.40	.031	420.97	14034.33	2572.14	140.71	.01	.3516	36.787	.0000	.000
278.919	553.59	553.24	6101.19	116.04	.033	421.90	14086.33	2713.14	141.01	.01	.3516	36.780	.0000	.000
293.919	553.55	553.17	6101.14	121.65	.034	422.82	14138.08	2854.44	141.31	.01	.3515	36.774	.0000	.000
308.919	553.51	553.09	6101.09	127.23	.036	423.75	14189.58	2996.05	141.62	.01	.3515	36.767	.0000	.000
323.919	553.47	553.01	6101.03	132.80	.038	424.68	14240.83	3137.96	141.92	.01	.3515	36.760	.0000	.000
338.919	553.43	552.93	6100.97	138.34	.039	425.60	14291.84	3280.17	142.22	.01	.3515	36.752	.0000	.000
353.919	553.38	552.85	6100.91	143.86	.041	426.53	14342.60	3422.68	142.52	.01	.3515	36.745	.0000	.000
368.919	553.33	552.76	6100.85	149.36	.042	427.45	14393.11	3565.50	142.82	.01	.3514	36.738	.0000	.000
383.919	553.28	552.66	6100.78	154.84	.044	428.38	14443.37	3708.61	143.12	.01	.3514	36.731	.0000	.000
398.919	553.23	552.57	6100.71	160.30	.045	429.30	14493.39	3852.03	143.42	.01	.3514	36.723	.0000	.000
403.048	553.22	552.54	6100.70	161.80	.046	429.56	14507.11	3891.56	39.53	.00	.3514	36.715	.0000	.000
418.048	553.17	552.44	6100.62	167.98	.048	427.70	14490.35	4034.89	143.34	.01	.3514	36.713	.0000	.000
427.061	553.14	552.38	6100.57	171.68	.049	426.58	14480.48	4120.61	85.73	.00	.3514	36.707	.0000	.000
427.061	553.14	552.45	6100.68	163.31	.046	-165.83	15221.65	4120.61	.00	-.00	.3514	36.732	.0000	.000
442.061	553.20	552.45	6100.58	170.98	.048	74.10	14539.57	4120.96	.00	-.35	.3514	36.733	.0000	.000
457.061	553.26	552.40	6100.41	182.65	.052	314.03	13826.46	4186.02	64.90	-.16	.3514	36.705	.0000	.000
463.204	553.28	552.36	6100.32	188.94	.054	412.28	13525.45	4235.78	49.74	-.01	.3514	36.664	.0000	.000
476.204	553.22	552.24	6100.24	194.57	.055	412.86	13564.98	4373.74	137.98	.01	.3514	36.649	.0000	.000
493.204	553.15	552.12	6100.15	200.17	.057	413.43	13604.34	4511.89	138.16	.01	.3514	36.634	.0000	.000
508.204	553.08	551.99	6100.06	205.76	.058	414.00	13643.53	4650.23	138.34	.01	.3513	36.624	.0000	.000
523.204	553.01	551.86	6099.97	211.33	.060	414.57	13682.54	4788.73	138.52	.01	.3513	36.614	.0000	.000
538.204	552.94	551.73	6099.88	216.89	.062	415.15	13721.38	4927.42	138.70	.01	.3513	36.604	.0000	.000
553.204	552.86	551.59	6099.78	222.43	.063	415.72	13760.04	5066.29	138.88	.01	.3512	36.594	.0000	.000
568.204	552.79	551.45	6099.69	227.95	.065	416.29	13798.53	5205.33	139.06	.01	.3512	36.583	.0000	.000
583.204	552.71	551.31	6099.59	233.45	.066	416.86	13836.85	5344.56	139.23	.01	.3512	36.573	.0000	.000
598.204	552.63	551.16	6099.48	238.94	.068	417.44	13874.99	5483.95	139.41	.01	.3511	36.562	.0000	.000
613.204	552.55	551.01	6099.38	244.42	.069	418.01	13912.95	5623.53	139.59	.01	.3511	36.552	.0000	.000

628.204	552.46	550.86	6099.28	249.88	.071	418.58	13950.74	5763.28	139.76	.01	.3510	36.541	.0000	.000
643.204	552.38	550.70	6099.17	255.33	.072	419.16	13988.36	5903.21	139.94	.01	.3510	36.530	.0000	.000
658.204	552.29	550.54	6099.06	260.76	.074	419.73	14025.80	6043.32	140.11	.01	.3510	36.520	.0000	.000
673.204	552.20	550.38	6098.95	266.18	.075	420.30	14063.07	6183.60	140.29	.01	.3509	36.509	.0000	.000
688.204	552.11	550.21	6098.83	271.59	.077	420.87	14100.16	6324.06	140.47	.01	.3509	36.498	.0000	.000
703.204	552.01	550.04	6098.72	276.98	.079	421.45	14137.06	6464.69	140.64	.01	.3508	36.487	.0000	.000
718.204	551.92	549.87	6098.60	282.36	.080	422.02	14173.82	6605.50	140.82	.01	.3508	36.476	.0000	.000
728.191	551.86	549.77	6098.53	285.22	.081	422.32	14193.31	6680.55	75.05	.00	.3508	36.465	.0000	.000
741.191	551.74	549.60	6098.46	288.63	.082	424.30	14326.94	6821.86	141.32	.01	.3507	36.459	.0000	.000
746.336	551.69	549.54	6098.43	289.80	.082	424.98	14372.36	6870.47	48.62	.00	.3507	36.453	.0000	.000
756.346	551.68	549.79	6098.84	271.39	.077	-28.31	15341.21	6870.47	.00	-.00	.3507	36.503	.0000	.000
761.346	551.76	549.78	6098.69	278.11	.079	111.32	15001.42	6884.62	13.85	-.29	.3507	36.503	.0000	.000
776.346	551.82	549.71	6098.49	287.11	.081	250.94	14660.42	6945.26	60.46	-.18	.3507	36.478	.0000	.000
791.346	551.86	549.57	6098.23	298.57	.085	390.56	14310.21	7052.40	107.07	-.07	.3507	36.449	.0000	.000
794.831	551.87	549.53	6098.16	301.60	.086	423.00	14238.53	7083.95	31.55	-.00	.3507	36.412	.0000	.000
809.831	551.75	549.35	6098.05	306.28	.087	423.97	14305.35	7225.30	141.35	.00	.3507	36.407	.0000	.000
824.831	551.64	549.16	6097.93	310.95	.088	424.95	14371.61	7366.95	141.66	.00	.3506	36.397	.0000	.000
839.831	551.52	548.96	6097.82	315.60	.090	425.93	14437.34	7508.93	141.97	.00	.3506	36.386	.0000	.000
854.781	551.40	548.77	6097.70	320.23	.091	426.90	14502.30	7650.74	141.81	.00	.3506	36.376	.0000	.000
869.781	551.25	548.57	6097.64	322.94	.092	431.27	14655.04	7793.93	143.18	-.01	.3506	36.365	.0000	.000
884.781	551.09	548.37	6097.56	325.78	.092	435.73	14802.14	7938.68	144.70	-.05	.3508	36.371	.0000	.000
899.781	550.94	548.17	6097.49	328.76	.093	440.20	14943.60	8085.07	14[illegible].31	-.08	.3512	36.375	.0000	.000
914.781	550.79	547.96	6097.41	331.89	.094	444.66	15079.43	8233.19	14[illegible].01	-.11	.3518	36.380	.0000	.000
929.781	550.63	547.76	6097.32	335.16	.095	449.12	15209.61	8383.12	149.79	-.14	.3526	36.384	.0000	.000
944.781	550.57	547.67	6097.28	336.62	.095	450.98	15263.93	8448.22	64.88	-.22	.3530	35.948	.0000	.000
959.781	550.50	547.67	6097.39	332.51	.094	.00	15453.06	8448.46	.00	-.24	.3529	35.178	.0000	.000
974.781	550.46	547.67	6097.45	330.11	.094	.00	15566.33	8448.68	.00	-.22	.3529	34.409	.0000	.000
989.781	550.42	547.67	6097.51	327.85	.093	.00	15673.96	8448.92	.00	-.24	.3529	33.640	.0000	.000
1004.781	550.38	547.67	6097.57	325.74	.092	.00	15775.95	8449.19	.00	-.27	.3529	32.871	.0000	.000
1019.781	550.35	547.67	6097.61	323.78	.092	.00	15872.30	8449.48	.00	-.29	.3529	32.101	.0000	.000
1034.781	550.32	547.67	6097.66	321.96	.091	.00	15963.01	8449.79	.00	-.31	.3529	31.332	.0000	.000
1040.791	550.31	547.67	6097.68	321.26	.091	.00	15997.77	8449.92	.00	-.13	.3529	31.024	.0000	.000
1055.791	550.32	547.67	6097.66	321.84	.091	.00	15969.84	8450.25	.00	-.33	.3529	30.483	.0000	.000
1070.791	550.33	547.67	6097.65	322.41	.091	.00	15941.80	8450.59	.00	-.33	.3529	29.942	.0000	.000
1084.171	550.34	547.67	6097.64	322.93	.092	.00	15916.69	8450.88	.00	-.29	.3529	29.459	.0000	.000
AFT(A)	544.96	520.34	6061.07	994.10	.283	.....	15823.73	8451.88	.00	-.61	.3519	29.460	....	.....
AFT(B)	544.95	544.95	6098.93	-.02	.000	.....	10413.12	.39	.00	-.39	.3516	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	*SLOT LB/SEC.
FOREWARD	1.1676+02	5.5388+02	5.5380+02	6.1016+03	4.5148+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2347+03
AFT	1.1677+02	5.5387+02	5.5380+02	6.1016+03	4.5148+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2347+03

GAS BUILDUP IN SLOT, DW/DT = -2.3215-04

FOREWARD	4.2705+02	5.5314+02	5.5238+02	6.1006+03	1.5175+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1206+03
AFT	4.2706+02	5.5321+02	5.5245+02	6.1007+03	1.5173+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1206+03

GAS BUILDUP IN SLOT, DW/DT = -2.3079-04

FOREWARD	7.4634+02	5.5169+02	5.4954+02	6.0984+03	2.5423+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8705+03
AFT	7.4635+02	5.5195+02	5.4979+02	6.0988+03	2.5413+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8705+03

GAS BUILDUP IN SLOT, DW/DT = -2.3091-04

```
*PARTBN* TIME= 97.50 IS=1 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 932.32 AINCHI= 929.78 DELZ= 2.540 ALP=451.08 ALPHI=450.39
*PARTBN* TIME= 97.50 IS=2 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 931.56 AINCHI= 929.78 DELZ= 1.783 ALP=451.10 ALPHI=450.63
*PARTBN* TIME= 97.50 IS=3 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 931.71 AINCHI= 929.78 DELZ= 1.930 ALP=451.10 ALPHI=450.58
*PARTBN* TIME= 97.50 IS=4 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 932.52 AINCHI= 929.78 DELZ= 2.740 ALP=451.08 ALPHI=450.32
*PARTBN* TIME= 97.50 IS=5 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 933.49 AINCHI= 929.78 DELZ= 3.713 ALP=451.05 ALPHI=450.01
*PARTBN* TIME= 97.50 IS=6 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 933.76 AINCHI= 929.78 DELZ= 3.979 ALP=451.04 ALPHI=449.93
*PARTBN* TIME= 97.50 IS=7 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 933.71 AINCHI= 929.78 DELZ= 3.927 ALP=451.04 ALPHI=449.94
*PARTBN* TIME= 97.50 IS=8 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 933.39 AINCHI= 929.78 DELZ= 3.607 ALP=451.05 ALPHI=450.04
*PARTBN* TIME= 97.50 IS=1 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 932.32 AINCHI= 929.78 DELZ= 2.540 ALP=451.08 ALPHI=450.39
*PARTBN* TIME= 97.50 IS=2 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 931.56 AINCHI= 929.78 DELZ= 1.783 ALP=451.10 ALPHI=450.63
*PARTBN* TIME= 97.50 IS=3 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 931.71 AINCHI= 929.78 DELZ= 1.930 ALP=451.10 ALPHI=450.58
*PARTBN* TIME= 97.50 IS=4 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 932.52 AINCHI= 929.78 DELZ= 2.740 ALP=451.08 ALPHI=450.32
*PARTBN* TIME= 97.50 IS=5 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 933.49 AINCHI= 929.78 DELZ= 3.713 ALP=451.05 ALPHI=450.01
*PARTBN* TIME= 97.50 IS=6 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 933.76 AINCHI= 929.78 DELZ= 3.979 ALP=451.04 ALPHI=449.93
*PARTBN* TIME= 97.50 IS=7 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 933.71 AINCHI= 929.78 DELZ= 3.927 ALP=451.04 ALPHI=449.94
*PARTBN* TIME= 97.50 IS=8 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 933.39 AINCHI= 929.78 DELZ= 3.607 ALP=451.05 ALPHI=450.04
NEB BURNOUT INCREMENT LOCATION = 929.7810   SECTOR NO.  1   TAU = 36.7168   TAUWDP = 36.7168   TIME = 97.50
NEB BURNOUT INCREMENT LOCATION = 929.7810   SECTOR NO.  2   TAU = 36.7168   TAUWDP = 36.7168   TIME = 97.50
NEB BURNOUT INCREMENT LOCATION = 929.7810   SECTOR NO.  3   TAU = 36.7168   TAUWDP = 36.7168   TIME = 97.50
NEB BURNOUT INCREMENT LOCATION = 929.7810   SECTOR NO.  4   TAU = 36.7168   TAUWDP = 36.7168   TIME = 97.50
*PARTBN* TIME= 98.00 IS=1 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 928.92 AINCHI= 914.78 DELZ=14.135 ALP=451.17 ALPHI=447.02
*PARTBN* TIME= 98.00 IS=2 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 928.16 AINCHI= 914.78 DELZ=13.377 ALP=451.19 ALPHI=447.25
*PARTBN* TIME= 98.00 IS=3 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 928.31 AINCHI= 914.78 DELZ=13.525 ALP=451.19 ALPHI=447.21
*PARTBN* TIME= 98.00 IS=4 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 929.12 AINCHI= 914.78 DELZ=14.335 ALP=451.17 ALPHI=446.96
*PARTBN* TIME= 98.00 IS=5 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 930.09 AINCHI= 929.78 DELZ= .305 ALP=451.14 ALPHI=451.11
*PARTBN* TIME= 98.00 IS=6 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 930.35 AINCHI= 929.78 DELZ= .573 ALP=451.13 ALPHI=451.03
*PARTBN* TIME= 98.00 IS=7 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 930.30 AINCHI= 929.78 DELZ= .520 ALP=451.13 ALPHI=451.04
*PARTBN* TIME= 98.00 IS=8 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 929.98 AINCHI= 929.78 DELZ= .199 ALP=451.14 ALPHI=451.15
*PARTBN* TIME= 98.00 IS=1 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 928.92 AINCHI= 914.78 DELZ=14.135 ALP=451.17 ALPHI=447.02
*PARTBN* TIME= 98.00 IS=2 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 928.16 AINCHI= 914.78 DELZ=13.377 ALP=451.19 ALPHI=447.25
*PARTBN* TIME= 98.00 IS=3 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 928.31 AINCHI= 914.78 DELZ=13.525 ALP=451.19 ALPHI=447.21
```

```
*PARTBN* TIME= 98.00 IS=4 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 929.12 AINCHI= 914.78 DELZ=14.335 ALP=451.17 ALPHI=446.96
*PARTBN* TIME= 98.00 IS=5 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 930.09 AINCHI= 929.78 DELZ=  .305 ALP=451.14 ALPHI=451.11
*PARTBN* TIME= 98.00 IS=6 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 930.35 AINCHI= 929.78 DELZ=  .573 ALP=451.13 ALPHI=451.03
*PARTBN* TIME= 98.00 IS=7 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 930.30 AINCHI= 929.78 DELZ=  .520 ALP=451.13 ALPHI=451.04
*PARTBN* TIME= 98.00 IS=8 ZCALC( 71)= 944.78 ZCALC( 70)= 929.78 AINCW= 929.98 AINCHI= 929.78 DELZ=  .199 ALP=451.14 ALPHI=451.15
```

IGNITION TIME, TIME (S) 98.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	9597734.0	2157656.4
TOTAL VACUUM THRUST (N,LBF)	FTVAC	9621930.4	2163076.0
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	62296.530	14004.817
DELIVERED TOTAL IMPULSE (N•S,LBF•S)	SRMDTI	.10912079+10	.24531329+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.16217	256.16217
VACUUM TOTAL IMPULSE (N•S,LBF•S)	SRMVTI	.11409879+10	.25650428+09
THRUST COEFFICIENT	CF	1.6267957	1.6267957
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3796.8108	8370.5350
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	449147.13	990199.92
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	33.434096	73.709564
INERT MASS REMAINING (KG,LBM)	MIR	577.11745	1272.3262
TOTAL BURN AREA (M••2,IN••2)	ABTOT	242.27998	375534.70
TOTAL PROPELLANT VOLUME (M••3,IN••3)	VF	34.513497	2106142.8
PROPELLANT MASS REMAINING (KG,LBM)	WF	5643.443	12437.35
TOTAL GAS MASS (KG,LBM)	WGTOT	1228.9386	2709.3459
RATIO OF SPECIFIC HEATS	GAMA	1.1596708	1.1596708
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.834317	28.294827
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1558.4406	5112.9940
MAXIMUM CHAMBER MACH NUMBER	AMPN	.95368515-01	.95368515-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M••2,LBF/IN••2)	PH	.37799930+09	548.24163
PRESSURE INTEGRAL (N•S/M••2,LBF•S/IN••2)	SPHDT	.47705550+11	69183.799
BURN AREA (M••2,IN••2)	AHH	4.2545455	6594.5588
BURN RATE (M/S,IN/S)	RBZ(1)	.89569937-02	.35066906
DISTANCE BURNED (M,IN)	TAUZ(1)	.94669893	37.271612
PROPELLANT VOLUME (M••3,IN••3)	VFH	.63510726	38758.623
GAS VOLUME (M••3,IN••3)	VPH	54.468725	3323885.5
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3388.8629	6099.9531
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M••2,IN••2)	ABCYL	238.02542	368943.14
SEGMENT FACE BURN AREA (M••2,IN••2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M••3,IN••3)	VFCYL	33.876424	2067266.2
GAS VOLUME (M••3,IN••3)	VP	254.49017	15529943.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M••2,LBF/IN••2)	PON	.37189891+09	539.39378
PRESSURE INTEGRAL (N•S/M••2,LBF•S/IN••2)	SPONDT	.45374986+11	65810.854
BURN AREA (M••2,IN••2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.89065321-02	.35065087
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.88987657-02	.35034511
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74820400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M••3,IN••3)	VFN	.19662722-02	119.98929
GAS VOLUME (M••3,IN••3)	VPN	17.047463	1040000.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3387.3390	6097.2102
PORT AREA, NOZ ENT (M••2,IN••2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M••2,IN••2)	AT	1.5903924	2465.1131
EXPANSION RATIO	EPR	6.7584045	6.7584045
PRESSURE RATIO	PEPO	.23320425-01	.23320425-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO. IN.
FORE	548.24	548.24	6099.95	6.73	.002	414.57	13672.17	151.07	146.64	-4.42	.3505	37.272	.0000	.000
15.000	548.24	548.24	6099.95	12.85	.004	414.83	13690.17	289.39	138.33	.01	.3505	37.229	.0000	.000
30.000	548.24	548.23	6099.94	18.97	.005	415.09	13708.14	427.79	138.41	.01	.3505	37.224	.0000	.000
45.000	548.23	548.22	6099.93	25.08	.007	415.36	13726.08	566.28	138.50	.01	.3505	37.220	.0000	.000
60.000	548.22	548.20	6099.92	31.18	.009	415.62	13743.98	704.86	138.58	.01	.3504	37.215	.0000	.000
75.000	548.22	548.18	6099.90	37.26	.011	415.88	13761.85	843.52	138.67	.01	.3504	37.210	.0000	.000
90.000	548.20	548.16	6099.88	43.34	.012	416.14	13779.69	982.27	138.75	.00	.3504	37.205	.0000	.000
105.000	548.19	548.13	6099.86	49.40	.014	416.40	13797.49	1121.10	138.84	.00	.3504	37.200	.0000	.000
116.761	548.18	548.11	6099.84	54.15	.015	416.60	13811.42	1230.01	108.91	.00	.3504	37.195	.0000	.000
116.771	548.18	548.10	6099.83	55.67	.016	298.81	13433.20	1230.01	.00	-.00	.3504	37.195	.0000	.000
131.771	548.16	548.07	6099.81	59.89	.017	363.44	13610.94	1340.49	110.43	-.05	.3504	37.196	.0000	.000
143.919	548.15	548.04	6099.79	63.91	.018	415.78	13755.11	1445.74	105.23	-.01	.3504	37.188	.0000	.000
158.919	548.13	548.00	6099.76	69.78	.020	416.71	13809.44	1584.55	138.82	.00	.3504	37.182	.0000	.000
173.919	548.11	547.96	6099.73	75.61	.021	417.63	13863.52	1723.67	139.12	.00	.3504	37.176	.0000	.000
188.919	548.08	547.91	6099.70	81.42	.023	418.56	13917.35	1863.09	139.42	.00	.3504	37.170	.0000	.000
203.919	548.06	547.86	6099.66	87.20	.025	419.48	13970.92	2002.81	139.73	.00	.3504	37.164	.0000	.000
218.919	548.03	547.81	6099.62	92.95	.026	420.41	14024.24	2142.84	140.03	.00	.3503	37.158	.0000	.000
233.919	548.00	547.75	6099.57	98.67	.028	421.33	14077.31	2283.16	140.33	.00	.3503	37.151	.0000	.000
248.919	547.97	547.69	6099.53	104.37	.030	422.26	14130.13	2423.79	140.63	.00	.3503	37.145	.0000	.000
263.919	547.93	547.62	6099.48	110.04	.031	423.18	14182.70	2564.72	140.93	.00	.3503	37.138	.0000	.000
278.919	547.90	547.56	6099.43	115.69	.033	424.11	14235.02	2705.96	141.24	.00	.3503	37.132	.0000	.000
293.919	547.86	547.48	6099.38	121.31	.034	425.03	14287.08	2847.49	141.54	.00	.3503	37.125	.0000	.000
308.919	547.82	547.41	6099.32	126.91	.036	425.96	14338.90	2989.33	141.84	.00	.3502	37.118	.0000	.000
323.919	547.78	547.33	6099.27	132.48	.038	426.88	14390.46	3131.47	142.14	-.00	.3502	37.111	.0000	.000
338.919	547.74	547.25	6099.21	138.04	.039	427.81	14441.77	3273.91	142.44	-.00	.3502	37.104	.0000	.000
353.919	547.69	547.16	6099.15	143.57	.041	428.73	14492.83	3416.65	142.74	-.00	.3502	37.096	.0000	.000
368.919	547.64	547.08	6099.08	149.08	.042	429.66	14543.63	3559.69	143.04	-.00	.3502	37.089	.0000	.000
383.919	547.59	546.98	6099.02	154.57	.044	430.58	14594.19	3703.03	143.34	-.00	.3501	37.082	.0000	.000
398.919	547.54	546.89	6096.95	160.04	.045	431.51	14644.49	3846.68	143.64	-.00	.3501	37.074	.0000	.000
403.048	547.53	546.86	6098.93	161.54	.046	431.76	14658.29	3886.27	39.59	-.00	.3501	37.066	.0000	.000
418.048	547.48	546.76	6098.85	167.74	.048	429.93	14640.88	4029.83	143.56	-.00	.3501	37.064	.0000	.000
427.051	547.45	546.70	6098.80	171.45	.049	428.78	14630.61	4115.70	85.87	-.00	.3501	37.058	.0000	.000
427.061	547.45	546.75	6098.88	165.45	.047	-183.29	15160.37	4115.70	.00	-.00	.3501	37.083	.0000	.000
442.061	547.51	546.75	6098.79	172.27	.049	64.80	14561.23	4116.07	.00	-.36	.3501	37.084	.0000	.000
457.061	547.56	546.71	6098.65	182.78	.052	312.89	13934.92	4179.16	62.92	-.17	.3501	37.056	.0000	.000
463.204	547.57	546.67	6098.56	188.54	.053	414.50	13670.58	4228.81	49.63	-.01	.3501	37.015	.0000	.000
478.204	547.61	546.55	6098.48	194.18	.055	415.07	13710.33	4367.02	138.21	.00	.3501	36.995	.0000	.000
493.204	547.44	546.43	6098.39	199.79	.057	415.64	13749.89	4505.41	138.39	.00	.3501	36.985	.0000	.000
508.204	547.38	546.30	6098.30	205.40	.058	416.21	13789.28	4643.98	138.57	.00	.3500	36.975	.0000	.000
523.204	547.31	546.17	6098.21	210.98	.060	416.78	13828.50	4782.72	138.75	.00	.3500	36.965	.0000	.000
538.204	547.23	546.04	6098.12	216.55	.061	417.36	13867.53	4921.65	138.93	.00	.3500	36.955	.0000	.000
553.204	547.16	545.90	6098.02	222.09	.063	417.93	13906.39	5060.75	139.10	.00	.3499	36.944	.0000	.000
568.204	547.08	545.76	6097.93	227.63	.065	418.50	13945.07	5200.03	139.28	.00	.3499	36.934	.0000	.000
583.204	547.01	545.62	6097.83	233.15	.066	419.07	13983.58	5339.48	139.46	.00	.3499	36.924	.0000	.000
596.204	546.93	545.48	6097.72	238.65	.068	419.64	14021.90	5479.11	139.63	.00	.3498	36.913	.0000	.000
613.204	546.85	545.33	6097.62	244.14	.069	420.22	14060.05	5618.92	139.81	.00	.3498	36.903	.0000	.000

628.204	546.76	545.18	6097.51	249.61	.071	420.79	14098.02	5758.91	139.99	.00	.3498	36.892	.0000	.000
643.204	546.68	545.02	6097.41	255.07	.072	421.36	14135.82	5899.07	140.16	-.00	.3497	36.881	.0000	.000
658.204	546.59	544.86	6097.30	260.52	.074	421.93	14173.43	6039.41	140.34	-.00	.3497	36.870	.0000	.000
673.204	546.50	544.70	6097.18	265.95	.075	422.50	14210.87	6179.92	140.51	-.00	.3496	36.859	.0000	.000
688.204	546.41	544.54	6097.07	271.37	.077	423.08	14248.13	6320.61	140.69	-.00	.3496	36.848	.0000	.000
703.204	546.32	544.37	6096.95	276.78	.079	423.65	14285.22	6461.48	140.86	-.00	.3496	36.838	.0000	.000
718.204	546.22	544.20	6096.84	282.17	.080	424.22	14322.12	6602.52	141.04	-.00	.3495	36.827	.0000	.000
726.191	546.17	544.10	6096.77	285.04	.081	424.53	14341.70	6677.68	75.17	-.00	.3495	36.815	.0000	.000
741.191	546.04	543.93	6096.70	288.47	.082	426.50	14476.01	6819.22	141.54	-.00	.3495	36.809	.0000	.000
746.336	546.00	543.87	6096.67	289.65	.082	427.18	14521.65	6867.92	48.70	-.00	.3495	36.803	.0000	.000
746.346	545.99	544.08	6097.01	274.34	.078	-52.15	15327.11	6867.92	.00	-.00	.3495	36.853	.0000	.000
761.346	546.07	544.07	6096.89	279.92	.079	95.53	15037.45	6875.44	7.21	-.31	.3495	36.854	.0000	.000
776.346	546.11	544.01	6096.71	287.82	.082	243.21	14746.77	6931.97	56.33	-.20	.3495	36.829	.0000	.000
791.346	546.14	543.88	6096.47	298.15	.085	390.89	14455.05	7037.51	105.45	-.09	.3495	36.799	.0000	.000
799.831	546.14	543.84	6096.41	303.92	.085	425.21	14387.13	7069.04	31.53	-.00	.3494	36.763	.0000	.000
809.831	546.03	543.65	6096.30	305.62	.087	426.18	14454.29	7210.62	141.57	-.01	.3494	36.757	.0000	.000
824.831	545.91	543.46	6096.18	310.31	.088	427.15	14520.89	7352.51	141.89	-.01	.3494	36.747	.0000	.000
839.831	545.79	543.27	6096.07	314.98	.089	428.13	14586.94	7494.72	142.20	-.01	.3494	36.737	.0000	.000
854.781	545.68	543.08	6095.95	319.63	.091	429.10	14652.22	7636.77	142.04	-.01	.3493	36.726	.0000	.000
869.781	545.53	542.89	6095.88	322.71	.092	433.47	14790.25	7780.21	143.42	-.02	.3495	36.716	.0000	.000
884.781	545.38	542.69	6095.79	325.91	.092	437.94	14923.11	7925.23	144.97	-.06	.3497	36.721	.0000	.000
899.781	545.24	542.49	6095.71	329.24	.093	442.40	15050.79	8071.92	146.60	-.09	.3501	36.726	.0000	.000
914.781	545.09	542.28	6095.62	332.71	.094	446.87	15173.28	8220.36	148.32	-.12	.3508	36.731	.0000	.000
929.781	544.95	542.08	6095.53	336.17	.095	451.13	15286.28	8364.80	144.29	-.15	.3517	36.707	.0000	.000
944.781	544.93	542.08	6095.56	334.92	.095	225.57	15347.36	8366.94	2.00	-.14	.3517	35.948	.0000	.000
959.781	544.87	542.08	6095.65	331.43	.094	.00	15509.69	8367.06	.00	-.12	.3517	35.178	.0000	.000
974.781	544.83	542.08	6095.71	329.28	.093	.00	15611.46	8367.28	.00	-.22	.3517	34.409	.0000	.000
989.781	544.80	542.08	6095.76	327.27	.093	.00	15708.05	8367.53	.00	-.25	.3517	33.640	.0000	.000
1004.781	544.76	542.08	6095.81	325.39	.092	.00	15799.46	8367.80	.00	-.27	.3517	32.871	.0000	.000
1019.781	544.74	542.08	6095.85	323.63	.092	.00	15885.70	8368.10	.00	-.30	.3517	32.101	.0000	.000
1034.781	544.71	542.08	6095.89	322.01	.091	.00	15966.75	8368.42	.00	-.32	.3517	31.332	.0000	.000
1040.791	544.70	542.08	6095.91	321.39	.091	.00	15997.77	8368.55	.00	-.13	.3517	31.024	.0000	.000
1055.791	544.71	542.08	6095.90	321.96	.091	.00	15969.84	8368.88	.00	-.34	.3517	30.483	.0000	.000
1070.791	544.72	542.08	6095.88	322.54	.091	.00	15941.80	8369.22	.00	-.34	.3517	29.942	.0000	.000
1084.171	544.73	542.08	6095.87	323.06	.092	.00	15916.89	8369.52	.00	-.30	.3517	29.459	.0000	.000
AFT(A)	539.39	515.00	6059.31	994.53	.283	.....	15823.73	8370.54	.00	-.62	.3507	29.460	....	.....
AFT(O)	539.39	539.39	6097.21	-.02	.000	.....	10413.12	.40	.00	-.40	.3503	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FORWARD	1.1676+02	5.4818+02	5.4811+02	6.0998+03	4.5435+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2300+03
AFT	1.1677+02	5.4818+02	5.4810+02	6.0998+03	4.5436+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2300+03

GAS BUILDUP IN SLOT, DW/DT = -2.3507-04

FORWARD	4.2705+02	5.4745+02	5.4670+02	6.0988+03	1.5311+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1157+03
AFT	4.2706+02	5.4750+02	5.4675+02	6.0989+03	1.5310+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1157+03

GAS BUILDUP IN SLOT, DW/DT = -2.3374-04

FORWARD	7.4634+02	5.4600+02	5.4387+02	6.0967+03	2.5674+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8679+03
AFT	7.4635+02	5.4621+02	5.4408+02	6.0970+03	2.5666+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8679+03

GAS BUILDUP IN SLOT, DW/DT = -2.3394-04

```
WEB BURNOUT INCREMENT LOCATION =  929.7810    SECTOR NO.   5    TAU = 36.7168    TAUWDP = 36.7168    TIME =  98.00
WEB BURNOUT INCREMENT LOCATION =  929.7810    SECTOR NO.   6    TAU = 36.7168    TAUWDP = 36.7168    TIME =  98.00
WEB BURNOUT INCREMENT LOCATION =  929.7810    SECTOR NO.   7    TAU = 36.7168    TAUWDP = 36.7168    TIME =  98.00
WEB BURNOUT INCREMENT LOCATION =  929.7810    SECTOR NO.   8    TAU = 36.7168    TAUWDP = 36.7168    TIME =  98.00
*PARTBN* TIME= 98.50 IS=1 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 925.52 AINCHI= 914.78 DELZ=10.735 ALP=451.26 ALPHI=448.12
*PARTBN* TIME= 98.50 IS=2 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 924.76 AINCHI= 914.78 DELZ= 9.975 ALP=451.28 ALPHI=448.36
*PARTBN* TIME= 98.50 IS=3 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 924.90 AINCHI= 914.78 DELZ=10.124 ALP=451.28 ALPHI=448.32
*PARTBN* TIME= 98.50 IS=4 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 925.72 AINCHI= 914.78 DELZ=10.937 ALP=451.26 ALPHI=448.06
*PARTBN* TIME= 98.50 IS=5 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 926.69 AINCHI= 914.78 DELZ=11.909 ALP=451.23 ALPHI=447.76
*PARTBN* TIME= 98.50 IS=6 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 926.96 AINCHI= 914.78 DELZ=12.178 ALP=451.22 ALPHI=447.67
*PARTBN* TIME= 98.50 IS=7 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 926.91 AINCHI= 914.78 DELZ=12.126 ALP=451.22 ALPHI=447.69
*PARTBN* TIME= 98.50 IS=8 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 926.58 AINCHI= 914.78 DELZ=11.803 ALP=451.23 ALPHI=447.79
*PARTBN* TIME= 98.50 IS=1 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 925.52 AINCHI= 914.78 DELZ=10.735 ALP=451.26 ALPHI=448.12
*PARTBN* TIME= 98.50 IS=2 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 924.76 AINCHI= 914.78 DELZ= 9.975 ALP=451.28 ALPHI=448.36
*PARTBN* TIME= 98.50 IS=3 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 924.90 AINCHI= 914.78 DELZ=10.124 ALP=451.28 ALPHI=448.32
*PARTBN* TIME= 98.50 IS=4 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 925.72 AINCHI= 914.78 DELZ=10.937 ALP=451.26 ALPHI=448.06
*PARTBN* TIME= 98.50 IS=5 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 926.69 AINCHI= 914.78 DELZ=11.909 ALP=451.23 ALPHI=447.76
*PARTBN* TIME= 98.50 IS=6 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 926.96 AINCHI= 914.78 DELZ=12.178 ALP=451.22 ALPHI=447.67
*PARTBN* TIME= 98.50 IS=7 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 926.91 AINCHI= 914.78 DELZ=12.126 ALP=451.22 ALPHI=447.69
*PARTBN* TIME= 98.50 IS=8 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 926.58 AINCHI= 914.78 DELZ=11.803 ALP=451.23 ALPHI=447.79
*PARTBN* TIME= 99.00 IS=1 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 922.12 AINCHI= 914.78 DELZ= 7.340 ALP=451.35 ALPHI=449.23
*PARTBN* TIME= 99.00 IS=2 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 921.36 AINCHI= 914.78 DELZ= 6.576 ALP=451.37 ALPHI=449.47
*PARTBN* TIME= 99.00 IS=3 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 921.51 AINCHI= 914.78 DELZ= 6.726 ALP=451.37 ALPHI=449.42
*PARTBN* TIME= 99.00 IS=4 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 922.32 AINCHI= 914.78 DELZ= 7.542 ALP=451.35 ALPHI=449.16
*PARTBN* TIME= 99.00 IS=5 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 923.30 AINCHI= 914.78 DELZ= 8.520 ALP=451.32 ALPHI=448.66
*PARTBN* TIME= 99.00 IS=6 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 923.57 AINCHI= 914.78 DELZ= 8.790 ALP=451.31 ALPHI=448.77
*PARTBN* TIME= 99.00 IS=7 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 923.52 AINCHI= 914.78 DELZ= 8.736 ALP=451.31 ALPHI=448.78
*PARTBN* TIME= 99.00 IS=8 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 923.19 AINCHI= 914.78 DELZ= 8.413 ALP=451.32 ALPHI=448.89
*PARTBN* TIME= 99.00 IS=1 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 922.12 AINCHI= 914.78 DELZ= 7.340 ALP=451.35 ALPHI=449.23
*PARTBN* TIME= 99.00 IS=2 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 921.36 AINCHI= 914.78 DELZ= 6.576 ALP=451.37 ALPHI=449.47
*PARTBN* TIME= 99.00 IS=3 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 921.51 AINCHI= 914.78 DELZ= 6.726 ALP=451.37 ALPHI=449.42
```

```
*PARTBN* TIME= 99.00 IS=4 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 922.32 AINCHI= 914.78 DELZ= 7.542 ALP=451.35 ALPHI=449.16
*PARTBN* TIME= 99.00 IS=5 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 923.30 AINCHI= 914.78 DELZ= 8.520 ALP=451.32 ALPHI=448.86
*PARTBN* TIME= 99.00 IS=6 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 923.57 AINCHI= 914.78 DELZ= 8.790 ALP=451.31 ALPHI=448.77
*PARTBN* TIME= 99.00 IS=7 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 923.52 AINCHI= 914.78 DELZ= 8.738 ALP=451.31 ALPHI=448.78
*PARTBN* TIME= 99.00 IS=8 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 923.19 AINCHI= 914.78 DELZ= 8.413 ALP=451.32 ALPHI=448.89
```

IGNITION TIME, TIME (S) 99.000000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	9506141.6	2137065.7
TOTAL VACUUM THRUST (N,LBF)	FTVAC	9528540.7	2142101.2
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	62911.573	14143.084
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.11007597+10	.24746062+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.11724	256.11724
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.11505633+10	.25865685+09
THRUST COEFFICIENT	CF	1.6269359	1.6269359
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3759.9703	8289.3149
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	452925.48	998529.76
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	33.764185	74.437286
INERT MASS REMAINING (KG,LBM)	MIR	543.43540	1198.0700
TOTAL BURN AREA (M**2,IN**2)	ABTOT	240.65747	373019.82
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	32.345062	1973813.1
PROPELLANT MASS REMAINING (KG,LBM)	WF	52639.566	116050.38
TOTAL GAS MASS (KG,LBM)	WGTOT	1225.2628	2701.2421
RATIO OF SPECIFIC HEATS	GAMA	1.1596654	1.1596654
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.832967	28.291850
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1558.3431	5112.6643
MAXIMUM CHAMBER MACH NUMBER	AMPN	.95210039-01	.95210039-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.37409009+09	542.57181
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.48076589+11	69729.197
BURN AREA (M**2,IN**2)	AHH	4.0787517	6322.0779
BURN RATE (M/S,IN/S)	RBZ(1)	.88743429-02	.34938358
DISTANCE BURNED (M,IN)	TAUZ(1)	.95559772	37.621958
PROPELLANT VOLUME (M**3,IN**3)	VFH	.59808602	36497.083
GAS VOLUME (M**3,IN**3)	VPH	54.505752	3326145.1
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3387.8865	6098.1956
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	236.57872	366697.75
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	31.744956	1937196.0
GAS VOLUME (M**3,IN**3)	VP	256.80749	15671355.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.36807954+09	533.85424
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.45744970+11	66347.471
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.88744196-02	.34938660
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.88666736-02	.34908164
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3386.3850	6095.4930
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5911615	2466.3054
EXPANSION RATIO	EPR	6.7551374	6.7551374
PRESSURE RATIO	PEPO	.23335556-01	.23335556-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO. IN.
FORE	542.57	542.57	6098.20	6.43	.002	416.78	13817.71	144.45	140.07	-4.39	.3492	37.622	.0000	.000
15.000	542.57	542.57	6098.19	12.56	.004	417.04	13835.81	283.00	138.55	.00	.3492	37.579	.0000	.000
30.000	542.57	542.56	6098.18	18.69	.005	417.30	13853.87	421.63	138.63	.00	.3492	37.575	.0000	.000
45.000	542.56	542.55	6098.17	24.81	.007	417.56	13871.89	560.34	138.72	.00	.3492	37.570	.0000	.000
60.000	542.56	542.53	6098.16	30.91	.009	417.82	13889.89	699.14	138.80	.00	.3492	37.565	.0000	.000
75.000	542.55	542.51	6098.14	37.01	.010	418.08	13907.84	838.03	138.89	.00	.3492	37.560	.0000	.000
90.000	542.54	542.49	6098.12	43.09	.012	418.34	13925.77	977.00	138.97	.00	.3491	37.555	.0000	.000
105.000	542.52	542.46	6098.10	49.16	.014	418.60	13943.66	1116.05	139.06	.00	.3491	37.550	.0000	.000
116.761	542.51	542.44	6098.08	53.92	.015	418.80	13957.66	1225.13	109.09	.00	.3491	37.545	.0000	.000
116.771	542.51	542.43	6098.08	55.60	.016	283.97	13535.21	1225.13	.00	-.00	.3491	37.545	.0000	.000
131.771	542.50	542.41	6098.06	59.56	.017	358.02	13737.21	1331.85	106.66	-.06	.3491	37.546	.0000	.000
143.919	542.48	542.38	6098.04	63.47	.018	417.99	13901.06	1436.28	104.41	-.01	.3491	37.538	.0000	.000
158.919	542.46	542.34	6098.01	69.35	.020	418.91	13955.73	1575.32	139.04	.00	.3491	37.532	.0000	.000
173.919	542.44	542.30	6097.98	75.20	.021	419.84	14010.15	1714.65	139.34	.00	.3491	37.526	.0000	.000
188.919	542.41	542.25	6097.94	81.01	.023	420.76	14064.32	1854.30	139.64	.00	.3491	37.520	.0000	.000
203.919	542.39	542.20	6097.90	86.80	.025	421.69	14118.23	1994.24	139.95	.00	.3491	37.514	.0000	.000
218.919	542.36	542.15	6097.86	92.56	.026	422.61	14171.88	2134.49	140.25	.00	.3491	37.508	.0000	.000
233.919	542.33	542.09	6097.82	98.30	.028	423.54	14225.28	2275.03	140.55	.00	.3490	37.501	.0000	.000
248.919	542.30	542.03	6097.77	104.01	.029	424.46	14278.42	2415.88	140.85	.00	.3490	37.495	.0000	.000
263.919	542.27	541.96	6097.73	109.69	.031	425.39	14331.31	2557.03	141.15	-.00	.3490	37.488	.0000	.000
278.919	542.23	541.90	6097.68	115.35	.033	426.31	14383.95	2698.49	141.45	-.00	.3490	37.481	.0000	.000
293.919	542.20	541.83	6097.62	120.98	.034	427.24	14436.32	2840.24	141.75	-.00	.3490	37.475	.0000	.000
308.919	542.16	541.75	6097.57	126.59	.036	428.16	14488.45	2982.29	142.05	-.00	.3490	37.468	.0000	.000
323.919	542.12	541.67	6097.51	132.18	.037	429.08	14540.31	3124.65	142.35	-.00	.3489	37.461	.0000	.000
338.919	542.07	541.59	6097.45	137.74	.039	430.01	14591.93	3267.30	142.65	-.00	.3489	37.454	.0000	.000
353.919	542.03	541.51	6097.39	143.28	.041	430.93	14643.28	3410.25	142.95	-.00	.3489	37.446	.0000	.000
368.919	541.98	541.42	6097.33	148.81	.042	431.86	14694.39	3553.51	143.26	-.00	.3489	37.439	.0000	.000
383.919	541.93	541.33	6097.26	154.31	.044	432.78	14745.23	3697.08	143.56	-.00	.3489	37.431	.0000	.000
398.919	541.88	541.24	6097.20	159.79	.045	433.71	14795.83	3840.94	143.86	-.00	.3489	37.424	.0000	.000
403.048	541.87	541.21	6097.18	161.30	.046	433.96	14809.71	3880.60	39.65	-.00	.3489	37.416	.0000	.000
418.048	541.82	541.11	6097.10	167.50	.048	432.10	14791.65	4024.38	143.78	-.01	.3489	37.414	.0000	.000
427.061	541.79	541.05	6097.05	171.23	.049	430.98	14780.98	4110.39	86.00	-.00	.3489	37.408	.0000	.000
427.061	541.79	541.08	6097.10	167.68	.048	-200.70	15093.21	4110.39	.00	-.00	.3489	37.433	.0000	.000
442.061	541.84	541.08	6097.02	173.60	.049	55.53	14579.45	4110.76	.00	-.37	.3488	37.434	.0000	.000
457.061	541.88	541.04	6096.89	182.93	.052	311.76	14042.53	4171.90	60.97	-.18	.3488	37.406	.0000	.000
463.204	541.89	541.00	6096.81	188.15	.053	416.70	13815.95	4221.44	49.52	-.02	.3488	37.365	.0000	.000
478.204	541.83	540.88	6096.73	193.80	.055	417.27	13855.91	4359.87	138.43	.00	.3488	37.344	.0000	.000
493.204	541.76	540.76	6096.64	199.43	.057	417.84	13895.68	4498.48	138.61	.00	.3488	37.335	.0000	.000
508.204	541.70	540.63	6096.55	205.04	.058	418.41	13935.28	4637.27	138.79	.00	.3487	37.325	.0000	.000
523.204	541.63	540.51	6096.46	210.63	.060	418.99	13974.69	4776.24	138.97	.00	.3487	37.315	.0000	.000
538.204	541.56	540.38	6096.37	216.21	.061	419.56	14013.92	4915.38	139.14	.00	.3487	37.304	.0000	.000
553.204	541.48	540.24	6096.27	221.78	.063	420.13	14052.97	5054.70	139.32	.00	.3486	37.294	.0000	.000
568.204	541.41	540.10	6096.17	227.32	.064	420.70	14091.85	5194.20	139.50	.00	.3486	37.284	.0000	.000
583.204	541.33	539.96	6096.07	232.85	.066	421.27	14130.54	5333.87	139.67	-.00	.3486	37.273	.0000	.000
598.204	541.25	539.82	6095.97	238.37	.068	421.84	14169.05	5473.72	139.85	-.00	.3485	37.263	.0000	.000
613.204	541.17	539.67	6095.87	243.87	.069	422.42	14207.38	5613.75	140.03	-.00	.3485	37.252	.0000	.000

628.204	541.09	539.52	6095.76	249.35	.071	422.99	14245.53	5753.96	140.20	-.00	.3485	37.241	.0000	.000
643.204	541.01	539.37	6095.65	254.83	.072	423.56	14283.50	5894.33	140.38	-.00	.3484	37.231	.0000	.000
658.204	540.92	539.21	6095.54	260.29	.074	424.13	14321.29	6034.89	140.55	-.00	.3484	37.220	.0000	.000
673.204	540.83	539.05	6095.43	265.73	.075	424.70	14358.90	6175.62	140.73	-.00	.3484	37.209	.0000	.000
688.204	540.74	538.89	6095.32	271.16	.077	425.27	14396.33	6316.52	140.90	-.00	.3483	37.198	.0000	.000
703.204	540.65	538.72	6095.20	276.59	.078	425.84	14433.58	6457.60	141.08	-.00	.3483	37.187	.0000	.000
718.204	540.56	538.55	6095.08	282.00	.080	426.42	14470.65	6598.86	141.25	-.00	.3483	37.176	.0000	.000
726.191	540.50	538.46	6095.02	284.87	.081	426.72	14490.32	6674.15	75.28	-.00	.3482	37.165	.0000	.000
741.191	540.38	538.29	6094.94	288.33	.082	428.70	14625.32	6815.91	141.76	-.01	.3482	37.158	.0000	.000
746.336	540.34	538.23	6094.92	289.51	.082	429.38	14671.18	6864.68	48.77	-.00	.3482	37.152	.0000	.000
746.346	540.33	538.40	6095.18	277.45	.079	75.92	15304.75	6864.68	.00	-.00	.3482	37.202	.0000	.000
761.346	540.39	538.39	6095.09	281.85	.080	79.80	15067.84	6865.74	.73	-.32	.3482	37.203	.0000	.000
776.346	540.43	538.33	6094.94	288.59	.082	235.54	14830.09	6918.19	52.25	-.20	.3482	37.178	.0000	.000
791.346	540.44	538.21	6094.73	297.77	.084	391.23	14591.51	7022.13	103.85	-.09	.3482	37.148	.0000	.000
794.631	540.43	538.17	6094.67	300.27	.085	427.41	14535.96	7053.65	31.51	-.00	.3482	37.112	.0000	.000
809.631	540.32	537.98	6094.55	304.99	.087	428.38	14603.46	7195.45	141.79	-.01	.3482	37.106	.0000	.000
824.631	540.21	537.80	6094.44	309.70	.088	429.35	14675.39	7337.57	142.11	-.01	.3481	37.096	.0000	.000
839.631	540.09	537.61	6094.33	314.39	.089	430.32	14736.77	7480.00	142.42	-.01	.3481	37.086	.0000	.000
854.781	539.98	537.42	6094.21	319.06	.091	431.29	14802.37	7622.26	142.26	-.01	.3481	37.075	.0000	.000
869.781	539.84	537.22	6094.12	322.50	.091	435.66	14925.68	7765.94	143.65	-.03	.3483	37.065	.0000	.000
884.781	539.70	537.03	6094.03	326.06	.093	440.13	15044.27	7911.23	145.23	-.06	.3486	37.071	.0000	.000
899.781	539.56	536.83	6093.94	329.74	.094	444.60	15156.14	8058.22	146.90	-.09	.3492	37.076	.0000	.000
914.781	539.42	536.62	6093.84	333.54	.095	449.07	15267.28	8207.00	148.66	-.12	.3499	37.082	.0000	.000
929.781	539.34	536.52	6093.79	335.58	.095	451.34	15322.52	8285.47	78.29	-.18	.3504	36.717	.0000	.000
944.781	539.29	536.52	6093.87	332.37	.094	.00	15471.41	8285.68	.00	-.21	.3504	35.948	.0000	.000
959.781	539.26	536.52	6093.92	330.35	.094	.00	15566.40	8285.88	.00	-.20	.3504	35.178	.0000	.000
974.781	539.22	536.52	6093.97	328.46	.093	.00	15656.66	8286.10	.00	-.22	.3504	34.409	.0000	.000
989.781	539.19	536.52	6094.02	326.68	.093	.00	15742.20	8286.34	.00	-.25	.3504	33.640	.0000	.000
1004.781	539.17	536.52	6094.06	325.03	.092	.00	15823.02	8286.61	.00	-.27	.3504	32.871	.0000	.000
1019.781	539.14	536.52	6094.10	323.49	.092	.00	15899.12	8286.91	.00	-.29	.3504	32.101	.0000	.000
1034.781	539.12	536.52	6094.14	322.05	.091	.00	15970.50	8287.22	.00	-.31	.3504	31.332	.0000	.000
1040.791	539.11	536.52	6094.15	321.51	.091	.00	15997.77	8287.35	.00	-.13	.3504	31.024	.0000	.000
1055.791	539.12	536.52	6094.13	322.09	.091	.00	15969.84	8287.68	.00	-.33	.3504	30.483	.0000	.000
1070.791	539.13	536.52	6094.12	322.66	.092	.00	15941.80	8288.02	.00	-.33	.3504	29.942	.0000	.000
1084.171	539.14	536.52	6094.11	323.18	.092	.00	15916.69	8288.31	.00	-.30	.3504	29.459	.0000	.000
AFT(A)	533.86	509.69	6057.56	994.97	.283	.....	15823.73	8289.31	.00	-.61	.3494	29.460	....	.....
AFT(B)	533.85	533.85	6095.49	-.02	.000	.....	10413.12	.39	.00	-.39	.3491	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	5.4251+02	5.4244+02	6.0981+03	4.5720+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2251+03
AFT	1.1677+02	5.4251+02	5.4243+02	6.0981+03	4.5720+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2251+03

GAS BUILDUP IN SLOT, DW/DT = -2.3213-04

FOREWARD	4.2705+02	5.4179+02	5.4105+02	6.0970+03	1.5448+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1104+03
AFT	4.2706+02	5.4182+02	5.4108+02	6.0971+03	1.5448+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1104+03

GAS BUILDUP IN SLOT, DW/DT = -2.3084-04

FOREWARD	7.4634+02	5.4034+02	5.3823+02	6.0949+03	2.5926+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8647+03
AFT	7.4635+02	5.4050+02	5.3840+02	6.0952+03	2.5919+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8647+03

GAS BUILDUP IN SLOT, DW/DT = -2.3111-04

```
*PARTBN* TIME= 99.50 IS=1 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 918.73 AINCHI= 914.78 DELZ= 3.947 ALP=451.44 ALPHI=450.33
*PARTBN* TIME= 99.50 IS=2 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 917.96 AINCHI= 914.78 DELZ= 3.181 ALP=451.46 ALPHI=450.57
*PARTBN* TIME= 99.50 IS=3 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 918.11 AINCHI= 914.78 DELZ= 3.330 ALP=451.46 ALPHI=450.53
*PARTBN* TIME= 99.50 IS=4 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 918.93 AINCHI= 914.78 DELZ= 4.151 ALP=451.44 ALPHI=450.26
*PARTBN* TIME= 99.50 IS=5 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 919.92 AINCHI= 914.78 DELZ= 5.135 ALP=451.41 ALPHI=449.95
*PARTBN* TIME= 99.50 IS=6 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 920.19 AINCHI= 914.78 DELZ= 5.407 ALP=451.40 ALPHI=449.86
*PARTBN* TIME= 99.50 IS=7 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 920.14 AINCHI= 914.78 DELZ= 5.354 ALP=451.40 ALPHI=449.88
*PARTBN* TIME= 99.50 IS=8 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 919.81 AINCHI= 914.78 DELZ= 5.028 ALP=451.41 ALPHI=449.98
*PARTBN* TIME= 99.50 IS=1 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 918.73 AINCHI= 914.78 DELZ= 3.947 ALP=451.44 ALPHI=450.33
*PARTBN* TIME= 99.50 IS=2 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 917.96 AINCHI= 914.78 DELZ= 3.181 ALP=451.46 ALPHI=450.57
*PARTBN* TIME= 99.50 IS=3 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 918.11 AINCHI= 914.78 DELZ= 3.330 ALP=451.46 ALPHI=450.53
*PARTBN* TIME= 99.50 IS=4 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 918.93 AINCHI= 914.78 DELZ= 4.151 ALP=451.44 ALPHI=450.26
*PARTBN* TIME= 99.50 IS=5 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 919.92 AINCHI= 914.78 DELZ= 5.135 ALP=451.41 ALPHI=449.95
*PARTBN* TIME= 99.50 IS=6 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 920.19 AINCHI= 914.78 DELZ= 5.407 ALP=451.40 ALPHI=449.86
*PARTBN* TIME= 99.50 IS=7 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 920.14 AINCHI= 914.78 DELZ= 5.354 ALP=451.40 ALPHI=449.88
*PARTBN* TIME= 99.50 IS=8 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 919.81 AINCHI= 914.78 DELZ= 5.028 ALP=451.41 ALPHI=449.98
WEB BURNOUT INCREMENT LOCATION = 914.7810  SECTOR NO.  2  TAU = 37.4861  TAUWDP = 37.4861  TIME = 99.50
WEB BURNOUT INCREMENT LOCATION = 914.7810  SECTOR NO.  3  TAU = 37.4861  TAUWDP = 37.4861  TIME = 99.50
*PARTBN* TIME=100.00 IS=2 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 914.58 AINCHI= 899.78 DELZ=14.801 ALP=451.55 ALPHI=447.18
*PARTBN* TIME=100.00 IS=3 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 914.73 AINCHI= 899.78 DELZ=14.951 ALP=451.55 ALPHI=447.14
*PARTBN* TIME=100.00 IS=1 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 915.34 AINCHI= 914.78 DELZ=  .558 ALP=451.53 ALPHI=451.43
*PARTBN* TIME=100.00 IS=4 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 915.54 AINCHI= 914.78 DELZ=  .763 ALP=451.53 ALPHI=451.36
*PARTBN* TIME=100.00 IS=5 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 916.54 AINCHI= 914.78 DELZ= 1.755 ALP=451.50 ALPHI=451.04
*PARTBN* TIME=100.00 IS=6 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 916.81 AINCHI= 914.78 DELZ= 2.029 ALP=451.49 ALPHI=450.95
*PARTBN* TIME=100.00 IS=7 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 916.76 AINCHI= 914.78 DELZ= 1.976 ALP=451.49 ALPHI=450.97
*PARTBN* TIME=100.00 IS=8 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 916.43 AINCHI= 914.78 DELZ= 1.648 ALP=451.50 ALPHI=451.08
*PARTBN* TIME=100.00 IS=2 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 914.58 AINCHI= 899.78 DELZ=14.801 ALP=451.55 ALPHI=447.18
*PARTBN* TIME=100.00 IS=3 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 914.73 AINCHI= 899.78 DELZ=14.951 ALP=451.55 ALPHI=447.14
*PARTBN* TIME=100.00 IS=1 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 915.34 AINCHI= 914.78 DELZ=  .558 ALP=451.53 ALPHI=451.43
*PARTBN* TIME=100.00 IS=4 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 915.54 AINCHI= 914.78 DELZ=  .763 ALP=451.53 ALPHI=451.36
*PARTBN* TIME=100.00 IS=5 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCW= 916.54 AINCHI= 914.78 DELZ= 1.755 ALP=451.50 ALPHI=451.04
```

```
*PARTBN* TIME=100.00 IS=6 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCH= 916.81 AINCHI= 914.78 DELZ= 2.029 ALP=451.49 ALPHI=450.95
*PARTBN* TIME=100.00 IS=7 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCH= 916.76 AINCHI= 914.78 DELZ= 1.976 ALP=451.49 ALPHI=450.97
*PARTBN* TIME=100.00 IS=8 ZCALC( 70)= 929.78 ZCALC( 69)= 914.78 AINCH= 916.43 AINCHI= 914.78 DELZ= 1.648 ALP=451.50 ALPHI=451.08
```

IGNITION TIME, TIME (S) 100.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
ROTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	9421453.5	2118027.0
TOTAL VACUUM THRUST (N,LBF)	FTVAC	9442055.5	2122658.5
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	63555.324	14287.805
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.11102230+10	.24958807+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.08241	256.08241
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.11600478+10	.26078913+09
THRUST COEFFICIENT	CF	1.6270777	1.6270777
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3725.7022	8213.7675
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	456668.13	1006780.9
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	34.109681	75.198975
INERT MASS REMAINING (KG,LBM)	MIR	509.41392	1123.0654
TOTAL BURN AREA (M**2,IN**2)	ABTOT	239.02931	370496.17
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	30.143399	1839444.8
PROPELLANT MASS REMAINING (KG,LBM)	WF	48930.954	107808.15
TOTAL GAS MASS (KG,LBM)	WGTOT	1218.7719	2686.9322
RATIO OF SPECIFIC HEATS	GAMA	1.1596604	1.1596604
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.831714	28.289087
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1558.2468	5112.3582
MAXIMUM CHAMBER MACH NUMBER	AMPN	.94886399-01	.94886399-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.37046183+09	537.30946
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.48448846+11	70269.110
BURN AREA (M**2,IN**2)	AHH	3.9035975	6050.5883
BURN RATE (M/S,IN/S)	RBZ(1)	.88438225-02	.34818199
DISTANCE BURNED (M,IN)	TAUZ(1)	.96446428	37.971035
PROPELLANT VOLUME (M**3,IN**3)	VFH	.56274182	34340.613
GAS VOLUME (M**3,IN**3)	VPH	54.541090	3328301.5
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3386.9803	6096.5645
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	235.12571	364445.58
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	29.578391	1804984.2
GAS VOLUME (M**3,IN**3)	VP	258.17091	15754556.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.36453218+09	528.70924
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.46111258+11	66878.726
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.88443996-02	.34823471
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.88366730-02	.34790051
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3385.4990	6093.8982
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5919242	2467.4874
EXPANSION RATIO	EPR	6.7519013	6.7519013
PRESSURE RATIO	PEPO	.23350543-01	.23350543-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO. IN.
FORE	537.31	537.31	6096.56	6.13	.002	418.98	13963.50	137.59	133.59	-4.00	.3480	37.971	.0000	.000
15.000	537.31	537.30	6096.56	12.26	.003	419.24	13981.68	276.37	138.80	.02	.3480	37.928	.0000	.000
30.000	537.30	537.30	6096.55	18.39	.005	419.49	13999.83	415.23	138.88	.02	.3480	37.923	.0000	.000
45.000	537.30	537.28	6096.54	24.51	.007	419.75	14017.95	554.17	138.97	.02	.3480	37.919	.0000	.000
60.000	537.29	537.27	6096.53	30.62	.009	420.01	14036.03	693.20	139.05	.02	.3480	37.914	.0000	.000
75.000	537.28	537.25	6096.51	36.72	.010	420.27	14054.07	832.31	139.13	.02	.3479	37.909	.0000	.000
90.000	537.27	537.23	6096.49	42.81	.012	420.53	14072.08	971.50	139.22	.02	.3479	37.904	.0000	.000
105.000	537.26	537.20	6096.47	48.89	.014	420.79	14090.06	1110.78	139.30	.02	.3479	37.699	.0000	.000
116.761	537.25	537.18	6096.45	53.65	.015	420.99	14104.13	1220.04	109.28	.02	.3479	37.893	.0000	.000
116.771	537.25	537.17	6096.45	55.51	.016	269.18	13631.69	1220.04	.00	-.00	.3479	37.894	.0000	.000
131.771	537.24	537.15	6096.43	59.20	.017	352.62	13861.13	1323.04	102.95	-.05	.3479	37.894	.0000	.000
143.919	537.22	537.12	6096.41	62.99	.018	420.19	14047.24	1426.66	103.62	.00	.3479	37.887	.0000	.000
158.919	537.20	537.08	6096.38	68.88	.020	421.11	14102.26	1565.93	139.29	.02	.3479	37.881	.0000	.000
173.919	537.18	537.04	6096.35	74.73	.021	422.04	14157.02	1705.49	139.59	.02	.3479	37.875	.0000	.000
188.919	537.16	536.99	6096.31	80.55	.023	422.96	14211.53	1845.36	139.89	.02	.3479	37.869	.0000	.000
203.919	537.13	536.94	6096.27	86.35	.024	423.88	14265.77	1985.53	140.19	.02	.3479	37.863	.0000	.000
218.919	537.10	536.89	6096.23	92.12	.026	424.81	14319.76	2126.01	140.49	.02	.3479	37.856	.0000	.000
233.919	537.07	536.83	6096.19	97.86	.028	425.73	14373.48	2266.78	140.79	.02	.3478	37.850	.0000	.000
248.919	537.04	536.77	6096.15	103.58	.029	426.66	14426.95	2407.85	141.09	.02	.3478	37.844	.0000	.000
263.919	537.01	536.71	6096.10	109.27	.031	427.58	14480.16	2549.23	141.39	.02	.3478	37.837	.0000	.000
278.919	536.98	536.64	6096.05	114.94	.033	428.50	14533.11	2690.90	141.69	.02	.3478	37.830	.0000	.000
293.919	536.94	536.57	6096.00	120.58	.034	429.43	14585.80	2832.88	141.99	.02	.3478	37.823	.0000	.000
308.919	536.90	536.50	6095.94	126.20	.036	430.35	14638.23	2975.15	142.30	.02	.3478	37.816	.0000	.000
323.919	536.86	536.42	6095.89	131.79	.037	431.28	14690.41	3117.73	142.60	.02	.3478	37.809	.0000	.000
338.919	536.82	536.35	6095.83	137.36	.039	432.20	14742.32	3260.62	142.90	.02	.3478	37.802	.0000	.000
353.919	536.77	536.26	6095.77	142.92	.041	433.13	14793.98	3403.80	143.20	.02	.3478	37.795	.0000	.000
368.919	536.73	536.18	6095.70	148.45	.042	434.05	14845.37	3547.29	143.51	.02	.3477	37.788	.0000	.000
383.919	536.68	536.09	6095.64	153.96	.044	434.97	14896.51	3691.08	143.81	.02	.3477	37.780	.0000	.000
398.919	536.63	535.99	6095.57	159.45	.045	435.90	14947.39	3835.17	144.11	.02	.3477	37.773	.0000	.000
403.048	536.62	535.97	6095.55	160.96	.046	436.15	14961.35	3874.89	39.72	.00	.3477	37.765	.0000	.000
418.048	536.57	535.87	6095.47	167.18	.047	434.29	14942.65	4018.91	144.03	.02	.3477	37.763	.0000	.000
427.051	536.54	535.81	6095.42	170.91	.048	433.17	14931.60	4105.06	86.16	.01	.3478	37.756	.0000	.000
427.061	536.54	535.82	6095.44	169.90	.048	-218.04	15020.22	4105.06	.00	-.00	.3478	37.782	.0000	.000
442.061	536.58	535.82	6095.37	174.87	.050	46.30	14594.27	4105.41	.00	-.35	.3476	37.782	.0000	.000
457.061	536.61	535.77	6095.26	182.98	.052	310.64	14149.29	4164.61	59.04	-.16	.3476	37.755	.0000	.000
463.204	536.62	535.74	6095.19	187.65	.053	418.90	13961.56	4214.04	49.42	-.01	.3476	37.714	.0000	.000
478.204	536.55	535.62	6095.10	193.31	.055	419.47	14001.73	4352.70	138.68	.02	.3476	37.693	.0000	.000
493.204	536.49	535.50	6095.02	198.95	.056	420.04	14041.71	4491.54	138.86	.02	.3476	37.683	.0000	.000
508.204	536.42	535.38	6094.93	204.57	.058	420.61	14081.50	4630.55	139.04	.02	.3475	37.673	.0000	.000
523.204	536.35	535.25	6094.84	210.18	.060	421.18	14121.12	4769.74	139.21	.02	.3475	37.663	.0000	.000
538.204	536.28	535.12	6094.74	215.76	.061	421.75	14160.55	4909.11	139.39	.02	.3475	37.653	.0000	.000
553.204	536.21	534.99	6094.65	221.34	.063	422.32	14199.79	5048.66	139.57	.02	.3474	37.642	.0000	.000
568.204	536.14	534.85	6094.55	226.89	.064	422.89	14238.86	5188.39	139.74	.02	.3474	37.632	.0000	.000
583.204	536.06	534.71	6094.45	232.43	.066	423.46	14277.74	5328.28	139.92	.02	.3474	37.622	.0000	.000
598.204	535.98	534.57	6094.35	237.96	.068	424.03	14316.43	5468.36	140.09	.02	.3474	37.611	.0000	.000
613.204	535.90	534.42	6094.25	243.47	.069	424.61	14354.95	5608.61	140.27	.02	.3473	37.600	.0000	.000

628.204	535.82	534.28	6094.14	248.96	.071	425.18	14393.28	5749.04	140.44	.02	.3473	37.590	.0000	.000
643.204	535.74	534.12	6094.03	254.45	.072	425.75	14431.43	5889.64	140.62	.02	.3472	37.579	.0000	.000
658.204	535.65	533.97	6093.92	259.91	.074	426.32	14469.39	6030.41	140.80	.02	.3472	37.568	.0000	.000
673.204	535.57	533.81	6093.81	265.37	.075	426.89	14507.17	6171.37	140.97	.02	.3472	37.557	.0000	.000
688.204	535.48	533.65	6093.69	270.81	.077	427.46	14544.77	6312.51	141.15	.02	.3472	37.546	.0000	.000
703.204	535.39	533.48	6093.58	276.25	.078	428.03	14582.19	6453.82	141.33	.02	.3471	37.535	.0000	.000
718.204	535.29	533.32	6093.46	281.67	.080	428.60	14619.42	6595.31	141.51	.02	.3471	37.524	.0000	.000
726.191	535.24	533.23	6093.40	284.55	.081	428.91	14639.17	6670.72	75.42	.01	.3471	37.513	.0000	.000
741.191	535.12	533.05	6093.32	288.03	.082	430.88	14774.85	6812.71	142.01	.02	.3471	37.506	.0000	.000
746.336	535.08	532.99	6093.29	289.22	.082	431.56	14820.95	6861.56	48.86	.00	.3471	37.500	.0000	.000
746.346	535.08	533.11	6093.48	280.58	.080	-99.59	15274.22	6861.56	.00	-.00	.3471	37.650	.0000	.000
761.346	535.12	533.11	6093.41	283.97	.081	64.12	15092.64	6861.86	.00	-.30	.3471	37.551	.0000	.000
776.346	535.15	533.06	6093.28	289.49	.082	227.84	14910.43	6910.27	48.22	-.19	.3471	37.526	.0000	.000
791.346	535.14	532.93	6093.10	297.49	.084	391.56	14727.59	7012.64	102.29	-.07	.3470	37.496	.0000	.000
794.831	535.13	532.69	6093.05	299.71	.085	429.60	14685.02	7044.14	31.51	-.00	.3470	37.460	.0000	.000
809.831	535.02	532.71	6092.94	304.44	.086	430.57	14752.86	7186.17	142.04	.01	.3470	37.454	.0000	.000
824.831	534.91	532.53	6092.82	309.17	.088	431.54	14820.14	7328.51	142.36	.01	.3470	37.444	.0000	.000
839.831	534.79	532.34	6092.71	313.88	.089	432.51	14886.84	7471.18	142.68	.01	.3470	37.433	.0000	.000
854.781	534.68	532.15	6092.59	318.56	.090	433.48	14952.76	7613.69	142.52	.01	.3470	37.423	.0000	.000
869.781	534.55	531.96	6092.50	322.36	.091	437.85	15061.32	7757.62	143.93	-.01	.3472	37.413	.0000	.000
884.781	534.41	531.76	6092.40	326.26	.093	442.32	15165.62	7903.18	145.53	-.04	.3476	37.419	.0000	.000
899.781	534.28	531.57	6092.29	330.28	.094	446.80	15265.66	8050.49	147.24	-.07	.3483	37.425	.0000	.000
914.781	534.14	531.36	6092.19	334.41	.095	451.24	15361.25	8199.32	148.74	-.10	.3492	37.430	.0000	.000
929.781	534.13	531.35	6092.19	334.25	.095	338.63	15389.88	8210.34	10.87	-.14	.3492	36.717	.0000	.000
944.781	534.07	531.35	6092.28	331.03	.094	.00	15540.21	8210.47	.00	-.13	.3492	35.948	.0000	.000
959.781	534.04	531.35	6092.32	329.28	.093	.00	15623.20	8210.64	.00	-.17	.3492	35.178	.0000	.000
974.781	534.02	531.35	6092.36	327.64	.093	.00	15701.93	8210.84	.00	-.20	.3492	34.409	.0000	.000
989.781	533.99	531.35	6092.40	326.10	.093	.00	15776.40	8211.06	.00	-.22	.3492	33.640	.0000	.000
1004.781	533.97	531.35	6092.44	324.67	.092	.00	15846.61	8211.30	.00	-.24	.3492	32.871	.0000	.000
1019.781	533.95	531.35	6092.47	323.33	.092	.00	15912.56	8211.56	.00	-.27	.3492	32.101	.0000	.000
1034.781	533.93	531.35	6092.50	322.10	.091	.00	15974.25	8211.85	.00	-.29	.3492	31.332	.0000	.000
1040.791	533.92	531.35	6092.52	321.63	.091	.00	15997.77	8211.97	.00	-.12	.3492	31.024	.0000	.000
1055.791	533.93	531.35	6092.50	322.20	.091	.00	15969.84	8212.28	.00	-.30	.3492	30.483	.0000	.000
1070.791	533.94	531.35	6092.49	322.78	.092	.00	15941.80	8212.58	.00	-.30	.3492	29.942	.0000	.000
1084.171	533.95	531.35	6092.47	323.30	.092	.00	15916.69	8212.85	.00	-.27	.3492	29.459	.0000	.000
AFT(A)	528.71	504.75	6055.93	995.40	.283	.....	15823.73	8213.77	.00	-.56	.3482	29.460	....	.....
AFT(O)	528.70	528.70	6093.90	-.02	.000	.....	10413.12	.36	.00	-.36	.3479	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	ASLOT LB/SEC
FOREWARD	1.1676+02	5.3725+02	5.3718+02	6.0965+03	4.5968+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2200+03
AFT	1.1677+02	5.3725+02	5.3717+02	6.0964+03	4.5966+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2200+03

GAS BUILDUP IN SLOT, DW/DT = -2.1227-04

FOREWARD	4.2705+02	5.3654+02	5.3501+02	6.0954+03	1.5577+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1051+03
AFT	4.2706+02	5.3655+02	5.3582+02	6.0954+03	1.5576+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.1051+03

GAS BUILDUP IN SLOT, DW/DT = -2.1108-04

FOREWARD	7.4634+02	5.3508+02	5.3299+02	6.0933+03	2.6165+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8616+03
AFT	7.4635+02	5.3520+02	5.3311+02	6.0935+03	2.6159+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8616+03

GAS BUILDUP IN SLOT, DW/DT = -2.1139-04

```
WEB BURNOUT INCREMENT LOCATION =  914.7810    SECTOR NO.  1    TAU = 37.4861    TAUWDP = 37.4861    TIME = 100.00
WEB BURNOUT INCREMENT LOCATION =  914.7810    SECTOR NO.  4    TAU = 37.4861    TAUWDP = 37.4861    TIME = 100.00
WEB BURNOUT INCREMENT LOCATION =  914.7810    SECTOR NO.  5    TAU = 37.4861    TAUWDP = 37.4861    TIME = 100.00
WEB BURNOUT INCREMENT LOCATION =  914.7810    SECTOR NO.  6    TAU = 37.4861    TAUWDP = 37.4861    TIME = 100.00
WEB BURNOUT INCREMENT LOCATION =  914.7810    SECTOR NO.  7    TAU = 37.4861    TAUWDP = 37.4861    TIME = 100.00
WEB BURNOUT INCREMENT LOCATION =  914.7810    SECTOR NO.  8    TAU = 37.4861    TAUWDP = 37.4861    TIME = 100.00
*PARTON* TIME=100.50 IS=1 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 911.97 AINCHI= 899.78 DELZ=12.188 ALP=451.62 ALPHI=448.04
*PARTON* TIME=100.50 IS=2 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 911.21 AINCHI= 899.78 DELZ=11.427 ALP=451.64 ALPHI=448.28
*PARTON* TIME=100.50 IS=3 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 911.36 AINCHI= 899.78 DELZ=11.578 ALP=451.64 ALPHI=448.24
*PARTON* TIME=100.50 IS=4 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 912.17 AINCHI= 899.78 DELZ=12.393 ALP=451.62 ALPHI=447.98
*PARTON* TIME=100.50 IS=5 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 913.17 AINCHI= 899.78 DELZ=13.386 ALP=451.59 ALPHI=447.68
*PARTON* TIME=100.50 IS=6 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 913.44 AINCHI= 899.78 DELZ=13.661 ALP=451.58 ALPHI=447.59
*PARTON* TIME=100.50 IS=7 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 913.39 AINCHI= 899.78 DELZ=13.607 ALP=451.58 ALPHI=447.60
*PARTON* TIME=100.50 IS=8 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 913.06 AINCHI= 899.78 DELZ=13.279 ALP=451.59 ALPHI=447.71
*PARTON* TIME=100.50 IS=1 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 911.97 AINCHI= 899.78 DELZ=12.188 ALP=451.62 ALPHI=448.04
*PARTON* TIME=100.50 IS=2 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 911.21 AINCHI= 899.78 DELZ=11.427 ALP=451.64 ALPHI=448.28
*PARTON* TIME=100.50 IS=3 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 911.36 AINCHI= 899.78 DELZ=11.578 ALP=451.64 ALPHI=448.24
*PARTON* TIME=100.50 IS=4 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 912.17 AINCHI= 899.78 DELZ=12.393 ALP=451.62 ALPHI=447.98
*PARTON* TIME=100.50 IS=5 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 913.17 AINCHI= 899.78 DELZ=13.386 ALP=451.59 ALPHI=447.68
*PARTON* TIME=100.50 IS=6 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 913.44 AINCHI= 899.78 DELZ=13.661 ALP=451.58 ALPHI=447.59
*PARTON* TIME=100.50 IS=7 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 913.39 AINCHI= 899.78 DELZ=13.607 ALP=451.58 ALPHI=447.60
*PARTON* TIME=100.50 IS=8 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 913.06 AINCHI= 899.78 DELZ=13.279 ALP=451.59 ALPHI=447.71
*PARTON* TIME=101.00 IS=1 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 908.60 AINCHI= 899.78 DELZ= 8.822 ALP=451.71 ALPHI=449.14
*PARTON* TIME=101.00 IS=2 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 907.84 AINCHI= 899.78 DELZ= 8.056 ALP=451.73 ALPHI=449.38
*PARTON* TIME=101.00 IS=3 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 907.99 AINCHI= 899.78 DELZ= 8.207 ALP=451.73 ALPHI=449.34
*PARTON* TIME=101.00 IS=4 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 908.81 AINCHI= 899.78 DELZ= 9.028 ALP=451.71 ALPHI=449.08
*PARTON* TIME=101.00 IS=5 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 909.80 AINCHI= 899.78 DELZ=10.023 ALP=451.68 ALPHI=448.76
*PARTON* TIME=101.00 IS=6 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 910.08 AINCHI= 899.78 DELZ=10.300 ALP=451.67 ALPHI=448.67
*PARTON* TIME=101.00 IS=7 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 910.03 AINCHI= 899.78 DELZ=10.246 ALP=451.67 ALPHI=448.69
*PARTON* TIME=101.00 IS=8 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 909.70 AINCHI= 899.78 DELZ= 9.916 ALP=451.68 ALPHI=448.80
*PARTON* TIME=101.00 IS=1 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 908.60 AINCHI= 899.78 DELZ= 8.822 ALP=451.71 ALPHI=449.14
```

```
*PARTBN* TIME=101.00 IS=2 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 907.84 AINCHI= 899.78 DELZ= 8.056 ALP=451.73 ALPHI=449.38
*PARTBN* TIME=101.00 IS=3 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 907.99 AINCHI= 899.78 DELZ= 8.207 ALP=451.73 ALPHI=449.34
*PARTBN* TIME=101.00 IS=4 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 908.81 AINCHI= 899.78 DELZ= 9.028 ALP=451.71 ALPHI=449.08
*PARTBN* TIME=101.00 IS=5 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 909.80 AINCHI= 899.78 DELZ=10.023 ALP=451.68 ALPHI=448.76
*PARTBN* TIME=101.00 IS=6 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 910.08 AINCHI= 899.78 DELZ=10.300 ALP=451.67 ALPHI=448.67.
*PARTBN* TIME=101.00 IS=7 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 910.03 AINCHI= 899.78 DELZ=10.246 ALP=451.67 ALPHI=448.69
*PARTBN* TIME=101.00 IS=8 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 909.70 AINCHI= 899.78 DELZ= 9.916 ALP=451.68 ALPHI=448.80
```

IGNITION TIME, TIME (S) 181.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	9329065.6	2097257.4
TOTAL VACUUM THRUST (N,LBF)	FTVAC	9348241.1	2101568.2
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	64145.374	14420.454
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.11195995+10	.25169598+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	256.01845	256.01845
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.11694442+10	.26290152+09
THRUST COEFFICIENT	CF	1.6272235	1.6272235
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3688.9588	8132.7621
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	460375.91	1014955.1
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	34.426357	75.897125
INERT MASS REMAINING (KG,LBM)	MIR	475.06169	1047.3304
TOTAL BURN AREA (M**2,IN**2)	ABTOT	237.08779	367486.82
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	28.033068	1710682.7
PROPELLANT MASS REMAINING (KG,LBM)	WF	45197.533	99643.505
TOTAL GAS MASS (KG,LBM)	WGTOT	1218.2362	2685.7512
RATIO OF SPECIFIC HEATS	GAMA	1.1596550	1.1596550
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.830364	28.286111
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1558.1461	5112.0281
MAXIMUM CHAMBER MACH NUMBER	AMPN	.94664073-01	.94664073-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.36655304+09	531.64324
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.48817399+11	70803.652
BURN AREA (M**2,IN**2)	AHH	3.7286398	5779.4032
BURN RATE (M/S,IN/S)	RBZ(1)	.88107527-02	.34688003
DISTANCE BURNED (M,IN)	TAUZ(1)	.97330024	38.318957
PROPELLANT VOLUME (M**3,IN**3)	VFH	.52907122	32285.957
GAS VOLUME (M**3,IN**3)	VPH	54.574763	3330356.2
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3386.0040	6094.8072
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	233.35915	361707.41
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	27.502030	1678276.9
GAS VOLUME (M**3,IN**3)	VP	261.44492	15954348.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.36070652+09	523.16058
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.46473923+11	67404.728
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.88118123-02	.34692175
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.88041052-02	.34661832
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501000	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040330.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3384.5435	6092.1782
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5926806	2468.6599
EXPANSION RATIO	EPR	6.7486944	6.7486944
PRESSURE RATIO	PEPO	.23365433-01	.23365433-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ABLOPS	2.0010000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	531.64	531.64	6094.81	5.86	.002	421.15	14109.53	131.80	127.12	-4.68	.3467	38.319	.0000	.000
15.000	531.64	531.63	6094.80	12.01	.003	421.41	14127.81	270.82	139.00	-.02	.3467	38.276	.0000	.000
30.000	531.64	531.63	6094.80	18.16	.005	421.67	14146.05	409.93	139.08	-.02	.3467	38.271	.0000	.000
45.000	531.63	531.62	6094.79	24.29	.007	421.93	14164.25	549.12	139.17	-.02	.3467	38.266	.0000	.000
60.000	531.62	531.60	6094.77	30.41	.009	422.19	14182.42	688.39	139.25	-.02	.3467	38.262	.0000	.000
75.000	531.62	531.58	6094.76	36.52	.010	422.45	14200.56	827.75	139.34	-.02	.3467	38.257	.0000	.000
90.000	531.61	531.56	6094.74	42.62	.012	422.71	14218.65	967.19	139.42	-.02	.3466	38.252	.0000	.000
105.000	531.59	531.53	6094.72	48.71	.014	422.97	14236.72	1106.72	139.50	-.02	.3466	38.246	.0000	.000
116.761	531.58	531.51	6094.70	53.48	.015	423.18	14250.86	1216.18	109.44	-.02	.3466	38.241	.0000	.000
116.771	531.58	531.51	6094.69	55.56	.016	218.38	13717.79	1216.18	.00	-.00	.3466	38.242	.0000	.000
131.771	531.57	531.48	6094.67	58.58	.017	331.09	13980.56	1306.92	90.63	-.11	.3466	38.242	.0000	.000
143.919	531.55	531.46	6094.66	62.15	.018	422.37	14193.68	1407.62	100.65	-.04	.3466	38.235	.0000	.000
158.919	531.53	531.42	6094.63	68.05	.019	423.29	14249.05	1547.13	139.49	-.02	.3466	38.229	.0000	.000
173.919	531.51	531.38	6094.59	73.92	.021	424.21	14304.15	1686.94	139.79	-.02	.3466	38.223	.0000	.000
188.919	531.49	531.33	6094.56	79.76	.023	425.14	14358.99	1827.06	140.09	-.03	.3466	38.217	.0000	.000
203.919	531.47	531.28	6094.52	85.58	.024	426.06	14413.57	1967.47	140.39	-.03	.3466	38.210	.0000	.000
218.919	531.44	531.23	6094.48	91.36	.026	426.99	14467.89	2108.19	140.69	-.03	.3466	38.204	.0000	.000
233.919	531.41	531.18	6094.44	97.12	.028	427.91	14521.94	2249.21	140.99	-.03	.3466	38.198	.0000	.000
248.919	531.38	531.12	6094.39	102.85	.029	428.84	14575.73	2390.53	141.29	-.03	.3466	38.191	.0000	.000
263.919	531.35	531.06	6094.35	108.56	.031	429.76	14629.26	2532.15	141.59	-.03	.3465	38.184	.0000	.000
278.919	531.31	530.99	6094.30	114.24	.032	430.69	14682.53	2674.07	141.90	-.03	.3465	38.178	.0000	.000
293.919	531.28	530.92	6094.25	119.90	.034	431.61	14735.53	2816.30	142.20	-.03	.3465	38.171	.0000	.000
308.919	531.24	530.85	6094.19	125.53	.036	432.53	14788.27	2958.83	142.50	-.03	.3465	38.164	.0000	.000
323.919	531.20	530.77	6094.14	131.14	.037	433.46	14840.75	3101.67	142.80	-.03	.3465	38.157	.0000	.000
338.919	531.16	530.69	6094.08	136.73	.039	434.38	14892.97	3244.80	143.11	-.03	.3465	38.150	.0000	.000
353.919	531.11	530.61	6094.02	142.30	.040	435.31	14944.93	3388.24	143.41	-.03	.3465	38.142	.0000	.000
368.919	531.07	530.53	6093.95	147.85	.042	436.23	14996.62	3531.98	143.71	-.03	.3465	38.135	.0000	.000
383.919	531.02	530.44	6093.89	153.37	.044	437.16	15048.05	3676.02	144.01	-.03	.3465	38.128	.0000	.000
398.919	530.97	530.35	6093.82	158.88	.045	438.08	15099.22	3820.37	144.32	-.03	.3465	38.120	.0000	.000
403.048	530.96	530.32	6093.80	160.40	.046	438.34	15113.26	3860.16	39.78	-.01	.3465	38.112	.0000	.000
418.048	530.91	530.23	6093.72	166.63	.047	436.47	15093.93	4004.45	144.26	-.03	.3466	38.110	.0000	.000
427.051	530.89	530.17	6093.67	170.37	.048	435.35	15082.50	4090.77	86.30	-.02	.3466	38.104	.0000	.000
427.061	530.89	530.15	6093.65	171.98	.049	-234.79	14941.50	4090.77	.00	-.00	.3466	38.129	.0000	.000
442.061	530.92	530.15	6093.60	175.95	.050	37.41	14605.76	4091.17	.00	-.40	.3464	38.130	.0000	.000
457.061	530.94	530.11	6093.50	182.82	.052	309.61	14255.24	4148.56	57.19	-.21	.3463	38.102	.0000	.000
463.204	530.94	530.07	6093.44	186.94	.053	421.08	14107.43	4197.90	49.32	-.03	.3463	38.061	.0000	.000
476.204	530.87	529.96	6093.36	192.62	.055	421.65	14147.80	4336.81	138.88	-.02	.3463	38.040	.0000	.000
493.204	530.81	529.84	6093.27	198.27	.056	422.22	14187.99	4475.90	139.06	-.02	.3463	38.030	.0000	.000
508.204	530.75	529.72	6093.18	203.91	.058	422.79	14227.98	4615.16	139.24	-.03	.3462	38.020	.0000	.000
523.204	530.68	529.59	6093.09	209.53	.059	423.36	14267.80	4754.60	139.41	-.03	.3462	38.010	.0000	.000
538.204	530.61	529.46	6093.00	215.14	.061	423.93	14307.43	4894.21	139.59	-.03	.3462	38.000	.0000	.000
553.204	530.54	529.33	6092.90	220.72	.063	424.50	14346.87	5034.01	139.77	-.03	.3462	37.990	.0000	.000
568.204	530.46	529.20	6092.80	226.30	.064	425.08	14386.12	5173.98	139.94	-.03	.3461	37.979	.0000	.000
583.204	530.39	529.06	6092.70	231.85	.066	425.65	14425.19	5314.12	140.12	-.03	.3461	37.969	.0000	.000
598.204	530.31	528.92	6092.60	237.39	.067	426.22	14464.08	5454.44	140.29	-.03	.3461	37.958	.0000	.000
613.205	530.23	528.78	6092.50	242.92	.069	426.79	14502.77	5594.94	140.47	-.03	.3460	37.947	.0000	.000

626.204	530.15	528.63	6092.39	248.43	.070	427.36	14541.29	5735.62	140.65	-.03	.3460	37.937	.0000	.000
643.204	530.07	528.48	6092.28	253.93	.072	427.93	14579.61	5876.47	140.83	-.03	.3460	37.926	.0000	.000
656.204	529.99	528.33	6092.17	259.42	.074	428.50	14617.75	6017.50	141.00	-.03	.3460	37.915	.0000	.000
673.204	529.90	528.17	6092.06	264.89	.075	429.07	14655.70	6158.71	141.18	-.03	.3459	37.904	.0000	.000
686.204	529.81	528.01	6091.95	270.36	.077	429.64	14693.47	6300.10	141.36	-.03	.3459	37.893	.0000	.000
703.204	529.72	527.85	6091.83	275.81	.078	430.21	14731.05	6441.67	141.53	-.03	.3459	37.882	.0000	.000
716.204	529.63	527.68	6091.71	281.24	.080	430.78	14768.45	6583.41	141.71	-.03	.3459	37.871	.0000	.000
726.191	529.58	527.59	6091.65	284.13	.081	431.09	14788.26	6658.95	75.53	-.02	.3458	37.859	.0000	.000
741.191	529.46	527.42	6091.57	287.64	.082	433.06	14924.65	6601.21	142.22	-.03	.3459	37.853	.0000	.000
746.336	529.42	527.36	6091.54	288.85	.082	433.74	14970.98	6850.15	48.93	-.01	.3459	37.847	.0000	.000
746.346	529.42	527.43	6091.66	283.80	.081	-123.19	15235.58	6850.15	.00	-.00	.3459	37.897	.0000	.000
761.346	529.45	527.43	6091.60	286.13	.081	48.50	15111.92	6850.51	.03	-.36	.3459	37.898	.0000	.000
776.346	529.46	527.38	6091.51	290.40	.082	220.20	14987.84	6894.98	44.22	-.24	.3458	37.873	.0000	.000
791.346	529.43	527.26	6091.35	297.18	.084	391.89	14863.33	6995.83	100.72	-.12	.3458	37.843	.0000	.000
799.831	529.42	527.22	6091.31	299.12	.085	431.78	14834.34	7027.32	31.49	-.01	.3457	37.807	.0000	.000
809.831	529.31	527.04	6091.19	303.88	.086	432.75	14902.54	7169.61	142.25	-.04	.3458	37.801	.0000	.000
824.831	529.20	526.85	6091.08	308.62	.088	433.72	14970.15	7312.23	142.58	-.04	.3458	37.791	.0000	.000
839.831	529.09	526.67	6090.96	313.35	.089	434.69	15037.19	7455.17	142.90	-.04	.3458	37.780	.0000	.000
854.781	528.97	526.48	6090.85	318.06	.090	435.65	15103.43	7597.95	142.75	-.04	.3458	37.770	.0000	.000
869.781	528.85	526.29	6090.74	322.21	.091	440.03	15197.21	7742.18	144.17	-.05	.3461	37.760	.0000	.000
884.781	528.72	526.10	6090.64	326.46	.093	444.51	15287.20	7888.07	145.81	-.09	.3467	37.767	.0000	.000
899.781	528.59	525.90	6090.52	330.83	.094	448.98	15373.38	8035.73	147.55	-.12	.3474	37.773	.0000	.000
914.781	528.51	525.78	6090.45	333.60	.095	451.70	15425.19	8128.49	92.60	-.16	.3480	37.486	.0000	.000
929.781	528.48	525.78	6090.51	331.27	.094	.00	15534.35	8128.69	.00	-.20	.3479	36.717	.0000	.000
944.781	528.45	525.78	6090.55	329.69	.094	.00	15609.13	8128.88	.00	-.19	.3479	35.948	.0000	.000
959.781	528.43	525.78	6090.59	328.21	.093	.00	15680.11	8129.10	.00	-.22	.3479	35.178	.0000	.000
974.781	528.40	525.78	6090.63	326.82	.093	.00	15747.29	8129.35	.00	-.24	.3479	34.409	.0000	.000
989.781	528.39	525.78	6090.66	325.52	.092	.00	15810.67	8129.61	.00	-.27	.3479	33.640	.0000	.000
1004.781	528.36	525.78	6090.69	324.31	.092	.00	15870.25	8129.90	.00	-.29	.3479	32.871	.0000	.000
1019.781	528.35	525.78	6090.72	323.19	.092	.00	15926.03	8130.22	.00	-.31	.3479	32.101	.0000	.000
1034.781	528.33	525.78	6090.75	322.16	.091	.00	15978.01	8130.55	.00	-.33	.3479	31.332	.0000	.000
1040.791	528.32	525.78	6090.76	321.76	.091	.00	15997.77	8130.69	.00	-.14	.3479	31.024	.0000	.000
1055.791	528.33	525.78	6090.74	322.34	.091	.00	15969.84	8131.04	.00	-.35	.3479	30.483	.0000	.000
1070.791	528.34	525.78	6090.73	322.92	.092	.00	15941.80	8131.39	.00	-.35	.3479	29.942	.0000	.000
1084.171	528.35	525.78	6090.71	323.44	.092	.00	15916.69	8131.70	.00	-.31	.3479	29.459	.0000	.000
AFT(A)	523.16	499.43	6054.18	995.78	.283	.....	15823.73	8132.76	.00	-.64	.3469	29.460	....	.....
AFT(B)	523.16	523.16	6092.18	-.03	.000	.....	10413.12	.42	.00	-.42	.3466	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC.
FOREWARD	1.1676+02	5.3158+02	5.3151+02	6.0947+03	4.6302+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2162+03
AFT	1.1677+02	5.3158+02	5.3151+02	6.0947+03	4.6302+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2162+03

GAS BUILDUP IN SLOT, DW/DT = -2.4468-04

FOREWARD	4.2705+02	5.3089+02	5.3017+02	6.0937+03	1.5685+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0908+03
AFT	4.2706+02	5.3087+02	5.3015+02	6.0937+03	1.5685+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0908+03

GAS BUILDUP IN SLOT, DW/DT = -2.4299-04

FOREWARD	7.4639+02	5.2942+02	5.2736+02	6.0915+03	2.6395+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8502+03
AFT	7.4635+02	5.2949+02	5.2743+02	6.0917+03	2.6392+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8502+03

GAS BUILDUP IN SLOT, DW/DT = -2.4322-04

```
*PARTBN* TIME=101.50 IS=1 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 905.24 AINCHI= 899.78 DELZ= 5.461 ALP=451.80 ALPHI=450.23
*PARTBN* TIME=101.50 IS=2 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 904.47 AINCHI= 899.78 DELZ= 4.689 ALP=451.82 ALPHI=450.48
*PARTBN* TIME=101.50 IS=3 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 904.62 AINCHI= 899.78 DELZ= 4.840 ALP=451.82 ALPHI=450.43
*PARTBN* TIME=101.50 IS=4 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 905.45 AINCHI= 899.78 DELZ= 5.668 ALP=451.79 ALPHI=450.17
*PARTBN* TIME=101.50 IS=5 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 906.45 AINCHI= 899.78 DELZ= 6.666 ALP=451.77 ALPHI=449.85
*PARTBN* TIME=101.50 IS=6 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 906.73 AINCHI= 899.78 DELZ= 6.945 ALP=451.76 ALPHI=449.76
*PARTBN* TIME=101.50 IS=7 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 906.67 AINCHI= 899.78 DELZ= 6.891 ALP=451.76 ALPHI=449.78
*PARTBN* TIME=101.50 IS=8 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 906.34 AINCHI= 899.78 DELZ= 6.559 ALP=451.77 ALPHI=449.88
*PARTBN* TIME=101.50 IS=1 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 905.24 AINCHI= 899.78 DELZ= 5.461 ALP=451.80 ALPHI=450.23
*PARTBN* TIME=101.50 IS=2 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 904.47 AINCHI= 899.78 DELZ= 4.689 ALP=451.82 ALPHI=450.48
*PARTBN* TIME=101.50 IS=3 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 904.62 AINCHI= 899.78 DELZ= 4.840 ALP=451.82 ALPHI=450.43
*PARTBN* TIME=101.50 IS=4 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 905.45 AINCHI= 899.78 DELZ= 5.668 ALP=451.79 ALPHI=450.17
*PARTBN* TIME=101.50 IS=5 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 906.45 AINCHI= 899.78 DELZ= 6.666 ALP=451.77 ALPHI=449.85
*PARTBN* TIME=101.50 IS=6 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 906.73 AINCHI= 899.78 DELZ= 6.945 ALP=451.76 ALPHI=449.76
*PARTBN* TIME=101.50 IS=7 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 906.67 AINCHI= 899.78 DELZ= 6.891 ALP=451.76 ALPHI=449.78
*PARTBN* TIME=101.50 IS=8 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 906.34 AINCHI= 899.78 DELZ= 6.559 ALP=451.77 ALPHI=449.88
*PARTBN* TIME=102.00 IS=1 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 901.88 AINCHI= 899.78 DELZ= 2.103 ALP=451.89 ALPHI=451.32
*PARTBN* TIME=102.00 IS=2 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 901.11 AINCHI= 899.78 DELZ= 1.325 ALP=451.91 ALPHI=451.58
*PARTBN* TIME=102.00 IS=3 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 901.26 AINCHI= 899.78 DELZ= 1.476 ALP=451.91 ALPHI=451.53
*PARTBN* TIME=102.00 IS=4 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 902.09 AINCHI= 899.78 DELZ= 2.312 ALP=451.88 ALPHI=451.26
*PARTBN* TIME=102.00 IS=5 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 903.10 AINCHI= 899.78 DELZ= 3.316 ALP=451.86 ALPHI=450.93
*PARTBN* TIME=102.00 IS=6 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 903.38 AINCHI= 899.78 DELZ= 3.596 ALP=451.85 ALPHI=450.84
*PARTBN* TIME=102.00 IS=7 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 903.32 AINCHI= 899.78 DELZ= 3.541 ALP=451.85 ALPHI=450.86
*PARTBN* TIME=102.00 IS=8 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 902.99 AINCHI= 899.78 DELZ= 3.208 ALP=451.86 ALPHI=450.97
*PARTBN* TIME=102.00 IS=1 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 901.88 AINCHI= 899.78 DELZ= 2.103 ALP=451.89 ALPHI=451.32
*PARTBN* TIME=102.00 IS=2 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 901.11 AINCHI= 899.78 DELZ= 1.325 ALP=451.91 ALPHI=451.58
*PARTBN* TIME=102.00 IS=3 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 901.26 AINCHI= 899.78 DELZ= 1.476 ALP=451.91 ALPHI=451.53
*PARTBN* TIME=102.00 IS=4 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 902.09 AINCHI= 899.78 DELZ= 2.312 ALP=451.88 ALPHI=451.26
*PARTBN* TIME=102.00 IS=5 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 903.10 AINCHI= 899.78 DELZ= 3.316 ALP=451.86 ALPHI=450.93
*PARTBN* TIME=102.00 IS=6 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 903.38 AINCHI= 899.78 DELZ= 3.596 ALP=451.85 ALPHI=450.84
*PARTBN* TIME=102.00 IS=7 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 903.32 AINCHI= 899.78 DELZ= 3.541 ALP=451.85 ALPHI=450.86
```

PARTBN TIME=102.00 IS=8 ZCALC(69)= 914.78 ZCALC(68)= 899.78 AINCW= 902.99 AINCHI= 899.78 DELZ= 3.208 ALP=451.86 ALPHI=450.97

IGNITION TIME, TIME (S) 102.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	9223631.0	2073554.7
TOTAL VACUUM THRUST (N,LBF)	FTVAC	9241379.9	2077544.9
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	64605.444	14523.882
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.11288764+10	.25378151+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	255.95522	255.95522
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.11787396+10	.26499119+09
THRUST COEFFICIENT	CF	1.6273679	1.6273679
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3647.0586	8040.3879
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	464644.13	1023042.2
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	34.673273	76.441483
INERT MASS REMAINING (KG,LBM)	MIR	440.44714	971.01974
TOTAL BURN AREA (M**2,IN**2)	ABTOT	234.87630	364058.99
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	25.807171	1574850.2
PROPELLANT MASS REMAINING (KG,LBM)	WF	41535.708	91570.562
TOTAL GAS MASS (KG,LBM)	WGTOT	1205.4484	2657.5587
RATIO OF SPECIFIC HEATS	GAMA	1.1596490	1.1596490
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.828841	28.282754
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1558.0324	5111.6550
MAXIMUM CHAMBER MACH NUMBER	AMPN	.94289290-01	.94289290-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.36214419+09	525.24575
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.49181768+11	71332.124
BURN AREA (M**2,IN**2)	AHH	3.5542917	5509.1632
BURN RATE (M/S,IN/S)	RBZ(1)	.87732201-02	.34540237
DISTANCE BURNED (M,IN)	TAUZ(1)	.98210180	38.665425
PROPELLANT VOLUME (M**3,IN**3)	VFH	.49706671	30332.872
GAS VOLUME (M**3,IN**3)	VPH	54.606765	3332309.3
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3384.9028	6092.8250
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	231.32201	358549.63
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	25.308139	1544397.4
GAS VOLUME (M**3,IN**3)	VP	261.85090	15979122.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.35638387+09	516.89111
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.46832489+11	67924.783
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.87747182-02	.34546135
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.87670352-02	.34515887
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74826400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3383.4638	6090.2349
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5934301	2469.8217
EXPANSION RATIO	EPR	6.7455200	6.7455200
PRESSURE RATIO	PEPO	.23380231-01	.23380231-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO. IN.
FORE	525.25	525.24	6092.82	5.59	.002	423.32	14255.75	125.84	120.66	-5.18	.3452	38.665	.0000	.000
15.000	525.24	525.24	6092.82	11.77	.003	423.58	14274.12	265.02	139.12	-.06	.3452	38.622	.0000	.000
30.000	525.24	525.23	6092.81	17.93	.005	423.84	14292.45	404.28	139.20	-.06	.3452	38.617	.0000	.000
45.000	525.24	525.22	6092.80	24.09	.007	424.10	14310.74	543.63	139.29	-.06	.3452	38.613	.0000	.000
60.000	525.23	525.21	6092.79	30.23	.009	424.36	14329.00	683.06	139.37	-.06	.3452	38.608	.0000	.000
75.000	525.22	525.19	6092.77	36.35	.010	424.62	14347.22	822.58	139.46	-.06	.3452	38.603	.0000	.000
90.000	525.21	525.17	6092.76	42.47	.012	424.89	14365.41	962.18	139.54	-.06	.3452	38.598	.0000	.000
105.000	525.20	525.14	6092.73	48.58	.014	425.15	14383.56	1101.87	139.62	-.06	.3452	38.593	.0000	.000
116.761	525.19	525.12	6092.71	53.36	.015	425.35	14397.77	1211.45	109.53	-.05	.3452	38.587	.0000	.000
116.771	525.19	525.11	6092.70	55.74	.016	152.09	13781.93	1211.45	.00	-.00	.3452	38.588	.0000	.000
131.771	525.18	525.09	6092.70	57.90	.016	302.62	14090.24	1286.31	74.68	-.18	.3452	38.588	.0000	.000
143.919	525.16	525.07	6092.68	61.17	.017	424.53	14340.31	1383.12	96.73	-.08	.3452	38.581	.0000	.000
156.919	525.14	525.03	6092.65	67.09	.019	425.45	14396.02	1522.79	139.61	-.06	.3451	38.575	.0000	.000
173.919	525.12	524.99	6092.62	72.98	.021	426.38	14451.46	1662.76	139.91	-.06	.3451	38.569	.0000	.000
188.919	525.10	524.95	6092.58	78.84	.022	427.31	14506.64	1803.03	140.21	-.06	.3451	38.563	.0000	.000
203.919	525.08	524.90	6092.55	84.68	.024	428.23	14561.56	1943.60	140.51	-.06	.3451	38.557	.0000	.000
218.919	525.05	524.85	6092.51	90.48	.026	429.16	14616.21	2084.48	140.81	-.06	.3451	38.550	.0000	.000
233.919	525.02	524.80	6092.46	96.26	.027	430.08	14670.59	2225.66	141.12	-.06	.3451	38.544	.0000	.000
248.919	524.99	524.74	6092.42	102.02	.029	431.01	14724.71	2367.15	141.42	-.07	.3451	38.537	.0000	.000
263.919	524.96	524.68	6092.37	107.75	.031	431.93	14778.56	2508.93	141.72	-.07	.3451	38.531	.0000	.000
278.919	524.93	524.61	6092.32	113.45	.032	432.86	14832.14	2651.02	142.02	-.07	.3451	38.524	.0000	.000
293.919	524.89	524.54	6092.27	119.13	.034	433.78	14885.46	2793.42	142.32	-.07	.3451	38.517	.0000	.000
308.919	524.85	524.47	6092.22	124.79	.035	434.71	14938.51	2936.11	142.63	-.07	.3451	38.510	.0000	.000
323.919	524.82	524.40	6092.16	130.42	.037	435.63	14991.30	3079.10	142.93	-.07	.3451	38.503	.0000	.000
338.919	524.77	524.32	6092.10	136.03	.039	436.56	15043.82	3222.40	143.23	-.07	.3451	38.496	.0000	.000
353.919	524.73	524.24	6092.04	141.62	.040	437.48	15096.08	3366.01	143.54	-.07	.3451	38.489	.0000	.000
368.919	524.69	524.16	6091.98	147.19	.042	438.41	15148.06	3509.93	143.85	-.07	.3451	38.481	.0000	.000
383.919	524.64	524.07	6091.91	152.74	.043	439.33	15199.79	3654.16	144.16	-.07	.3451	38.474	.0000	.000
398.919	524.59	523.98	6091.85	158.28	.045	440.26	15251.25	3798.70	144.46	-.07	.3451	38.466	.0000	.000
403.048	524.58	523.95	6091.83	159.80	.045	440.51	15265.36	3838.54	39.82	-.02	.3451	38.458	.0000	.000
418.048	524.53	523.86	6091.75	166.05	.047	438.65	15245.42	3983.01	144.41	-.07	.3452	38.456	.0000	.000
427.061	524.51	523.80	6091.70	169.81	.048	437.53	15233.62	4069.45	86.39	-.04	.3452	38.450	.0000	.000
427.061	524.51	523.76	6091.64	174.12	.049	-250.58	14857.48	4069.45	.00	-.00	.3452	38.475	.0000	.000
442.061	524.53	523.76	6091.60	177.03	.050	29.07	14614.15	4069.89	.00	-.44	.3449	38.476	.0000	.000
457.061	524.54	523.72	6091.52	182.64	.052	308.72	14360.40	4125.56	55.43	-.24	.3448	38.448	.0000	.000
463.204	524.53	523.68	6091.47	186.22	.053	423.24	14253.47	4174.80	49.19	-.04	.3448	38.407	.0000	.000
478.204	524.47	523.57	6091.38	191.91	.054	423.81	14294.06	4313.86	139.06	-.06	.3448	38.386	.0000	.000
493.204	524.41	523.45	6091.30	197.59	.056	424.39	14334.45	4453.10	139.18	-.06	.3448	38.376	.0000	.000
508.204	524.34	523.33	6091.21	203.25	.058	424.96	14374.65	4592.52	139.36	-.06	.3448	38.366	.0000	.000
523.204	524.28	523.21	6091.12	208.89	.059	425.53	14414.67	4732.11	139.53	-.06	.3447	38.356	.0000	.000
538.204	524.21	523.08	6091.02	214.52	.061	426.10	14454.49	4871.88	139.71	-.06	.3447	38.346	.0000	.000
553.204	524.14	522.95	6090.93	220.13	.062	426.67	14494.13	5011.83	139.89	-.06	.3447	38.335	.0000	.000
568.204	524.07	522.82	6090.83	225.72	.064	427.24	14533.56	5151.96	140.06	-.06	.3447	38.325	.0000	.000
583.204	523.99	522.69	6090.73	231.30	.066	427.81	14572.84	5292.27	140.24	-.07	.3447	38.314	.0000	.000
598.204	523.92	522.55	6090.63	236.86	.067	428.38	14611.91	5432.75	140.42	-.07	.3446	38.304	.0000	.000
613.204	523.84	522.40	6090.53	242.41	.069	428.95	14650.79	5573.42	140.60	-.07	.3446	38.293	.0000	.000

628.204	523.76	522.26	6090.42	247.95	.070	429.53	14689.48	5714.26	140.78	-.07	.3446	38.282	.0000	.000
643.204	523.68	522.11	6090.31	253.47	.072	430.10	14727.98	5855.28	140.95	-.07	.3446	38.271	.0000	.000
658.204	523.59	521.96	6090.20	258.98	.073	430.67	14766.30	5996.48	141.13	-.07	.3445	38.260	.0000	.000
673.204	523.51	521.80	6090.09	264.48	.075	431.24	14804.42	6137.85	141.31	-.07	.3445	36.249	.0000	.000
688.204	523.42	521.64	6089.97	269.96	.077	431.81	14842.36	6279.40	141.48	-.07	.3445	38.238	.0000	.000
703.204	523.33	521.48	6089.86	275.44	.078	432.38	14880.11	6421.14	141.66	-.07	.3445	38.227	.0000	.000
718.204	523.24	521.32	6089.74	280.90	.080	432.95	14917.67	6563.06	141.85	-.07	.3445	38.216	.0000	.000
726.191	523.19	521.23	6089.67	283.80	.081	433.26	14937.59	6638.70	75.60	-.04	.3444	38.205	.0000	.000
741.191	523.07	521.06	6089.59	287.35	.082	435.23	15074.66	6781.14	142.37	-.07	.3445	38.199	.0000	.000
746.336	523.03	521.00	6089.57	288.56	.082	435.91	15121.23	6830.15	48.99	-.03	.3445	38.193	.0000	.000
746.346	523.03	521.02	6089.60	287.29	.082	-155.44	15187.76	6830.15	.00	-.00	.3445	38.243	.0000	.000
761.346	523.05	521.02	6089.57	288.50	.082	26.90	15124.90	6830.56	.00	-.41	.3445	38.243	.0000	.000
776.346	523.04	520.97	6089.50	291.38	.083	209.24	15061.84	6869.55	38.71	-.29	.3445	38.218	.0000	.000
791.346	523.00	520.85	6089.38	296.88	.084	391.59	14998.58	6968.20	98.48	-.16	.3444	38.188	.0000	.000
794.831	522.99	520.82	6089.34	298.53	.085	433.95	14983.86	6999.65	31.43	-.02	.3444	38.152	.0000	.000
809.831	522.88	520.64	6089.22	303.32	.086	434.92	15052.41	7142.12	142.40	-.07	.3444	38.146	.0000	.000
824.831	522.77	520.46	6089.11	308.09	.087	435.89	15120.37	7284.92	142.72	-.08	.3444	38.136	.0000	.000
839.831	522.66	520.28	6088.99	312.86	.089	436.86	15187.74	7428.05	143.05	-.08	.3444	38.126	.0000	.000
854.781	522.55	520.09	6088.88	317.59	.090	437.82	15254.31	7571.02	142.89	-.08	.3445	38.115	.0000	.000
869.781	522.43	519.90	6088.77	322.09	.091	442.20	15333.30	7715.45	144.34	-.09	.3449	38.106	.0000	.000
884.781	522.31	519.71	6088.65	326.70	.093	446.68	15408.95	7861.59	146.01	-.12	.3455	38.113	.0000	.000
899.781	522.19	519.51	6088.53	331.41	.094	451.16	15481.25	8009.55	147.81	-.15	.3464	38.121	.0000	.000
914.781	522.16	519.48	6088.51	332.25	.094	451.88	15493.64	8035.62	25.85	-.22	.3465	37.486	.0000	.000
929.781	522.12	519.48	6088.57	329.66	.094	.00	15615.85	8035.85	.00	-.23	.3465	36.717	.0000	.000
944.781	522.10	519.48	6088.61	328.36	.093	.00	15678.14	8036.08	.00	-.23	.3465	35.948	.0000	.000
959.781	522.08	519.48	6088.64	327.14	.093	.00	15737.10	8036.33	.00	-.26	.3465	35.178	.0000	.000
974.781	522.06	519.48	6088.67	326.00	.093	.00	15792.71	8036.61	.00	-.28	.3465	34.409	.0000	.000
989.781	522.05	519.48	6088.69	324.94	.092	.00	15844.98	8036.92	.00	-.30	.3465	33.640	.0000	.000
1004.781	522.03	519.48	6088.72	323.95	.092	.00	15893.92	8037.24	.00	-.33	.3465	32.871	.0000	.000
1019.781	522.02	519.48	6088.74	323.04	.092	.00	15939.52	8037.59	.00	-.35	.3465	32.101	.0000	.000
1034.781	522.00	519.48	6088.76	322.20	.091	.00	15981.77	8037.96	.00	-.37	.3465	31.332	.0000	.000
1040.791	522.00	519.48	6088.77	321.89	.091	.00	15997.77	8038.11	.00	-.15	.3465	31.024	.0000	.000
1055.791	522.01	519.48	6088.76	322.47	.092	.00	15969.84	8038.50	.00	-.39	.3465	30.483	.0000	.000
1070.791	522.02	519.48	6088.74	323.05	.092	.00	15941.80	8038.88	.00	-.38	.3465	29.942	.0000	.000
1084.171	522.02	519.48	6088.73	323.57	.092	.00	15916.89	8039.22	.00	-.34	.3465	29.459	.0000	.000
AFT(A)	516.89	493.42	6052.20	996.18	.284	.....	15823.73	8040.39	.00	-.71	.3455	29.460	....	.....
AFT(D)	516.89	516.89	6090.23	-.03	.000	.....	10413.12	.46	.00	-.46	.3452	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FORWARD	1.1676+02	5.2519+02	5.2512+02	6.0927+03	4.6674+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2115+03
AFT	1.1677+02	5.2518+02	5.2511+02	6.0927+03	4.6674+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2115+03

GAS BUILDUP IN SLOT, DW/DT = -2.6824-04

FORWARD	4.2705+02	5.2451+02	5.2380+02	6.0917+03	1.5789+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0694+03
AFT	4.2706+02	5.2447+02	5.2376+02	6.0916+03	1.5790+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0694+03

GAS BUILDUP IN SLOT, DW/DT = -2.6649-04

FORWARD	7.4634+02	5.2303+02	5.2100+02	6.0896+03	2.6634+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8301+03
AFT	7.4635+02	5.2305+02	5.2102+02	6.0896+03	2.6633+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8301+03

GAS BUILDUP IN SLOT, DW/DT = -2.6684-04

```
WEB BURNOUT INCREMENT LOCATION =  899.7810    SECTOR NO.  1    TAU = 38.2553    TAUWDP = 38.2553    TIME = 102.00
WEB BURNOUT INCREMENT LOCATION =  899.7810    SECTOR NO.  2    TAU = 38.2553    TAUWDP = 38.2553    TIME = 102.00
WEB BURNOUT INCREMENT LOCATION =  899.7810    SECTOR NO.  3    TAU = 38.2553    TAUWDP = 38.2553    TIME = 102.00
WEB BURNOUT INCREMENT LOCATION =  899.7810    SECTOR NO.  4    TAU = 38.2553    TAUWDP = 38.2553    TIME = 102.00
WEB BURNOUT INCREMENT LOCATION =  899.7810    SECTOR NO.  5    TAU = 38.2553    TAUWDP = 38.2553    TIME = 102.00
WEB BURNOUT INCREMENT LOCATION =  899.7810    SECTOR NO.  8    TAU = 38.2553    TAUWDP = 38.2553    TIME = 102.00
*PARTBN* TIME=102.50 IS=1 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 898.54 AINCHI= 884.78 DELZ=13.763 ALP=451.98 ALPHI=447.92
*PARTBN* TIME=102.50 IS=2 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 897.76 AINCHI= 884.78 DELZ=12.984 ALP=452.00 ALPHI=448.16
*PARTBN* TIME=102.50 IS=3 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 897.92 AINCHI= 884.78 DELZ=13.134 ALP=451.99 ALPHI=448.12
*PARTBN* TIME=102.50 IS=4 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 898.75 AINCHI= 884.78 DELZ=13.972 ALP=451.97 ALPHI=447.86
*PARTBN* TIME=102.50 IS=5 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 899.76 AINCHI= 884.78 DELZ=14.975 ALP=451.95 ALPHI=447.55
*PARTBN* TIME=102.50 IS=8 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 899.65 AINCHI= 884.78 DELZ=14.867 ALP=451.95 ALPHI=447.58
*PARTBN* TIME=102.50 IS=6 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 900.03 AINCHI= 899.78 DELZ=  .253 ALP=451.94 ALPHI=451.93
*PARTBN* TIME=102.50 IS=7 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 899.98 AINCHI= 899.78 DELZ=  .198 ALP=451.94 ALPHI=451.94
*PARTBN* TIME=102.50 IS=1 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 898.54 AINCHI= 884.78 DELZ=13.763 ALP=451.98 ALPHI=447.92
*PARTBN* TIME=102.50 IS=2 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 897.76 AINCHI= 884.78 DELZ=12.984 ALP=452.00 ALPHI=448.16
*PARTBN* TIME=102.50 IS=3 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 897.92 AINCHI= 884.78 DELZ=13.134 ALP=451.99 ALPHI=448.12
*PARTBN* TIME=102.50 IS=4 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 898.75 AINCHI= 884.78 DELZ=13.972 ALP=451.97 ALPHI=447.86
*PARTBN* TIME=102.50 IS=5 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 899.76 AINCHI= 884.78 DELZ=14.975 ALP=451.95 ALPHI=447.55
*PARTBN* TIME=102.50 IS=8 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 899.65 AINCHI= 884.78 DELZ=14.867 ALP=451.95 ALPHI=447.58
*PARTBN* TIME=102.50 IS=6 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 900.03 AINCHI= 899.78 DELZ=  .253 ALP=451.94 ALPHI=451.93
*PARTBN* TIME=102.50 IS=7 ZCALC( 69)= 914.78 ZCALC( 68)= 899.78 AINCW= 899.98 AINCHI= 899.78 DELZ=  .198 ALP=451.94 ALPHI=451.94
WEB BURNOUT INCREMENT LOCATION =  899.7810    SECTOR NO.  6    TAU = 38.2553    TAUWDP = 38.2553    TIME = 102.50
WEB BURNOUT INCREMENT LOCATION =  899.7810    SECTOR NO.  7    TAU = 38.2553    TAUWDP = 38.2553    TIME = 102.50
*PARTBN* TIME=103.00 IS=1 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 895.21 AINCHI= 884.78 DELZ=10.431 ALP=452.07 ALPHI=449.01
*PARTBN* TIME=103.00 IS=2 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 894.43 AINCHI= 884.78 DELZ= 9.649 ALP=452.09 ALPHI=449.25
*PARTBN* TIME=103.00 IS=3 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 894.58 AINCHI= 884.78 DELZ= 9.801 ALP=452.08 ALPHI=449.21
*PARTBN* TIME=103.00 IS=4 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 895.42 AINCHI= 884.78 DELZ=10.641 ALP=452.06 ALPHI=448.95
*PARTBN* TIME=103.00 IS=5 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 896.43 AINCHI= 884.78 DELZ=11.646 ALP=452.03 ALPHI=448.63
*PARTBN* TIME=103.00 IS=6 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 896.71 AINCHI= 884.78 DELZ=11.926 ALP=452.03 ALPHI=448.54
*PARTBN* TIME=103.00 IS=7 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 896.65 AINCHI= 884.78 DELZ=11.871 ALP=452.03 ALPHI=448.56
```

```
*PARTBN* TIME=103.00 IS=8 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 896.32 AINCHI= 884.78 DELZ=11.538 ALP=452.04 ALPHI=448.66
*PARTBN* TIME=103.00 IS=1 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 895.21 AINCHI= 884.78 DELZ=10.431 ALP=452.07 ALPHI=449.01
*PARTBN* TIME=103.00 IS=2 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 894.43 AINCHI= 884.78 DELZ= 9.649 ALP=452.09 ALPHI=449.25
*PARTBN* TIME=103.00 IS=3 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 894.58 AINCHI= 884.78 DELZ= 9.801 ALP=452.08 ALPHI=449.21
*PARTBN* TIME=103.00 IS=4 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 895.42 AINCHI= 884.78 DELZ=10.641 ALP=452.06 ALPHI=448.95
*PARTBN* TIME=103.00 IS=5 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 896.43 AINCHI= 884.78 DELZ=11.646 ALP=452.03 ALPHI=448.63
*PARTBN* TIME=103.00 IS=6 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 896.71 AINCHI= 884.78 DELZ=11.926 ALP=452.03 ALPHI=448.54
*PARTBN* TIME=103.00 IS=7 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 896.65 AINCHI= 884.78 DELZ=11.871 ALP=452.03 ALPHI=448.56
*PARTBN* TIME=103.00 IS=8 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 896.32 AINCHI= 884.78 DELZ=11.538 ALP=452.04 ALPHI=448.66
```

IGNITION TIME, TIME (S) 103.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	9114074.6	2048925.5
TOTAL VACUUM THRUST (N,LBF)	FTVAC	9130396.9	2052594.9
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	65015.438	14616.052
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRNDTI	.11380452+10	.25584274+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	255.90170	255.90170
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRNVTI	.11879254+10	.26705626+09
THRUST COEFFICIENT	CF	1.6275143	1.6275143
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3603.3640	7944.1019
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	467669.35	1031034.4
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	34.893314	76.926590
INERT MASS REMAINING (KG,LBM)	MIR	405.60802	894.21262
TOTAL BURN AREA (M**2,IN**2)	ABTOT	232.61007	360546.34
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	23.757304	1449759.7
PROPELLANT MASS REMAINING (KG,LBM)	WF	37917.841	83594.531
TOTAL GAS MASS (KG,LBM)	WGTOT	1205.7314	2658.1827
RATIO OF SPECIFIC HEATS	GAMA	1.1596427	1.1596427
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.827267	28.279284
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1557.9147	5111.2688
MAXIMUM CHAMBER MACH NUMBER	AMPN	.93845616-01	.93845616-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.35758675+09	518.63573
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.49541631+11	71854.062
BURN AREA (M**2,IN**2)	AHH	3.3806960	5240.0894
BURN RATE (M/S,IN/S)	RBZ(1)	.87341253-02	.34386320
DISTANCE BURNED (M,IN)	TAUZ(1)	.99086524	39.010443
PROPELLANT VOLUME (M**3,IN**3)	VFH	.46672214	28481.132
GAS VOLUME (M**3,IN**3)	VPH	54.637110	3334161.0
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3383.7644	6090.7759
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	229.22938	355306.25
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	23.208616	1421158.6
GAS VOLUME (M**3,IN**3)	VP	266.08579	16237551.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.35190843+09	510.40003
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.47186633+11	68438.426
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.87360019-02	.34393708
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.87283452-02	.34363564
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501900	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3382.3460	6088.2227
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5941720	2470.9715
EXPANSION RATIO	EPR	6.7423812	6.7423812
PRESSURE RATIO	PEPO	.23394895-01	.23394895-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO. IN.
FORE	518.64	518.63	6090.78	5.32	.002	425.47	14402.09	119.53	114.26	-5.27	.3437	39.010	.0000	.000
15.000	518.63	518.63	6090.77	11.52	.003	425.73	14420.54	258.81	139.20	-.07	.3437	38.967	.0000	.000
30.000	518.63	518.62	6090.76	17.70	.005	426.00	14438.96	398.17	139.29	-.07	.3437	38.962	.0000	.000
45.000	518.63	518.61	6090.75	23.87	.007	426.26	14457.35	537.62	139.38	-.07	.3437	38.958	.0000	.000
60.000	518.62	518.60	6090.74	30.03	.009	426.52	14475.69	677.15	139.46	-.07	.3437	38.953	.0000	.000
75.000	518.61	518.58	6090.73	36.18	.010	426.79	14494.01	816.77	139.55	-.07	.3436	38.948	.0000	.000
90.000	518.60	518.56	6090.71	42.32	.012	427.05	14512.28	956.47	139.63	-.07	.3436	38.943	.0000	.000
105.000	518.59	518.53	6090.69	48.44	.014	427.31	14530.52	1096.27	139.72	-.07	.3436	38.938	.0000	.000
116.761	518.58	518.51	6090.67	53.24	.015	427.52	14544.79	1205.93	109.61	-.06	.3436	38.932	.0000	.000
116.771	518.58	518.50	6090.65	56.02	.016	86.09	13822.99	1205.93	.00	-.00	.3436	38.933	.0000	.000
131.771	518.57	518.49	6090.65	57.25	.016	274.28	14189.65	1265.08	58.93	-.22	.3436	38.933	.0000	.000
143.919	518.55	518.47	6090.64	60.20	.017	426.68	14487.04	1358.00	92.83	-.10	.3436	38.926	.0000	.000
158.919	518.54	518.43	6090.61	66.14	.019	427.61	14543.10	1497.77	139.70	-.07	.3436	38.920	.0000	.000
173.919	518.52	518.39	6090.57	72.05	.020	428.54	14598.89	1637.85	140.09	-.07	.3436	38.914	.0000	.000
188.919	518.49	518.35	6090.54	77.94	.022	429.46	14654.41	1778.23	140.30	-.07	.3436	38.908	.0000	.000
203.919	518.47	518.30	6090.50	83.80	.024	430.39	14709.67	1918.91	140.61	-.08	.3436	38.901	.0000	.000
218.919	518.45	518.25	6090.46	89.63	.025	431.31	14764.65	2059.90	140.91	-.08	.3436	38.895	.0000	.000
233.919	518.42	518.20	6090.42	95.43	.027	432.24	14819.36	2201.19	141.21	-.08	.3436	38.889	.0000	.000
248.919	518.39	518.14	6090.38	101.21	.029	433.17	14873.80	2342.78	141.51	-.08	.3436	38.882	.0000	.000
263.919	518.36	518.08	6090.33	106.96	.030	434.09	14927.98	2484.67	141.81	-.08	.3436	38.875	.0000	.000
278.919	518.32	518.02	6090.28	112.69	.032	435.02	14981.88	2626.86	142.12	-.08	.3436	38.869	.0000	.000
293.919	518.29	517.95	6090.23	118.39	.034	435.94	15035.52	2769.36	142.42	-.08	.3436	38.862	.0000	.000
308.919	518.25	517.88	6090.17	124.07	.035	436.87	15088.88	2912.17	142.73	-.08	.3436	38.855	.0000	.000
323.919	518.21	517.81	6090.12	129.73	.037	437.79	15141.98	3055.29	143.04	-.08	.3437	38.848	.0000	.000
338.919	518.17	517.73	6090.06	135.36	.038	438.72	15194.80	3198.72	143.35	-.08	.3437	38.841	.0000	.000
353.919	518.13	517.65	6090.00	140.98	.040	439.65	15247.36	3342.46	143.66	-.08	.3437	38.833	.0000	.000
368.919	518.09	517.57	6089.94	146.57	.042	440.57	15299.65	3486.51	143.96	-.08	.3437	38.826	.0000	.000
383.919	518.04	517.48	6089.87	152.15	.043	441.50	15351.67	3630.86	144.27	-.08	.3437	38.818	.0000	.000
398.919	517.99	517.39	6089.80	157.71	.045	442.42	15403.41	3775.53	144.58	-.08	.3437	38.811	.0000	.000
403.048	517.98	517.37	6089.78	159.23	.045	442.68	15417.61	3815.40	39.85	-.02	.3437	38.803	.0000	.000
418.048	517.94	517.28	6089.70	165.51	.047	440.81	15397.06	3960.01	144.53	-.09	.3438	38.801	.0000	.000
427.061	517.91	517.22	6089.66	169.28	.048	439.69	15384.89	4046.54	86.48	-.05	.3439	38.795	.0000	.000
427.061	517.91	517.16	6089.56	176.37	.050	-266.30	14768.34	4046.54	.00	-.00	.3439	38.820	.0000	.000
442.061	517.92	517.16	6089.53	178.18	.051	20.76	14619.53	4046.99	.00	-.45	.3435	38.820	.0000	.000
457.061	517.92	517.12	6089.47	182.50	.052	307.83	14464.74	4100.93	53.69	-.25	.3433	38.792	.0000	.000
463.204	517.91	517.08	6089.43	185.53	.053	425.40	14399.63	4150.04	49.06	-.05	.3433	38.751	.0000	.000
478.204	517.85	516.97	6089.35	191.25	.054	425.97	14440.43	4289.19	139.08	-.07	.3433	38.731	.0000	.000
493.204	517.79	516.85	6089.26	196.95	.056	426.54	14481.03	4428.53	139.27	-.07	.3433	38.721	.0000	.000
508.204	517.72	516.73	6089.17	202.64	.058	427.11	14521.44	4568.05	139.44	-.07	.3433	38.711	.0000	.000
523.204	517.66	516.61	6089.08	208.30	.059	427.68	14561.65	4707.75	139.62	-.07	.3432	38.700	.0000	.000
538.204	517.59	516.49	6088.99	213.95	.061	428.25	14601.68	4847.63	139.80	-.08	.3432	38.690	.0000	.000
553.204	517.52	516.36	6088.89	219.59	.062	428.83	14641.51	4987.69	139.98	-.08	.3432	38.680	.0000	.000
568.204	517.45	516.23	6088.79	225.20	.064	429.40	14681.16	5127.92	140.16	-.08	.3432	38.669	.0000	.000
583.204	517.38	516.09	6088.69	230.81	.065	429.97	14720.61	5268.34	140.34	-.08	.3432	38.659	.0000	.000
598.204	517.30	515.95	6088.59	236.39	.067	430.54	14759.86	5408.93	140.51	-.08	.3431	38.648	.0000	.000
613.204	517.23	515.81	6088.49	241.97	.069	431.11	14798.93	5549.70	140.69	-.08	.3431	38.637	.0000	.000

628.204	517.15	515.67	6088.38	247.53	.070	431.69	14837.81	5690.65	140.87	-.08	.3431	38.626	.0000	.000
643.204	517.07	515.52	6088.27	253.07	.072	432.26	14876.49	5831.77	141.05	-.08	.3431	38.615	.0000	.000
658.204	516.98	515.37	6088.16	258.61	.073	432.83	14914.98	5973.08	141.23	-.08	.3431	38.604	.0000	.000
673.204	516.90	515.22	6088.05	264.13	.075	433.40	14953.28	6114.58	141.42	-.08	.3431	38.593	.0000	.000
688.204	516.81	515.06	6087.93	269.64	.077	433.97	14991.39	6256.26	141.69	-.08	.3431	38.582	.0000	.000
703.204	516.73	514.90	6087.81	275.14	.078	434.54	15029.30	6398.13	141.78	-.08	.3430	38.571	.0000	.000
718.204	516.64	514.74	6087.70	280.63	.080	435.12	15067.03	6540.18	141.97	-.08	.3430	38.560	.0000	.000
726.191	516.59	514.65	6087.63	283.54	.080	435.42	15087.04	6615.89	75.67	-.04	.3430	38.549	.0000	.000
741.191	516.47	514.49	6087.55	287.12	.081	437.40	15224.82	6758.46	142.49	-.08	.3431	38.543	.0000	.000
746.336	516.43	514.43	6087.52	288.35	.082	438.07	15271.61	6807.51	49.03	-.03	.3431	38.537	.0000	.000
746.346	516.43	514.39	6087.46	291.11	.083	191.25	15128.10	6807.51	.00	-.00	.3431	38.587	.0000	.000
761.346	516.43	514.39	6087.46	291.09	.083	2.84	15129.74	6807.95	.00	-.43	.3431	38.587	.0000	.000
776.346	516.41	514.35	6087.43	292.49	.083	196.92	15131.41	6840.86	32.61	-.31	.3430	38.562	.0000	.000
791.346	516.35	514.23	6087.33	296.63	.084	391.01	15133.11	6937.00	95.96	-.18	.3430	38.532	.0000	.000
794.831	516.33	514.19	6087.30	297.98	.085	436.10	15133.51	6968.39	31.36	-.02	.3429	38.496	.0000	.000
809.831	516.22	514.02	6087.19	302.80	.086	437.07	15202.42	7110.98	142.51	-.09	.3430	38.491	.0000	.000
824.831	516.12	513.84	6087.07	307.61	.087	438.04	15270.73	7253.91	142.84	-.09	.3430	38.480	.0000	.000
839.831	516.01	513.66	6086.96	312.40	.089	439.02	15338.45	7397.17	143.17	-.09	.3431	38.470	.0000	.000
854.781	515.89	513.48	6086.84	317.17	.090	439.99	15405.35	7540.30	143.04	-.09	.3431	38.459	.0000	.000
869.781	515.78	513.29	6086.72	322.02	.091	444.36	15469.52	7684.90	144.50	-.11	.3436	38.450	.0000	.000
884.781	515.67	513.10	6086.59	326.97	.093	448.85	15530.82	7831.24	146.20	-.14	.3443	38.458	.0000	.000
899.781	515.58	512.96	6086.50	330.65	.094	452.05	15573.86	7939.11	107.70	-.17	.3450	38.255	.0000	.000
914.781	515.56	512.96	6086.54	329.16	.093	.00	15644.78	7939.29	.00	-.18	.3449	37.486	.0000	.000
929.781	515.54	512.96	6086.56	328.06	.093	.00	15697.45	7939.47	.00	-.18	.3449	36.717	.0000	.000
944.781	515.53	512.96	6086.59	327.04	.093	.00	15747.23	7939.71	.00	-.24	.3449	35.948	.0000	.000
959.781	515.51	512.96	6086.62	326.08	.093	.00	15794.14	7939.97	.00	-.26	.3449	35.178	.0000	.000
974.781	515.50	512.96	6086.64	325.18	.092	.00	15838.18	7940.26	.00	-.29	.3449	34.409	.0000	.000
989.781	515.48	512.96	6086.66	324.35	.092	.00	15879.34	7940.57	.00	-.31	.3449	33.640	.0000	.000
1004.781	515.47	512.96	6086.68	323.59	.092	.00	15917.62	7940.91	.00	-.33	.3449	32.871	.0000	.000
1019.781	515.46	512.96	6086.70	322.89	.092	.00	15953.02	7941.26	.00	-.35	.3449	32.101	.0000	.000
1034.781	515.45	512.96	6086.71	322.25	.091	.00	15985.54	7941.64	.00	-.37	.3449	31.332	.0000	.000
1040.791	515.45	512.96	6086.72	322.01	.091	.00	15997.77	7941.79	.00	-.16	.3449	31.024	.0000	.000
1055.791	515.46	512.96	6086.70	322.58	.092	.00	15969.84	7942.18	.00	-.39	.3449	30.483	.0000	.000
1070.791	515.47	512.96	6086.69	323.17	.092	.00	15941.80	7942.57	.00	-.39	.3449	29.942	.0000	.000
1084.171	515.47	512.96	6086.68	323.69	.092	.00	15916.69	7942.92	.00	-.35	.3449	29.459	.0000	.000
AFT(A)	510.40	487.20	6050.15	996.58	.284	.....	15823.73	7944.10	.00	-.72	.3439	29.460	....	.....
AFT(B)	510.40	510.40	6088.22	-.03	.000	.....	10413.12	.46	.00	-.46	.3436	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	5.1858+02	5.1851+02	6.0907+03	4.7043+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2059+03
AFT	1.1677+02	5.1857+02	5.1850+02	6.0907+03	4.7044+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2059+03

GAS BUILDUP IN SLOT, DW/DT = -2.7192-04

FOREWARD	4.2705+02	5.1791+02	5.1722+02	6.0897+03	1.5897+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0465+03
AFT	4.2706+02	5.1785+02	5.1716+02	6.0896+03	1.5899+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0465+03

GAS BUILDUP IN SLOT, DW/DT = -2.7026-04

FOREWARD	7.4634+02	5.1643+02	5.1443+02	6.0875+03	2.6879+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8075+03
AFT	7.4635+02	5.1639+02	5.1439+02	6.0875+03	2.6881+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.8075+03

GAS BUILDUP IN SLOT, DW/DT = -2.7066-04

```
*PARTBN* TIME=103.50 IS=1 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 891.89 AINCHI= 884.78 DELZ= 7.104 ALP=452.15 ALPHI=450.09
*PARTBN* TIME=103.50 IS=2 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 891.10 AINCHI= 884.78 DELZ= 6.320 ALP=452.18 ALPHI=450.34
*PARTBN* TIME=103.50 IS=3 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 891.25 AINCHI= 884.78 DELZ= 6.472 ALP=452.17 ALPHI=450.29
*PARTBN* TIME=103.50 IS=4 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 892.10 AINCHI= 884.78 DELZ= 7.315 ALP=452.15 ALPHI=450.03
*PARTBN* TIME=103.50 IS=5 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 893.11 AINCHI= 884.78 DELZ= 8.324 ALP=452.12 ALPHI=449.71
*PARTBN* TIME=103.50 IS=6 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 893.39 AINCHI= 884.78 DELZ= 8.607 ALP=452.11 ALPHI=449.62
*PARTBN* TIME=103.50 IS=7 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 893.33 AINCHI= 884.78 DELZ= 8.551 ALP=452.12 ALPHI=449.63
*PARTBN* TIME=103.50 IS=8 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 893.00 AINCHI= 884.78 DELZ= 8.216 ALP=452.13 ALPHI=449.74
*PARTBN* TIME=103.50 IS=1 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 891.89 AINCHI= 884.78 DELZ= 7.104 ALP=452.15 ALPHI=450.09
*PARTBN* TIME=103.50 IS=2 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 891.10 AINCHI= 884.78 DELZ= 6.320 ALP=452.18 ALPHI=450.34
*PARTBN* TIME=103.50 IS=3 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 891.25 AINCHI= 884.78 DELZ= 6.472 ALP=452.17 ALPHI=450.29
*PARTBN* TIME=103.50 IS=4 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 892.10 AINCHI= 884.78 DELZ= 7.315 ALP=452.15 ALPHI=450.03
*PARTBN* TIME=103.50 IS=5 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 893.11 AINCHI= 884.78 DELZ= 8.324 ALP=452.12 ALPHI=449.71
*PARTBN* TIME=103.50 IS=6 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 893.39 AINCHI= 884.78 DELZ= 8.607 ALP=452.11 ALPHI=449.62
*PARTBN* TIME=103.50 IS=7 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 893.33 AINCHI= 884.78 DELZ= 8.551 ALP=452.12 ALPHI=449.63
*PARTBN* TIME=103.50 IS=8 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 893.00 AINCHI= 884.78 DELZ= 8.216 ALP=452.13 ALPHI=449.74
*PARTBN* TIME=104.00 IS=1 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 888.56 AINCHI= 884.78 DELZ= 3.782 ALP=452.24 ALPHI=451.17
*PARTBN* TIME=104.00 IS=2 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 887.78 AINCHI= 884.78 DELZ= 2.994 ALP=452.26 ALPHI=451.43
*PARTBN* TIME=104.00 IS=3 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 887.93 AINCHI= 884.78 DELZ= 3.146 ALP=452.26 ALPHI=451.38
*PARTBN* TIME=104.00 IS=4 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 888.78 AINCHI= 884.78 DELZ= 3.994 ALP=452.24 ALPHI=451.11
*PARTBN* TIME=104.00 IS=5 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 889.79 AINCHI= 884.78 DELZ= 5.008 ALP=452.21 ALPHI=450.78
*PARTBN* TIME=104.00 IS=6 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 890.07 AINCHI= 884.78 DELZ= 5.294 ALP=452.20 ALPHI=450.69
*PARTBN* TIME=104.00 IS=7 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 890.02 AINCHI= 884.78 DELZ= 5.238 ALP=452.20 ALPHI=450.71
*PARTBN* TIME=104.00 IS=8 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 889.68 AINCHI= 884.78 DELZ= 4.900 ALP=452.21 ALPHI=450.82
*PARTBN* TIME=104.00 IS=1 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 888.56 AINCHI= 884.78 DELZ= 3.782 ALP=452.24 ALPHI=451.17
*PARTBN* TIME=104.00 IS=2 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 887.78 AINCHI= 884.78 DELZ= 2.994 ALP=452.26 ALPHI=451.43
*PARTBN* TIME=104.00 IS=3 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 887.93 AINCHI= 884.78 DELZ= 3.146 ALP=452.26 ALPHI=451.38
*PARTBN* TIME=104.00 IS=4 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 888.78 AINCHI= 884.78 DELZ= 3.994 ALP=452.24 ALPHI=451.11
*PARTBN* TIME=104.00 IS=5 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 889.79 AINCHI= 884.78 DELZ= 5.008 ALP=452.21 ALPHI=450.78
*PARTBN* TIME=104.00 IS=6 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 890.07 AINCHI= 884.78 DELZ= 5.294 ALP=452.20 ALPHI=450.69
*PARTBN* TIME=104.00 IS=7 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 890.02 AINCHI= 884.78 DELZ= 5.238 ALP=452.20 ALPHI=450.71
```

PARTBN TIME=104.00 IS=6 ZCALC(68)= 899.78 ZCALC(67)= 884.78 AINC#= 889.68 AINCHI= 884.78 DELZ= 4.900 ALP=452.21 ALPHI=450.82

IGNITION TIME, TIME (S) 104.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	9005151.2	2024430.5
TOTAL VACUUM THRUST (N,LBF)	FTVAC	9020047.0	2027787.2
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	65425.057	14703.642
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.11471048+10	.25787941+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	255.85227	255.85227
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.11970006+10	.26909644+09
THRUST COEFFICIENT	CF	1.6276623	1.6276623
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3559.8972	7848.2300
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	471250.97	1038930.5
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	35.102419	77.387589
INERT MASS REMAINING (KG,LBM)	MIR	370.55723	816.93886
TOTAL BURN AREA (M**2,IN**2)	ABTOT	230.34371	357033.47
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	21.567298	1316117.3
PROPELLANT MASS REMAINING (KG,LBM)	WF	34343.819	75715.161
TOTAL GAS MASS (KG,LBM)	WGTOT	1192.2354	2628.4292
RATIO OF SPECIFIC HEATS	GAMA	1.1596365	1.1596365
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.825706	28.275842
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1557.7978	5110.8853
MAXIMUM CHAMBER MACH NUMBER	AMPN	.93336130-01	.93336130-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.35306641+09	512.07954
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.49896954+11	72369.414
BURN AREA (M**2,IN**2)	AHH	3.2578727	4972.2126
BURN RATE (M/S,IN/S)	RBZ(1)	.86958662-02	.34235694
DISTANCE BURNED (M,IN)	TAUZ(1)	.99958962	39.353922
PROPELLANT VOLUME (M**3,IN**3)	VFH	.43802103	26729.683
GAS VOLUME (M**3,IN**3)	VPH	54.665811	3335912.5
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3382.6353	6088.7436
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	227.13584	352061.26
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	21.127311	1289267.6
GAS VOLUME (M**3,IN**3)	VP	266.47564	16261341.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.34746368+09	503.95346
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.47536316+11	68945.598
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.86972325-02	.34241073
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.86896026-02	.34211034
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52591800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.947463	1090300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3381.2358	6086.2244
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5949059	2472.1091
EXPANSION RATIO	EPR	6.7392784	6.7392784
PRESSURE RATIO	PEPO	.23409408-01	.23409408-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

INCREMENT DIVIDING PLANE DATA:

MASS AUDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	512.08	512.08	6088.74	5.08	.001	427.62	14548.51	113.18	107.94	-5.24	.3421	39.354	.0000	.000
15.000	512.08	512.08	6088.74	11.27	.003	427.88	14567.06	252.55	139.29	-.08	.3421	39.310	.0000	.000
30.000	512.08	512.07	6088.73	17.47	.005	428.15	14585.57	392.00	139.38	-.08	.3421	39.305	.0000	.000
45.000	512.07	512.06	6088.72	23.66	.007	428.41	14604.04	531.54	139.46	-.08	.3422	39.301	.0000	.000
60.000	512.07	512.04	6088.71	29.84	.008	428.68	14622.48	671.17	139.55	-.08	.3422	39.296	.0000	.000
75.000	512.06	512.03	6088.69	36.01	.010	428.94	14640.88	810.88	139.64	-.08	.3422	39.291	.0000	.000
90.000	512.05	512.01	6088.68	42.16	.012	429.20	14659.25	950.69	139.72	-.08	.3422	39.286	.0000	.000
105.000	512.04	511.98	6088.65	48.31	.014	429.47	14677.57	1090.57	139.81	-.08	.3422	39.281	.0000	.000
116.761	512.03	511.96	6088.63	53.12	.015	429.68	14691.92	1200.31	109.68	-.06	.3421	39.275	.0000	.000
116.771	512.02	511.95	6088.62	56.39	.016	20.37	13841.25	1200.32	.00	-.00	.3421	39.276	.0000	.000
131.771	512.01	511.94	6088.62	56.64	.016	246.05	14278.91	1243.94	43.38	-.25	.3421	39.276	.0000	.000
143.919	512.00	511.92	6088.61	59.23	.017	428.83	14633.87	1333.03	88.99	-.11	.3421	39.269	.0000	.000
158.919	511.98	511.88	6088.58	65.20	.018	429.76	14690.28	1472.90	139.79	-.08	.3421	39.263	.0000	.000
173.919	511.96	511.84	6088.55	71.14	.020	430.68	14746.42	1613.07	140.09	-.08	.3421	39.257	.0000	.000
188.919	511.94	511.80	6088.51	77.05	.022	431.61	14802.28	1753.54	140.39	-.08	.3421	39.251	.0000	.000
203.919	511.92	511.75	6088.48	82.93	.024	432.54	14857.87	1894.31	140.69	-.08	.3421	39.245	.0000	.000
218.919	511.89	511.71	6088.44	88.78	.025	433.46	14913.19	2035.39	141.00	-.08	.3421	39.238	.0000	.000
233.919	511.87	511.65	6088.39	94.61	.027	434.39	14968.23	2176.77	141.30	-.08	.3421	39.232	.0000	.000
248.919	511.84	511.60	6088.35	100.41	.028	435.32	15023.01	2318.45	141.61	-.08	.3422	39.225	.0000	.000
263.919	511.81	511.54	6088.30	106.18	.030	436.24	15077.50	2460.45	141.92	-.08	.3422	39.219	.0000	.000
278.919	511.78	511.48	6088.25	111.94	.032	437.17	15131.73	2602.76	142.22	-.08	.3422	39.212	.0000	.000
293.919	511.74	511.41	6088.20	117.66	.033	438.10	15185.68	2745.37	142.53	-.08	.3422	39.205	.0000	.000
308.919	511.71	511.34	6088.15	123.37	.035	439.02	15239.36	2888.30	142.84	-.08	.3422	39.198	.0000	.000
323.919	511.67	511.27	6088.09	129.05	.037	439.95	15292.77	3031.53	143.15	-.08	.3422	39.191	.0000	.000
338.919	511.63	511.19	6088.03	134.71	.038	440.87	15345.90	3175.07	143.46	-.09	.3423	39.184	.0000	.000
353.919	511.59	511.12	6087.97	140.35	.040	441.80	15398.76	3318.92	143.76	-.09	.3423	39.177	.0000	.000
368.919	511.54	511.03	6087.91	145.97	.041	442.73	15451.35	3463.08	144.07	-.09	.3423	39.169	.0000	.000
383.919	511.50	510.95	6087.85	151.57	.043	443.65	15503.66	3607.55	144.38	-.09	.3423	39.162	.0000	.000
398.919	511.45	510.86	6087.78	157.15	.045	444.58	15555.70	3752.33	144.70	-.09	.3423	39.154	.0000	.000
403.048	511.44	510.84	6087.76	158.69	.045	444.84	15569.98	3792.24	39.89	-.02	.3423	39.147	.0000	.000
418.048	511.39	510.74	6087.68	165.00	.047	442.97	15548.84	3937.00	144.67	-.09	.3425	39.145	.0000	.000
427.061	511.37	510.69	6087.63	168.78	.048	441.85	15536.32	4023.62	86.57	-.05	.3426	39.138	.0000	.000
427.061	511.36	510.60	6087.49	178.72	.051	-281.97	14674.16	4023.62	.00	-.00	.3425	39.164	.0000	.000
442.061	511.37	510.60	6087.49	179.38	.051	12.49	14621.92	4024.07	.00	-.45	.3421	39.163	.0000	.000
457.061	511.36	510.56	6087.44	182.39	.052	306.95	14568.26	4076.29	51.96	-.26	.3418	39.135	.0000	.000
463.204	511.34	510.52	6087.41	184.88	.052	427.54	14545.88	4125.27	48.93	-.05	.3418	39.094	.0000	.000
478.204	511.28	510.41	6087.32	190.62	.054	428.11	14586.89	4264.52	139.17	-.08	.3418	39.073	.0000	.000
493.204	511.22	510.30	6087.24	196.34	.056	428.68	14627.70	4403.95	139.35	-.08	.3418	39.063	.0000	.000
508.204	511.16	510.18	6087.15	202.05	.057	429.26	14668.31	4543.56	139.53	-.08	.3418	39.053	.0000	.000
523.204	511.09	510.06	6087.06	207.74	.059	429.83	14708.74	4683.35	139.71	-.08	.3417	39.043	.0000	.000
538.204	511.03	509.94	6086.96	213.41	.061	430.40	14748.96	4823.32	139.89	-.08	.3417	39.033	.0000	.000
553.204	510.96	509.81	6086.87	219.07	.062	430.97	14789.00	4963.46	140.07	-.08	.3417	39.023	.0000	.000
568.204	510.89	509.68	6086.77	224.71	.064	431.55	14828.83	5103.79	140.24	-.08	.3417	39.012	.0000	.000
583.204	510.82	509.55	6086.67	230.34	.065	432.12	14868.48	5244.29	140.42	-.08	.3417	39.001	.0000	.000
598.204	510.74	509.42	6086.57	235.95	.067	432.69	14907.93	5384.98	140.61	-.08	.3417	38.991	.0000	.000
613.204	510.67	509.28	6086.46	241.55	.069	433.26	14947.18	5525.85	140.79	-.08	.3417	38.980	.0000	.000

628.204	510.59	509.13	6086.35	247.14	.070	433.83	14986.24	5666.91	140.97	-.08	.3416	38.969	.0000	.000
643.204	510.51	508.99	[illegible]	252.71	.072	434.41	15025.10	5808.15	141.16	-.08	.3416	38.958	.0000	.000
658.204	510.43	508.84	[illegible]	258.27	.073	434.98	15063.77	5949.58	141.34	-.08	.3416	38.947	.0000	.000
673.204	510.34	508.69	6086.02	263.81	.075	435.55	15102.25	6091.19	141.53	-.08	.3416	38.936	.0000	.000
688.204	510.26	508.53	6085.91	269.35	.076	436.12	15140.53	6232.99	141.71	-.09	.3416	38.925	.0000	.000
703.204	510.17	508.38	6085.79	274.87	.078	436.70	15170.62	6374.96	141.89	-.09	.3416	38.914	.0000	.000
718.204	510.08	508.21	6085.67	280.39	.080	437.27	15214.51	6517.13	142.08	-.09	.3416	38.903	.0000	.000
726.191	510.04	508.13	6085.60	283.32	.080	437.57	15236.60	6592.90	75.72	-.05	.3416	38.892	.0000	.000
741.191	509.92	507.96	6085.52	286.93	.081	439.55	15375.10	6735.59	142.61	-.09	.3417	38.886	.0000	.000
746.336	509.88	507.90	6085.50	288.18	.082	440.23	15422.14	6784.70	49.08	-.03	.3418	38.879	.0000	.000
746.346	509.88	507.80	6085.33	295.22	.084	-226.91	15056.44	6784.70	.00	-.00	.3418	38.929	.0000	.000
761.346	509.86	507.80	6085.37	293.88	.083	-21.13	15126.30	6785.15	.00	-.45	.3417	38.930	.0000	.000
776.346	509.82	507.77	6085.37	293.70	.083	184.65	15196.45	6812.05	26.58	-.32	.3416	38.905	.0000	.000
791.346	509.75	507.66	6085.31	296.43	.084	390.43	15266.87	6905.72	93.48	-.19	.3416	38.875	.0000	.000
799.831	509.72	507.62	6085.28	297.48	.084	438.24	15283.27	6937.04	31.29	-.02	.3415	38.839	.0000	.000
809.831	509.62	507.45	6085.17	302.33	.086	439.22	15352.55	7079.76	142.62	-.09	.3416	38.833	.0000	.000
824.831	509.51	507.27	6085.05	307.16	.087	440.19	15421.23	7222.82	142.97	-.09	.3417	38.823	.0000	.000
839.831	509.40	507.09	6084.94	311.99	.089	441.17	15489.30	7366.23	143.31	-.09	.3417	38.812	.0000	.000
854.781	509.29	506.91	6084.82	316.79	.090	442.14	15556.54	7509.50	143.18	-.09	.3418	38.802	.0000	.000
869.781	509.19	506.73	6084.69	321.99	.091	446.52	15605.89	7654.27	144.66	-.11	.3424	38.793	.0000	.000
884.781	509.08	506.54	6084.55	327.28	.093	451.01	15652.82	7800.82	146.41	-.14	.3432	38.802	.0000	.000
899.781	509.05	506.48	6084.51	328.82	.093	452.23	15665.97	7843.21	42.20	-.18	.3434	38.255	.0000	.000
914.781	509.02	506.48	6084.55	327.29	.093	.00	15739.43	7843.41	.00	-.20	.3434	37.486	.0000	.000
929.781	509.01	506.48	6084.57	326.48	.093	.00	15779.12	7843.63	.00	-.21	.3434	36.717	.0000	.000
944.781	509.00	506.48	6084.59	325.72	.092	.00	15816.39	7843.87	.00	-.24	.3434	35.948	.0000	.000
959.781	508.99	506.48	6084.61	325.02	.092	.00	15851.25	7844.13	.00	-.26	.3434	35.178	.0000	.000
974.781	508.98	506.48	6084.63	324.37	.092	.00	15883.69	7844.42	.00	-.29	.3434	34.409	.0000	.000
989.781	508.97	506.48	6084.64	323.77	.092	.00	15913.72	7844.73	.00	-.31	.3434	33.640	.0000	.000
1004.781	508.96	506.48	6084.66	323.22	.092	.00	15941.33	7845.06	.00	-.33	.3434	32.871	.0000	.000
1019.781	508.95	506.48	6084.67	322.73	.092	.00	15966.53	7845.41	.00	-.35	.3434	32.101	.0000	.000
1034.781	508.94	506.48	6084.68	322.28	.091	.00	15989.32	7845.78	.00	-.37	.3434	31.332	.0000	.000
1040.791	508.94	506.48	6084.68	322.12	.091	.00	15997.77	7845.94	.00	-.15	.3434	31.024	.0000	.000
1055.791	508.95	506.48	6084.67	322.70	.092	.00	15969.84	7846.32	.00	-.39	.3434	30.483	.0000	.000
1070.791	508.96	506.48	6084.66	323.28	.092	.00	15941.80	7846.71	.00	-.39	.3434	29.942	.0000	.000
1084.171	508.97	506.48	6084.64	323.80	.092	.00	15916.69	7847.06	.00	-.35	.3434	29.459	.0000	.000
AFT(A)	503.95	481.03	6048.12	996.97	.284	.....	15823.73	7848.23	.00	-.71	.3424	29.460	....	.....
AFT(B)	503.95	503.95	6086.22	-.33	.000	.....	10413.12	.46	.00	-.46	.3421	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	5.1203+02	5.1196+02	6.0886+03	4.7413+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2003+03
AFT	1.1677+02	5.1202+02	5.1195+02	6.0886+03	4.7414+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.2003+03

GAS BUILDUP IN SLOT, DW/DT = -2.6943-04

FOREWARD	4.2705+02	5.1137+02	5.1069+02	6.0876+03	1.6006+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0236+03
AFT	4.2706+02	5.1128+02	5.1060+02	6.0875+03	1.6008+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0236+03

GAS BUILDUP IN SLOT, DW/DT = -2.6778-04

FOREWARD	7.4634+02	5.0988+02	5.0790+02	6.0855+03	2.7127+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7847+03
AFT	7.4635+02	5.0978+02	5.0780+02	6.0853+03	2.7132+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7847+03

GAS BUILDUP IN SLOT, DW/DT = -2.6836-04

```
WEB BURNOUT INCREMENT LOCATION =   884.7810     SECTOR NO.   2     TAU = 39.0245     TAUWDP = 39.0245     TIME = 104.00
WEB BURNOUT INCREMENT LOCATION =   884.7810     SECTOR NO.   3     TAU = 39.0245     TAUWDP = 39.0245     TIME = 104.00
*PARTBN* TIME=104.50 IS=2 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 884.47 AINCHI= 869.78 DELZ=14.687 ALP=452.35 ALPHI=448.00
*PARTBN* TIME=104.50 IS=3 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 884.62 AINCHI= 869.78 DELZ=14.839 ALP=452.35 ALPHI=447.95
*PARTBN* TIME=104.50 IS=1 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 885.25 AINCHI= 884.78 DELZ=  .465 ALP=452.33 ALPHI=452.25
*PARTBN* TIME=104.50 IS=4 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 885.46 AINCHI= 884.78 DELZ=  .678 ALP=452.33 ALPHI=452.18
*PARTBN* TIME=104.50 IS=5 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 886.48 AINCHI= 884.78 DELZ= 1.699 ALP=452.30 ALPHI=451.85
*PARTBN* TIME=104.50 IS=6 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 886.77 AINCHI= 884.78 DELZ= 1.987 ALP=452.29 ALPHI=451.76
*PARTBN* TIME=104.50 IS=7 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 886.71 AINCHI= 884.78 DELZ= 1.931 ALP=452.29 ALPHI=451.78
*PARTBN* TIME=104.50 IS=8 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 886.37 AINCHI= 884.78 DELZ= 1.590 ALP=452.30 ALPHI=451.89
*PARTBN* TIME=104.50 IS=2 ZCALC( 67)= 884.78 ZCALC(-66)= 869.78 AINCW= 884.47 AINCHI= 869.78 DELZ=14.687 ALP=452.35 ALPHI=448.00
*PARTBN* TIME=104.50 IS=3 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 884.62 AINCHI= 869.78 DELZ=14.839 ALP=452.35 ALPHI=447.95
*PARTBN* TIME=104.50 IS=1 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 885.25 AINCHI= 884.78 DELZ=  .465 ALP=452.33 ALPHI=452.25
*PARTBN* TIME=104.50 IS=4 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 885.46 AINCHI= 884.78 DELZ=  .678 ALP=452.33 ALPHI=452.18
*PARTBN* TIME=104.50 IS=5 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 886.48 AINCHI= 884.78 DELZ= 1.699 ALP=452.30 ALPHI=451.85
*PARTBN* TIME=104.50 IS=6 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 886.77 AINCHI= 884.78 DELZ= 1.987 ALP=452.29 ALPHI=451.76
*PARTBN* TIME=104.50 IS=7 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 886.71 AINCHI= 884.78 DELZ= 1.931 ALP=452.29 ALPHI=451.78
*PARTBN* TIME=104.50 IS=8 ZCALC( 68)= 899.78 ZCALC( 67)= 884.78 AINCW= 886.37 AINCHI= 884.78 DELZ= 1.590 ALP=452.30 ALPHI=451.89
WEB BURNOUT INCREMENT LOCATION =   884.7810     SECTOR NO.   1     TAU = 39.0245     TAUWDP = 39.0245     TIME = 104.50
WEB BURNOUT INCREMENT LOCATION =   884.7810     SECTOR NO.   4     TAU = 39.0245     TAUWDP = 39.0245     TIME = 104.50
WEB BURNOUT INCREMENT LOCATION =   884.7810     SECTOR NO.   5     TAU = 39.0245     TAUWDP = 39.0245     TIME = 104.50
WEB BURNOUT INCREMENT LOCATION =   884.7810     SECTOR NO.   6     TAU = 39.0245     TAUWDP = 39.0245     TIME = 104.50
WEB BURNOUT INCREMENT LOCATION =   884.7810     SECTOR NO.   7     TAU = 39.0245     TAUWDP = 39.0245     TIME = 104.50
WEB BURNOUT INCREMENT LOCATION =   884.7810     SECTOR NO.   8     TAU = 39.0245     TAUWDP = 39.0245     TIME = 104.50
*PARTBN* TIME=105.00 IS=1 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 881.95 AINCHI= 869.78 DELZ=12.170 ALP=452.42 ALPHI=448.83
*PARTBN* TIME=105.00 IS=2 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 881.17 AINCHI= 869.78 DELZ=11.389 ALP=452.44 ALPHI=449.08
*PARTBN* TIME=105.00 IS=3 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 881.32 AINCHI= 869.78 DELZ=11.542 ALP=452.44 ALPHI=449.03
*PARTBN* TIME=105.00 IS=4 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 882.16 AINCHI= 869.78 DELZ=12.383 ALP=452.41 ALPHI=448.77
*PARTBN* TIME=105.00 IS=5 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 883.18 AINCHI= 869.78 DELZ=13.404 ALP=452.39 ALPHI=448.45
*PARTBN* TIME=105.00 IS=6 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 883.47 AINCHI= 869.78 DELZ=13.693 ALP=452.38 ALPHI=448.36
*PARTBN* TIME=105.00 IS=7 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 883.42 AINCHI= 869.78 DELZ=13.636 ALP=452.38 ALPHI=448.37
```

```
*PARTBN* TIME=105.00 IS=8 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 883.08 AINCHI= 869.78 DELZ=13.294 ALP=452.39 ALPHI=448.48
*PARTBN* TIME=105.00 IS=1 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 881.95 AINCHI= 869.78 DELZ=12.170 ALP=452.42 ALPHI=448.83
*PARTBN* TIME=105.00 IS=2 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 881.17 AINCHI= 869.78 DELZ=11.389 ALP=452.44 ALPHI=449.08
*PARTBN* TIME=105.00 IS=3 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 881.32 AINCHI= 869.78 DELZ=11.542 ALP=452.44 ALPHI=449.03
*PARTBN* TIME=105.00 IS=4 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 882.16 AINCHI= 869.78 DELZ=12.383 ALP=452.41 ALPHI=448.77
*PARTBN* TIME=105.00 IS=5 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 883.18 AINCHI= 869.78 DELZ=13.404 ALP=452.39 ALPHI=448.45
*PARTBN* TIME=105.00 IS=6 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 883.47 AINCHI= 869.78 DELZ=13.693 ALP=452.38 ALPHI=448.36
*PARTBN* TIME=105.00 IS=7 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 883.42 AINCHI= 869.78 DELZ=13.636 ALP=452.38 ALPHI=448.37
*PARTBN* TIME=105.00 IS=8 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 883.08 AINCHI= 869.78 DELZ=13.294 ALP=452.39 ALPHI=448.48
```

IGNITION TIME, TIME (S) 105.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	8896774.1	2000074.4
TOTAL VACUUM THRUST (N,LBF)	FTVAC	8910651.0	2003194.0
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	65775.563	14786.935
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.11560556+10	.25989165+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	255.80352	255.80352
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.12059658+10	.27111190+09
THRUST COEFFICIENT	CF	1.6278116	1.6278116
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3516.7747	7753.1610
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	474789.27	1046731.2
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	35.301268	77.825974
INERT MASS REMAINING (KG,LBM)	MIR	335.30507	739.22115
TOTAL BURN AREA (M**2,IN**2)	ABTOT	228.07938	353523.74
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	19.524495	1191457.8
PROPELLANT MASS REMAINING (KG,LBM)	WF	30813.178	67931.429
TOTAL GAS MASS (KG,LBM)	WGTOT	1192.2476	2628.4561
RATIO OF SPECIFIC HEATS	GAMA	1.1596303	1.1596303
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.824162	28.272438
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1557.6820	5110.5054
MAXIMUM CHAMBER MACH NUMBER	AMPN	.92760691-01	.92760691-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.34859611+09	505.59592
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.50247781+11	72878.246
BURN AREA (M**2,IN**2)	AHH	3.0358070	4705.5103
BURN RATE (M/S,IN/S)	RBZ(1)	.86583266-02	.34087900
DISTANCE BURNED (M,IN)	TAUZ(1)	1.0082761	39.695909
PROPELLANT VOLUME (M**3,IN**3)	VFH	.41094202	25077.221
GAS VOLUME (M**3,IN**3)	VPH	54.692890	3337564.9
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3381.5188	6086.7338
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	225.04357	348818.23
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	19.111587	1166260.6
GAS VOLUME (M**3,IN**3)	VP	270.72859	16520872.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.34306194+09	497.56928
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.47881575+11	69446.354
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.86585191-02	.34088658
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.86509160-02	.34058725
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3380.1363	6084.2454
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5956321	2473.2346
EXPANSION RATIO	EPR	6.7362115	6.7362115
PRESSURE RATIO	PEPO	.23423770-01	.23423770-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	ANRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	505.60	505.59	6086.73	4.79	.001	429.75	14695.02	106.90	101.71	-5.19	.3406	39.696	.0000	.000
15.000	505.59	505.59	6086.73	11.02	.003	430.02	14713.66	246.35	139.38	-.08	.3407	39.652	.0000	.000
30.000	505.59	505.59	6086.72	17.24	.005	430.29	14732.27	385.89	139.46	-.08	.3407	39.647	.0000	.000
45.000	505.59	505.58	6086.71	23.45	.007	430.55	14750.83	525.52	139.55	-.08	.3407	39.643	.0000	.000
60.000	505.58	505.56	6086.70	29.65	.008	430.82	14769.36	665.24	139.64	-.08	.3407	39.638	.0000	.000
75.000	505.57	505.54	6086.68	35.84	.010	431.08	14787.85	805.04	139.72	-.08	.3407	39.633	.0000	.000
90.000	505.56	505.52	6086.67	42.01	.012	431.35	14806.31	944.93	139.81	-.08	.3407	39.628	.0000	.000
105.000	505.55	505.50	6086.64	48.18	.014	431.62	14824.72	1084.90	139.90	-.08	.3407	39.623	.0000	.000
116.761	505.54	505.48	6086.62	53.01	.015	43[illegible].82	14839.13	1194.71	109.75	-.06	.3407	39.617	.0000	.000
116.771	505.54	505.47	6086.61	56.85	.016	-45.06	13837.03	1194.72	.00	-.00	.3406	39.618	.0000	.000
131.771	505.53	505.46	6086.61	56.08	.016	217.96	14358.15	1223.02	28.02	-.28	.3406	39.618	.0000	.000
143.919	505.52	505.44	6086.60	58.28	.017	430.97	14780.79	1308.32	85.19	-.11	.3406	39.611	.0000	.000
153.919	505.50	505.40	6086.57	64.27	.018	431.89	14837.56	1448.27	139.87	-.08	.3406	39.605	.0000	.000
173.919	505.48	505.37	6086.54	70.24	.020	432.82	14894.04	1588.53	140.17	-.08	.3406	39.599	.0000	.000
188.919	505.46	505.32	6086.51	76.17	.022	433.75	14950.25	1729.07	140.48	-.08	.3407	39.593	.0000	.000
203.919	505.44	505.28	6086.47	82.07	.023	434.68	15006.18	1869.96	140.79	-.08	.3407	39.586	.0000	.000
218.919	505.41	505.23	6086.43	87.95	.025	435.60	15061.84	2011.13	141.10	-.08	.3407	39.580	.0000	.000
233.919	505.39	505.18	6086.39	93.80	.027	436.53	15117.22	2152.62	141.40	-.08	.3407	39.574	.0000	.000
248.919	505.36	505.13	6086.35	99.63	.028	437.46	15172.32	2294.42	141.71	-.08	.3407	39.567	.0000	.000
263.919	505.33	505.07	6086.30	105.43	.030	438.38	15227.14	2436.53	142.02	-.08	.3408	39.560	.0000	.000
278.919	505.30	505.01	6086.25	111.21	.032	439.31	15281.69	2578.94	142.33	-.09	.3408	39.554	.0000	.000
293.919	505.27	504.94	6086.20	116.96	.033	440.24	15335.97	2721.66	142.64	-.09	.3408	39.547	.0000	.000
308.919	505.23	504.87	6086.15	122.69	.035	441.17	15389.96	2864.69	142.94	-.09	.3408	39.540	.0000	.000
323.919	505.19	504.80	6086.09	128.40	.036	442.09	15443.68	3008.03	143.25	-.09	.3408	39.533	.0000	.000
338.919	505.15	504.73	6086.03	134.08	.038	443.02	15497.12	3151.68	143.57	-.09	.3409	39.526	.0000	.000
353.919	505.11	504.65	6085.97	139.75	.040	443.95	15550.29	3295.66	143.88	-.09	.3409	39.519	.0000	.000
368.919	505.07	504.57	6085.91	145.40	.041	444.88	15603.18	3439.95	144.20	-.09	.3409	39.511	.0000	.000
383.919	505.02	504.49	6085.84	151.02	.043	445.80	15655.79	3584.56	144.52	-.09	.3410	39.504	.0000	.000
398.919	504.98	504.40	6085.77	156.63	.044	446.73	15708.13	3729.49	144.84	-.09	.3410	39.496	.0000	.000
403.048	504.96	504.38	6085.76	158.17	.045	446.99	15722.48	3769.43	39.92	-.03	.3410	39.489	.0000	.000
418.048	504.92	504.28	6085.68	164.50	.047	445.12	15700.77	3914.33	144.81	-.09	.3412	39.487	.0000	.000
427.051	504.90	504.23	6085.63	168.30	.048	444.01	15687.91	4001.04	86.65	-.06	.3412	39.481	.0000	.000
427.061	504.89	504.12	6085.45	181.19	.051	-297.58	14575.00	4001.04	.00	-.00	.3412	39.506	.0000	.000
442.061	504.89	504.12	6085.46	180.64	.051	4.25	14621.35	4001.49	.00	-.45	.3407	39.505	.0000	.000
457.061	504.86	504.08	6085.43	182.31	.052	306.07	14670.96	4052.01	50.26	-.26	.3403	39.477	.0000	.000
463.204	504.84	504.04	6085.41	184.25	.052	429.67	14692.21	4100.86	48.80	-.05	.3403	39.436	.0000	.000
478.204	504.78	503.93	6085.32	190.02	.054	430.25	14733.43	4240.19	139.25	-.08	.3403	39.415	.0000	.000
493.204	504.72	503.82	6085.24	195.77	.056	430.82	14774.46	4379.70	139.43	-.08	.3403	39.405	.0000	.000
508.204	504.66	503.71	6085.15	201.50	.057	431.39	14815.28	4519.40	139.61	-.08	.3403	39.395	.0000	.000
523.204	504.60	503.59	6085.05	207.21	.059	431.96	14855.91	4659.27	139.79	-.08	.3402	39.385	.0000	.000
538.204	504.53	503.46	6084.96	212.91	.060	432.54	14896.34	4799.32	139.97	-.08	.3402	39.374	.0000	.000
553.204	504.46	503.34	6084.87	218.59	.062	433.11	14936.58	4939.56	140.16	-.08	.3402	39.364	.0000	.000
568.204	504.39	503.21	6084.77	224.26	.064	433.68	14976.61	5079.99	140.34	-.08	.3402	39.353	.0000	.000
583.204	504.32	503.08	6084.67	229.91	.065	434.26	15016.45	5220.60	140.53	-.08	.3402	39.343	.0000	.000
598.204	504.25	502.95	6084.56	235.55	.067	434.83	15056.09	5361.39	140.71	-.08	.3402	39.332	.0000	.000
613.204	504.18	502.81	6084.46	241.17	.068	435.40	15095.54	5502.37	140.90	-.09	.3402	39.321	.0000	.000

628.204	504.10	502.67	6084.35	246.78	.070	435.98	15134.78	5643.54	141.08	-.09	.3402	39.310	.0000	.000
643.204	504.02	502.62	6084.24	252.38	.072	436.55	15173.83	5704.89	141.26	-.09	.3402	39.299	.0000	.000
658.204	503.94	502.36	6084.13	257.97	.073	437.12	15212.68	5926.42	141.45	-.09	.3402	39.288	.0000	.000
673.204	503.86	502.23	6084.02	263.54	.075	437.69	15251.33	6068.14	141.63	-.09	.3402	39.277	.0000	.000
688.204	503.77	502.07	6083.90	269.10	.076	438.27	15289.79	6210.05	141.82	-.09	.3402	39.266	.0000	.000
703.204	503.69	501.92	6083.78	274.65	.078	438.84	15328.04	6352.14	142.01	-.09	.3402	39.255	.0000	.000
718.204	503.60	501.76	6083.66	280.19	.080	439.41	15366.10	6494.43	142.20	-.09	.3403	39.244	.0000	.000
726.191	503.55	501.67	6083.60	283.14	.080	439.72	15386.29	6570.27	75.79	-.05	.3402	39.233	.0000	.000
741.191	503.44	501.51	6083.52	288.79	.081	441.69	15525.53	6713.11	142.75	-.09	.3404	39.227	.0000	.000
746.336	503.40	501.45	6083.49	288.04	.082	442.37	15572.81	6762.27	49.12	-.03	.3404	39.221	.0000	.000
746.346	503.39	501.29	6083.22	299.67	.085	-262.44	14972.90	6762.27	.00	-.00	.3404	39.271	.0000	.000
761.346	503.35	501.29	6083.29	296.88	.084	-45.00	15114.69	6762.73	.00	-.46	.3404	39.271	.0000	.000
776.346	503.30	501.26	6083.33	295.04	.084	172.43	15257.02	6783.69	20.63	-.33	.3403	39.246	.0000	.000
791.346	503.21	501.15	6083.30	296.30	.084	389.86	15399.89	6874.93	91.05	-.19	.3402	39.216	.0000	.000
794.631	503.18	501.11	6083.28	297.03	.084	440.37	15433.16	6906.18	31.23	-.03	.3402	39.180	.0000	.000
809.631	503.08	500.94	6083.17	301.91	.086	441.35	15502.81	7049.03	142.76	-.09	.3403	39.174	.0000	.000
824.631	502.97	500.77	6083.05	306.77	.087	442.33	15571.86	7192.23	143.11	-.10	.3403	39.164	.0000	.000
839.631	502.86	500.59	6082.94	311.63	.088	443.31	15640.28	7335.77	143.45	-.10	.3404	39.154	.0000	.000
854.781	502.76	500.41	6082.82	316.46	.090	444.29	15707.87	7479.19	143.32	-.10	.3405	39.144	.0000	.000
869.781	502.66	500.23	6082.68	322.00	.091	448.67	15742.38	7624.13	144.83	-.11	.3412	39.136	.0000	.000
884.781	502.57	500.07	6082.56	326.76	.093	452.40	15770.21	7748.12	123.85	-.14	.3419	39.025	.0000	.000
899.781	502.56	500.07	6082.58	326.03	.093	.00	15805.53	7748.24	.00	-.13	.3419	38.255	.0000	.000
914.781	502.55	500.07	6082.59	325.45	.092	.00	15834.18	7748.38	.00	-.14	.3419	37.486	.0000	.000
929.781	502.54	500.07	6082.60	324.91	.092	.00	15860.87	7748.60	.00	-.21	.3419	36.717	.0000	.000
944.781	502.53	500.07	6082.62	324.42	.092	.00	15885.62	7748.84	.00	-.24	.3419	35.948	.0000	.000
959.781	502.53	500.07	6082.63	323.96	.092	.00	15908.41	7749.10	.00	-.26	.3419	35.178	.0000	.000
974.781	502.52	500.07	6082.64	323.55	.092	.00	15929.25	7749.39	.00	-.29	.3419	34.409	.0000	.000
989.781	502.51	500.07	6082.65	323.18	.092	.00	15948.14	7749.69	.00	-.31	.3419	33.640	.0000	.000
1004.781	502.51	500.07	6082.66	322.85	.092	.00	15965.07	7750.02	.00	-.33	.3419	32.871	.0000	.000
1019.781	502.50	500.07	6082.66	322.56	.092	.00	15980.06	7750.37	.00	-.35	.3419	32.101	.0000	.000
1034.781	502.50	500.07	6082.67	322.32	.091	.00	15993.09	7750.74	.00	-.37	.3419	31.332	.0000	.000
1040.791	502.50	500.07	6082.67	322.23	.091	.00	15997.77	7750.89	.00	-.15	.3419	31.024	.0000	.000
1055.791	502.51	500.07	6082.66	322.81	.092	.00	15969.84	7751.28	.00	-.38	.3419	30.483	.0000	.000
1070.791	502.52	500.07	6082.64	323.39	.092	.00	15941.80	7751.66	.00	-.38	.3419	29.942	.0000	.000
1084.171	502.52	500.07	6082.63	323.92	.092	.00	15916.69	7752.00	.00	-.34	.3419	29.459	.0000	.000
AFT(A)	497.57	474.91	6046.11	997.36	.284	.....	15823.73	7753.16	.00	-.70	.3409	29.460	....	.....
AFT(B)	497.57	497.57	6084.25	-.03	.000	.....	10413.12	.46	.00	-.46	.3406	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB. SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	5.0554+02	5.0548+02	6.0866+03	4.7787+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.1947+03
AFT	1.1677+02	5.0553+02	5.0547+02	6.0866+03	4.7788+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.1947+03

GAS BUILDUP IN SLOT, DW/DT = -2.6625-04

FOREWARD	4.2705+02	5.0490+02	5.0423+02	6.0856+03	1.6116+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0010+03
AFT	4.2706+02	5.0479+02	5.0412+02	6.0855+03	1.6119+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.0010+03

GAS BUILDUP IN SLOT, DW/DT = -2.6466-04

FOREWARD	7.4634+02	5.0340+02	5.0145+02	6.0835+03	2.7380+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7623+03
AFT	7.4635+02	5.0323+02	5.0129+02	6.0832+03	2.7388+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7623+03

GAS BUILDUP IN SLOT, DW/DT = -2.6537-04

```
*PARTBN* TIME=105.50 IS=1 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 878.66 AINCHI= 869.78 DELZ= 8.881 ALP=452.51 ALPHI=449.91
*PARTBN* TIME=105.50 IS=2 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 877.88 AINCHI= 869.78 DELZ= 8.095 ALP=452.53 ALPHI=450.16
*PARTBN* TIME=105.50 IS=3 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 878.03 AINCHI= 869.78 DELZ= 8.249 ALP=452.52 ALPHI=450.11
*PARTBN* TIME=105.50 IS=4 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 878.88 AINCHI= 869.78 DELZ= 9.096 ALP=452.50 ALPHI=449.84
*PARTBN* TIME=105.50 IS=5 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 879.90 AINCHI= 869.78 DELZ=10.118 ALP=452.47 ALPHI=449.52
*PARTBN* TIME=105.50 IS=6 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 880.19 AINCHI= 869.78 DELZ=10.409 ALP=452.47 ALPHI=449.42
*PARTBN* TIME=105.50 IS=7 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 880.13 AINCHI= 869.78 DELZ=10.352 ALP=452.47 ALPHI=449.44
*PARTBN* TIME=105.50 IS=8 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 879.79 AINCHI= 869.78 DELZ=10.009 ALP=452.48 ALPHI=449.55
*PARTBN* TIME=105.50 IS=1 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 878.66 AINCHI= 869.78 DELZ= 8.881 ALP=452.51 ALPHI=449.91
*PARTBN* TIME=105.50 IS=2 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 877.88 AINCHI= 869.78 DELZ= 8.095 ALP=452.53 ALPHI=450.16
*PARTBN* TIME=105.50 IS=3 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 878.03 AINCHI= 869.78 DELZ= 8.249 ALP=452.52 ALPHI=450.11
*PARTBN* TIME=105.50 IS=4 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 878.88 AINCHI= 869.78 DELZ= 9.096 ALP=452.50 ALPHI=449.84
*PARTBN* TIME=105.50 IS=5 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 879.90 AINCHI= 869.78 DELZ=10.118 ALP=452.47 ALPHI=449.52
*PARTBN* TIME=105.50 IS=6 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 880.19 AINCHI= 869.78 DELZ=10.409 ALP=452.47 ALPHI=449.42
*PARTBN* TIME=105.50 IS=7 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 880.13 AINCHI= 869.78 DELZ=10.352 ALP=452.47 ALPHI=449.44
*PARTBN* TIME=105.50 IS=8 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 879.79 AINCHI= 869.78 DELZ=10.009 ALP=452.48 ALPHI=449.55
*PARTBN* TIME=106.00 IS=1 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 875.38 AINCHI= 869.78 DELZ= 5.598 ALP=452.59 ALPHI=450.98
*PARTBN* TIME=106.00 IS=2 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 874.59 AINCHI= 869.78 DELZ= 4.806 ALP=452.61 ALPHI=451.23
*PARTBN* TIME=106.00 IS=3 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 874.74 AINCHI= 869.78 DELZ= 4.960 ALP=452.61 ALPHI=451.18
*PARTBN* TIME=106.00 IS=4 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 875.59 AINCHI= 869.78 DELZ= 5.814 ALP=452.59 ALPHI=450.91
*PARTBN* TIME=106.00 IS=5 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 876.62 AINCHI= 869.78 DELZ= 6.839 ALP=452.56 ALPHI=450.58
*PARTBN* TIME=106.00 IS=6 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 876.91 AINCHI= 869.78 DELZ= 7.132 ALP=452.55 ALPHI=450.49
*PARTBN* TIME=106.00 IS=7 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 876.86 AINCHI= 869.78 DELZ= 7.075 ALP=452.55 ALPHI=450.51
*PARTBN* TIME=106.00 IS=8 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 876.51 AINCHI= 869.78 DELZ= 6.730 ALP=452.56 ALPHI=450.62
*PARTBN* TIME=106.00 IS=1 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 875.38 AINCHI= 869.78 DELZ= 5.598 ALP=452.59 ALPHI=450.98
*PARTBN* TIME=106.00 IS=2 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 874.59 AINCHI= 869.78 DELZ= 4.806 ALP=452.61 ALPHI=451.23
*PARTBN* TIME=106.00 IS=3 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 874.74 AINCHI= 869.78 DELZ= 4.960 ALP=452.61 ALPHI=451.18
*PARTBN* TIME=106.00 IS=4 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 875.59 AINCHI= 869.78 DELZ= 5.814 ALP=452.59 ALPHI=450.91
*PARTBN* TIME=106.00 IS=5 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 876.62 AINCHI= 869.78 DELZ= 6.839 ALP=452.56 ALPHI=450.58
*PARTBN* TIME=106.00 IS=6 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 876.91 AINCHI= 869.78 DELZ= 7.132 ALP=452.55 ALPHI=450.49
*PARTBN* TIME=106.00 IS=7 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 876.86 AINCHI= 869.78 DELZ= 7.075 ALP=452.55 ALPHI=450.51
```

PARTBN TIME=106.00 IS=8 ZCALC(67)= 884.78 ZCALC(66)= 869.78 AINCW= 876.51 AINCHI= 869.78 DELZ= 6.730 ALP=452.56 ALPHI=450.62

IGNITION TIME, TIME (S) 106.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	8790267.6	1976130.8
TOTAL VACUUM THRUST (N,LBF)	FTVAC	8803125.9	1979021.3
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	66130.930	14866.824
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.11648990+10	.26187972+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	255.75700	255.75700
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.12148226+10	.27310298+09
THRUST COEFFICIENT	CF	1.6279614	1.6279614
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3474.3590	7659.6506
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	478284.78	1054437.5
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	35.491990	78.246445
INERT MASS REMAINING (KG,LBM)	MIR	299.86034	661.07890
TOTAL BURN AREA (M**2,IN**2)	ABTOT	225.82011	350021.87
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	17.374329	1060246.6
PROPELLANT MASS REMAINING (KG,LBM)	WF	27325.302	60241.980
TOTAL GAS MASS (KG,LBM)	WGTOT	1178.8608	2598.9433
RATIO OF SPECIFIC HEATS	GAMA	1.1596243	1.1596243
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.822648	28.269099
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1557.5683	5110.1323
MAXIMUM CHAMBER MACH NUMBER	AMPN	.92120588-01	.92120588-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.34421196+09	499.23724
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.50594180+11	73380.654
BURN AREA (M**2,IN**2)	AHH	2.8644566	4439.9166
BURN RATE (M/S,IN/S)	RBZ(1)	.86212026-02	.33941744
DISTANCE BURNED (M,IN)	TAUZ(1)	1.0169251	40.036421
PROPELLANT VOLUME (M**3,IN**3)	VFH	.38546437	23522.479
GAS VOLUME (M**3,IN**3)	VPH	54.718368	3339119.7
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3380.4238	6084.7628
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	222.95566	345581.96
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	16.986898	1036604.1
GAS VOLUME (M**3,IN**3)	VP	271.09918	16543487.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.33873849+09	491.29865
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.48222469+11	69940.779
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.86201783-02	.33937710
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.86126021-02	.33907883
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.647463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3379.0564	6082.3016
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5963504	2474.3481
EXPANSION RATIO	EPR	6.7331800	6.7331800
PRESSURE RATIO	PEPO	.23437978-01	.23437978-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	499.24	499.24	6084.76	4.52	.001	431.88	14841.62	100.65	95.55	-5.10	.3392	40.036	.0000	.000
15.000	499.24	499.23	6084.76	10.77	.003	432.15	14860.35	240.18	139.46	-.08	.3392	39.992	.0000	.000
30.000	499.23	499.23	6084.75	17.01	.005	432.42	14879.05	379.81	139.55	-.08	.3392	39.988	.0000	.000
45.000	499.23	499.22	6084.74	23.24	.007	432.68	14897.71	519.52	139.63	-.08	.3392	39.983	.0000	.000
60.000	499.22	499.20	6084.73	29.46	.008	432.95	14916.33	659.32	139.72	-.08	.3392	39.978	.0000	.000
75.000	499.22	499.19	6084.71	35.67	.010	433.22	14934.91	799.21	139.81	-.08	.3392	39.973	.0000	.000
90.000	499.21	499.17	6084.69	41.87	.012	433.49	14953.45	939.19	139.90	-.08	.3392	39.968	.0000	.000
105.000	499.20	499.14	6084.67	48.05	.014	433.75	14971.96	1079.26	139.99	-.08	.3392	39.963	.0000	.000
116.761	499.18	499.12	6084.65	52.90	.015	433.96	14986.44	1189.15	109.82	-.06	.3392	39.957	.0000	.000
116.771	499.18	499.11	6084.63	57.40	.016	-109.91	13810.64	1189.15	.00	-.00	.3392	39.958	.0000	.000
131.771	499.18	499.10	6084.64	55.56	.016	190.12	14427.50	1202.39	12.94	-.30	.3392	39.958	.0000	.000
143.919	499.16	499.08	6084.63	57.34	.016	433.09	14927.80	1283.98	81.47	-.12	.3392	39.951	.0000	.000
158.919	499.14	499.05	6084.61	63.36	.018	434.02	14984.92	1424.03	139.97	-.08	.3392	39.945	.0000	.000
173.919	499.13	499.01	6084.58	69.35	.020	434.95	15041.76	1564.39	140.28	-.08	.3392	39.939	.0000	.000
188.919	499.11	498.97	6084.54	75.30	.021	435.88	15098.31	1705.05	140.59	-.08	.3393	39.933	.0000	.000
203.919	499.06	498.93	6084.51	81.23	.023	436.81	15154.59	1846.03	140.89	-.08	.3393	39.927	.0000	.000
218.919	499.06	498.88	6084.47	87.14	.025	437.73	15210.59	1987.31	141.20	-.08	.3393	39.920	.0000	.000
233.919	499.03	498.83	6084.43	93.01	.026	438.66	15266.31	2128.90	141.51	-.08	.3393	39.914	.0000	.000
248.919	499.01	498.78	6084.38	98.86	.028	439.59	15321.74	2270.80	141.82	-.08	.3394	39.907	.0000	.000
263.919	498.98	498.72	6084.33	104.69	.030	440.52	15376.90	2413.01	142.12	-.08	.3394	39.901	.0000	.000
278.919	498.95	498.66	6084.29	110.49	.031	441.45	15431.77	2555.53	142.43	-.06	.3394	39.894	.0000	.000
293.919	498.91	498.60	6084.23	116.27	.033	442.37	15486.37	2698.37	142.75	-.09	.3395	39.887	.0000	.000
308.919	498.88	498.53	6084.18	122.03	.035	443.30	15540.69	2841.52	143.07	-.09	.3395	39.880	.0000	.000
323.919	498.84	498.46	6084.12	127.76	.036	444.23	15594.72	2985.00	143.39	-.09	.3396	39.873	.0000	.000
338.919	498.80	498.39	6084.07	133.47	.038	445.16	15648.48	3128.79	143.71	-.09	.3396	39.866	.0000	.000
353.919	498.76	498.31	6084.01	139.16	.039	446.09	15701.95	3272.90	144.02	-.09	.3396	39.859	.0000	.000
368.919	498.72	498.23	6083.94	144.84	.041	447.01	15755.15	3417.33	144.34	-.09	.3397	39.852	.0000	.000
383.919	498.68	498.15	6083.88	150.49	.043	447.94	15808.06	3562.08	144.66	-.09	.3397	39.844	.0000	.000
398.919	498.63	498.06	6083.81	156.12	.044	448.87	15860.69	3707.14	144.98	-.09	.3397	39.837	.0000	.000
403.048	498.62	498.04	6083.79	157.67	.045	449.13	15875.13	3747.13	39.96	-.02	.3399	39.829	.0000	.000
418.048	498.58	497.95	6083.71	164.03	.047	447.27	15852.86	3892.18	144.96	-.09	.3401	39.828	.0000	.000
427.051	498.55	497.89	6083.66	167.85	.048	446.15	15839.65	3978.99	86.76	-.05	.3401	39.821	.0000	.000
427.061	498.54	497.76	6083.44	183.77	.052	-318.12	14470.90	3978.99	.00	-.00	.3400	39.847	.0000	.000
442.061	498.53	497.76	6083.47	181.94	.052	-3.97	14617.87	3979.44	.00	-.45	.3393	39.845	.0000	.000
457.061	498.49	497.72	6083.46	182.26	.052	305.19	14772.85	4028.28	48.58	-.26	.3389	39.817	.0000	.000
463.204	498.47	497.68	6083.44	183.66	.052	431.80	14838.63	4077.00	48.67	-.05	.3388	39.776	.0000	.000
478.204	498.41	497.57	6083.36	189.44	.054	432.37	14860.07	4216.41	139.33	-.08	.3388	39.755	.0000	.000
493.204	498.35	497.46	6083.27	195.22	.055	432.94	14921.31	4356.01	139.52	-.08	.3388	39.745	.0000	.000
508.204	498.29	497.35	6083.18	200.97	.057	433.52	14962.35	4495.80	139.71	-.08	.3388	39.735	.0000	.000
523.204	498.23	497.23	6083.09	206.71	.059	434.09	15003.19	4635.77	139.89	-.08	.3388	39.724	.0000	.000
538.204	498.16	497.11	6083.00	212.43	.060	434.67	15043.83	4775.93	140.08	-.08	.3388	39.714	.0000	.000
553.204	498.09	496.99	6082.90	218.14	.062	435.24	15084.26	4916.27	140.26	-.08	.3388	39.704	.0000	.000
568.204	498.03	496.86	6082.80	223.83	.064	435.81	15124.50	5056.80	140.45	-.08	.3388	39.693	.0000	.000
583.204	497.96	496.73	6082.70	229.51	.065	436.39	15164.54	5197.52	140.63	-.08	.3388	39.683	.0000	.000
598.204	497.88	496.60	6082.60	235.17	.067	436.96	15204.37	5338.42	140.82	-.08	.3388	39.672	.0000	.000
613.204	497.81	496.46	6082.49	240.82	.068	437.53	15244.01	5479.50	141.00	-.08	.3388	39.661	.0000	.000

628.204	497.73	496.32	6082.39	246.46	.070	438.11	15283.44	5620.77	141.18	-.08	.3388	39.650	.0000	.000
643.204	497.66	496.18	6082.28	252.08	.072	438.68	15322.68	5762.23	141.37	-.09	.3388	39.639	.0000	.000
658.204	497.58	496.04	6082.17	257.69	.073	439.25	15361.71	5903.88	141.57	-.09	.3389	39.628	.0000	.000
673.204	497.49	495.89	6082.05	263.29	.075	439.83	15400.55	6045.73	141.76	-.09	.3389	39.617	.0000	.000
688.204	497.41	495.73	6081.94	268.88	.076	440.40	15439.18	6187.77	141.96	-.09	.3389	39.606	.0000	.000
703.204	497.33	495.58	6081.82	274.46	.078	440.98	15477.61	6330.01	142.15	-.09	.3389	39.595	.0000	.000
718.204	497.24	495.42	6081.70	280.03	.079	441.55	15515.84	6472.44	142.34	-.09	.3389	39.584	.0000	.000
726.191	497.19	495.34	6081.63	282.99	.080	441.85	15536.12	6548.35	75.87	-.05	.3389	39.573	.0000	.000
741.191	497.08	495.17	6081.55	286.68	.081	443.03	15676.09	6691.33	142.89	-.09	.3391	39.567	.0000	.000
746.336	497.04	495.12	6081.52	287.94	.082	444.51	15723.62	6740.53	49.17	-.03	.3391	39.561	.0000	.000
746.346	497.03	494.88	6081.14	304.44	.086	-297.82	14877.63	6740.53	.00	-.00	.3391	39.611	.0000	.000
761.346	496.97	494.88	6081.24	300.08	.085	-68.79	15095.00	6741.00	.00	-.47	.3391	39.611	.0000	.000
776.346	496.90	494.87	6081.32	296.48	.084	160.25	15313.18	6756.09	14.75	-.33	.3390	39.586	.0000	.000
791.346	496.79	494.76	6081.33	296.21	.084	389.28	15532.18	6844.92	88.63	-.19	.3389	39.556	.0000	.000
794.631	496.76	494.72	6081.32	296.61	.084	442.50	15583.18	6876.11	31.16	-.03	.3389	39.520	.0000	.000
809.831	496.66	494.55	6081.21	301.52	.086	443.48	15653.22	7019.09	142.89	-.09	.3389	39.514	.0000	.000
824.831	496.55	494.38	6081.09	306.42	.087	444.46	15722.63	7162.92	143.24	-.09	.3390	39.504	.0000	.000
839.831	496.45	494.20	6080.97	311.31	.088	445.45	15791.43	7306.12	143.61	-.10	.3392	39.494	.0000	.000
854.781	496.34	494.03	6080.85	316.18	.090	446.43	15859.38	7449.71	143.49	-.10	.3393	39.484	.0000	.000
869.781	496.24	493.84	6080.71	322.05	.091	450.81	15879.02	7594.85	145.02	-.11	.3400	39.476	.0000	.000
884.781	496.20	493.77	6080.65	324.47	.092	452.58	15886.79	7654.61	59.62	-.14	.3404	39.025	.0000	.000
899.781	496.19	493.77	6080.66	323.92	.092	.00	15913.84	7654.77	.00	-.16	.3404	38.255	.0000	.000
914.781	496.19	493.77	6080.67	323.62	.092	.00	15929.02	7654.96	.00	-.19	.3404	37.488	.0000	.000
929.781	496.19	493.77	6080.67	323.36	.092	.00	15942.71	7655.17	.00	-.21	.3404	36.717	.0000	.000
944.781	496.18	493.77	6080.68	323.12	.092	.00	15954.92	7655.41	.00	-.24	.3404	35.948	.0000	.000
959.781	496.18	493.77	6080.68	322.91	.092	.00	15965.63	7655.67	.00	-.26	.3404	35.178	.0000	.000
974.781	496.18	493.77	6080.69	322.74	.092	.00	15974.86	7655.95	.00	-.28	.3404	34.409	.0000	.000
989.781	496.17	493.77	6080.69	322.60	.092	.00	15982.59	7656.25	.00	-.30	.3404	33.640	.0000	.000
1004.781	496.17	493.77	6080.70	322.48	.092	.00	15988.84	7656.57	.00	-.32	.3404	32.871	.0000	.000
1019.781	496.17	493.77	6080.70	322.40	.092	.00	15993.60	7656.91	.00	-.34	.3404	32.101	.0000	.000
1034.781	496.17	493.77	6080.70	322.35	.092	.00	15996.88	7657.28	.00	-.36	.3404	31.332	.0000	.000
1040.791	496.17	493.77	6080.70	322.34	.092	.00	15997.77	7657.42	.00	-.15	.3404	31.024	.0000	.000
1055.791	496.18	493.77	6080.68	322.92	.092	.00	15969.84	7657.80	.00	-.38	.3404	30.483	.0000	.000
1070.791	496.19	493.77	6080.67	323.50	.092	.00	15941.80	7658.18	.00	-.38	.3404	29.942	.0000	.000
1034.171	496.20	493.77	6080.66	324.02	.092	.00	15916.69	7658.51	.00	-.33	.3404	29.459	.0000	.000
AFT(A)	491.30	468.91	6044.13	997.75	.284	.....	15823.73	7659.65	.00	-.69	.3394	29.460	....	.....
AFT(B)	491.30	491.30	6082.30	-.03	.000	.....	10413.12	.45	.00	-.45	.3391	20.670	....	.....

SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FORWARD 1.1676+02	4.9918+02	4.9912+02	6.0847+03	4.8160+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.1891+03
AFT 1.1677+02	4.9917+02	4.9911+02	6.0846+03	4.8161+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.1891+03

GAS BUILDUP IN SLOT, DW/DT = -2.6074-04

FORWARD 4.2705+02	4.9855+02	4.9789+02	6.0837+03	1.6228+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.9790+03
AFT 4.2706+02	4.9841+02	4.9776+02	6.0834+03	1.6232+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.9790+03

GAS BUILDUP IN SLOT, DW/DT = -2.5922-04

FORWARD 7.4634+02	4.9704+02	4.9512+02	6.0815+03	2.7635+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7405+03
AFT 7.4635+02	4.9681+02	4.9488+02	6.0811+03	2.7647+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7405+03

```
*PARTBN* TIME=106.50 IS=1 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 872.10 AINCHI= 869.78 DELZ= 2.319 ALP=452.68 ALPHI=452.05
*PARTBN* TIME=106.50 IS=2 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 871.30 AINCHI= 869.78 DELZ= 1.521 ALP=452.70 ALPHI=452.31
*PARTBN* TIME=106.50 IS=3 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 871.46 AINCHI= 869.78 DELZ= 1.674 ALP=452.70 ALPHI=452.26
*PARTBN* TIME=106.50 IS=4 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 872.32 AINCHI= 869.78 DELZ= 2.536 ALP=452.67 ALPHI=451.98
*PARTBN* TIME=106.50 IS=5 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 873.35 AINCHI= 869.78 DELZ= 3.567 ALP=452.65 ALPHI=451.65
*PARTBN* TIME=106.50 IS=6 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 873.64 AINCHI= 869.78 DELZ= 3.861 ALP=452.64 ALPHI=451.55
*PARTBN* TIME=106.50 IS=7 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 873.58 AINCHI= 869.78 DELZ= 3.804 ALP=452.64 ALPHI=451.57
*PARTBN* TIME=106.50 IS=8 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 873.24 AINCHI= 869.78 DELZ= 3.457 ALP=452.65 ALPHI=451.68
*PARTBN* TIME=106.50 IS=1 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 872.10 AINCHI= 869.78 DELZ= 2.319 ALP=452.68 ALPHI=452.05
*PARTBN* TIME=106.50 IS=2 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 871.30 AINCHI= 869.78 DELZ= 1.521 ALP=452.70 ALPHI=452.31
*PARTBN* TIME=106.50 IS=3 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 871.46 AINCHI= 869.78 DELZ= 1.674 ALP=452.70 ALPHI=452.26
*PARTBN* TIME=106.50 IS=4 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 872.32 AINCHI= 869.78 DELZ= 2.536 ALP=452.67 ALPHI=451.98
*PARTBN* TIME=106.50 IS=5 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 873.35 AINCHI= 869.78 DELZ= 3.567 ALP=452.65 ALPHI=451.65
*PARTBN* TIME=106.50 IS=6 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 873.64 AINCHI= 869.78 DELZ= 3.861 ALP=452.64 ALPHI=451.55
*PARTBN* TIME=106.50 IS=7 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 873.58 AINCHI= 869.78 DELZ= 3.804 ALP=452.64 ALPHI=451.57
*PARTBN* TIME=106.50 IS=8 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 873.24 AINCHI= 869.78 DELZ= 3.457 ALP=452.65 ALPHI=451.68
WEB BURNOUT INCREMENT LOCATION = 869.7810   SECTOR NO. 1   TAU = 39.7938   TAUWDP = 39.7938   TIME = 106.50
WEB BURNOUT INCREMENT LOCATION = 869.7810   SECTOR NO. 2   TAU = 39.7938   TAUWDP = 39.7938   TIME = 106.50
WEB BURNOUT INCREMENT LOCATION = 869.7810   SECTOR NO. 3   TAU = 39.7938   TAUWDP = 39.7938   TIME = 106.50
WEB BURNOUT INCREMENT LOCATION = 869.7810   SECTOR NO. 4   TAU = 39.7938   TAUWDP = 39.7938   TIME = 106.50
*PARTBN* TIME=107.00 IS=1 ZCALC( 66)= 867.78 ZCALC( 65)= 854.78 AINCW= 868.82 AINCHI= 854.78 DELZ=14.035 ALP=452.77 ALPHI=448.72
*PARTBN* TIME=107.00 IS=2 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 868.00 AINCHI= 854.78 DELZ=13.218 ALP=452.79 ALPHI=448.97
*PARTBN* TIME=107.00 IS=3 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 868.15 AINCHI= 854.78 DELZ=13.374 ALP=452.78 ALPHI=448.92
*PARTBN* TIME=107.00 IS=4 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 869.04 AINCHI= 854.78 DELZ=14.257 ALP=452.76 ALPHI=448.65
*PARTBN* TIME=107.00 IS=5 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 869.98 AINCHI= 854.78 DELZ=15.198 ALP=452.74 ALPHI=448.37
*PARTBN* TIME=107.00 IS=6 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 870.38 AINCHI= 869.78 DELZ=  .300 ALP=452.73 ALPHI=452.71
*PARTBN* TIME=107.00 IS=7 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 870.38 AINCHI= 869.78 DELZ=  .597 ALP=452.73 ALPHI=452.61
*PARTBN* TIME=107.00 IS=1 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 870.32 AINCHI= 869.78 DELZ=  .538 ALP=452.73 ALPHI=452.63
*PARTBN* TIME=107.00 IS=2 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 868.82 AINCHI= 854.78 DELZ=14.035 ALP=452.77 ALPHI=448.72
*PARTBN* TIME=107.00 IS=3 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 868.00 AINCHI= 854.78 DELZ=13.218 ALP=452.79 ALPHI=448.97
*PARTBN* TIME=107.00 IS=4 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 868.15 AINCHI= 854.78 DELZ=13.374 ALP=452.78 ALPHI=448.92
```

```
*PARTBN* TIME=107.00 IS=4 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 869.04 AINCHI= 854.78 DELZ=14.257 ALP=452.76 ALPHI=448.65
*PARTBN* TIME=107.00 IS=8 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 869.98 AINCHI= 854.78 DELZ=15.198 ALP=452.74 ALPHI=448.37
*PARTBN* TIME=107.00 IS=5 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 870.08 AINCHI= 869.78 DELZ=  .300 ALP=452.73 ALPHI=452.71
*PARTBN* TIME=107.00 IS=6 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 870.38 AINCHI= 869.78 DELZ=  .597 ALP=452.73 ALPHI=452.61
*PARTBN* TIME=107.00 IS=7 ZCALC( 67)= 884.78 ZCALC( 66)= 869.78 AINCW= 870.32 AINCHI= 869.78 DELZ=  .538 ALP=452.73 ALPHI=452.63
```

IGNITION TIME, TIME (S) 107.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	8690752.0	1953758.8
TOTAL VACUUM THRUST (N,LBF)	FTVAC	8702590.7	1956420.2
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	66513.623	14952.857
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.11736393+10	.26384462+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	255.72176	255.72176
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.12235752+10	.27507065+09
THRUST COEFFICIENT	CF	1.6281121	1.6281121
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3434.5482	7571.8827
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	481739.12	1062053.0
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	35.697379	78.699249
INERT MASS REMAINING (KG,LBM)	MIR	264.21547	582.49540
TOTAL BURN AREA (M**2,IN**2)	ABTOT	223.69126	346722.14
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	15.300735	933708.16
PROPELLANT MASS REMAINING (KG,LBM)	WF	23878.017	52642.017
TOTAL GAS MASS (KG,LBM)	WGTOT	1174.6125	2589.5773
RATIO OF SPECIFIC HEATS	GAMA	1.1596186	1.1596186
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.821233	28.265980
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1557.4618	5109.7829
MAXIMUM CHAMBER MACH NUMBER	AMPN	.92032067-01	.92032067-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.34011474+09	493.29473
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.50936333+11	73876.906
BURN AREA (M**2,IN**2)	AHH	2.6929327	4174.0541
BURN RATE (M/S,IN/S)	RBZ(1)	.85879287-02	.33810743
DISTANCE BURNED (M,IN)	TAUZ(1)	1.0255377	40.375499
PROPELLANT VOLUME (M**3,IN**3)	VFH	.36157048	22064.384
GAS VOLUME (M**3,IN**3)	VPH	54.742261	3340577.7
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3379.4004	6082.9207
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	220.99833	342548.09
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	14.937199	911523.80
GAS VOLUME (M**3,IN**3)	VP	273.90199	16714525.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.33468995+09	485.42673
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.48559175+11	70429.129
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.85839855-02	.33795219
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.85764352-02	.33765493
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501803	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3378.0452	6080.4814
PORT AREA, NOZ ENT (M**2,IN**2)	AZA	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5970613	2475.4500
EXPANSION RATIO	EPR	6.7301831	6.7301831
PRESSURE RATIO	PEPO	.23452019-01	.23452019-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	493.29	493.29	6082.92	4.24	.001	434.02	14980.31	94.22	89.47	-4.75	.3378	40.375	.0000	.000
15.000	493.29	493.29	6082.92	10.51	.003	434.28	15007.14	233.87	139.59	-.06	.3378	40.331	.0000	.000
30.000	493.29	493.29	6082.91	16.77	.005	434.55	15025.94	373.62	139.68	-.06	.3378	40.326	.0000	.000
45.000	493.29	493.28	6082.90	23.02	.007	434.82	15044.69	513.45	139.77	-.06	.3379	40.322	.0000	.000
60.000	493.28	493.26	6082.89	29.25	.008	435.08	15063.40	653.37	139.86	-.06	.3379	40.317	.0000	.000
75.000	493.27	493.25	6082.87	35.48	.010	435.35	15082.08	793.39	139.95	-.06	.3379	40.312	.0000	.000
90.000	493.27	493.23	6082.85	41.69	.012	435.62	15100.71	933.49	140.04	-.06	.3379	40.307	.0000	.000
105.000	493.25	493.20	6082.83	47.90	.014	435.88	15119.31	1073.68	140.13	-.06	.3379	40.302	.0000	.000
116.761	493.24	493.18	6082.81	52.76	.015	436.09	15133.87	1183.67	109.93	-.05	.3379	40.296	.0000	.000
116.771	493.24	493.17	6082.79	58.00	.016	-152.07	13765.94	1183.67	.00	-.00	.3379	40.297	.0000	.000
131.771	493.23	493.16	6082.80	55.27	.016	172.42	14488.72	1187.24	3.27	-.30	.3379	40.297	.0000	.000
143.919	493.22	493.15	6082.80	56.67	.016	435.22	15074.92	1266.47	79.12	-.11	.3379	40.290	.0000	.000
156.919	493.20	493.11	6082.77	62.71	.018	436.11	15132.39	1406.64	140.10	-.06	.3379	40.284	.0000	.000
173.919	493.19	493.08	6082.74	68.72	.020	437.00	15189.58	1547.10	140.40	-.06	.3379	40.278	.0000	.000
188.919	493.17	493.04	6082.70	74.69	.021	437.89	15246.48	1687.85	140.69	-.06	.3379	40.272	.0000	.000
203.919	493.14	492.99	6082.67	80.64	.023	438.78	15303.11	1828.91	140.99	-.06	.3380	40.266	.0000	.000
218.919	493.12	492.95	6082.63	86.57	.025	439.67	15359.44	1970.25	141.28	-.06	.3380	40.259	.0000	.000
233.919	493.10	492.90	6082.59	92.46	.026	440.56	15415.50	2111.90	141.58	-.06	.3380	40.253	.0000	.000
248.919	493.07	492.85	6082.54	98.33	.028	441.45	15471.27	2253.86	141.89	-.06	.3381	40.246	.0000	.000
263.919	493.04	492.79	6082.50	104.17	.030	442.34	15526.75	2396.12	142.20	-.07	.3381	40.240	.0000	.000
278.919	493.01	492.73	6082.45	109.99	.031	443.23	15581.95	2538.69	142.50	-.07	.3382	40.233	.0000	.000
293.919	492.98	492.67	6082.40	115.79	.033	444.12	15636.87	2681.56	142.81	-.07	.3382	40.226	.0000	.000
308.919	492.94	492.60	6082.34	121.56	.035	445.01	15691.50	2824.74	143.11	-.07	.3383	40.220	.0000	.000
323.919	492.91	492.53	6082.29	127.31	.036	445.90	15745.86	2968.22	143.42	-.07	.3383	40.213	.0000	.000
338.919	492.87	492.46	6082.23	133.04	.038	446.80	15799.92	3112.01	143.72	-.07	.3383	40.206	.0000	.000
353.919	492.83	492.38	6082.17	138.75	.039	447.69	15853.70	3256.11	144.03	-.07	.3384	40.198	.0000	.000
368.919	492.79	492.31	6082.11	144.44	.041	448.58	15907.20	3400.51	144.33	-.07	.3384	40.191	.0000	.000
383.919	492.74	492.22	6082.04	150.10	.043	449.47	15960.42	3545.22	144.64	-.07	.3385	40.184	.0000	.000
398.919	492.70	492.14	6081.97	155.75	.044	450.36	16013.35	3690.26	144.96	-.07	.3386	40.176	.0000	.000
403.048	492.68	492.11	6081.95	157.31	.045	450.60	16027.87	3730.23	39.96	-.02	.3386	40.169	.0000	.000
418.048	492.64	492.03	6081.87	163.68	.046	449.15	16005.11	3875.33	145.02	-.07	.3388	40.167	.0000	.000
427.051	492.62	491.97	6081.82	167.51	.048	448.28	15991.60	3962.24	86.87	-.04	.3390	40.161	.0000	.000
427.061	492.61	491.81	6081.56	186.58	.053	-328.81	14361.86	3962.24	.00	-.00	.3389	40.187	.0000	.000
442.061	492.58	491.61	6081.61	183.41	.052	-12.26	14611.46	3962.67	.00	-.43	.3381	40.184	.0000	.000
457.061	492.53	491.77	6081.62	182.33	.052	304.28	14873.94	4009.82	46.91	-.24	.3376	40.155	.0000	.000
463.204	492.50	491.73	6081.61	183.19	.052	433.92	14985.14	4058.42	48.56	-.04	.3375	40.114	.0000	.000
478.204	492.45	491.63	6081.52	189.00	.054	434.49	15026.80	4197.95	139.47	-.06	.3375	40.093	.0000	.000
493.204	492.39	491.52	6081.44	194.79	.055	435.07	15068.26	4337.67	139.66	-.06	.3375	40.083	.0000	.000
508.204	492.33	491.40	6081.35	200.57	.057	435.64	15109.52	4477.57	139.84	-.06	.3375	40.073	.0000	.000
523.204	492.27	491.29	6081.26	206.33	.059	436.21	15150.57	4617.66	140.03	-.06	.3375	40.063	.0000	.000
538.204	492.20	491.17	6081.16	212.07	.060	436.79	15191.42	4757.94	140.21	-.06	.3375	40.053	.0000	.000
553.204	492.14	491.05	6081.07	217.80	.062	437.36	15232.06	4898.40	140.40	-.06	.3375	40.042	.0000	.000
568.204	492.07	490.92	6080.97	223.51	.063	437.94	15272.51	5039.04	140.58	-.06	.3375	40.032	.0000	.000
583.204	492.00	490.79	6080.87	229.21	.065	438.51	15312.74	5179.87	140.77	-.07	.3375	40.021	.0000	.000
598.204	491.93	490.66	6080.76	234.90	.067	439.08	15352.78	5320.90	140.96	-.07	.3375	40.010	.0000	.000
613.204	491.85	490.53	6080.66	240.57	.068	439.66	15392.61	5462.12	141.15	-.07	.3376	40.000	.0000	.000

628.204	491.70	490.39	6080.55	246.23	.070	440.23	15432.24	5603.53	141.35	-.07	.3376	39.989	.0000	.000
643.204	491.70	490.25	6080.44	251.88	.072	440.81	15471.66	5745.14	141.54	-.07	.3376	39.978	.0000	.000
658.204	491.62	490.10	6080.33	257.51	.073	441.38	15510.98	5886.95	141.74	-.07	.3376	39.967	.0000	.000
673.204	491.54	489.96	6080.21	263.14	.075	441.96	15549.90	6028.95	141.93	-.07	.3377	39.956	.0000	.000
688.204	491.46	489.81	6080.10	268.75	.076	442.53	15588.72	6171.14	142.12	-.07	.3377	39.945	.0000	.000
703.204	491.38	489.65	6079.98	274.35	.078	443.10	15627.33	6313.53	142.32	-.07	.3377	39.934	.0000	.000
718.204	491.29	489.50	6079.86	279.94	.079	443.68	15665.73	6456.11	142.51	-.07	.3377	39.923	.0000	.000
726.191	491.24	489.41	6079.79	282.92	.080	443.98	15686.10	6532.11	75.96	-.04	.3377	39.911	.0000	.000
741.191	491.13	489.25	6079.71	286.64	.081	445.96	15826.83	6675.25	143.08	-.07	.3380	39.906	.0000	.000
746.336	491.09	489.19	6079.68	287.92	.082	446.64	15874.61	6724.52	49.25	-.02	.3380	39.900	.0000	.000
746.346	491.06	488.89	6079.17	309.60	.088	-333.10	14770.74	6724.52	.00	-.00	.3380	39.950	.0000	.000
761.346	491.00	488.89	6079.32	303.54	.086	-92.50	15067.31	6724.99	.00	-.46	.3379	39.950	.0000	.000
776.346	490.91	488.88	6079.45	298.08	.085	148.11	15364.99	6734.24	8.93	-.32	.3378	39.925	.0000	.000
791.346	490.78	486.77	6079.49	296.21	.084	388.71	15663.77	6820.70	86.28	-.18	.3377	39.895	.0000	.000
794.631	490.74	488.73	6079.49	296.27	.084	444.61	15733.34	6851.84	31.11	-.02	.3377	39.858	.0000	.000
809.631	490.64	488.56	6079.37	301.21	.086	445.60	15803.78	6994.98	143.07	-.08	.3378	39.853	.0000	.000
824.831	490.54	488.39	6079.26	306.14	.087	446.59	15873.58	7138.51	143.45	-.08	.3379	39.843	.0000	.000
839.831	490.43	488.22	6079.14	311.06	.088	447.57	15942.76	7282.40	143.81	-.08	.3380	39.833	.0000	.000
854.781	490.33	486.04	6079.02	315.96	.090	448.56	16011.07	7426.18	143.70	-.08	.3382	39.823	.0000	.000
869.781	490.24	487.87	6078.87	321.89	.091	452.72	16015.83	7565.40	139.22	.00	.3390	39.783	.0000	.000
884.781	490.24	487.87	6078.87	321.94	.091	169.77	16017.39	7567.24	1.74	-.11	.3389	39.025	.0000	.000
899.781	490.24	487.87	6078.87	321.85	.091	.00	16022.30	7567.37	.00	-.13	.3389	38.255	.0000	.000
914.781	490.24	487.87	6078.87	321.82	.091	.00	16023.99	7567.54	.00	-.17	.3389	37.486	.0000	.000
929.781	490.24	487.87	6078.87	321.81	.091	.00	16024.66	7567.73	.00	-.19	.3389	36.717	.0000	.000
944.781	490.24	487.87	6078.87	321.83	.091	.00	16024.31	7567.94	.00	-.21	.3389	35.948	.0000	.000
959.781	490.24	487.87	6078.87	321.87	.091	.00	16022.93	7568.18	.00	-.24	.3389	35.178	.0000	.000
974.781	490.24	487.87	6078.87	321.93	.091	.00	16020.52	7568.43	.00	-.26	.3389	34.409	.0000	.000
989.781	490.24	487.87	6078.87	322.01	.091	.00	16017.09	7568.71	.00	-.28	.3389	33.640	.0000	.000
1004.781	490.24	487.87	6078.86	322.11	.091	.00	16012.64	7569.01	.00	-.30	.3389	32.871	.0000	.000
1019.781	490.24	487.87	6078.86	322.23	.091	.00	16007.16	7569.33	.00	-.32	.3389	32.101	.0000	.000
1034.781	490.24	487.87	6078.86	322.38	.092	.00	16000.66	7569.67	.00	-.34	.3389	31.332	.0000	.000
1040.791	490.25	487.87	6078.85	322.44	.092	.00	15997.77	7569.81	.00	-.14	.3389	31.024	.0000	.000
1055.791	490.25	487.87	6078.84	323.02	.092	.00	15969.84	7570.16	.00	-.35	.3389	30.483	.0000	.000
1070.791	490.26	487.87	6078.83	323.60	.092	.00	15941.80	7570.51	.00	-.35	.3389	29.942	.0000	.000
1084.171	490.27	487.87	6078.81	324.13	.092	.00	15916.69	7570.82	.00	-.31	.3389	29.459	.0000	.000
AFT(A)	485.40	463.28	6042.28	998.13	.284	.....	15823.73	7571.88	.00	-.64	.3380	29.460	....	.....
AFT(B)	485.42	485.42	6080.48	-.03	.000	.....	10413.12	.42	.00	-.42	.3377	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FORWARD	1.1676+02	4.9324+02	4.9318+02	6.0828+03	4.8507+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.1837+03
AFT	1.1677+02	4.9323+02	4.9317+02	6.0828+03	4.8508+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.1837+03

GAS BUILDUP IN SLOT, DW/DT = -2.4284-04

FORWARD	4.2705+02	4.9262+02	4.9197+02	6.0818+03	1.6351+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.9622+03
AFT	4.2706+02	4.9245+02	4.9181+02	6.0816+03	1.6356+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.9622+03

GAS BUILDUP IN SLOT, DW/DT = -2.4158-04

FORWARD	7.4634+02	4.9109+02	4.8919+02	6.0797+03	2.7898+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7245+03
AFT	7.4635+02	4.9078+02	4.8889+02	6.0792+03	2.7913+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7245+03

GAS BUILDUP IN SLOT, DW/DT = -2.4265-04

```
WEB BURNOUT INCREMENT LOCATION =  869.7810     SECTOR NO.   5    TAU = 39.7938    TAUWDP = 39.7938    TIME = 107.00
WEB BURNOUT INCREMENT LOCATION =  869.7810     SECTOR NO.   6    TAU = 39.7938    TAUWDP = 39.7938    TIME = 107.00
WEB BURNOUT INCREMENT LOCATION =  869.7810     SECTOR NO.   7    TAU = 39.7938    TAUWDP = 39.7938    TIME = 107.00
WEB BURNOUT INCREMENT LOCATION =  869.7810     SECTOR NO.   8    TAU = 39.7938    TAUWDP = 39.7938    TIME = 107.00
*PARTBN* TIME=107.50 IS=1 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 865.49 AINCHI= 854.78 DELZ=10.706 ALP=452.86 ALPHI=449.78
*PARTBN* TIME=107.50 IS=2 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 864.67 AINCHI= 854.78 DELZ= 9.887 ALP=452.88 ALPHI=450.03
*PARTBN* TIME=107.50 IS=3 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 864.82 AINCHI= 854.78 DELZ=10.044 ALP=452.87 ALPHI=449.99
*PARTBN* TIME=107.50 IS=4 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 865.71 AINCHI= 854.78 DELZ=10.929 ALP=452.85 ALPHI=449.72
*PARTBN* TIME=107.50 IS=5 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 866.76 AINCHI= 854.78 DELZ=11.982 ALP=452.82 ALPHI=449.39
*PARTBN* TIME=107.50 IS=6 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 867.07 AINCHI= 854.78 DELZ=12.286 ALP=452.81 ALPHI=449.29
*PARTBN* TIME=107.50 IS=7 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 867.01 AINCHI= 854.78 DELZ=12.227 ALP=452.82 ALPHI=449.31
*PARTBN* TIME=107.50 IS=8 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 866.65 AINCHI= 854.78 DELZ=11.873 ALP=452.82 ALPHI=449.42
*PARTBN* TIME=107.50 IS=1 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 865.49 AINCHI= 854.78 DELZ=10.706 ALP=452.86 ALPHI=449.78
*PARTBN* TIME=107.50 IS=2 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 864.67 AINCHI= 854.78 DELZ= 9.887 ALP=452.88 ALPHI=450.03
*PARTBN* TIME=107.50 IS=3 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 864.82 AINCHI= 854.78 DELZ=10.044 ALP=452.87 ALPHI=449.99
*PARTBN* TIME=107.50 IS=4 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 865.71 AINCHI= 854.78 DELZ=10.929 ALP=452.85 ALPHI=449.72
*PARTBN* TIME=107.50 IS=5 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 866.76 AINCHI= 854.78 DELZ=11.982 ALP=452.82 ALPHI=449.39
*PARTBN* TIME=107.50 IS=6 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 867.07 AINCHI= 854.78 DELZ=12.286 ALP=452.81 ALPHI=449.29
*PARTBN* TIME=107.50 IS=7 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 867.01 AINCHI= 854.78 DELZ=12.227 ALP=452.82 ALPHI=449.31
*PARTBN* TIME=107.50 IS=8 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 866.65 AINCHI= 854.78 DELZ=11.873 ALP=452.82 ALPHI=449.42
*PARTBN* TIME=108.00 IS=1 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 862.16 AINCHI= 854.78 DELZ= 7.383 ALP=452.94 ALPHI=450.84
*PARTBN* TIME=108.00 IS=2 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 861.34 AINCHI= 854.78 DELZ= 6.560 ALP=452.97 ALPHI=451.10
*PARTBN* TIME=108.00 IS=3 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 861.50 AINCHI= 854.78 DELZ= 6.718 ALP=452.96 ALPHI=451.05
*PARTBN* TIME=108.00 IS=4 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 862.39 AINCHI= 854.78 DELZ= 7.607 ALP=452.94 ALPHI=450.78
*PARTBN* TIME=108.00 IS=5 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 863.44 AINCHI= 854.78 DELZ= 8.664 ALP=452.91 ALPHI=450.45
*PARTBN* TIME=108.00 IS=6 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 863.75 AINCHI= 854.78 DELZ= 8.970 ALP=452.90 ALPHI=450.35
*PARTBN* TIME=108.00 IS=7 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 863.69 AINCHI= 854.78 DELZ= 8.910 ALP=452.90 ALPHI=450.37
*PARTBN* TIME=108.00 IS=8 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 863.33 AINCHI= 854.78 DELZ= 8.553 ALP=452.91 ALPHI=450.48
*PARTBN* TIME=108.00 IS=1 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 862.16 AINCHI= 854.78 DELZ= 7.383 ALP=452.94 ALPHI=450.84
*PARTBN* TIME=108.00 IS=2 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 861.34 AINCHI= 854.78 DELZ= 6.560 ALP=452.97 ALPHI=451.10
*PARTBN* TIME=108.00 IS=3 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 861.50 AINCHI= 854.78 DELZ= 6.718 ALP=452.96 ALPHI=451.05
```

```
*PARTBN* TIME=106.00 IS=4 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 862.39 AINCHI= 854.78 DELZ= 7.607 ALP=452.94 ALPHI=450.78
*PARTBN* TIME=106.00 IS=5 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 863.44 AINCHI= 854.78 DELZ= 8.664 ALP=452.91 ALPHI=450.45
*PARTBN* TIME=108.00 IS=6 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 863.75 AINCHI= 854.78 DELZ= 8.970 ALP=452.90 ALPHI=450.35
*PARTBN* TIME=108.00 IS=7 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 863.69 AINCHI= 854.78 DELZ= 8.910 ALP=452.90 ALPHI=450.37
*PARTBN* TIME=108.00 IS=8 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 863.33 AINCHI= 854.78 DELZ= 8.553 ALP=452.91 ALPHI=450.48
```

IGNITION TIME, TIME (S) 108.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	8597383.1	1932768.6
TOTAL VACUUM THRUST (N,LBF)	FTVAC	8608203.0	1935201.0
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	66912.655	15042.563
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SKMDTI	.11322825+10	.26578769+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	255.69158	255.69158
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SKMVTI	.12322297+10	.27701627+09
THRUST COEFFICIENT	CF	1.6282625	1.6282625
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3397.1010	7489.3257
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	485154.65	1069582.9
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	35.911537	79.171387
INERT MASS REMAINING (KG,LBM)	MIR	228.35956	503.44666
TOTAL BURN AREA (M**2,IN**2)	ABTOT	221.45740	343259.66
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	13.218529	806644.10
PROPELLANT MASS REMAINING (KG,LBM)	WF	20468.950	45126.312
TOTAL GAS MASS (KG,LBM)	WGTOT	1167.5976	2574.1122
RATIO OF SPECIFIC HEATS	GAMA	1.1596133	1.1596133
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.819906	28.263054
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1557.3617	5109.4544
MAXIMUM CHAMBER MACH NUMBER	AMPN	.92068221-01	.92068221-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.33627223+09	487.72164
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.51274493+11	74367.365
BURN AREA (M**2,IN**2)	AHH	2.5220784	3909.2294
BURN RATE (M/S,IN/S)	RBZ(1)	.85575087-02	.33690979
DISTANCE BURNED (M,IN)	TAUZ(1)	1.0341177	40.713295
PROPELLANT VOLUME (M**3,IN**3)	VFH	.33923813	20701.581
GAS VOLUME (M**3,IN**3)	VPH	54.764594	3341940.6
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3378.9406	6081.1931
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	218.93533	339350.44
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	12.877324	785822.54
GAS VOLUME (M**3,IN**3)	VP	275.68869	16823556.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.33088354+09	479.92601
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.48891929+11	70911.748
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.85496970-02	.33660225
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.85421711-02	.33630595
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3377.0945	6078.7700
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5977650	2476.5407
EXPANSION RATIO	EPR	6.7272189	6.7272189
PRESSURE RATIO	PEPO	.23465907-01	.23465907-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION LOCATIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	487.72	487.72	6081.19	3.96	.001	436.14	15135.15	87.83	83.49	-4.34	.3366	40.713	.0000	.000
15.000	487.72	487.72	6081.19	10.24	.003	436.41	15154.08	227.62	139.76	-.04	.3366	40.668	.0000	.000
30.000	487.72	487.71	6081.18	16.52	.005	436.67	15172.97	367.51	139.85	-.04	.3366	40.664	.0000	.000
45.000	487.72	487.70	6081.17	22.78	.006	436.94	15191.82	507.49	139.94	-.04	.3366	40.659	.0000	.000
60.000	487.71	487.69	6081.16	29.04	.008	437.21	15210.62	647.55	140.03	-.04	.3366	40.655	.0000	.000
75.000	487.70	487.67	6081.15	35.28	.010	437.47	15229.39	787.71	140.12	-.04	.3366	40.650	.0000	.000
90.000	487.69	487.65	6081.13	41.51	.012	437.74	15248.12	927.95	140.21	-.04	.3366	40.645	.0000	.000
105.000	487.68	487.63	6081.10	47.73	.014	438.01	15266.81	1068.29	140.30	-.04	.3367	40.639	.0000	.000
116.761	487.67	487.61	6081.09	52.60	.015	438.21	15281.44	1178.38	110.06	-.03	.3367	40.634	.0000	.000
116.771	487.67	487.59	6081.06	58.64	.017	-190.56	13708.11	1178.38	.00	-.00	.3366	40.635	.0000	.000
131.771	487.66	487.59	6081.07	55.28	.016	156.38	14544.14	1178.68	.00	-.29	.3366	40.635	.0000	.000
143.919	487.65	487.57	6081.07	56.28	.016	437.35	15222.19	1255.80	77.03	-.09	.3366	40.627	.0000	.000
158.919	487.63	487.54	6081.04	62.33	.018	438.16	15280.00	1396.09	140.26	-.04	.3367	40.621	.0000	.000
173.919	487.61	487.51	6081.01	68.36	.019	438.98	15337.52	1536.66	140.53	-.04	.3367	40.615	.0000	.000
188.919	487.59	487.47	6080.98	74.35	.021	439.79	15394.75	1677.51	140.81	-.04	.3367	40.609	.0000	.000
203.919	487.57	487.42	6080.94	80.31	.023	440.60	15451.70	1818.63	141.09	-.04	.3368	40.603	.0000	.000
218.919	487.55	487.38	6080.90	86.25	.024	441.42	15508.36	1960.04	141.37	-.04	.3368	40.597	.0000	.000
233.919	487.52	487.33	6080.86	92.16	.026	442.23	15564.73	2101.73	141.65	-.04	.3369	40.591	.0000	.000
248.919	487.50	487.28	6080.82	98.04	.028	443.04	15620.81	2243.71	141.93	-.04	.3369	40.584	.0000	.000
263.919	487.47	487.22	6080.77	103.89	.029	443.86	15676.61	2385.96	142.21	-.04	.3370	40.578	.0000	.000
278.919	487.44	487.16	6080.72	109.73	.031	444.67	15732.12	2528.49	142.49	-.04	.3370	40.571	.0000	.000
293.919	487.41	487.10	6080.67	115.53	.033	445.49	15787.34	2671.31	142.77	-.04	.3371	40.564	.0000	.000
308.919	487.37	487.04	6080.62	121.31	.034	446.30	15842.28	2814.40	143.05	-.04	.3371	40.558	.0000	.000
323.919	487.34	486.97	6080.56	127.07	.036	447.11	15896.92	2957.78	143.33	-.04	.3372	40.551	.0000	.000
338.919	487.30	486.90	6080.50	132.81	.038	447.93	15951.28	3101.45	143.62	-.04	.3372	40.544	.0000	.000
353.919	487.26	486.82	6080.44	138.52	.039	448.74	16005.36	3245.41	143.92	-.05	.3373	40.536	.0000	.000
368.919	487.22	486.74	6080.38	144.22	.041	449.55	16059.14	3389.67	144.21	-.05	.3374	40.529	.0000	.000
383.919	487.17	486.66	6080.32	149.89	.043	450.37	16112.64	3534.23	144.51	-.05	.3375	40.522	.0000	.000
398.919	487.13	486.58	6080.25	155.55	.044	451.18	16165.85	3679.07	144.80	-.05	.3376	40.515	.0000	.000
403.048	487.12	486.56	6080.23	157.10	.045	451.40	16180.45	3719.00	39.91	-.01	.3376	40.507	.0000	.000
418.048	487.08	486.47	6080.15	163.49	.046	450.78	16157.44	3864.02	144.97	-.05	.3378	40.506	.0000	.000
427.051	487.05	486.41	6080.10	167.32	.048	450.41	16143.79	3951.01	86.97	-.03	.3379	40.500	.0000	.000
427.061	487.04	486.22	6079.79	189.66	.054	-344.61	14247.83	3951.01	.00	-.00	.3379	40.525	.0000	.000
442.061	487.00	486.22	6079.85	185.08	.053	-20.62	14602.13	3951.42	.00	-.41	.3370	40.522	.0000	.000
457.061	486.94	486.19	6079.89	182.57	.052	303.36	14974.25	3996.89	45.25	-.22	.3364	40.493	.0000	.000
463.204	486.91	486.15	6079.89	182.87	.052	436.04	15131.80	4045.38	48.46	-.03	.3362	40.451	.0000	.000
478.204	486.85	486.04	6079.80	188.70	.054	436.62	15173.68	4185.05	139.63	-.04	.3362	40.430	.0000	.000
493.204	486.79	485.93	6079.71	194.51	.055	437.19	15215.36	4324.91	139.82	-.04	.3362	40.420	.0000	.000
508.204	486.73	485.82	6079.62	200.31	.057	437.76	15256.84	4464.95	140.05	-.04	.3362	40.410	.0000	.000
523.204	486.67	485.71	6079.53	206.09	.059	438.34	15298.11	4605.18	140.19	-.04	.3363	40.400	.0000	.000
538.204	486.61	485.59	6079.44	211.85	.060	438.91	15339.17	4745.60	140.38	-.04	.3363	40.390	.0000	.000
553.204	486.54	485.47	6079.34	217.60	.062	439.49	15380.03	4886.22	140.57	-.04	.3363	40.379	.0000	.000
568.204	486.48	485.34	6079.24	223.34	.063	440.06	15420.67	5027.02	140.77	-.04	.3363	40.369	.0000	.000
583.204	486.41	485.22	6079.14	229.06	.065	440.63	15461.12	5168.03	140.96	-.04	.3364	40.358	.0000	.000
598.204	486.34	485.09	6079.04	234.76	.067	441.21	15501.35	5309.23	141.16	-.04	.3364	40.348	.0000	.000
613.204	486.27	484.95	6078.93	240.46	.068	441.78	15541.38	5450.62	141.35	-.04	.3364	40.337	.0000	.000

628.204	486.19	484.82	6078.82	246.14	.070	442.35	15581.21	5592.21	141.55	-.04	.3364	40.326	.0000	.000
643.204	486.11	484.68	6078.71	251.81	.071	442.93	15620.82	5734.00	141.74	-.04	.3365	40.315	.0000	.000
658.204	486.04	484.53	6078.60	257.46	.073	443.50	15660.23	5875.97	141.93	-.04	.3365	40.304	.0000	.000
673.204	485.96	484.39	6078.49	263.11	.075	444.08	15699.44	6018.14	142.13	-.04	.3365	40.293	.0000	.000
688.204	485.88	484.24	6078.37	268.74	.076	444.65	15738.44	6160.51	142.32	-.05	.3365	40.282	.0000	.000
703.204	485.79	484.09	6078.25	274.37	.078	445.22	15777.23	6303.07	142.53	-.05	.3366	40.271	.0000	.000
718.204	485.71	483.93	6078.13	279.98	.079	445.80	15815.81	6445.87	142.74	-.05	.3367	40.260	.0000	.000
726.191	485.66	483.85	6078.06	282.97	.080	446.10	15836.27	6521.98	76.08	-.02	.3367	40.249	.0000	.000
741.191	485.55	483.69	6077.98	286.72	.081	448.08	15977.79	6665.34	143.32	-.05	.3369	40.244	.0000	.000
746.336	485.51	483.63	6077.95	288.01	.082	448.76	16025.83	6714.69	49.33	-.02	.3370	40.238	.0000	.000
746.346	485.49	483.24	6077.31	315.23	.090	-370.80	14651.91	6714.69	.00	-.00	.3369	40.288	.0000	.000
761.346	485.38	483.24	6077.50	307.30	.087	-117.88	15031.43	6715.14	.00	-.45	.3369	40.288	.0000	.000
776.346	485.27	483.24	6077.68	299.85	.085	135.05	15412.35	6718.19	2.74	-.30	.3368	40.263	.0000	.000
791.346	485.12	483.14	6077.76	296.32	.084	387.98	15794.67	6802.15	83.80	-.16	.3367	40.232	.0000	.000
794.631	485.08	483.10	6077.77	296.03	.084	446.74	15883.70	6833.23	31.07	-.02	.3366	40.195	.0000	.000
809.831	484.98	482.93	6077.65	301.00	.085	447.73	15954.54	6976.60	143.31	-.05	.3368	40.191	.0000	.000
824.831	484.88	482.76	6077.53	305.95	.087	448.71	16024.74	7120.33	143.68	-.05	.3369	40.181	.0000	.000
839.831	484.78	482.59	6077.41	310.90	.088	449.70	16094.30	7264.43	144.05	-.05	.3370	40.171	.0000	.000
854.781	484.67	482.42	6077.29	315.82	.090	450.68	16162.99	7408.43	143.94	-.05	.3371	40.161	.0000	.000
869.781	484.63	482.32	6077.21	319.25	.091	452.93	16157.91	7485.05	76.56	-.06	.3376	39.794	.0000	.000
884.781	484.63	482.32	6077.20	319.56	.091	.00	16142.16	7485.13	.00	-.08	.3376	39.025	.0000	.000
899.781	484.63	482.32	6077.19	319.79	.091	.00	16130.91	7485.25	.00	-.12	.3376	38.255	.0000	.000
914.781	484.64	482.32	6077.19	320.03	.091	.00	16117.10	7485.39	.00	-.14	.3376	37.486	.0000	.000
929.781	484.64	482.32	6077.18	320.28	.091	.00	16106.73	7485.55	.00	-.16	.3376	36.717	.0000	.000
944.781	484.64	482.32	6077.18	320.55	.091	.00	16093.80	7485.74	.00	-.19	.3376	35.948	.0000	.000
959.781	484.65	482.32	6077.17	320.82	.091	.00	16080.31	7485.95	.00	-.21	.3376	35.178	.0000	.000
974.781	484.65	482.32	6077.16	321.11	.091	.00	16066.25	7486.18	.00	-.23	.3376	34.409	.0000	.000
989.781	484.66	482.32	6077.15	321.42	.091	.00	16051.64	7486.43	.00	-.25	.3376	33.640	.0000	.000
1004.781	484.66	482.32	6077.15	321.73	.091	.00	16036.47	7486.70	.00	-.27	.3376	32.871	.0000	.000
1019.781	484.67	482.32	6077.14	322.06	.091	.00	16020.74	7486.99	.00	-.29	.3376	32.101	.0000	.000
1034.781	484.67	482.32	6077.13	322.40	.092	.00	16004.45	7487.29	.00	-.31	.3376	31.332	.0000	.000
1040.791	484.67	482.32	6077.13	322.54	.092	.00	15997.77	7487.42	.00	-.13	.3376	31.024	.0000	.000
1055.791	484.68	482.32	6077.11	323.12	.092	.00	15969.84	7487.74	.00	-.32	.3376	30.483	.0000	.000
1070.791	484.69	482.32	6077.10	323.70	.092	.00	15941.80	7488.07	.00	-.32	.3376	29.942	.0000	.000
1084.171	484.70	482.32	6077.08	324.22	.092	.00	15916.69	7488.35	.00	-.29	.3376	29.459	.0000	.000
AFT(A)	479.91	457.99	6040.53	998.52	.284	.....	15823.73	7489.33	.00	-.59	.3366	29.460	....	.....
AFT(B)	479.90	479.90	6078.77	-.03	.000	.....	10413.12	.38	.00	-.38	.3363	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FORWARD	1.1676+02	4.8767+02	4.8761+02	6.0811+03	4.8833+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.1784+03
AFT	1.1677+02	4.8766+02	4.8759+02	6.0811+03	4.8834+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.1784+03

GAS BUILDUP IN SLOT, DW/DT = -2.2183-04

FORWARD	4.2705+02	4.8705+02	4.8641+02	6.0801+03	1.6488+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.9510+03
AFT	4.2706+02	4.8686+02	4.8622+02	6.0798+03	1.6494+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.9510+03

GAS BUILDUP IN SLOT, DW/DT = -2.2093-04

FORWARD	7.4634+02	4.8551+02	4.8363+02	6.0779+03	2.8173+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7147+03
AFT	7.4635+02	4.8512+02	4.8324+02	6.0773+03	2.8192+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7147+03

GAS BUILDUP IN SLOT, DW/DT = -2.2230-04

```
*PARTBN* TIME=108.50 IS=1 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 858.84 AINCHI= 854.78 DELZ= 4.063 ALP=453.03 ALPHI=451.90
*PARTBN* TIME=108.50 IS=2 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 858.02 AINCHI= 854.78 DELZ= 3.237 ALP=453.05 ALPHI=452.17
*PARTBN* TIME=108.50 IS=3 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 858.18 AINCHI= 854.78 DELZ= 3.394 ALP=453.05 ALPHI=452.12
*PARTBN* TIME=108.50 IS=4 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 859.07 AINCHI= 854.78 DELZ= 4.288 ALP=453.03 ALPHI=451.84
*PARTBN* TIME=108.50 IS=5 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 860.13 AINCHI= 854.78 DELZ= 5.351 ALP=453.00 ALPHI=451.50
*PARTBN* TIME=108.50 IS=6 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 860.44 AINCHI= 854.78 DELZ= 5.659 ALP=452.99 ALPHI=451.40
*PARTBN* TIME=108.50 IS=7 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 860.38 AINCHI= 854.78 DELZ= 5.599 ALP=452.99 ALPHI=451.42
*PARTBN* TIME=108.50 IS=8 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 860.02 AINCHI= 854.78 DELZ= 5.239 ALP=453.00 ALPHI=451.54
*PARTBN* TIME=108.50 IS=1 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 858.84 AINCHI= 854.78 DELZ= 4.063 ALP=453.03 ALPHI=451.90
*PARTBN* TIME=108.50 IS=2 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 858.02 AINCHI= 854.78 DELZ= 3.237 ALP=453.05 ALPHI=452.17
*PARTBN* TIME=108.50 IS=3 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 858.18 AINCHI= 854.78 DELZ= 3.394 ALP=453.05 ALPHI=452.12
*PARTBN* TIME=108.50 IS=4 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 859.07 AINCHI= 854.78 DELZ= 4.288 ALP=453.03 ALPHI=451.84
*PARTBN* TIME=108.50 IS=5 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 860.13 AINCHI= 854.78 DELZ= 5.351 ALP=453.00 ALPHI=451.50
*PARTBN* TIME=108.50 IS=6 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 860.44 AINCHI= 854.78 DELZ= 5.659 ALP=452.99 ALPHI=451.40
*PARTBN* TIME=108.50 IS=7 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 860.38 AINCHI= 854.78 DELZ= 5.599 ALP=452.99 ALPHI=451.42
*PARTBN* TIME=108.50 IS=8 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 860.02 AINCHI= 854.78 DELZ= 5.239 ALP=453.00 ALPHI=451.54
WEB BURNOUT INCREMENT LOCATION = 854.7810     SECTOR NO.   2     TAU = 40.5630     TAUWDP = 40.5630     TIME = 108.50
*PARTBN* TIME=109.00 IS=2 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 854.41 AINCHI= 839.83 DELZ=14.580 ALP=453.14 ALPHI=452.27
*PARTBN* TIME=109.00 IS=3 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 855.13 AINCHI= 839.83 DELZ=15.300 ALP=453.14 ALPHI=452.17
*PARTBN* TIME=109.00 IS=1 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 855.53 AINCHI= 854.78 DELZ=  .746 ALP=453.12 ALPHI=452.96
*PARTBN* TIME=109.00 IS=4 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 855.75 AINCHI= 854.78 DELZ=  .972 ALP=453.11 ALPHI=452.89
*PARTBN* TIME=109.00 IS=5 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 856.82 AINCHI= 854.78 DELZ= 2.043 ALP=453.09 ALPHI=452.55
*PARTBN* TIME=109.00 IS=6 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 857.13 AINCHI= 854.78 DELZ= 2.353 ALP=453.08 ALPHI=452.45
*PARTBN* TIME=109.00 IS=7 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 857.07 AINCHI= 854.78 DELZ= 2.292 ALP=453.08 ALPHI=452.47
*PARTBN* TIME=109.00 IS=8 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 856.71 AINCHI= 854.78 DELZ= 1.930 ALP=453.09 ALPHI=452.59
*PARTBN* TIME=109.00 IS=2 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 854.41 AINCHI= 839.83 DELZ=14.580 ALP=453.14 ALPHI=452.27
*PARTBN* TIME=109.00 IS=3 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 855.13 AINCHI= 839.83 DELZ=15.300 ALP=453.14 ALPHI=452.17
*PARTBN* TIME=109.00 IS=1 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 855.53 AINCHI= 854.78 DELZ=  .746 ALP=453.12 ALPHI=452.96
*PARTBN* TIME=109.00 IS=4 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 855.75 AINCHI= 854.78 DELZ=  .972 ALP=453.11 ALPHI=452.89
*PARTBN* TIME=109.00 IS=5 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 856.82 AINCHI= 854.78 DELZ= 2.043 ALP=453.09 ALPHI=452.55
*PARTBN* TIME=109.00 IS=6 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 857.13 AINCHI= 854.78 DELZ= 2.353 ALP=453.08 ALPHI=452.45
```

```
*PARTBN* TIME=109.00 IS=7 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 857.07 AINCHI= 854.78 DELZ= 2.292 ALP=453.08 ALPHI=452.47
*PARTBN* TIME=109.00 IS=8 ZCALC( 66)= 869.78 ZCALC( 65)= 854.78 AINCW= 856.71 AINCHI= 854.78 DELZ= 1.930 ALP=453.09 ALPHI=452.59
```

ORIGINAL PAGE IS
OF POOR QUALITY

IGNITION TIME, TIME (S) 109.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	8515351.4	1914327.2
TOTAL VACUUM THRUST (N,LBF)	FTVAC	8525393.0	1916584.6
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	67386.318	15149.047
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.11908380+10	.26771104+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	255.67137	255.67137
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.12407956+10	.27894196+09
THRUST COEFFICIENT	CF	1.6284146	1.6284146
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3364.0903	7416.5497
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	488534.91	1077035.1
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	36.165748	79.731827
INERT MASS REMAINING (KG,LBM)	MIR	192.25982	423.86035
TOTAL BURN AREA (M**2,IN**2)	ABTOT	219.21157	339778.62
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	11.164222	681282.61
PROPELLANT MASS REMAINING (KG,LBM)	WF	17093.826	37685.436
TOTAL GAS MASS (KG,LBM)	WGTOT	1160.3104	2558.0465
RATIO OF SPECIFIC HEATS	GAMA	1.1596087	1.1596087
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.818739	28.260483
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1557.2734	5109.1647
MAXIMUM CHAMBER MACH NUMBER	AMPN	.92101819-01	.92101819-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.33289543+09	482.82400
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.51609041+11	74852.586
BURN AREA (M**2,IN**2)	AHH	2.3518337	3645.3495
BURN RATE (M/S,IN/S)	RBZ(1)	.85309732-02	.33586509
DISTANCE BURNED (M,IN)	TAUZ(1)	1.0426683	41.049932
PROPELLANT VOLUME (M**3,IN**3)	VFH	.31849297	19432.582
GAS VOLUME (M**3,IN**3)	VPH	54.765389	3343239.6
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3377.5972	6079.6749
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	216.85974	336133.27
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	10.843813	661730.05
GAS VOLUME (M**3,IN**3)	VP	276.95991	16901130.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.32752695+09	475.03768
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.49221100+11	71389.170
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI*1,1)	.85192471-02	.33540343
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI*2,1)	.85117428-02	.33510799
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI*2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3376.2561	6077.2609
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5984622	2477.6214
EXPANSION RATIO	EPR	6.7242847	6.7242847
PRESSURE RATIO	PEPO	.23479633-01	.23479633-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	482.82	482.82	6079.67	3.66	.001	438.26	15282.18	81.38	77.60	-3.78	.3355	40.050	.0000	.000
15.000	482.82	482.82	6079.67	9.96	.003	438.53	15301.21	221.36	139.98	-.00	.3355	40.005	.0000	.000
30.000	482.82	482.82	6079.67	16.25	.005	438.79	15320.19	361.44	140.07	-.00	.3355	40.000	.0000	.000
45.000	482.82	482.81	6079.66	22.52	.006	439.06	15339.13	501.61	140.16	-.00	.3355	40.996	.0000	.000
60.000	482.81	482.79	6079.64	28.79	.008	439.32	15358.04	641.87	140.26	-.00	.3356	40.991	.0000	.000
75.000	482.80	482.78	6079.63	35.04	.010	439.59	15376.90	782.22	140.35	-.00	.3356	40.986	.0000	.000
90.000	482.80	482.76	6079.61	41.28	.012	439.85	15395.72	922.67	140.44	-.00	.3356	40.981	.0000	.000
105.000	482.78	482.73	6079.59	47.52	.013	440.12	15414.50	1063.21	140.54	-.00	.3356	40.976	.0000	.000
116.761	482.77	482.71	6079.57	52.40	.015	440.33	15429.20	1173.47	110.26	-.00	.3356	40.970	.0000	.000
116.771	482.77	482.69	6079.54	59.28	.017	-228.90	13637.56	1173.47	.00	-.00	.3356	40.971	.0000	.000
131.771	482.76	482.69	6079.56	55.41	.016	140.39	14593.97	1173.74	.03	-.27	.3356	40.971	.0000	.000
143.919	482.75	482.68	6079.55	55.98	.016	439.47	15369.64	1248.81	75.00	-.07	.3356	40.964	.0000	.000
158.919	482.73	482.65	6079.52	62.05	.018	440.21	15427.77	1389.30	140.49	-.00	.3356	40.958	.0000	.000
173.919	482.71	482.61	6079.49	68.08	.019	440.94	15485.60	1530.06	140.75	-.00	.3357	40.952	.0000	.000
188.919	482.70	482.57	6079.46	74.09	.021	441.68	15543.14	1671.07	141.01	-.00	.3357	40.946	.0000	.000
203.919	482.67	482.53	6079.42	80.06	.023	442.42	15600.39	1812.34	141.26	-.01	.3358	40.940	.0000	.000
218.919	482.65	482.48	6079.39	86.01	.024	443.16	15657.35	1953.86	141.52	-.01	.3358	40.934	.0000	.000
233.919	482.63	482.44	6079.35	91.93	.026	443.89	15714.02	2095.64	141.78	-.01	.3359	40.927	.0000	.000
248.919	482.60	482.38	6079.30	97.82	.028	444.63	15770.40	2237.68	142.03	-.01	.3359	40.921	.0000	.000
263.919	482.57	482.33	6079.26	103.68	.029	445.37	15826.48	2379.97	142.29	-.01	.3360	40.914	.0000	.000
278.919	482.54	482.27	6079.21	109.51	.031	446.10	15882.28	2522.53	142.55	-.01	.3361	40.908	.0000	.000
293.919	482.51	482.21	6079.16	115.33	.033	446.84	15937.79	2665.35	142.82	-.01	.3361	40.901	.0000	.000
308.919	482.48	482.15	6079.10	121.11	.034	447.58	15993.00	2808.45	143.09	-.01	.3362	40.894	.0000	.000
323.919	482.44	482.08	6079.05	126.88	.036	448.31	16047.92	2951.81	143.36	-.01	.3363	40.888	.0000	.000
338.919	482.40	482.01	6078.99	132.62	.038	449.05	16102.56	3095.45	143.63	-.01	.3364	40.881	.0000	.000
353.919	482.36	481.93	6078.93	138.33	.039	449.79	16156.90	3239.35	143.89	-.01	.3364	40.874	.0000	.000
368.919	482.32	481.86	6078.86	144.03	.041	450.53	16210.95	3383.52	144.16	-.01	.3365	40.866	.0000	.000
383.919	482.28	481.78	6078.80	149.71	.043	451.26	16264.71	3527.97	144.43	-.01	.3366	40.859	.0000	.000
398.919	482.24	481.69	6078.73	155.36	.044	452.00	16318.18	3672.68	144.70	-.01	.3367	40.852	.0000	.000
403.048	482.22	481.67	6078.71	156.92	.045	452.20	16332.85	3712.56	39.88	-.00	.3367	40.844	.0000	.000
418.048	482.18	481.58	6078.63	163.30	.046	452.41	16309.90	3857.57	145.00	-.01	.3370	40.843	.0000	.000
427.061	482.16	481.53	6078.58	167.15	.047	452.53	16296.27	3944.71	87.13	-.01	.3372	40.838	.0000	.000
427.061	482.14	481.31	6078.22	192.87	.055	-360.36	14128.79	3944.71	.00	-.00	.3371	40.863	.0000	.000
442.061	482.09	481.31	6078.31	186.79	.053	-28.96	14589.87	3945.08	.03	-.37	.3361	40.859	.0000	.000
457.061	482.02	481.27	6078.37	182.82	.052	302.44	15073.83	3988.90	43.64	-.18	.3354	40.829	.0000	.000
463.204	481.98	481.23	6078.37	182.57	.052	438.16	15278.64	4037.31	48.38	-.02	.3351	40.787	.0000	.000
478.204	481.93	481.13	6078.29	188.41	.053	438.73	15320.75	4177.16	139.85	-.00	.3352	40.766	.0000	.000
493.204	481.87	481.02	6078.20	194.24	.055	439.31	15362.66	4317.22	140.05	-.01	.3352	40.756	.0000	.000
508.204	481.81	480.91	6078.11	200.05	.057	439.88	15404.36	4457.47	140.24	-.01	.3352	40.746	.0000	.000
523.204	481.75	480.80	6078.02	205.84	.058	440.45	15445.85	4597.91	140.44	-.01	.3352	40.736	.0000	.000
538.204	481.69	480.68	6077.92	211.62	.060	441.03	15487.13	4738.55	140.63	-.01	.3353	40.726	.0000	.000
553.204	481.62	480.56	6077.83	217.39	.062	441.60	15528.23	4879.39	140.83	-.01	.3353	40.715	.0000	.000
568.204	481.56	480.44	6077.73	223.14	.063	442.17	15569.06	5020.42	141.02	-.01	.3353	40.705	.0000	.000
583.204	481.49	480.31	6077.63	228.87	.065	442.75	15609.71	5161.65	141.22	-.01	.3354	40.694	.0000	.000
598.204	481.42	480.16	6077.52	234.60	.067	443.32	15650.16	5303.07	141.41	-.01	.3354	40.684	.0000	.000
613.204	481.35	480.05	6077.42	240.31	.068	443.89	1569[illegible].37	5444.68	141.61	-.01	.3354	40.673	.0000	.000

628.204	481.27	479.91	6077.31	246.00	.070	444.47	15730.41	5586.49	141.80	-.01	.3354	40.662	.0000	.000
643.204	481.20	479.78	6077.23	251.69	.071	445.04	15773.23	5728.50	142.03	-.01	.3355	40.651	.0000	.000
658.204	481.12	479.63	6077.09	257.36	.073	445.62	15809.83	5870.72	142.21	-.01	.3356	40.640	.0000	.000
673.204	481.04	479.49	6076.97	263.02	.075	446.19	15849.23	6013.15	142.42	-.01	.3356	40.629	.0000	.000
688.204	480.96	479.34	6076.85	268.68	.076	446.76	15888.41	6155.79	142.63	-.01	.3357	40.618	.0000	.000
703.204	480.88	479.19	6076.73	274.32	.078	447.34	15927.39	6298.63	142.83	-.01	.3357	40.608	.0000	.000
718.204	480.79	479.04	6076.61	279.95	.079	447.91	15966.16	6441.68	143.04	-.01	.3358	40.597	.0000	.000
726.191	480.75	478.95	6076.54	282.95	.080	448.21	15986.71	6517.93	76.24	-.01	.3358	40.585	.0000	.000
741.191	480.64	478.79	6076.46	286.72	.081	450.20	16129.01	6661.56	143.62	-.01	.3361	40.580	.0000	.000
746.336	480.60	478.74	6076.43	288.02	.082	450.88	16177.32	6710.99	49.43	-.00	.3361	40.574	.0000	.000
746.346	480.57	478.26	6075.64	321.16	.091	-408.87	14520.65	6710.99	.00	-.00	.3361	40.624	.0000	.000
761.346	480.43	478.26	6075.89	311.20	.088	-143.50	14987.02	6711.42	.00	-.43	.3360	40.624	.0000	.000
776.346	480.30	478.26	6076.11	301.80	.086	121.86	15455.11	6711.70	.00	-.28	.3359	40.599	.0000	.000
791.346	480.13	478.16	6076.24	296.52	.084	387.22	15924.93	6793.18	81.35	-.13	.3358	40.569	.0000	.000
794.631	480.09	478.13	6076.25	295.86	.084	448.88	16034.33	6824.22	31.04	-.01	.3357	40.532	.0000	.000
809.631	479.99	477.96	6076.14	300.87	.085	449.86	16104.36	6967.85	143.61	-.02	.3359	40.527	.0000	.000
824.631	479.89	477.79	6076.02	305.88	.087	450.84	16173.75	7111.86	143.99	-.02	.3360	40.517	.0000	.000
839.631	479.78	477.62	6075.90	310.87	.088	451.81	16242.51	7256.26	144.37	-.03	.3362	40.507	.0000	.000
854.781	479.68	477.45	6075.77	315.83	.090	452.78	16310.39	7400.38	144.25	.14	.3364	40.497	.0000	.000
869.781	479.67	477.43	6075.76	316.56	.090	339.82	16300.91	7412.86	12.45	-.04	.3364	39.794	.0000	.000
884.781	479.68	477.43	6075.74	317.34	.090	.00	16261.11	7412.93	.00	-.06	.3364	39.025	.0000	.000
899.781	479.69	477.43	6075.73	317.82	.090	.00	16236.30	7413.02	.00	-.09	.3364	38.255	.0000	.000
914.781	479.70	477.43	6075.71	318.32	.090	.00	16211.38	7413.13	.00	-.11	.3364	37.486	.0000	.000
929.781	479.71	477.43	6075.70	318.81	.091	.00	16186.36	7413.27	.00	-.14	.3364	36.717	.0000	.000
944.781	479.71	477.43	6075.69	319.32	.091	.00	16161.22	7413.43	.00	-.16	.3364	35.948	.0000	.000
959.781	479.72	477.43	6075.68	319.82	.091	.00	16135.98	7413.60	.00	-.18	.3364	35.178	.0000	.000
974.781	479.73	477.43	6075.66	320.33	.091	.00	16110.63	7413.80	.00	-.20	.3364	34.409	.0000	.000
989.781	479.73	477.43	6075.65	320.85	.091	.00	16085.17	7414.02	.00	-.22	.3364	33.640	.0000	.000
1004.781	479.74	477.43	6075.64	321.37	.091	.00	16059.60	7414.25	.00	-.23	.3364	32.871	.0000	.000
1019.781	479.75	477.43	6075.62	321.89	.091	.00	16033.92	7414.50	.00	-.25	.3364	32.101	.0000	.000
1034.781	479.76	477.43	6075.61	322.42	.092	.00	16008.13	7414.77	.00	-.27	.3364	31.332	.0000	.000
1049.791	479.76	477.43	6075.60	322.64	.092	.00	15997.77	7414.88	.00	-.11	.3364	31.024	.0000	.000
1055.791	479.77	477.43	6075.59	323.21	.092	.00	15969.84	7415.17	.00	-.28	.3364	30.483	.0000	.000
1070.791	479.78	477.43	6075.58	323.79	.092	.00	15941.80	7415.45	.00	-.28	.3364	29.942	.0000	.000
1084.171	479.79	477.43	6075.56	324.31	.092	.00	15916.69	7415.70	.00	-.25	.3364	29.459	.0000	.000
AFT(A)	475.04	453.32	6038.99	998.91	.285	*****	15823.73	7416.55	.00	-.52	.3354	29.460	****	*****
AFT(B)	475.04	475.04	6077.26	-.02	.000	*****	10413.12	.33	.00	-.33	.3351	20.670	****	*****

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	#SLOT LB/SEC
FORWARD	1.1676+02	4.8277+02	4.8271+02	6.0796+03	4.9115+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.1735+03
AFT	1.1677+02	4.8276+02	4.8269+02	6.0795+03	4.9116+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.1735+03

GAS BUILDUP IN SLOT, DW/DT = -1.9352-04

FORWARD	4.2705+02	4.8216+02	4.8153+02	6.0786+03	1.6626+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.9447+03
AFT	4.2706+02	4.8193+02	4.8131+02	6.0782+03	1.6633+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.9447+03

GAS BUILDUP IN SLOT, DW/DT = -1.9279-04

FORWARD	7.4634+02	4.8060+02	4.7874+02	6.0764+03	2.8440+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7110+03
AFT	7.4635+02	4.8012+02	4.7826+02	6.0756+03	2.8465+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.7110+03

GAS BUILDUP IN SLOT, DW/DT = -1.9430-04

```
*EB BURNOUT INCREMENT LOCATION =  839.8310    SECTOR NO.  2    TAU = 40.7393    TAUWDP = 40.7393    TIME = 109.00
*EB BURNOUT INCREMENT LOCATION =  854.7810    SECTOR NO.  1    TAU = 40.5630    TAUWDP = 40.5630    TIME = 109.00
*EB BURNOUT INCREMENT LOCATION =  854.7810    SECTOR NO.  3    TAU = 40.5630    TAUWDP = 40.5630    TIME = 109.00
*EB BURNOUT INCREMENT LOCATION =  854.7810    SECTOR NO.  4    TAU = 40.5630    TAUWDP = 40.5630    TIME = 109.00
*EB BURNOUT INCREMENT LOCATION =  854.7810    SECTOR NO.  5    TAU = 40.5630    TAUWDP = 40.5630    TIME = 109.00
*EB BURNOUT INCREMENT LOCATION =  854.7810    SECTOR NO.  6    TAU = 40.5630    TAUWDP = 40.5630    TIME = 109.00
*EB BURNOUT INCREMENT LOCATION =  854.7810    SECTOR NO.  7    TAU = 40.5630    TAUWDP = 40.5630    TIME = 109.00
*EB BURNOUT INCREMENT LOCATION =  854.7810    SECTOR NO.  8    TAU = 40.5630    TAUWDP = 40.5630    TIME = 109.00
*PARTBN* TIME=109.50 IS=1 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 426.76 AINCHI= 418.05 DELZ= 8.716 ALP=453.67 ALPHI=452.97
*PARTBN* TIME=109.50 IS=2 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 424.33 AINCHI= 418.05 DELZ= 6.743 ALP=453.67 ALPHI=453.18
*PARTBN* TIME=109.50 IS=3 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 424.79 AINCHI= 418.05 DELZ= 6.743 ALP=453.67 ALPHI=453.14
*PARTBN* TIME=109.50 IS=4 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 427.43 AINCHI= 418.05 DELZ= 9.383 ALP=453.67 ALPHI=453.28
*PARTBN* TIME=109.50 IS=1 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 427.52 DELZ=14.540 ALP= -3.44 ALPHI=******
*PARTBN* TIME=109.50 IS=2 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 428.18 DELZ=13.886 ALP= -4.42 ALPHI=******
*PARTBN* TIME=109.50 IS=3 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 428.05 DELZ=14.010 ALP= -4.25 ALPHI=******
*PARTBN* TIME=109.50 IS=4 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 427.34 DELZ=14.719 ALP= -3.19 ALPHI=******
*PARTBN* TIME=109.50 IS=2 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 839.30 AINCHI= 824.83 DELZ=14.467 ALP=453.23 ALPHI=452.36
*PARTBN* TIME=109.50 IS=3 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 840.02 AINCHI= 824.83 DELZ=15.188 ALP=453.23 ALPHI=452.31
*PARTBN* TIME=109.50 IS=1 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 843.08 AINCHI= 839.83 DELZ= 3.252 ALP=453.21 ALPHI=453.06
*PARTBN* TIME=109.50 IS=4 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 844.12 AINCHI= 839.83 DELZ= 4.289 ALP=453.20 ALPHI=452.99
*PARTBN* TIME=109.50 IS=5 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 849.03 AINCHI= 839.83 DELZ= 9.200 ALP=453.17 ALPHI=452.65
*PARTBN* TIME=109.50 IS=6 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 850.45 AINCHI= 839.83 DELZ=10.624 ALP=453.17 ALPHI=452.55
*PARTBN* TIME=109.50 IS=7 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 850.18 AINCHI= 839.83 DELZ=10.344 ALP=453.17 ALPHI=452.57
*PARTBN* TIME=109.50 IS=8 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 848.51 AINCHI= 839.83 DELZ= 8.682 ALP=453.18 ALPHI=452.69
*PARTBN* TIME=109.50 IS=1 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 426.76 AINCHI= 418.05 DELZ= 8.716 ALP=453.67 ALPHI=452.97
*PARTBN* TIME=109.50 IS=2 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 424.33 AINCHI= 418.05 DELZ= 6.284 ALP=453.67 ALPHI=453.18
*PARTBN* TIME=109.50 IS=3 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 424.79 AINCHI= 418.05 DELZ= 6.743 ALP=453.67 ALPHI=453.14
*PARTBN* TIME=109.50 IS=4 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 427.43 AINCHI= 418.05 DELZ= 9.383 ALP=453.67 ALPHI=453.28
*PARTBN* TIME=109.50 IS=1 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 427.52 DELZ=14.540 ALP= -3.44 ALPHI=******
*PARTBN* TIME=109.50 IS=2 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 428.18 DELZ=13.886 ALP= -4.42 ALPHI=******
*PARTBN* TIME=109.50 IS=3 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 428.05 DELZ=14.010 ALP= -4.25 ALPHI=******
```

```
*PARTBN* TIME=109.50 IS=4 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 427.34 DELZ=14.719 ALP= -3.19 ALPHI=******
*PARTBN* TIME=109.50 IS=2 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 839.30 AINCHI= 824.83 DELZ=14.467 ALP=453.23 ALPHI=452.36
*PARTBN* TIME=109.50 IS=3 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 840.02 AINCHI= 824.83 DELZ=15.188 ALP=453.23 ALPHI=452.31
*PARTBN* TIME=109.50 IS=1 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 843.08 AINCHI= 839.83 DELZ= 3.252 ALP=453.21 ALPHI=453.06
*PARTBN* TIME=109.50 IS=4 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 844.12 AINCHI= 839.83 DELZ= 4.289 ALP=453.20 ALPHI=452.99
*PARTBN* TIME=109.50 IS=5 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 849.03 AINCHI= 839.83 DELZ= 9.200 ALP=453.17 ALPHI=452.65
*PARTBN* TIME=109.50 IS=6 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 850.45 AINCHI= 839.83 DELZ=10.624 ALP=453.17 ALPHI=452.55
*PARTBN* TIME=109.50 IS=7 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 850.18 AINCHI= 839.83 DELZ=10.344 ALP=453.17 ALPHI=452.57
*PARTBN* TIME=109.50 IS=8 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 848.51 AINCHI= 839.83 DELZ= 8.682 ALP=453.18 ALPHI=452.69
*PARTBN* TIME=109.50 IS=1 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 426.76 AINCHI= 418.05 DELZ= 8.716 ALP=453.67 ALPHI=452.97
*PARTBN* TIME=109.50 IS=2 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 424.33 AINCHI= 418.05 DELZ= 6.284 ALP=453.67 ALPHI=453.18
*PARTBN* TIME=109.50 IS=3 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 424.79 AINCHI= 418.05 DELZ= 6.743 ALP=453.67 ALPHI=453.14
*PARTBN* TIME=109.50 IS=4 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 427.43 AINCHI= 418.05 DELZ= 9.383 ALP=453.67 ALPHI=453.28
*PARTBN* TIME=109.50 IS=1 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 427.52 DELZ=14.540 ALP= -3.44 ALPHI=******
*PARTBN* TIME=109.50 IS=2 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 428.18 DELZ=13.886 ALP= -4.52 ALPHI=******
*PARTBN* TIME=109.50 IS=3 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 428.05 DELZ=14.010 ALP= -4.25 ALPHI=******
*PARTBN* TIME=109.50 IS=4 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 427.34 DELZ=14.719 ALP= -3.19 ALPHI=******
*PARTBN* TIME=109.50 IS=2 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 839.30 AINCHI= 824.83 DELZ=14.467 ALP=453.23 ALPHI=452.36
*PARTBN* TIME=109.50 IS=3 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 840.02 AINCHI= 824.83 DELZ=15.188 ALP=453.23 ALPHI=452.31
*PARTBN* TIME=109.50 IS=1 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 843.08 AINCHI= 839.83 DELZ= 3.252 ALP=453.21 ALPHI=453.06
*PARTBN* TIME=109.50 IS=4 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 844.12 AINCHI= 839.83 DELZ= 4.289 ALP=453.20 ALPHI=452.99
*PARTBN* TIME=109.50 IS=5 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 849.03 AINCHI= 839.83 DELZ= 9.200 ALP=453.17 ALPHI=452.65
*PARTBN* TIME=109.50 IS=6 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 850.45 AINCHI= 839.83 DELZ=10.624 ALP=453.17 ALPHI=452.55
*PARTBN* TIME=109.50 IS=7 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 850.18 AINCHI= 839.83 DELZ=10.344 ALP=453.17 ALPHI=452.57
*PARTBN* TIME=109.50 IS=8 ZCALC( 65)= 854.78 ZCALC( 64)= 839.83 AINCW= 848.51 AINCHI= 839.83 DELZ= 8.682 ALP=453.18 ALPHI=452.69
WEB BURNOUT INCREMENT LOCATION = 418.0480 SECTOR NO. 1 TAU = 41.1922 TAUWDP = 41.1922 TIME = 109.50
WEB BURNOUT INCREMENT LOCATION = 418.0480 SECTOR NO. 2 TAU = 41.1922 TAUWDP = 41.1922 TIME = 109.50
WEB BURNOUT INCREMENT LOCATION = 418.0480 SECTOR NO. 3 TAU = 41.1922 TAUWDP = 41.1922 TIME = 109.50
WEB BURNOUT INCREMENT LOCATION = 418.0480 SECTOR NO. 4 TAU = 41.1922 TAUWDP = 41.1922 TIME = 109.50
WEB BURNOUT INCREMENT LOCATION = 824.8310 SECTOR NO. 2 TAU = 40.9162 TAUWDP = 40.9162 TIME = 109.50
WEB BURNOUT INCREMENT LOCATION = 839.8310 SECTOR NO. 1 TAU = 40.7393 TAUWDP = 40.7393 TIME = 109.50
WEB BURNOUT INCREMENT LOCATION = 839.8310 SECTOR NO. 3 TAU = 40.7393 TAUWDP = 40.7393 TIME = 109.50
WEB BURNOUT INCREMENT LOCATION = 839.8310 SECTOR NO. 4 TAU = 40.7393 TAUWDP = 40.7393 TIME = 109.50
WEB BURNOUT INCREMENT LOCATION = 839.8310 SECTOR NO. 5 TAU = 40.7393 TAUWDP = 40.7393 TIME = 109.50
WEB BURNOUT INCREMENT LOCATION = 839.8310 SECTOR NO. 6 TAU = 40.7393 TAUWDP = 40.7393 TIME = 109.50
WEB BURNOUT INCREMENT LOCATION = 839.8310 SECTOR NO. 7 TAU = 40.7393 TAUWDP = 40.7393 TIME = 109.50
WEB BURNOUT INCREMENT LOCATION = 839.8310 SECTOR NO. 8 TAU = 40.7393 TAUWDP = 40.7393 TIME = 109.50
*PARTBN* TIME=110.00 IS=1 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 417.19 AINCHI= 403.05 DELZ=14.143 ALP=453.67 ALPHI=453.06
*PARTBN* TIME=110.00 IS=2 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 414.83 AINCHI= 403.05 DELZ=11.783 ALP=453.67 ALPHI=453.16
*PARTBN* TIME=110.00 IS=3 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 415.28 AINCHI= 403.05 DELZ=12.230 ALP=453.67 ALPHI=453.15
*PARTBN* TIME=110.00 IS=4 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 417.84 AINCHI= 403.05 DELZ=14.791 ALP=453.67 ALPHI=453.04
*PARTBN* TIME=110.00 IS=5 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 420.97 AINCHI= 418.05 DELZ= 2.926 ALP=453.67 ALPHI=453.46
*PARTBN* TIME=110.00 IS=6 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 421.90 AINCHI= 418.05 DELZ= 3.848 ALP=453.67 ALPHI=453.39
*PARTBN* TIME=110.00 IS=7 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 421.71 AINCHI= 418.05 DELZ= 3.667 ALP=453.67 ALPHI=453.40
*PARTBN* TIME=110.00 IS=8 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 420.64 AINCHI= 418.05 DELZ= 2.595 ALP=453.67 ALPHI=453.49
*PARTBN* TIME=110.00 IS=1 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 430.10 DELZ=11.957 ALP= -7.58 ALPHI=******
*PARTBN* TIME=110.00 IS=2 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 430.76 DELZ=11.302 ALP= -8.58 ALPHI=******
*PARTBN* TIME=110.00 IS=3 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 430.63 DELZ=11.427 ALP= -8.40 ALPHI=******
*PARTBN* TIME=110.00 IS=4 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 429.92 DELZ=12.137 ALP= -7.32 ALPHI=******
*PARTBN* TIME=110.00 IS=5 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 429.09 DELZ=12.977 ALP= -6.03 ALPHI=******
*PARTBN* TIME=110.00 IS=6 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 428.84 DELZ=13.225 ALP= -5.63 ALPHI=******
*PARTBN* TIME=110.00 IS=7 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 428.88 DELZ=13.177 ALP= -5.71 ALPHI=******
*PARTBN* TIME=110.00 IS=8 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 429.17 DELZ=12.889 ALP= -6.16 ALPHI=******
*PARTBN* TIME=110.00 IS=2 ZCALC( 58)= 761.35 ZCALC( 57)= 746.35 AINCW= 761.35 AINCHI= 746.55 DELZ=14.793 ALP=****** ALPHI=******
*PARTBN* TIME=110.00 IS=2 ZCALC( 63)= 824.83 ZCALC( 62)= 809.83 AINCW= 824.25 AINCHI= 809.83 DELZ=14.418 ALP=453.32 ALPHI=452.45
*PARTBN* TIME=110.00 IS=3 ZCALC( 63)= 824.83 ZCALC( 62)= 809.83 AINCW= 824.97 AINCHI= 809.83 DELZ=15.140 ALP=453.32 ALPHI=452.40
```

```
*PARTBN* TIME=110.00 IS=1 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 828.04 AINCHI= 824.83 DELZ= 3.214 ALP=453.30 ALPHI=453.16
*PARTBN* TIME=110.00 IS=4 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 829.09 AINCHI= 824.83 DELZ= 4.255 ALP=453.29 ALPHI=453.08
*PARTBN* TIME=110.00 IS=5 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 834.01 AINCHI= 824.83 DELZ= 9.181 ALP=453.26 ALPHI=452.74
*PARTBN* TIME=110.00 IS=6 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 835.44 AINCHI= 824.83 DELZ=10.613 ALP=453.26 ALPHI=452.64
*PARTBN* TIME=110.00 IS=7 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 835.16 AINCHI= 824.83 DELZ=10.332 ALP=453.26 ALPHI=452.66
*PARTBN* TIME=110.00 IS=8 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 833.49 AINCHI= 824.83 DELZ= 8.663 ALP=453.27 ALPHI=452.77
*PARTBN* TIME=110.00 IS=1 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 417.19 AINCHI= 403.05 DELZ=14.143 ALP=453.67 ALPHI=453.06
*PARTBN* TIME=110.00 IS=2 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 414.83 AINCHI= 403.05 DELZ=11.783 ALP=453.67 ALPHI=453.16
*PARTBN* TIME=110.00 IS=3 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 415.28 AINCHI= 403.05 DELZ=12.230 ALP=453.67 ALPHI=453.15
*PARTBN* TIME=110.00 IS=4 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 417.84 AINCHI= 403.05 DELZ=14.791 ALP=453.67 ALPHI=453.04
*PARTBN* TIME=110.00 IS=5 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 420.97 AINCHI= 418.05 DELZ= 2.926 ALP=453.67 ALPHI=453.46
*PARTBN* TIME=110.00 IS=6 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 421.90 AINCHI= 418.05 DELZ= 3.848 ALP=453.67 ALPHI=453.39
*PARTBN* TIME=110.00 IS=7 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 421.71 AINCHI= 418.05 DELZ= 3.667 ALP=453.67 ALPHI=453.40
*PARTBN* TIME=110.00 IS=8 ZCALC( 32)= 427.05 ZCALC( 31)= 418.05 AINCW= 420.64 AINCHI= 418.05 DELZ= 2.595 ALP=453.67 ALPHI=453.49
*PARTBN* TIME=110.00 IS=1 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 430.10 DELZ=11.957 ALP= -7.58 ALPHI=******
*PARTBN* TIME=110.00 IS=2 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 430.76 DELZ=11.302 ALP= -8.58 ALPHI=******
*PARTBN* TIME=110.00 IS=3 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 430.63 DELZ=11.427 ALP= -8.40 ALPHI=******
*PARTBN* TIME=110.00 IS=4 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 429.92 DELZ=12.137 ALP= -7.32 ALPHI=******
*PARTBN* TIME=110.00 IS=5 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 429.08 DELZ=12.977 ALP= -6.03 ALPHI=******
*PARTBN* TIME=110.00 IS=6 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 428.84 DELZ=13.225 ALP= -5.63 ALPHI=******
*PARTBN* TIME=110.00 IS=7 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 428.88 DELZ=13.177 ALP= -5.71 ALPHI=******
*PARTBN* TIME=110.00 IS=8 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 429.17 DELZ=12.889 ALP= -6.16 ALPHI=******
*PARTBN* TIME=110.00 IS=2 ZCALC( 58)= 761.35 ZCALC( 57)= 746.35 AINCW= 761.35 AINCHI= 746.55 DELZ=14.793 ALP=****** ALPHI=******
*PARTBN* TIME=110.00 IS=2 ZCALC( 63)= 824.83 ZCALC( 62)= 809.83 AINCW= 824.25 AINCHI= 809.83 DELZ=14.418 ALP=453.32 ALPHI=452.45
*PARTBN* TIME=110.00 IS=3 ZCALC( 63)= 824.83 ZCALC( 62)= 809.83 AINCW= 824.97 AINCHI= 809.83 DELZ=15.140 ALP=453.32 ALPHI=452.40
*PARTBN* TIME=110.00 IS=1 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 828.04 AINCHI= 824.83 DELZ= 3.214 ALP=453.30 ALPHI=453.16
*PARTBN* TIME=110.00 IS=4 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 829.09 AINCHI= 824.83 DELZ= 4.255 ALP=453.29 ALPHI=453.08
*PARTBN* TIME=110.00 IS=5 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 834.01 AINCHI= 824.83 DELZ= 9.181 ALP=453.26 ALPHI=452.74
*PARTBN* TIME=110.00 IS=6 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 835.44 AINCHI= 824.83 DELZ=10.613 ALP=453.26 ALPHI=452.64
*PARTBN* TIME=110.00 IS=7 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 835.16 AINCHI= 824.83 DELZ=10.332 ALP=453.26 ALPHI=452.66
*PARTBN* TIME=110.00 IS=8 ZCALC( 64)= 839.83 ZCALC( 63)= 824.83 AINCW= 833.49 AINCHI= 824.83 DELZ= 8.663 ALP=453.27 ALPHI=452.77
```

IGNITION TIME, TIME (S) 110.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	8200965.1	1843650.3
TOTAL VACUUM THRUST (N,LBF)	FTVAC	8213228.6	1845732.8
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	65992.760	14835.763
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.11992282+10	.26959722+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	255.70674	255.70674
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.12491955+10	.28083331+09
THRUST COEFFICIENT	CF	1.6285779	1.6285779
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	3238.6856	7140.0796
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	491848.11	1084339.5
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	35.417836	78.082962
INERT MASS REMAINING (KG,LBM)	MIR	156.50624	345.03721
TOTAL BURN AREA (M**2,IN**2)	ABTOT	209.71502	325058.93
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	9.2854089	566630.41
PROPELLANT MASS REMAINING (KG,LBM)	WF	13805.435	30435.775
TOTAL GAS MASS (KG,LBM)	WGTOT	1121.8775	2473.3165
RATIO OF SPECIFIC HEATS	GAMA	1.1595915	1.1595915
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.814433	28.250988
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1556.9505	5108.1054
MAXIMUM CHAMBER MACH NUMBER	AMPN	.94866085-01	.94866085-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.32042606+09	464.73872
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.51936952+11	75328.182
BURN AREA (M**2,IN**2)	AHH	2.1823143	3382.5939
BURN RATE (M/S,IN/S)	RBZ(1)	.84233788-02	.33162909
DISTANCE BURNED (M,IN)	TAUZ(1)	1.0511836	41.385181
PROPELLANT VOLUME (M**3,IN**3)	VFH	.29918215	18257.215
GAS VOLUME (M**3,IN**3)	VPH	54.804653	3344384.9
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3374.4824	6074.0683
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	207.53271	321676.34
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	8.49842606	548253.22
GAS VOLUME (M**3,IN**3)	VP	278.34819	16985849.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.31525142+09	457.23354
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.49543716+11	71857.386
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.84061074-02	.33094911
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.83986978-02	.33065740
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460300
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3373.1898	6071.7916
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5991517	2478.6901
EXPANSION RATIO	EPR	6.7213855	6.7213855
PRESSURE RATIO	PEPO	.23493924-01	.23493924-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	464.74	464.74	6074.07	4.27	.001	440.37	15429.30	92.20	71.08	-21.12	.3312	41.385	.0000	.000
15.000	464.74	464.74	6074.06	10.75	.003	440.64	15448.42	232.27	138.86	-1.21	.3312	41.340	.0000	.000
30.000	464.74	464.73	6074.06	17.22	.005	440.90	15467.50	372.44	138.95	-1.22	.3312	41.335	.0000	.000
45.000	464.73	464.72	6074.05	23.68	.007	441.17	15486.54	512.71	139.05	-1.22	.3313	41.331	.0000	.000
60.000	464.73	464.71	6074.03	30.12	.009	441.43	15505.54	653.06	139.14	-1.22	.3313	41.326	.0000	.000
75.000	464.72	464.69	6074.02	36.56	.010	441.70	15524.50	793.52	139.23	-1.22	.3313	41.321	.0000	.000
90.000	464.71	464.67	6074.00	42.98	.012	441.96	15543.42	934.06	139.32	-1.22	.3313	41.316	.0000	.000
105.000	464.70	464.65	6073.97	49.40	.014	442.23	15562.30	1074.70	139.42	-1.22	.3314	41.311	.0000	.000
116.761	464.69	464.62	6073.95	54.42	.015	442.43	15577.07	1185.04	109.38	-.96	.3314	41.305	.0000	.000
116.771	464.69	464.60	6073.92	62.54	.018	-267.09	13554.48	1185.04	.00	-.00	.3314	41.306	.0000	.000
131.771	464.67	464.60	6073.94	57.98	.016	-124.47	14638.25	1186.43	.00	-1.38	.3313	41.306	.0000	.000
143.919	464.66	464.58	6073.94	58.08	.016	441.58	15517.21	1259.73	72.28	-1.03	.3313	41.299	.0000	.000
158.919	464.64	464.55	6073.91	64.32	.018	442.24	15575.62	1400.32	139.36	-1.22	.3314	41.293	.0000	.000
173.919	464.62	464.52	6073.87	70.53	.020	442.90	15633.74	1541.14	139.59	-1.23	.3314	41.287	.0000	.000
188.919	464.60	464.48	6073.84	76.71	.022	443.56	15691.56	1682.19	139.82	-1.23	.3315	41.281	.0000	.000
203.919	464.58	464.43	6073.80	82.86	.024	444.22	15749.10	1823.48	140.05	-1.24	.3315	41.275	.0000	.000
218.919	464.56	464.39	6073.76	88.97	.025	444.89	15806.33	1965.00	140.28	-1.25	.3316	41.269	.0000	.000
233.919	464.54	464.34	6073.72	95.06	.027	445.55	15863.28	2106.77	140.52	-1.25	.3317	41.263	.0000	.000
248.919	464.51	464.29	6073.67	101.11	.029	446.21	15919.93	2248.78	140.76	-1.26	.3317	41.256	.0000	.000
263.919	464.48	464.23	6073.62	107.14	.030	446.87	15976.28	2391.04	141.00	-1.26	.3318	41.250	.0000	.000
278.919	464.45	464.17	6073.57	113.15	.032	447.53	16032.34	2533.55	141.24	-1.27	.3319	41.243	.0000	.000
293.919	464.42	464.11	6073.51	119.12	.034	448.19	16088.11	2676.31	141.49	-1.27	.3320	41.237	.0000	.000
308.919	464.38	464.04	6073.46	125.07	.036	448.85	16143.58	2819.32	141.73	-1.28	.3321	41.230	.0000	.000
323.919	464.35	463.98	6073.40	131.00	.037	449.51	16198.76	2962.57	141.97	-1.28	.3321	41.223	.0000	.000
338.919	464.31	463.90	6073.34	136.90	.039	450.17	16253.64	3106.07	142.21	-1.29	.3322	41.216	.0000	.000
353.919	464.27	463.83	6073.27	142.78	.041	450.83	16308.23	3249.82	142.46	-1.29	.3323	41.209	.0000	.000
368.919	464.23	463.75	6073.21	148.63	.042	451.50	16362.53	3393.81	142.70	-1.30	.3324	41.202	.0000	.000
383.919	464.19	463.67	6073.14	154.46	.044	452.16	16416.53	3538.06	142.95	-1.30	.3325	41.195	.0000	.000
398.919	464.14	463.59	6073.06	160.27	.046	452.82	16470.24	3682.57	143.21	-1.31	.3326	41.188	.0000	.000
403.048	464.13	463.56	6073.04	161.87	.046	453.00	16484.97	3722.39	39.46	-.36	.3326	41.180	.0000	.000
418.048	464.10	463.48	6072.96	168.44	.048	453.55	16425.76	3858.81	135.06	-1.36	.3329	41.164	.0000	.000
427.051	464.09	463.47	6072.94	169.62	.048	226.83	16381.95	3875.40	15.54	-1.05	.3329	41.174	.0000	.000
427.061	464.08	463.23	6072.54	197.61	.056	.00	14067.75	3875.40	.00	-.00	.3328	41.029	.0000	.000
442.061	464.02	463.23	6072.65	190.32	.054	-6.93	14612.37	3876.90	.00	-1.50	.3319	41.194	.0000	.000
457.061	463.94	463.19	6072.72	185.56	.053	319.33	15183.80	3927.40	49.22	-1.28	.3311	41.164	.0000	.000
463.204	463.90	463.15	6072.73	184.97	.053	440.27	15425.56	3976.90	48.99	-.50	.3308	41.122	.0000	.000
478.204	463.84	463.05	6072.64	190.99	.054	440.84	15467.91	4116.84	138.73	-1.21	.3309	41.101	.0000	.000
493.204	463.78	462.94	6072.55	197.00	.056	441.41	15510.05	4256.99	138.93	-1.22	.3309	41.091	.0000	.000
508.204	463.73	462.83	6072.46	202.99	.058	441.99	15551.98	4397.33	139.12	-1.22	.3309	41.081	.0000	.000
523.204	463.67	462.72	6072.36	208.97	.059	442.56	15593.69	4537.86	139.31	-1.22	.3310	41.071	.0000	.000
538.204	463.60	462.60	6072.26	214.93	.061	443.13	15635.19	4678.60	139.50	-1.23	.3310	41.060	.0000	.000
553.204	463.54	462.48	6072.16	220.87	.063	443.71	15676.48	4819.53	139.70	-1.23	.3310	41.050	.0000	.000
568.204	463.47	462.36	6072.06	226.80	.064	444.28	15717.56	4960.65	139.89	-1.24	.3311	41.040	.0000	.000
583.204	463.41	462.23	6071.95	232.72	.066	444.85	15758.42	5101.97	140.08	-1.24	.3311	41.029	.0000	.000
598.204	463.34	462.10	6071.84	238.62	.068	445.43	15799.08	5243.50	140.29	-1.24	.3312	41.019	.0000	.000
613.204	463.26	461.97	6071.73	244.51	.069	446.00	15839.52	5385.24	140.49	-1.25	.3312	41.008	.0000	.000

628.204	463.19	461.84	6071.62	250.39	.071	446.57	15879.74	5527.19	140.70	-1.25	.3313	40.997	.0000	.000
643.204	463.12	461.70	6071.50	256.26	.073	447.15	15919.76	5669.35	140.90	-1.25	.3313	40.986	.0000	.000
658.204	463.04	461.56	6071.38	262.11	.074	447.72	15959.56	5811.71	141.11	-1.26	.3314	40.975	.0000	.000
673.204	462.96	461.41	6071.26	267.96	.076	448.29	15999.15	5954.28	141.31	-1.26	.3314	40.964	.0000	.000
688.204	462.88	461.26	6071.14	273.79	.078	448.87	16038.53	6097.06	141.52	-1.26	.3315	40.954	.0000	.000
703.204	462.80	461.11	6071.01	279.61	.079	449.44	16077.70	6240.05	141.72	-1.27	.3315	40.943	.0000	.000
718.204	462.72	460.96	6070.88	285.43	.081	450.01	16116.65	6383.25	141.92	-1.27	.3316	40.932	.0000	.000
726.191	462.67	460.87	6070.82	288.52	.082	450.32	16137.30	6459.57	75.65	-.68	.3316	40.920	.0000	.000
741.191	462.58	460.71	6070.73	292.45	.083	452.30	16280.41	6603.37	142.52	-1.28	.3320	40.916	.0000	.000
746.336	462.52	460.66	6070.70	293.80	.083	452.98	16328.98	6652.88	49.06	-.44	.3321	40.910	.0000	.000
746.346	462.49	460.68	6069.70	333.94	.095	-390.47	14381.89	6652.88	.00	-.00	.3320	40.960	.0000	.000
761.346	462.31	460.38	6070.03	321.61	.091	-168.22	14937.48	6654.44	.00	-1.56	.3319	40.960	.0000	.000
776.346	462.15	460.08	6070.31	310.12	.088	109.76	15495.11	6655.90	.00	-1.46	.3318	40.934	.0000	.000
791.346	461.96	459.98	6070.48	302.97	.086	386.80	16054.78	6735.63	78.37	-1.36	.3316	40.904	.0000	.000
794.831	461.91	459.94	6070.51	301.94	.086	451.00	16185.11	6766.65	30.71	-.30	.3315	40.867	.0000	.000
809.831	461.82	459.78	6070.37	307.70	.087	452.01	16225.36	6910.48	142.51	-1.32	.3317	40.862	.0000	.000
824.831	461.72	459.61	6070.23	313.43	.089	452.96	16265.17	7054.18	142.37	-1.33	.3319	40.852	.0000	.000
839.831	461.68	459.54	6070.18	315.52	.090	339.96	16289.49	7110.71	54.97	-1.56	.3319	40.739	.0000	.000
854.781	461.67	459.54	6070.20	314.54	.089	.00	16343.67	7112.28	.00	-1.57	.3319	40.563	.0000	.000
869.781	461.68	459.54	6070.19	315.15	.090	.00	16315.82	7113.82	.00	-1.54	.3319	39.794	.0000	.000
884.781	461.69	459.54	6070.17	315.75	.090	.00	16287.96	7115.35	.00	-1.54	.3319	39.025	.0000	.000
899.781	461.70	459.54	6070.16	316.36	.090	.00	16260.09	7116.89	.00	-1.53	.3319	38.255	.0000	.000
914.781	461.70	459.54	6070.14	316.97	.090	.00	16232.22	7118.42	.00	-1.53	.3319	37.486	.0000	.000
929.781	461.71	459.54	6070.13	317.58	.090	.00	16204.33	7119.95	.00	-1.53	.3319	36.717	.0000	.000
944.781	461.72	459.54	6070.11	318.20	.090	.00	16176.44	7121.47	.00	-1.53	.3319	35.948	.0000	.000
959.781	461.73	459.54	6070.10	318.82	.091	.00	16148.55	7123.00	.00	-1.52	.3319	35.178	.0000	.000
974.781	461.74	459.54	6070.08	319.43	.091	.00	16120.65	7124.52	.00	-1.52	.3319	34.409	.0000	.000
989.781	461.75	459.54	6070.07	320.06	.091	.00	16092.74	7126.03	.00	-1.52	.3319	33.640	.0000	.000
1004.781	461.76	459.54	6070.05	320.68	.091	.00	16064.82	7127.55	.00	-1.52	.3319	32.871	.0000	.000
1019.781	461.76	459.54	6070.03	321.31	.091	.00	16036.89	7129.06	.00	-1.51	.3319	32.101	.0000	.000
1034.781	461.77	459.54	6070.02	321.93	.091	.00	16008.96	7130.57	.00	-1.51	.3319	31.332	.0000	.000
1040.791	461.78	459.54	6070.01	322.19	.092	.00	15997.77	7131.18	.00	-.60	.3319	31.024	.0000	.000
1055.791	461.78	459.54	6070.00	322.82	.092	.00	15969.84	7132.68	.00	-1.51	.3319	30.483	.0000	.000
1070.791	461.79	459.54	6069.98	323.45	.092	.00	15941.80	7134.19	.00	-1.50	.3319	29.942	.0000	.000
1084.171	461.80	459.54	6069.97	324.02	.092	.00	15916.69	7135.53	.00	-1.34	.3319	29.459	.0000	.000
AFT(A)	457.23	436.32	6033.45	999.09	.285	.....	15823.73	7140.08	.00	-2.76	.3309	29.460	....	.....
AFT(B)	457.23	457.23	6071.74	-.12	.000	.....	10413.12	1.79	.00	-1.79	.3307	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FORWARD	1.1676+02	4.6469+02	4.6462+02	6.0740+03	5.1500+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.1850+03
AFT	1.1677+02	4.6467+02	4.6460+02	6.0739+03	5.1502+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.1850+03

GAS BUILDUP IN SLOT, DW/DT = -1.0460-03

FORWARD	4.2705+02	4.6409+02	4.6347+02	6.0729+03	1.6961+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.8754+03
AFT	4.2706+02	4.6385+02	4.6323+02	6.0725+03	1.6968+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.8754+03

GAS BUILDUP IN SLOT, DW/DT = -1.0390-03

FORWARD	7.4634+02	4.6252+02	4.6066+02	6.0707+03	2.9283+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.6529+03
AFT	7.4635+02	4.6194+02	4.6008+02	6.0697+03	2.9315+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.6529+03

GAS BUILDUP IN SLOT, DW/DT = -1.0426-03

```
WEB BURNOUT INCREMENT LOCATION =  418.0480   SECTOR NO.  5   TAU = 41.1922   TAUWDP = 41.1922   TIME = 110.00
WEB BURNOUT INCREMENT LOCATION =  418.0480   SECTOR NO.  6   TAU = 41.1922   TAUWDP = 41.1922   TIME = 110.00
WEB BURNOUT INCREMENT LOCATION =  418.0480   SECTOR NO.  7   TAU = 41.1922   TAUWDP = 41.1922   TIME = 110.00
WEB BURNOUT INCREMENT LOCATION =  418.0480   SECTOR NO.  8   TAU = 41.1922   TAUWDP = 41.1922   TIME = 110.00
WEB BURNOUT INCREMENT LOCATION =  741.1910   SECTOR NO.  2   TAU = 41.1401   TAUWDP = 41.1401   TIME = 110.00
WEB BURNOUT INCREMENT LOCATION =  741.1910   SECTOR NO.  3   TAU = 41.1401   TAUWDP = 41.1401   TIME = 110.00
WEB BURNOUT INCREMENT LOCATION =  761.3460   SECTOR NO.  1   TAU = 41.1036   TAUWDP = 41.1036   TIME = 110.00
WEB BURNOUT INCREMENT LOCATION =  761.3460   SECTOR NO.  2   TAU = 41.1036   TAUWDP = 41.1036   TIME = 110.00
WEB BURNOUT INCREMENT LOCATION =  761.3460   SECTOR NO.  3   TAU = 41.1036   TAUWDP = 41.1036   TIME = 110.00
WEB BURNOUT INCREMENT LOCATION =  761.3460   SECTOR NO.  4   TAU = 41.1036   TAUWDP = 41.1036   TIME = 110.00
WEB BURNOUT INCREMENT LOCATION =  809.8310   SECTOR NO.  2   TAU = 41.0931   TAUWDP = 41.0931   TIME = 110.00
WEB BURNOUT INCREMENT LOCATION =  824.8310   SECTOR NO.  1   TAU = 40.9162   TAUWDP = 40.9162   TIME = 110.00
WEB BURNOUT INCREMENT LOCATION =  824.8310   SECTOR NO.  3   TAU = 40.9162   TAUWDP = 40.9162   TIME = 110.00
WEB BURNOUT INCREMENT LOCATION =  824.8310   SECTOR NO.  4   TAU = 40.9162   TAUWDP = 40.9162   TIME = 110.00
WEB BURNOUT INCREMENT LOCATION =  824.8310   SECTOR NO.  5   TAU = 40.9162   TAUWDP = 40.9162   TIME = 110.00
WEB BURNOUT INCREMENT LOCATION =  824.8310   SECTOR NO.  6   TAU = 40.9162   TAUWDP = 40.9162   TIME = 110.00
WEB BURNOUT INCREMENT LOCATION =  824.8310   SECTOR NO.  7   TAU = 40.9162   TAUWDP = 40.9162   TIME = 110.00
WEB BURNOUT INCREMENT LOCATION =  824.8310   SECTOR NO.  8   TAU = 40.9162   TAUWDP = 40.9162   TIME = 110.00
*PARTBN* TIME=110.50 IS=1 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 407.98 AINCHI= 403.05 DELZ= 4.937 ALP=453.67 ALPHI=453.46
*PARTBN* TIME=110.50 IS=2 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 405.62 AINCHI= 403.05 DELZ= 2.570 ALP=453.67 ALPHI=453.56
*PARTBN* TIME=110.50 IS=3 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 406.06 AINCHI= 403.05 DELZ= 3.015 ALP=453.67 ALPHI=453.54
*PARTBN* TIME=110.50 IS=4 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 408.63 AINCHI= 403.05 DELZ= 5.587 ALP=453.67 ALPHI=453.43
*PARTBN* TIME=110.50 IS=5 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 411.69 AINCHI= 403.05 DELZ= 8.642 ALP=453.67 ALPHI=453.30
*PARTBN* TIME=110.50 IS=6 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 412.59 AINCHI= 403.05 DELZ= 9.538 ALP=453.67 ALPHI=453.26
*PARTBN* TIME=110.50 IS=7 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 412.41 AINCHI= 403.05 DELZ= 9.362 ALP=453.67 ALPHI=453.27
*PARTBN* TIME=110.50 IS=8 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 411.37 AINCHI= 403.05 DELZ= 8.321 ALP=453.67 ALPHI=453.32
*PARTBN* TIME=110.50 IS=1 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 432.06 DELZ= 9.398 ALP=-11.69 ALPHI=******
*PARTBN* TIME=110.50 IS=2 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 433.32 DELZ= 8.741 ALP=-12.70 ALPHI=******
*PARTBN* TIME=110.50 IS=3 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 433.20 DELZ= 8.866 ALP=-12.61 ALPHI=******
*PARTBN* TIME=110.50 IS=4 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 432.48 DELZ= 9.576 ALP=-11.42 ALPHI=******
*PARTBN* TIME=110.50 IS=5 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 431.64 DELZ=10.421 ALP=-10.12 ALPHI=******
```

```
*PARTBN* TIME=110.50 IS=6 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 431.39 DELZ=10.671 ALP= -9.71 ALPHI=******
*PARTBN* TIME=110.50 IS=7 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 431.44 DELZ=10.622 ALP= -9.79 ALPHI=******
*PARTBN* TIME=110.50 IS=8 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 431.73 DELZ=10.333 ALP=-10.25 ALPHI=******
*PARTBN* TIME=110.50 IS=2 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 740.63 AINCHI= 726.19 DELZ=14.440 ALP=453.67 ALPHI=451.79
*PARTBN* TIME=110.50 IS=3 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 741.01 AINCHI= 726.19 DELZ=14.820 ALP=453.67 ALPHI=451.74
*PARTBN* TIME=110.50 IS=1 ZCALC( 56)= 746.34 ZCALC( 55)= 741.19 AINCW= 742.68 AINCHI= 741.19 DELZ= 1.486 ALP=453.67 ALPHI=453.54
*PARTBN* TIME=110.50 IS=4 ZCALC( 56)= 746.34 ZCALC( 55)= 741.19 AINCW= 743.25 AINCHI= 741.19 DELZ= 2.056 ALP=453.67 ALPHI=453.47
*PARTBN* TIME=110.50 IS=5 ZCALC( 56)= 746.34 ZCALC( 55)= 741.19 AINCW= 745.94 AINCHI= 741.19 DELZ= 4.751 ALP=453.67 ALPHI=453.12
*PARTBN* TIME=110.50 IS=6 ZCALC( 56)= 746.34 ZCALC( 55)= 741.19 AINCW= 746.73 AINCHI= 741.19 DELZ= 5.537 ALP=453.67 ALPHI=452.99
*PARTBN* TIME=110.50 IS=7 ZCALC( 56)= 746.34 ZCALC( 55)= 741.19 AINCW= 746.57 AINCHI= 741.19 DELZ= 5.382 ALP=453.67 ALPHI=453.00
*PARTBN* TIME=110.50 IS=8 ZCALC( 56)= 746.34 ZCALC( 55)= 741.19 AINCW= 745.66 AINCHI= 741.19 DELZ= 4.468 ALP=453.67 ALPHI=453.16
*PARTBN* TIME=110.50 IS=5 ZCALC( 58)= 761.35 ZCALC( 57)= 746.35 AINCW= 761.35 AINCHI= 757.98 DELZ= 3.365 ALP=****** ALPHI=******
*PARTBN* TIME=110.50 IS=6 ZCALC( 58)= 761.35 ZCALC( 57)= 746.35 AINCW= 761.35 AINCHI= 754.74 DELZ= 6.609 ALP=****** ALPHI=******
*PARTBN* TIME=110.50 IS=7 ZCALC( 58)= 761.35 ZCALC( 57)= 746.35 AINCW= 761.35 AINCHI= 755.37 DELZ= 5.972 ALP=****** ALPHI=******
*PARTBN* TIME=110.50 IS=8 ZCALC( 58)= 761.35 ZCALC( 57)= 746.35 AINCW= 761.35 AINCHI= 759.15 DELZ= 2.200 ALP=****** ALPHI=******
*PARTBN* TIME=110.50 IS=1 ZCALC( 59)= 776.35 ZCALC( 58)= 761.35 AINCW= 776.35 AINCHI= 768.86 DELZ= 7.489 ALP=109.28 ALPHI=-32.38
*PARTBN* TIME=110.50 IS=3 ZCALC( 59)= 776.35 ZCALC( 58)= 761.35 AINCW= 776.35 AINCHI= 774.05 DELZ= 2.300 ALP=107.92 ALPHI= 64.69
*PARTBN* TIME=110.50 IS=4 ZCALC( 59)= 776.35 ZCALC( 58)= 761.35 AINCW= 776.35 AINCHI= 767.11 DELZ= 9.240 ALP=109.73 ALPHI=-65.15
*PARTBN* TIME=110.50 IS=2 ZCALC( 60)= 791.35 ZCALC( 59)= 776.35 AINCW= 791.35 AINCHI= 775.29 DELZ=16.059 ALP=388.54 ALPHI= 87.90
*PARTBN* TIME=110.50 IS=2 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 809.36 AINCHI= 794.83 DELZ=14.528 ALP=453.41 ALPHI=452.50
*PARTBN* TIME=110.50 IS=3 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 810.06 AINCHI= 794.83 DELZ=15.229 ALP=453.41 ALPHI=452.45
*PARTBN* TIME=110.50 IS=1 ZCALC( 63)= 824.83 ZCALC( 62)= 809.83 AINCW= 813.15 AINCHI= 809.83 DELZ= 3.319 ALP=453.39 ALPHI=453.24
*PARTBN* TIME=110.50 IS=4 ZCALC( 63)= 824.83 ZCALC( 62)= 809.83 AINCW= 814.20 AINCHI= 809.83 DELZ= 4.365 ALP=453.38 ALPHI=453.16
*PARTBN* TIME=110.50 IS=5 ZCALC( 63)= 824.83 ZCALC( 62)= 809.83 AINCW= 819.14 AINCHI= 809.83 DELZ= 9.307 ALP=453.35 ALPHI=452.82
*PARTBN* TIME=110.50 IS=6 ZCALC( 63)= 824.83 ZCALC( 62)= 809.83 AINCW= 820.58 AINCHI= 809.83 DELZ=10.746 ALP=453.35 ALPHI=452.72
*PARTBN* TIME=110.50 IS=7 ZCALC( 63)= 824.83 ZCALC( 62)= 809.83 AINCW= 820.30 AINCHI= 809.83 DELZ=10.464 ALP=453.35 ALPHI=452.74
*PARTBN* TIME=110.50 IS=8 ZCALC( 63)= 824.83 ZCALC( 62)= 809.83 AINCW= 818.62 AINCHI= 809.83 DELZ= 8.788 ALP=453.36 ALPHI=452.85
*PARTBN* TIME=110.50 IS=1 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 407.98 AINCHI= 403.05 DELZ= 4.937 ALP=453.67 ALPHI=453.46
*PARTBN* TIME=110.50 IS=2 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 405.62 AINCHI= 403.05 DELZ= 2.570 ALP=453.67 ALPHI=453.56
*PARTBN* TIME=110.50 IS=3 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 406.06 AINCHI= 403.05 DELZ= 3.015 ALP=453.67 ALPHI=453.54
*PARTBN* TIME=110.50 IS=4 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 408.63 AINCHI= 403.05 DELZ= 5.587 ALP=453.67 ALPHI=453.43
*PARTBN* TIME=110.50 IS=5 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 411.69 AINCHI= 403.05 DELZ= 8.642 ALP=453.67 ALPHI=453.30
*PARTBN* TIME=110.50 IS=6 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 412.59 AINCHI= 403.05 DELZ= 9.538 ALP=453.67 ALPHI=453.26
*PARTBN* TIME=110.50 IS=7 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 412.41 AINCHI= 403.05 DELZ= 9.362 ALP=453.67 ALPHI=453.27
*PARTBN* TIME=110.50 IS=8 ZCALC( 31)= 418.05 ZCALC( 30)= 403.05 AINCW= 411.37 AINCHI= 403.05 DELZ= 8.321 ALP=453.67 ALPHI=453.32
*PARTBN* TIME=110.50 IS=1 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 432.66 DELZ= 9.398 ALP=-11.69 ALPHI=******
*PARTBN* TIME=110.50 IS=2 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 433.32 DELZ= 8.741 ALP=-12.70 ALPHI=******
*PARTBN* TIME=110.50 IS=3 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 433.20 DELZ= 8.866 ALP=-12.51 ALPHI=******
*PARTBN* TIME=110.50 IS=4 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 432.48 DELZ= 9.578 ALP=-11.42 ALPHI=******
*PARTBN* TIME=110.50 IS=5 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 431.64 DELZ=10.421 ALP=-10.12 ALPHI=******
*PARTBN* TIME=110.50 IS=6 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 431.39 DELZ=10.671 ALP= -9.71 ALPHI=******
*PARTBN* TIME=110.50 IS=7 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 431.44 DELZ=10.622 ALP= -9.79 ALPHI=******
*PARTBN* TIME=110.50 IS=8 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 431.73 DELZ=10.333 ALP=-10.25 ALPHI=******
*PARTBN* TIME=110.50 IS=2 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 740.63 AINCHI= 726.19 DELZ=14.440 ALP=453.67 ALPHI=451.79
*PARTBN* TIME=110.50 IS=3 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 741.01 AINCHI= 726.19 DELZ=14.820 ALP=453.67 ALPHI=451.74
*PARTBN* TIME=110.50 IS=1 ZCALC( 56)= 746.34 ZCALC( 55)= 741.19 AINCW= 742.68 AINCHI= 741.19 DELZ= 1.486 ALP=453.67 ALPHI=453.54
*PARTBN* TIME=110.50 IS=4 ZCALC( 56)= 746.34 ZCALC( 55)= 741.19 AINCW= 743.25 AINCHI= 741.19 DELZ= 2.056 ALP=453.67 ALPHI=453.47
*PARTBN* TIME=110.50 IS=5 ZCALC( 56)= 746.34 ZCALC( 55)= 741.19 AINCW= 745.94 AINCHI= 741.19 DELZ= 4.751 ALP=453.67 ALPHI=453.12
*PARTBN* TIME=110.50 IS=6 ZCALC( 56)= 746.34 ZCALC( 55)= 741.19 AINCW= 746.73 AINCHI= 741.19 DELZ= 5.537 ALP=453.67 ALPHI=452.99
*PARTBN* TIME=110.50 IS=7 ZCALC( 56)= 746.34 ZCALC( 55)= 741.19 AINCW= 746.57 AINCHI= 741.19 DELZ= 5.382 ALP=453.67 ALPHI=453.00
*PARTBN* TIME=110.50 IS=8 ZCALC( 56)= 746.34 ZCALC( 55)= 741.19 AINCW= 745.66 AINCHI= 741.19 DELZ= 4.468 ALP=453.67 ALPHI=453.16
*PARTBN* TIME=110.50 IS=5 ZCALC( 58)= 761.35 ZCALC( 57)= 746.35 AINCW= 761.35 AINCHI= 757.98 DELZ= 3.365 ALP=****** ALPHI=******
*PARTBN* TIME=110.50 IS=6 ZCALC( 58)= 761.35 ZCALC( 57)= 746.35 AINCW= 761.35 AINCHI= 754.74 DELZ= 6.609 ALP=****** ALPHI=******
*PARTBN* TIME=110.50 IS=7 ZCALC( 58)= 761.35 ZCALC( 57)= 746.35 AINCW= 761.35 AINCHI= 755.37 DELZ= 5.972 ALP=****** ALPHI=******
*PARTBN* TIME=110.50 IS=8 ZCALC( 58)= 761.35 ZCALC( 57)= 746.35 AINCW= 761.35 AINCHI= 759.15 DELZ= 2.200 ALP=****** ALPHI=******
*PARTBN* TIME=110.50 IS=1 ZCALC( 59)= 776.35 ZCALC( 58)= 761.35 AINCW= 776.35 AINCHI= 768.86 DELZ= 7.489 ALP=109.28 ALPHI=-32.38
```

```
*PARTBN* TIME=110.50 IS=3 ZCALC( 59)= 776.35 ZCALC( 58)= 761.35 AINCW= 776.35 AINCHI= 774.05 DELZ= 2.300 ALP=107.92 ALPHI= 64.69
*PARTBN* TIME=110.50 IS=4 ZCALC( 59)= 776.35 ZCALC( 58)= 761.35 AINCW= 776.35 AINCHI= 767.11 DELZ= 9.240 ALP=109.73 ALPHI=-65.15
*PARTBN* TIME=110.50 IS=2 ZCALC( 60)= 791.35 ZCALC( 59)= 776.35 AINCW= 791.35 AINCHI= 775.29 DELZ=16.059 ALP=388.54 ALPHI= 87.90
*PARTBN* TIME=110.50 IS=2 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 809.36 AINCHI= 794.83 DELZ=14.528 ALP=453.41 ALPHI=452.50
*PARTBN* TIME=110.50 IS=3 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 810.06 AINCHI= 794.83 DELZ=15.229 ALP=453.41 ALPHI=452.45
*PARTBN* TIME=110.50 IS=1 ZCALC( 63)= 824.83 ZCALC( 62)= 809.83 AINCW= 813.15 AINCHI= 809.83 DELZ= 3.319 ALP=453.39 ALPHI=453.29
*PARTBN* TIME=110.50 IS=4 ZCALC( 63)= 824.83 ZCALC( 62)= 809.83 AINCW= 814.20 AINCHI= 809.83 DELZ= 4.365 ALP=453.38 ALPHI=453.16
*PARTBN* TIME=110.50 IS=5 ZCALC( 63)= 824.83 ZCALC( 62)= 809.83 AINCW= 819.14 AINCHI= 809.83 DELZ= 9.307 ALP=453.35 ALPHI=452.82
*PARTBN* TIME=110.50 IS=6 ZCALC( 63)= 824.83 ZCALC( 62)= 809.83 AINCW= 820.58 AINCHI= 809.83 DELZ=10.746 ALP=453.35 ALPHI=452.72
*PARTBN* TIME=110.50 IS=7 ZCALC( 63)= 824.83 ZCALC( 62)= 809.83 AINCW= 820.30 AINCHI= 809.83 DELZ=10.464 ALP=453.35 ALPHI=452.74
*PARTBN* TIME=110.50 IS=8 ZCALC( 63)= 824.83 ZCALC( 62)= 809.83 AINCW= 818.62 AINCHI= 809.83 DELZ= 8.788 ALP=453.36 ALPHI=452.85
WEB BURNOUT INCREMENT LOCATION = 398.9190 SECTOR NO. 1 TAU = 41.4938 TAUWDP = 41.4938 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 398.9190 SECTOR NO. 2 TAU = 41.4938 TAUWDP = 41.4938 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 398.9190 SECTOR NO. 3 TAU = 41.4938 TAUWDP = 41.4938 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 398.9190 SECTOR NO. 4 TAU = 41.4938 TAUWDP = 41.4938 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 403.0480 SECTOR NO. 1 TAU = 41.4640 TAUWDP = 41.4640 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 403.0480 SECTOR NO. 2 TAU = 41.4640 TAUWDP = 41.4640 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 403.0480 SECTOR NO. 3 TAU = 41.4640 TAUWDP = 41.4640 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 403.0480 SECTOR NO. 4 TAU = 41.4640 TAUWDP = 41.4640 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 403.0480 SECTOR NO. 5 TAU = 41.4640 TAUWDP = 41.4640 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 403.0480 SECTOR NO. 8 TAU = 41.4640 TAUWDP = 41.4640 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 741.1910 SECTOR NO. 1 TAU = 41.1401 TAUWDP = 41.1401 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 741.1910 SECTOR NO. 4 TAU = 41.1401 TAUWDP = 41.1401 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 741.1910 SECTOR NO. 5 TAU = 41.1401 TAUWDP = 41.1401 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 741.1910 SECTOR NO. 6 TAU = 41.1401 TAUWDP = 41.1401 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 741.1910 SECTOR NO. 7 TAU = 41.1401 TAUWDP = 41.1401 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 741.1910 SECTOR NO. 8 TAU = 41.1401 TAUWDP = 41.1401 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 761.3460 SECTOR NO. 5 TAU = 41.1036 TAUWDP = 41.1036 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 761.3460 SECTOR NO. 6 TAU = 41.1036 TAUWDP = 41.1036 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 761.3460 SECTOR NO. 7 TAU = 41.1036 TAUWDP = 41.1036 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 761.3460 SECTOR NO. 8 TAU = 41.1036 TAUWDP = 41.1036 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 776.3460 SECTOR NO. 1 TAU = 41.1781 TAUWDP = 41.1781 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 776.3460 SECTOR NO. 2 TAU = 41.1781 TAUWDP = 41.1781 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 776.3460 SECTOR NO. 3 TAU = 41.1781 TAUWDP = 41.1781 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 776.3460 SECTOR NO. 4 TAU = 41.1781 TAUWDP = 41.1781 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 776.3460 SECTOR NO. 5 TAU = 41.1781 TAUWDP = 41.1781 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 776.3460 SECTOR NO. 6 TAU = 41.1781 TAUWDP = 41.1781 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 776.3460 SECTOR NO. 7 TAU = 41.1781 TAUWDP = 41.1781 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 776.3460 SECTOR NO. 8 TAU = 41.1781 TAUWDP = 41.1781 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 791.3460 SECTOR NO. 1 TAU = 41.2527 TAUWDP = 41.2527 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 791.3460 SECTOR NO. 2 TAU = 41.2527 TAUWDP = 41.2527 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 791.3460 SECTOR NO. 3 TAU = 41.2527 TAUWDP = 41.2527 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 809.8310 SECTOR NO. 1 TAU = 41.0931 TAUWDP = 41.0931 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 809.8310 SECTOR NO. 3 TAU = 41.0931 TAUWDP = 41.0931 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 809.8310 SECTOR NO. 4 TAU = 41.0931 TAUWDP = 41.0931 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 809.8310 SECTOR NO. 5 TAU = 41.0931 TAUWDP = 41.0931 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 809.8310 SECTOR NO. 6 TAU = 41.0931 TAUWDP = 41.0931 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 809.8310 SECTOR NO. 7 TAU = 41.0931 TAUWDP = 41.0931 TIME = 110.50
WEB BURNOUT INCREMENT LOCATION = 809.8310 SECTOR NO. 8 TAU = 41.0931 TAUWDP = 41.0931 TIME = 110.50
*PARTBN* TIME=111.00 IS=2 ZCALC( 28)= 383.92 ZCALC( 27)= 368.92 AINCW= 384.73 AINCHI= 368.92 DELZ=15.807 ALP=453.69 ALPHI=453.42
*PARTBN* TIME=111.00 IS=1 ZCALC( 29)= 398.92 ZCALC( 28)= 383.92 AINCW= 391.08 AINCHI= 383.92 DELZ= 7.163 ALP=453.69 ALPHI=453.57
*PARTBN* TIME=111.00 IS=3 ZCALC( 29)= 398.92 ZCALC( 28)= 383.92 AINCW= 385.91 AINCHI= 383.92 DELZ= 1.990 ALP=453.69 ALPHI=453.67
*PARTBN* TIME=111.00 IS=4 ZCALC( 29)= 398.92 ZCALC( 28)= 383.92 AINCW= 392.83 AINCHI= 383.92 DELZ= 8.912 ALP=453.68 ALPHI=453.54
*PARTBN* TIME=111.00 IS=8 ZCALC( 29)= 398.92 ZCALC( 28)= 383.92 AINCW= 400.21 AINCHI= 383.92 DELZ=16.289 ALP=453.67 ALPHI=453.41
*PARTBN* TIME=111.00 IS=5 ZCALC( 30)= 403.85 ZCALC( 29)= 398.92 AINCW= 401.62 AINCHI= 396.92 DELZ= 2.706 ALP=453.67 ALPHI=453.64
*PARTBN* TIME=111.00 IS=6 ZCALC( 30)= 403.85 ZCALC( 29)= 398.92 AINCW= 404.67 AINCHI= 399.92 DELZ= 5.753 ALP=453.67 ALPHI=453.51
```

```
*PARTBN* TIME=111.00 IS=7 ZCALC( 30)= 403.05 ZCALC( 29)= 398.92 AINCW= 404.07 AINCHI= 398.92 DELZ= 5.155 ALP=453.67 ALPHI=453.51
*PARTBN* TIME=111.00 IS=1 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 435.19 DELZ= 6.872 ALP=-15.74 ALPHI=******
*PARTBN* TIME=111.00 IS=2 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 435.85 DELZ= 6.213 ALP=-16.77 ALPHI=******
*PARTBN* TIME=111.00 IS=3 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 435.72 DELZ= 6.338 ALP=-16.58 ALPHI=******
*PARTBN* TIME=111.00 IS=4 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 435.01 DELZ= 7.053 ALP=-15.46 ALPHI=******
*PARTBN* TIME=111.00 IS=5 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 434.16 DELZ= 7.900 ALP=-14.14 ALPHI=******
*PARTBN* TIME=111.00 IS=6 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 433.91 DELZ= 8.151 ALP=-13.74 ALPHI=******
*PARTBN* TIME=111.00 IS=7 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 433.96 DELZ= 8.102 ALP=-13.82 ALPHI=******
*PARTBN* TIME=111.00 IS=8 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 434.25 DELZ= 7.811 ALP=-14.28 ALPHI=******
*PARTBN* TIME=111.00 IS=1 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 734.93 AINCHI= 726.19 DELZ= 8.742 ALP=453.67 ALPHI=452.56
*PARTBN* TIME=111.00 IS=2 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 732.93 AINCHI= 726.19 DELZ= 6.741 ALP=453.67 ALPHI=452.83
*PARTBN* TIME=111.00 IS=3 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 733.31 AINCHI= 726.19 DELZ= 7.121 ALP=453.67 ALPHI=452.78
*PARTBN* TIME=111.00 IS=4 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 735.48 AINCHI= 726.19 DELZ= 9.292 ALP=453.67 ALPHI=452.49
*PARTBN* TIME=111.00 IS=5 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 738.08 AINCHI= 726.19 DELZ=11.886 ALP=453.67 ALPHI=452.15
*PARTBN* TIME=111.00 IS=6 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 738.84 AINCHI= 726.19 DELZ=12.645 ALP=453.67 ALPHI=452.05
*PARTBN* TIME=111.00 IS=7 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 738.69 AINCHI= 726.19 DELZ=12.496 ALP=453.67 ALPHI=452.07
*PARTBN* TIME=111.00 IS=8 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 737.80 AINCHI= 726.19 DELZ=11.614 ALP=453.67 ALPHI=452.18
*PARTBN* TIME=111.00 IS=5 ZCALC( 60)= 791.35 ZCALC( 59)= 776.35 AINCW= 791.35 AINCHI= 783.02 DELZ= 8.331 ALP=388.41 ALPHI=232.46
*PARTBN* TIME=111.00 IS=6 ZCALC( 60)= 791.35 ZCALC( 59)= 776.35 AINCW= 791.35 AINCHI= 780.71 DELZ=10.640 ALP=388.45 ALPHI=189.27
*PARTBN* TIME=111.00 IS=7 ZCALC( 60)= 791.35 ZCALC( 59)= 776.35 AINCW= 791.35 AINCHI= 781.16 DELZ=10.187 ALP=388.44 ALPHI=197.75
*PARTBN* TIME=111.00 IS=8 ZCALC( 60)= 791.35 ZCALC( 59)= 776.35 AINCW= 791.35 AINCHI= 783.84 DELZ= 7.504 ALP=388.40 ALPHI=247.94
*PARTBN* TIME=111.00 IS=1 ZCALC( 61)= 794.83 ZCALC( 60)= 791.35 AINCW= 794.83 AINCHI= 791.90 DELZ= 2.934 ALP=453.27 ALPHI=398.61
*PARTBN* TIME=111.00 IS=3 ZCALC( 61)= 794.83 ZCALC( 60)= 791.35 AINCW= 794.83 AINCHI= 794.12 DELZ=  .710 ALP=453.49 ALPHI=440.22
*PARTBN* TIME=111.00 IS=4 ZCALC( 61)= 794.83 ZCALC( 60)= 791.35 AINCW= 794.83 AINCHI= 791.15 DELZ= 3.686 ALP=453.20 ALPHI=384.55
*PARTBN* TIME=111.00 IS=1 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 798.81 AINCHI= 794.83 DELZ= 3.980 ALP=453.48 ALPHI=453.27
*PARTBN* TIME=111.00 IS=3 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 795.80 AINCHI= 794.83 DELZ=  .964 ALP=453.49 ALPHI=453.49
*PARTBN* TIME=111.00 IS=4 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 799.83 AINCHI= 794.83 DELZ= 4.998 ALP=453.47 ALPHI=453.20
*PARTBN* TIME=111.00 IS=5 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 804.63 AINCHI= 794.83 DELZ= 9.804 ALP=453.44 ALPHI=452.85
*PARTBN* TIME=111.00 IS=6 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 806.04 AINCHI= 794.83 DELZ=11.208 ALP=453.43 ALPHI=452.75
*PARTBN* TIME=111.00 IS=7 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 805.76 AINCHI= 794.83 DELZ=10.933 ALP=453.43 ALPHI=452.77
*PARTBN* TIME=111.00 IS=8 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 804.13 AINCHI= 794.83 DELZ= 9.300 ALP=453.44 ALPHI=452.89
*PARTBN* TIME=111.00 IS=2 ZCALC( 28)= 383.92 ZCALC( 27)= 368.92 AINCW= 384.73 AINCHI= 368.92 DELZ=15.807 ALP=453.69 ALPHI=453.42
*PARTBN* TIME=111.00 IS=1 ZCALC( 29)= 398.92 ZCALC( 28)= 383.92 AINCW= 391.08 AINCHI= 383.92 DELZ= 7.163 ALP=453.69 ALPHI=453.57
*PARTBN* TIME=111.00 IS=3 ZCALC( 29)= 398.92 ZCALC( 28)= 383.92 AINCW= 385.91 AINCHI= 383.92 DELZ= 1.990 ALP=453.69 ALPHI=453.67
*PARTBN* TIME=111.00 IS=4 ZCALC( 29)= 398.92 ZCALC( 28)= 383.92 AINCW= 392.83 AINCHI= 383.92 DELZ= 8.912 ALP=453.68 ALPHI=453.54
*PARTBN* TIME=111.00 IS=8 ZCALC( 29)= 398.92 ZCALC( 28)= 383.92 AINCW= 400.21 AINCHI= 383.92 DELZ=16.289 ALP=453.67 ALPHI=453.41
*PARTBN* TIME=111.00 IS=5 ZCALC( 30)= 403.05 ZCALC( 29)= 398.92 AINCW= 401.62 AINCHI= 398.92 DELZ= 2.706 ALP=453.67 ALPHI=453.64
*PARTBN* TIME=111.00 IS=6 ZCALC( 30)= 403.05 ZCALC( 29)= 398.92 AINCW= 404.67 AINCHI= 398.92 DELZ= 5.753 ALP=453.67 ALPHI=453.51
*PARTBN* TIME=111.00 IS=7 ZCALC( 30)= 403.05 ZCALC( 29)= 398.92 AINCW= 404.07 AINCHI= 398.92 DELZ= 5.155 ALP=453.67 ALPHI=453.51
*PARTBN* TIME=111.00 IS=1 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 435.19 DELZ= 6.872 ALP=-15.74 ALPHI=******
*PARTBN* TIME=111.00 IS=2 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 435.85 DELZ= 6.213 ALP=-16.77 ALPHI=******
*PARTBN* TIME=111.00 IS=3 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 435.72 DELZ= 6.338 ALP=-16.58 ALPHI=******
*PARTBN* TIME=111.00 IS=4 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 435.01 DELZ= 7.053 ALP=-15.46 ALPHI=******
*PARTBN* TIME=111.00 IS=5 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 434.16 DELZ= 7.900 ALP=-14.14 ALPHI=******
*PARTBN* TIME=111.00 IS=6 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 433.91 DELZ= 8.151 ALP=-13.74 ALPHI=******
*PARTBN* TIME=111.00 IS=7 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 433.96 DELZ= 8.102 ALP=-13.82 ALPHI=******
*PARTBN* TIME=111.00 IS=8 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 434.25 DELZ= 7.811 ALP=-14.28 ALPHI=******
*PARTBN* TIME=111.00 IS=1 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 734.93 AINCHI= 726.19 DELZ= 8.742 ALP=453.67 ALPHI=452.56
*PARTBN* TIME=111.00 IS=2 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 732.93 AINCHI= 726.19 DELZ= 6.741 ALP=453.67 ALPHI=452.83
*PARTBN* TIME=111.00 IS=3 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 733.31 AINCHI= 726.19 DELZ= 7.121 ALP=453.67 ALPHI=452.78
*PARTBN* TIME=111.00 IS=4 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 735.48 AINCHI= 726.19 DELZ= 9.292 ALP=453.67 ALPHI=452.49
*PARTBN* TIME=111.00 IS=5 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 738.08 AINCHI= 726.19 DELZ=11.886 ALP=453.67 ALPHI=452.15
*PARTBN* TIME=111.00 IS=6 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 738.84 AINCHI= 726.19 DELZ=12.645 ALP=453.67 ALPHI=452.05
*PARTBN* TIME=111.00 IS=7 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 738.69 AINCHI= 726.19 DELZ=12.496 ALP=453.67 ALPHI=452.07
*PARTBN* TIME=111.00 IS=8 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 737.80 AINCHI= 726.19 DELZ=11.614 ALP=453.67 ALPHI=452.18
*PARTBN* TIME=111.00 IS=5 ZCALC( 60)= 791.35 ZCALC( 59)= 776.35 AINCW= 791.35 AINCHI= 783.02 DELZ= 8.331 ALP=388.41 ALPHI=232.46
```

```
*PARTBN* TIME=111.00 IS=6 ZCALC( 60)= 791.35 ZCALC( 59)= 776.35 AINCW= 791.35 AINCHI= 780.71 DELZ=10.640 ALP=388.45 ALPHI=189.27
*PARTBN* TIME=111.00 IS=7 ZCALC( 60)= 791.35 ZCALC( 59)= 776.35 AINCW= 791.35 AINCHI= 781.16 DELZ=10.187 ALP=388.44 ALPHI=197.75
*PARTBN* TIME=111.00 IS=8 ZCALC( 60)= 791.35 ZCALC( 59)= 776.35 AINCW= 791.35 AINCHI= 783.84 DELZ= 7.504 ALP=388.40 ALPHI=247.94
*PARTBN* TIME=111.00 IS=1 ZCALC( 61)= 794.83 ZCALC( 60)= 791.35 AINCW= 794.83 AINCHI= 791.90 DELZ= 2.934 ALP=453.27 ALPHI=398.61
*PARTBN* TIME=111.00 IS=3 ZCALC( 61)= 794.83 ZCALC( 60)= 791.35 AINCW= 794.83 AINCHI= 794.12 DELZ= .710 ALP=453.49 ALPHI=440.22
*PARTBN* TIME=111.00 IS=4 ZCALC( 61)= 794.83 ZCALC( 60)= 791.35 AINCW= 794.83 AINCHI= 791.15 DELZ= 3.686 ALP=453.20 ALPHI=384.55
*PARTBN* TIME=111.00 IS=1 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 798.81 AINCHI= 794.83 DELZ= 3.980 ALP=453.48 ALPHI=453.27
*PARTBN* TIME=111.00 IS=3 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 795.80 AINCHI= 794.83 DELZ= .964 ALP=453.49 ALPHI=453.49
*PARTBN* TIME=111.00 IS=4 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 799.83 AINCHI= 794.83 DELZ= 4.998 ALP=453.47 ALPHI=453.20
*PARTBN* TIME=111.00 IS=5 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 804.63 AINCHI= 794.83 DELZ= 9.804 ALP=453.44 ALPHI=452.85
*PARTBN* TIME=111.00 IS=6 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 806.04 AINCHI= 794.83 DELZ=11.208 ALP=453.43 ALPHI=452.75
*PARTBN* TIME=111.00 IS=7 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 805.76 AINCHI= 794.83 DELZ=10.933 ALP=453.43 ALPHI=452.77
*PARTBN* TIME=111.00 IS=8 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 804.13 AINCHI= 794.83 DELZ= 9.300 ALP=453.44 ALPHI=452.89
*PARTBN* TIME=111.00 IS=2 ZCALC( 28)= 383.92 ZCALC( 27)= 368.92 AINCW= 384.75 AINCHI= 368.92 DELZ=15.837 ALP=453.69 ALPHI=453.42
*PARTBN* TIME=111.00 IS=1 ZCALC( 29)= 398.92 ZCALC( 28)= 383.92 AINCW= 391.08 AINCHI= 383.92 DELZ= 7.163 ALP=453.69 ALPHI=453.57
*PARTBN* TIME=111.00 IS=3 ZCALC( 29)= 398.92 ZCALC( 28)= 383.92 AINCW= 385.91 AINCHI= 383.92 DELZ= 1.990 ALP=453.69 ALPHI=453.67
*PARTBN* TIME=111.00 IS=4 ZCALC( 29)= 398.92 ZCALC( 28)= 383.92 AINCW= 392.83 AINCHI= 383.92 DELZ= 8.912 ALP=453.68 ALPHI=453.54
*PARTBN* TIME=111.00 IS=6 ZCALC( 29)= 398.92 ZCALC( 28)= 383.92 AINCW= 400.21 AINCHI= 383.92 DELZ=16.289 ALP=453.67 ALPHI=453.41
*PARTBN* TIME=111.00 IS=5 ZCALC( 30)= 403.05 ZCALC( 29)= 398.92 AINCW= 401.62 AINCHI= 398.92 DELZ= 2.706 ALP=453.67 ALPHI=453.64
*PARTBN* TIME=111.00 IS=6 ZCALC( 30)= 403.05 ZCALC( 29)= 398.92 AINCW= 404.67 AINCHI= 398.92 DELZ= 5.753 ALP=453.67 ALPHI=453.51
*PARTBN* TIME=111.00 IS=7 ZCALC( 30)= 403.05 ZCALC( 29)= 398.92 AINCW= 404.07 AINCHI= 398.92 DELZ= 5.155 ALP=453.67 ALPHI=453.51
*PARTBN* TIME=111.00 IS=1 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 435.19 DELZ= 6.872 ALP=-15.74 ALPHI=******
*PARTBN* TIME=111.00 IS=2 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 435.85 DELZ= 6.213 ALP=-16.77 ALPHI=******
*PARTBN* TIME=111.00 IS=3 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 435.72 DELZ= 6.338 ALP=-16.58 ALPHI=******
*PARTBN* TIME=111.00 IS=4 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 435.01 DELZ= 7.053 ALP=-15.46 ALPHI=******
*PARTBN* TIME=111.00 IS=5 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 434.16 DELZ= 7.900 ALP=-14.14 ALPHI=******
*PARTBN* TIME=111.00 IS=6 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 433.91 DELZ= 8.151 ALP=-13.74 ALPHI=******
*PARTBN* TIME=111.00 IS=7 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 433.96 DELZ= 8.102 ALP=-13.82 ALPHI=******
*PARTBN* TIME=111.00 IS=8 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 434.25 DELZ= 7.811 ALP=-14.28 ALPHI=******
*PARTBN* TIME=111.00 IS=1 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 734.93 AINCHI= 726.19 DELZ= 8.742 ALP=453.67 ALPHI=452.56
*PARTBN* TIME=111.00 IS=2 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 732.93 AINCHI= 726.19 DELZ= 6.741 ALP=453.67 ALPHI=452.83
*PARTBN* TIME=111.00 IS=3 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 733.31 AINCHI= 726.19 DELZ= 7.121 ALP=453.67 ALPHI=452.78
*PARTBN* TIME=111.00 IS=4 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 735.48 AINCHI= 726.19 DELZ= 9.292 ALP=453.67 ALPHI=452.49
*PARTBN* TIME=111.00 IS=5 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 738.08 AINCHI= 726.19 DELZ=11.886 ALP=453.67 ALPHI=452.15
*PARTBN* TIME=111.00 IS=6 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 738.84 AINCHI= 726.19 DELZ=12.645 ALP=453.67 ALPHI=452.05
*PARTBN* TIME=111.00 IS=7 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 738.69 AINCHI= 726.19 DELZ=12.496 ALP=453.67 ALPHI=452.07
*PARTBN* TIME=111.00 IS=8 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 737.80 AINCHI= 726.19 DELZ=11.614 ALP=453.67 ALPHI=452.18
*PARTBN* TIME=111.00 IS=5 ZCALC( 60)= 791.35 ZCALC( 59)= 776.35 AINCW= 791.35 AINCHI= 783.02 DELZ= 8.331 ALP=388.41 ALPHI=232.46
*PARTBN* TIME=111.00 IS=6 ZCALC( 60)= 791.35 ZCALC( 59)= 776.35 AINCW= 791.35 AINCHI= 780.71 DELZ=10.640 ALP=388.45 ALPHI=189.27
*PARTBN* TIME=111.00 IS=7 ZCALC( 60)= 791.35 ZCALC( 59)= 776.35 AINCW= 791.35 AINCHI= 781.16 DELZ=10.187 ALP=388.44 ALPHI=197.75
*PARTBN* TIME=111.00 IS=8 ZCALC( 60)= 791.35 ZCALC( 59)= 776.35 AINCW= 791.35 AINCHI= 783.84 DELZ= 7.504 ALP=388.40 ALPHI=247.94
*PARTBN* TIME=111.00 IS=1 ZCALC( 61)= 794.83 ZCALC( 60)= 791.35 AINCW= 794.83 AINCHI= 791.90 DELZ= 2.934 ALP=453.27 ALPHI=398.61
*PARTBN* TIME=111.00 IS=3 ZCALC( 61)= 794.83 ZCALC( 60)= 791.35 AINCW= 794.83 AINCHI= 794.12 DELZ= .710 ALP=453.49 ALPHI=440.22
*PARTBN* TIME=111.00 IS=4 ZCALC( 61)= 794.83 ZCALC( 60)= 791.35 AINCW= 794.83 AINCHI= 791.15 DELZ= 3.686 ALP=453.20 ALPHI=384.55
*PARTBN* TIME=111.00 IS=1 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 798.81 AINCHI= 794.83 DELZ= 3.980 ALP=453.48 ALPHI=453.27
*PARTBN* TIME=111.00 IS=3 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 795.80 AINCHI= 794.83 DELZ= .964 ALP=453.49 ALPHI=453.49
*PARTBN* TIME=111.00 IS=4 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 799.83 AINCHI= 794.83 DELZ= 4.998 ALP=453.47 ALPHI=453.20
*PARTBN* TIME=111.00 IS=5 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 804.63 AINCHI= 794.83 DELZ= 9.804 ALP=453.44 ALPHI=452.85
*PARTBN* TIME=111.00 IS=6 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 806.04 AINCHI= 794.83 DELZ=11.208 ALP=453.43 ALPHI=452.75
*PARTBN* TIME=111.00 IS=7 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 805.76 AINCHI= 794.83 DELZ=10.933 ALP=453.43 ALPHI=452.77
*PARTBN* TIME=111.00 IS=8 ZCALC( 62)= 809.83 ZCALC( 61)= 794.83 AINCW= 804.13 AINCHI= 794.83 DELZ= 9.300 ALP=453.44 ALPHI=452.89
```

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	7399763.9	1663533.1
TOTAL VACUUM THRUST (N,LBF)	FTVAC	7458249.2	1665449.7
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	60175.004	13527.879
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.12070694+10	.27136000+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	255.61515	255.61515
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.12570456+10	.28259509+09
THRUST COEFFICIENT	CF	1.6286766	1.6286766
MAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	2923.0503	6444.2229
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	494945.86	1091168.8
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	32.295488	71.199364
INERT MASS REMAINING (KG,LBM)	MIR	123.26193	271.74604
TOTAL BURN AREA (M**2,IN**2)	ABTOT	194.28004	301134.66
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	7.4817188	456562.49
PROPELLANT MASS REMAINING (KG,LBM)	WF	10794.620	23798.365
TOTAL GAS MASS (KG,LBM)	WGTOT	1007.9209	2222.0852
RATIO OF SPECIFIC HEATS	GAMA	1.1595481	1.1595481
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.803557	28.227011
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1556.1370	5105.4363
MAXIMUM CHAMBER MACH NUMBER	AMPN	.99074653-01	.99074653-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.28893791+09	419.06901
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.52243237+11	75772.410
BURN AREA (M**2,IN**2)	AHH	2.0157896	3124.4802
BURN RATE (M/S,IN/S)	RBZ(1)	.81301345-02	.32008404
DISTANCE BURNED (M,IN)	TAUZ(1)	1.0595502	41.714573
PROPELLANT VOLUME (M**3,IN**3)	VFH	.28166754	17188.408
GAS VOLUME (M**3,IN**3)	VPH	54.822164	3345453.7
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3366.6158	6059.9102
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	192.26425	298010.18
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	7.1980850	439254.10
GAS VOLUME (M**3,IN**3)	VP	276.56210	16876854.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.28432304+09	412.37571
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.49845071+11	72294.164
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.81077371-02	.31920225
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.81005810-02	.31892052
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74628400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.347463	1040000.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3365.4643	6057.8358
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.5998109	2479.7119
EXPANSION RATIO	EPR	6.7186157	6.7186157
PRESSURE RATIO	PEPO	.23509126-01	.23509126-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	3.0000000	3.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	419.07	419.07	6059.91	5.57	.002	442.44	15574.50	109.43	63.36	-46.07	.3196	41.715	.0000	.000
15.000	419.07	419.06	6059.91	12.55	.004	442.71	15593.72	247.06	134.63	-3.00	.3196	41.669	.0000	.000
30.000	419.07	419.06	6059.90	19.52	.006	442.97	15612.90	384.78	134.72	-3.00	.3196	41.664	.0000	.000
45.000	419.06	419.05	6059.88	26.48	.008	443.24	15632.04	522.59	134.81	-3.01	.3197	41.660	.0000	.000
60.000	419.06	419.03	6059.87	33.42	.009	443.50	15651.13	660.50	134.90	-3.01	.3197	41.655	.0000	.000
75.000	419.05	419.02	6059.85	40.36	.011	443.77	15670.19	798.50	134.99	-3.01	.3197	41.650	.0000	.000
90.000	419.04	418.99	6059.82	47.28	.013	444.03	15689.20	936.59	135.08	-3.02	.3197	41.645	.0000	.000
105.000	419.03	418.97	6059.80	54.20	.015	444.30	15708.18	1074.78	135.16	-3.02	.3197	41.640	.0000	.000
116.761	419.02	418.95	6059.77	59.61	.017	444.50	15723.02	1183.19	106.04	-2.37	.3198	41.634	.0000	.000
116.771	419.01	418.92	6059.72	69.63	.020	-304.61	13460.40	1183.19	.00	-.00	.3197	41.635	.0000	.000
131.771	419.00	418.92	6059.75	64.02	.018	108.83	14676.55	1186.15	.00	-2.96	.3197	41.635	.0000	.000
143.919	418.98	418.90	6059.75	63.56	.018	443.65	15662.86	1256.66	68.07	-2.43	.3197	41.628	.0000	.000
158.919	418.96	418.87	6059.72	70.30	.020	444.51	15719.85	1394.82	135.14	-3.02	.3198	41.622	.0000	.000
173.919	418.94	418.83	6059.68	77.01	.022	445.35	15776.55	1533.28	135.42	-3.04	.3198	41.616	.0000	.000
188.919	418.92	418.79	6059.64	83.68	.024	446.17	15832.96	1672.04	135.70	-3.06	.3199	41.610	.0000	.000
203.919	418.90	418.74	6059.59	90.33	.026	446.93	15889.09	1811.09	135.97	-3.07	.3200	41.604	.0000	.000
218.919	418.88	418.69	6059.54	96.95	.028	447.64	15944.92	1950.41	136.23	-3.09	.3201	41.598	.0000	.000
233.919	418.85	418.64	6059.49	103.54	.029	448.33	16000.47	2090.00	136.48	-3.11	.3201	41.592	.0000	.000
248.919	418.83	418.59	6059.44	110.10	.031	448.98	16055.73	2229.84	136.72	-3.12	.3202	41.586	.0000	.000
263.919	418.80	418.53	6059.38	116.64	.033	449.60	16110.70	2369.93	136.95	-3.14	.3203	41.579	.0000	.000
278.919	418.76	418.47	6059.32	123.14	.035	450.19	16165.38	2510.25	137.16	-3.16	.3204	41.573	.0000	.000
293.919	418.73	418.40	6059.26	129.62	.037	450.74	16219.77	2650.79	137.37	-3.17	.3204	41.566	.0000	.000
308.919	418.70	418.33	6059.19	136.07	.039	451.27	16273.87	2791.54	137.56	-3.19	.3205	41.560	.0000	.000
323.919	418.66	418.26	6059.12	142.49	.040	451.75	16327.69	2932.50	137.75	-3.21	.3206	41.553	.0000	.000
338.919	418.62	418.19	6059.05	148.88	.042	452.21	16381.21	3073.66	137.94	-3.22	.3207	41.546	.0000	.000
353.919	418.58	418.11	6058.97	155.25	.044	452.64	16434.45	3215.02	138.12	-3.24	.3208	41.539	.0000	.000
368.919	418.54	418.03	6058.89	161.60	.046	453.03	16487.40	3356.56	138.29	-3.25	.3209	41.533	.0000	.000
383.919	418.49	417.94	6058.81	167.94	.048	453.39	16540.41	3498.89	139.39	-2.94	.3210	41.526	.0000	.000
398.919	418.46	417.88	6058.76	172.06	.049	396.92	16581.33	3593.02	91.35	-2.77	.3211	41.484	.0000	.000
403.048	418.46	417.87	6058.75	172.54	.049	170.13	16606.79	3608.50	15.65	.17	.3211	41.462	.0000	.000
416.048	418.47	417.87	6058.73	174.18	.050	.00	16465.73	3611.89	.00	-3.39	.3211	41.192	.0000	.000
427.051	418.48	417.87	6058.71	175.47	.050	.00	16381.95	3613.97	.00	-2.09	.3211	41.174	.0000	.000
427.061	418.46	417.64	6058.29	204.08	.058	.00	14067.75	3613.97	.00	-.00	.3210	41.029	.0000	.000
442.061	418.39	417.64	6058.41	195.87	.056	-15.07	14670.66	3617.04	.00	-3.07	.3204	41.524	.0000	.000
457.061	418.31	417.61	6058.50	190.34	.054	318.50	15303.06	3666.13	46.13	-2.96	.3195	41.492	.0000	.000
463.204	418.27	417.57	6058.51	189.57	.054	442.34	15570.57	3714.71	47.35	-1.22	.3192	41.450	.0000	.000
478.204	418.22	417.47	6058.41	196.09	.056	442.91	15613.15	3852.20	134.50	-3.00	.3193	41.430	.0000	.000
493.204	418.16	417.36	6058.31	202.60	.058	443.48	15655.52	3989.89	134.68	-3.01	.3193	41.420	.0000	.000
508.204	418.11	417.25	6058.20	209.09	.059	444.06	15697.68	4127.77	134.87	-3.01	.3193	41.410	.0000	.000
523.204	418.05	417.14	6058.10	215.56	.061	444.63	15739.62	4265.85	135.05	-3.02	.3194	41.399	.0000	.000
538.204	417.99	417.02	6057.99	222.02	.063	445.20	15781.34	4404.12	135.25	-3.03	.3194	41.389	.0000	.000
553.204	417.93	416.91	6057.87	228.46	.065	445.78	15822.85	4542.61	135.44	-3.04	.3195	41.379	.0000	.000
568.204	417.86	416.78	6057.76	234.89	.067	446.35	15864.14	4681.29	135.64	-3.05	.3195	41.368	.0000	.000
583.204	417.80	416.66	6057.64	241.30	.069	446.92	15905.22	4820.19	135.84	-3.06	.3196	41.358	.0000	.000
598.204	417.73	416.53	6057.52	247.70	.070	447.50	15946.08	4959.29	136.04	-3.06	.3196	41.347	.0000	.000
613.204	417.66	416.40	6057.39	254.08	.072	448.07	15986.73	5098.59	136.23	-3.07	.3197	41.337	.0000	.000

628.204	417.59	416.26	6057.26	260.46	.074	448.64	16027.16	5238.10	136.43	-3.08	.3197	41.326	.0000	.000
643.204	417.51	416.12	6057.13	266.82	.076	449.22	16067.38	5377.82	136.63	-3.09	.3198	41.315	.0000	.000
658.204	417.44	415.98	6057.00	273.17	.078	449.79	16107.38	5517.74	136.82	-3.10	.3198	41.304	.0000	.000
673.204	417.36	415.83	6056.86	279.51	.079	450.36	16147.16	5657.86	137.02	-3.10	.3199	41.294	.0000	.000
688.204	417.28	415.69	6056.72	285.83	.081	450.94	16186.73	5798.19	137.22	-3.11	.3200	41.283	.0000	.000
703.204	417.20	415.53	6056.58	292.15	.083	451.51	16226.09	5938.74	137.43	-3.12	.3200	41.272	.0000	.000
718.204	417.12	415.38	6056.43	298.46	.085	452.08	16265.22	6079.50	137.63	-3.13	.3201	41.261	.0000	.000
726.191	417.07	415.29	6056.35	301.82	.086	452.39	16285.90	6154.54	73.37	-1.67	.3201	41.250	.0000	.000
741.191	417.01	415.19	6056.26	305.61	.087	453.67	16338.09	6250.34	92.57	-3.23	.3204	41.140	.0000	.000
746.336	417.00	415.19	6056.28	304.80	.087	.00	16385.20	6251.76	.00	-1.42	.3203	41.240	.0000	.000
746.346	416.96	414.59	6055.16	348.48	.099	.00	14349.56	6251.76	.00	-.00	.3202	41.029	.0000	.000
761.346	416.77	414.59	6055.55	334.40	.095	.00	14960.98	6254.43	.00	-2.67	.3202	41.104	.0000	.000
776.346	416.60	414.59	6055.88	321.39	.091	.00	15574.64	6257.27	.00	-2.84	.3202	41.178	.0000	.000
791.346	416.43	414.56	6056.14	310.76	.088	194.21	16190.56	6288.86	27.88	-3.70	.3201	41.220	.0000	.000
794.631	416.39	414.53	6056.18	309.20	.088	396.40	16333.97	6312.24	22.74	-.65	.3201	41.196	.0000	.000
807.831	416.36	414.46	6056.10	312.28	.089	396.77	16334.29	6374.20	58.71	-3.25	.3202	41.093	.0000	.000
824.831	416.36	414.46	6056.10	312.35	.089	.00	16338.96	6377.40	.00	-3.20	.3201	40.916	.0000	.000
839.831	416.36	414.46	6056.10	312.46	.089	.00	16341.36	6380.64	.00	-3.24	.3201	40.739	.0000	.000
854.781	416.36	414.46	6056.10	312.58	.089	.00	16343.67	6383.94	.00	-3.30	.3201	40.563	.0000	.000
869.781	416.37	414.46	6056.08	313.27	.089	.00	16315.82	6387.28	.00	-3.34	.3201	39.794	.0000	.000
884.781	416.38	414.46	6056.06	313.97	.089	.00	16287.96	6390.61	.00	-3.33	.3201	39.025	.0000	.000
899.781	416.38	414.46	6056.05	314.67	.089	.00	16260.09	6393.93	.00	-3.33	.3201	38.255	.0000	.000
914.781	416.39	414.46	6056.03	315.38	.090	.00	16232.22	6397.25	.00	-3.32	.3201	37.486	.0000	.000
929.781	416.40	414.46	6056.01	316.08	.090	.00	16204.33	6400.57	.00	-3.31	.3201	36.717	.0000	.000
944.781	416.41	414.46	6055.99	316.79	.090	.00	16176.44	6403.88	.00	-3.31	.3201	35.948	.0000	.000
959.781	416.42	414.46	6055.98	317.50	.090	.00	16148.55	6407.18	.00	-3.30	.3201	35.178	.0000	.000
974.781	416.43	414.46	6055.96	318.21	.090	.00	16120.65	6410.48	.00	-3.30	.3201	34.409	.0000	.000
989.781	416.44	414.46	6055.94	318.93	.091	.00	16092.74	6413.77	.00	-3.29	.3201	33.640	.0000	.000
1004.781	416.45	414.46	6055.92	319.64	.091	.00	16064.82	6417.06	.00	-3.29	.3201	32.871	.0000	.000
1019.781	416.46	414.46	6055.90	320.36	.091	.00	16036.89	6420.34	.00	-3.28	.3201	32.101	.0000	.000
1034.781	416.46	414.46	6055.89	321.08	.091	.00	16008.96	6423.61	.00	-3.28	.3201	31.332	.0000	.000
1040.791	416.47	414.46	6055.88	321.37	.091	.00	15997.77	6424.93	.00	-1.31	.3201	31.024	.0000	.000
1055.791	416.48	414.46	6055.86	322.10	.092	.00	15969.84	6428.19	.00	-3.27	.3201	30.483	.0000	.000
1070.791	416.49	414.46	6055.84	322.83	.092	.00	15941.80	6431.45	.00	-3.26	.3201	29.942	.0000	.000
1084.171	416.49	414.46	6055.83	323.48	.092	.00	15916.69	6434.36	.00	-2.90	.3201	29.459	.0000	.000
AFT(A)	412.38	393.49	6019.54	998.79	.285	.....	15823.73	6444.22	.00	-5.99	.3192	29.460	....	.....
AFT(B)	412.37	412.37	6057.84	-.30	.000	.....	10413.12	3.87	.00	-3.87	.3189	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FORWARD	1.1676+02	4.1902+02	4.1895+02	6.0598+03	5.6941+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.1832+03
AFT	1.1677+02	4.1899+02	4.1892+02	6.0597+03	5.6944+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.1832+03

GAS BUILDUP IN SLOT, DW/DT = -2.2728-03

FORWARD	4.2705+02	4.1848+02	4.1787+02	6.0587+03	1.7516+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.6140+03
AFT	4.2706+02	4.1824+02	4.1764+02	6.0583+03	1.7524+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.6140+03

GAS BUILDUP IN SLOT, DW/DT = -2.2590-03

FORWARD	7.4634+02	4.1700+02	4.1519+02	6.0563+03	3.0484+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.2518+03
AFT	7.4635+02	4.1640+02	4.1459+02	6.0552+03	3.0523+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.2518+03

GAS BUILDUP IN SLOT, DW/DT = -2.2540-03

WEB BURNOUT INCREMENT	LOCATION =	368.9190	SECTOR NO.	1	TAU = 41.7103	TAUWDP = 41.7103	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	368.9190	SECTOR NO.	2	TAU = 41.7103	TAUWDP = 41.7103	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	368.9190	SECTOR NO.	3	TAU = 41.7103	TAUWDP = 41.7103	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	383.9190	SECTOR NO.	1	TAU = 41.6020	TAUWDP = 41.6020	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	383.9190	SECTOR NO.	2	TAU = 41.6020	TAUWDP = 41.6020	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	383.9190	SECTOR NO.	3	TAU = 41.6020	TAUWDP = 41.6020	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	383.9190	SECTOR NO.	4	TAU = 41.6020	TAUWDP = 41.6020	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	383.9190	SECTOR NO.	5	TAU = 41.6020	TAUWDP = 41.6020	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	383.9190	SECTOR NO.	6	TAU = 41.6020	TAUWDP = 41.6020	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	383.9190	SECTOR NO.	7	TAU = 41.6020	TAUWDP = 41.6020	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	383.9190	SECTOR NO.	8	TAU = 41.6020	TAUWDP = 41.6020	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	398.9190	SECTOR NO.	5	TAU = 41.4938	TAUWDP = 41.4938	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	398.9190	SECTOR NO.	6	TAU = 41.4938	TAUWDP = 41.4938	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	398.9190	SECTOR NO.	7	TAU = 41.4938	TAUWDP = 41.4938	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	398.9190	SECTOR NO.	8	TAU = 41.4938	TAUWDP = 41.4938	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	403.0480	SECTOR NO.	6	TAU = 41.4640	TAUWDP = 41.4640	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	403.0480	SECTOR NO.	7	TAU = 41.4640	TAUWDP = 41.4640	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	726.1910	SECTOR NO.	2	TAU = 41.4640	TAUWDP = 41.4640	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	726.1910	SECTOR NO.	3	TAU = 41.4640	TAUWDP = 41.4640	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	791.3460	SECTOR NO.	4	TAU = 41.2527	TAUWDP = 41.2527	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	791.3460	SECTOR NO.	5	TAU = 41.2527	TAUWDP = 41.2527	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	791.3460	SECTOR NO.	6	TAU = 41.2527	TAUWDP = 41.2527	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	791.3460	SECTOR NO.	7	TAU = 41.2527	TAUWDP = 41.2527	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	791.3460	SECTOR NO.	8	TAU = 41.2527	TAUWDP = 41.2527	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	794.8310	SECTOR NO.	1	TAU = 41.2700	TAUWDP = 41.2700	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	794.8310	SECTOR NO.	2	TAU = 41.2700	TAUWDP = 41.2700	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	794.8310	SECTOR NO.	3	TAU = 41.2700	TAUWDP = 41.2700	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	794.8310	SECTOR NO.	4	TAU = 41.2700	TAUWDP = 41.2700	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	794.8310	SECTOR NO.	5	TAU = 41.2700	TAUWDP = 41.2700	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	794.8310	SECTOR NO.	6	TAU = 41.2700	TAUWDP = 41.2700	TIME = 111.00
WEB BURNOUT INCREMENT	LOCATION =	794.8310	SECTOR NO.	7	TAU = 41.2700	TAUWDP = 41.2700	TIME = 111.00

```
WEB BURNOUT INCREMENT LOCATION =  794.8310     SECTOR NO.  8    TAU = 41.2700    TAUWDP = 41.2700    TIME = 111.00
*PARTBN* TIME=111.50 IS=1 ZCALC( 27)= 368.92 ZCALC( 26)= 353.92 AINCW= 367.30 AINCHI= 353.92 DELZ=13.376 ALP=453.72 ALPHI=453.47
*PARTBN* TIME=111.50 IS=2 ZCALC( 27)= 368.92 ZCALC( 26)= 353.92 AINCW= 360.92 AINCHI= 353.92 DELZ= 7.001 ALP=453.72 ALPHI=453.60
*PARTBN* TIME=111.50 IS=3 ZCALC( 27)= 368.92 ZCALC( 26)= 353.92 AINCW= 362.12 AINCHI= 353.92 DELZ= 8.196 ALP=453.72 ALPHI=453.58
*PARTBN* TIME=111.50 IS=4 ZCALC( 27)= 368.92 ZCALC( 26)= 353.92 AINCW= 369.05 AINCHI= 353.92 DELZ=15.130 ALP=453.71 ALPHI=453.43
*PARTBN* TIME=111.50 IS=5 ZCALC( 28)= 383.92 ZCALC( 27)= 368.92 AINCW= 377.30 AINCHI= 368.92 DELZ= 8.376 ALP=453.70 ALPHI=453.56
*PARTBN* TIME=111.50 IS=6 ZCALC( 28)= 383.92 ZCALC( 27)= 368.92 AINCW= 379.72 AINCHI= 368.92 DELZ=10.805 ALP=453.70 ALPHI=453.52
*PARTBN* TIME=111.50 IS=7 ZCALC( 28)= 383.92 ZCALC( 27)= 368.92 AINCW= 379.25 AINCHI= 368.92 DELZ=10.329 ALP=453.70 ALPHI=453.52
*PARTBN* TIME=111.50 IS=8 ZCALC( 28)= 383.92 ZCALC( 27)= 368.92 AINCW= 376.43 AINCHI= 368.92 DELZ= 7.516 ALP=453.70 ALPHI=453.58
*PARTBN* TIME=111.50 IS=1 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 437.66 DELZ= 4.401 ALP=-19.70 ALPHI=******
*PARTBN* TIME=111.50 IS=2 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 438.32 DELZ= 3.738 ALP=-20.75 ALPHI=******
*PARTBN* TIME=111.50 IS=3 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 438.20 DELZ= 3.864 ALP=-20.55 ALPHI=******
*PARTBN* TIME=111.50 IS=4 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 437.48 DELZ= 4.583 ALP=-19.42 ALPHI=******
*PARTBN* TIME=111.50 IS=5 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 436.63 DELZ= 5.434 ALP=-18.08 ALPHI=******
*PARTBN* TIME=111.50 IS=6 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 436.37 DELZ= 5.686 ALP=-17.68 ALPHI=******
*PARTBN* TIME=111.50 IS=7 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 436.42 DELZ= 5.637 ALP=-17.76 ALPHI=******
*PARTBN* TIME=111.50 IS=8 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 436.72 DELZ= 5.345 ALP=-18.22 ALPHI=******
*PARTBN* TIME=111.50 IS=2 ZCALC( 54)= 726.19 ZCALC( 53)= 718.20 AINCW= 723.29 AINCHI= 718.20 DELZ= 5.086 ALP=453.68 ALPHI=453.56
*PARTBN* TIME=111.50 IS=3 ZCALC( 54)= 726.19 ZCALC( 53)= 718.20 AINCW= 724.67 AINCHI= 718.20 DELZ= 6.470 ALP=453.67 ALPHI=453.51
*PARTBN* TIME=111.50 IS=1 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 727.41 AINCHI= 726.19 DELZ= 1.220 ALP=453.67 ALPHI=453.57
*PARTBN* TIME=111.50 IS=4 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 727.96 AINCHI= 726.19 DELZ= 1.772 ALP=453.67 ALPHI=453.50
*PARTBN* TIME=111.50 IS=5 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 730.57 AINCHI= 726.19 DELZ= 4.376 ALP=453.67 ALPHI=453.15
*PARTBN* TIME=111.50 IS=6 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 731.33 AINCHI= 726.19 DELZ= 5.139 ALP=453.67 ALPHI=453.05
*PARTBN* TIME=111.50 IS=7 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 731.18 AINCHI= 726.19 DELZ= 4.989 ALP=453.67 ALPHI=453.07
*PARTBN* TIME=111.50 IS=8 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 730.29 AINCHI= 726.19 DELZ= 4.103 ALP=453.67 ALPHI=453.19
*PARTBN* TIME=111.50 IS=1 ZCALC( 27)= 368.92 ZCALC( 26)= 353.92 AINCW= 367.30 AINCHI= 353.92 DELZ=13.376 ALP=453.72 ALPHI=453.47
*PARTBN* TIME=111.50 IS=2 ZCALC( 27)= 368.92 ZCALC( 26)= 353.92 AINCW= 360.92 AINCHI= 353.92 DELZ= 7.001 ALP=453.72 ALPHI=453.60
*PARTBN* TIME=111.50 IS=3 ZCALC( 27)= 368.92 ZCALC( 26)= 353.92 AINCW= 362.12 AINCHI= 353.92 DELZ= 8.196 ALP=453.72 ALPHI=453.58
*PARTBN* TIME=111.50 IS=4 ZCALC( 27)= 368.92 ZCALC( 26)= 353.92 AINCW= 369.05 AINCHI= 353.92 DELZ=15.130 ALP=453.71 ALPHI=453.43
*PARTBN* TIME=111.50 IS=5 ZCALC( 28)= 383.92 ZCALC( 27)= 368.92 AINCW= 377.30 AINCHI= 368.92 DELZ= 8.376 ALP=453.70 ALPHI=453.56
*PARTBN* TIME=111.50 IS=6 ZCALC( 28)= 383.92 ZCALC( 27)= 368.92 AINCW= 379.72 AINCHI= 368.92 DELZ=10.805 ALP=453.70 ALPHI=453.52
*PARTBN* TIME=111.50 IS=7 ZCALC( 28)= 383.92 ZCALC( 27)= 368.92 AINCW= 379.25 AINCHI= 368.92 DELZ=10.329 ALP=453.70 ALPHI=453.52
*PARTBN* TIME=111.50 IS=8 ZCALC( 28)= 383.92 ZCALC( 27)= 368.92 AINCW= 376.43 AINCHI= 368.92 DELZ= 7.516 ALP=453.70 ALPHI=453.58
*PARTBN* TIME=111.50 IS=1 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 437.66 DELZ= 4.401 ALP=-19.70 ALPHI=******
*PARTBN* TIME=111.50 IS=2 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 438.32 DELZ= 3.738 ALP=-20.75 ALPHI=******
*PARTBN* TIME=111.50 IS=3 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 438.20 DELZ= 3.864 ALP=-20.55 ALPHI=******
*PARTBN* TIME=111.50 IS=4 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 437.48 DELZ= 4.583 ALP=-19.42 ALPHI=******
*PARTBN* TIME=111.50 IS=5 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 436.63 DELZ= 5.434 ALP=-18.08 ALPHI=******
*PARTBN* TIME=111.50 IS=6 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 436.37 DELZ= 5.686 ALP=-17.68 ALPHI=******
*PARTBN* TIME=111.50 IS=7 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 436.42 DELZ= 5.637 ALP=-17.76 ALPHI=******
*PARTBN* TIME=111.50 IS=8 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 436.72 DELZ= 5.345 ALP=-18.22 ALPHI=******
*PARTBN* TIME=111.50 IS=2 ZCALC( 54)= 726.19 ZCALC( 53)= 718.20 AINCW= 723.29 AINCHI= 718.20 DELZ= 5.086 ALP=453.68 ALPHI=453.56
*PARTBN* TIME=111.50 IS=3 ZCALC( 54)= 726.19 ZCALC( 53)= 718.20 AINCW= 724.67 AINCHI= 718.20 DELZ= 6.470 ALP=453.67 ALPHI=453.51
*PARTBN* TIME=111.50 IS=1 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 727.41 AINCHI= 726.19 DELZ= 1.220 ALP=453.67 ALPHI=453.57
*PARTBN* TIME=111.50 IS=4 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 727.96 AINCHI= 726.19 DELZ= 1.772 ALP=453.67 ALPHI=453.50
*PARTBN* TIME=111.50 IS=5 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 730.57 AINCHI= 726.19 DELZ= 4.376 ALP=453.67 ALPHI=453.15
*PARTBN* TIME=111.50 IS=6 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 731.33 AINCHI= 726.19 DELZ= 5.139 ALP=453.67 ALPHI=453.05
*PARTBN* TIME=111.50 IS=7 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 731.18 AINCHI= 726.19 DELZ= 4.989 ALP=453.67 ALPHI=453.07
*PARTBN* TIME=111.50 IS=8 ZCALC( 55)= 741.19 ZCALC( 54)= 726.19 AINCW= 730.29 AINCHI= 726.19 DELZ= 4.103 ALP=453.67 ALPHI=453.19
WEB BURNOUT INCREMENT LOCATION =  338.9190     SECTOR NO.  2    TAU = 41.9268    TAUWDP = 41.9268    TIME = 111.50
WEB BURNOUT INCREMENT LOCATION =  353.9190     SECTOR NO.  1    TAU = 41.8185    TAUWDP = 41.8185    TIME = 111.50
WEB BURNOUT INCREMENT LOCATION =  353.9190     SECTOR NO.  2    TAU = 41.8185    TAUWDP = 41.8185    TIME = 111.50
WEB BURNOUT INCREMENT LOCATION =  353.9190     SECTOR NO.  3    TAU = 41.8185    TAUWDP = 41.8185    TIME = 111.50
WEB BURNOUT INCREMENT LOCATION =  353.9190     SECTOR NO.  4    TAU = 41.8185    TAUWDP = 41.8185    TIME = 111.50
WEB BURNOUT INCREMENT LOCATION =  353.9190     SECTOR NO.  8    TAU = 41.8185    TAUWDP = 41.8185    TIME = 111.50
WEB BURNOUT INCREMENT LOCATION =  368.9190     SECTOR NO.  4    TAU = 41.7103    TAUWDP = 41.7103    TIME = 111.50
```

```
AEB BURNOUT INCREMENT LOCATION =  368.9190    SECTOR NO.  5   TAU = 41.7103   TAUWDP = 41.7103   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  368.9190    SECTOR NO.  6   TAU = 41.7103   TAUWDP = 41.7103   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  368.9190    SECTOR NO.  7   TAU = 41.7103   TAUWDP = 41.7103   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  368.9190    SECTOR NO.  8   TAU = 41.7103   TAUWDP = 41.7103   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  703.2040    SECTOR NO.  2   TAU = 41.6301   TAUWDP = 41.6301   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  703.2040    SECTOR NO.  3   TAU = 41.6301   TAUWDP = 41.6301   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  718.2040    SECTOR NO.  1   TAU = 41.5217   TAUWDP = 41.5217   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  718.2040    SECTOR NO.  2   TAU = 41.5217   TAUWDP = 41.5217   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  718.2040    SECTOR NO.  3   TAU = 41.5217   TAUWDP = 41.5217   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  718.2040    SECTOR NO.  4   TAU = 41.5217   TAUWDP = 41.5217   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  718.2040    SECTOR NO.  5   TAU = 41.5217   TAUWDP = 41.5217   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  718.2040    SECTOR NO.  7   TAU = 41.5217   TAUWDP = 41.5217   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  718.2040    SECTOR NO.  8   TAU = 41.5217   TAUWDP = 41.5217   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  726.1910    SECTOR NO.  1   TAU = 41.4640   TAUWDP = 41.4640   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  726.1910    SECTOR NO.  4   TAU = 41.4640   TAUWDP = 41.4640   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  726.1910    SECTOR NO.  5   TAU = 41.4640   TAUWDP = 41.4640   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  726.1910    SECTOR NO.  6   TAU = 41.4640   TAUWDP = 41.4640   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  726.1910    SECTOR NO.  7   TAU = 41.4640   TAUWDP = 41.4640   TIME = 111.50
AEB BURNOUT INCREMENT LOCATION =  726.1910    SECTOR NO.  8   TAU = 41.4640   TAUWDP = 41.4640   TIME = 111.50
*PARTBN* TIME=112.00 IS=2 ZCALC( 25)= 338.92 ZCALC( 24)= 323.92 AINCW= 337.83 AINCHI= 323.92 DELZ=13.909 ALP=453.75 ALPHI=453.46
*PARTBN* TIME=112.00 IS=3 ZCALC( 25)= 338.92 ZCALC( 24)= 323.92 AINCW= 339.03 AINCHI= 323.92 DELZ=15.107 ALP=453.75 ALPHI=453.43
*PARTBN* TIME=112.00 IS=1 ZCALC( 26)= 353.92 ZCALC( 25)= 338.92 AINCW= 344.20 AINCHI= 338.92 DELZ= 5.283 ALP=453.74 ALPHI=453.65
*PARTBN* TIME=112.00 IS=4 ZCALC( 26)= 353.92 ZCALC( 25)= 338.92 AINCW= 345.96 AINCHI= 338.92 DELZ= 7.040 ALP=453.74 ALPHI=453.61
*PARTBN* TIME=112.00 IS=5 ZCALC( 26)= 353.92 ZCALC( 25)= 338.92 AINCW= 354.22 AINCHI= 338.92 DELZ=15.305 ALP=453.73 ALPHI=453.43
*PARTBN* TIME=112.00 IS=8 ZCALC( 26)= 353.92 ZCALC( 25)= 338.92 AINCW= 353.36 AINCHI= 338.92 DELZ=14.445 ALP=453.73 ALPHI=453.45
*PARTBN* TIME=112.00 IS=6 ZCALC( 27)= 368.92 ZCALC( 26)= 353.92 AINCW= 356.66 AINCHI= 353.92 DELZ= 2.742 ALP=453.73 ALPHI=453.69
*PARTBN* TIME=112.00 IS=7 ZCALC( 27)= 368.92 ZCALC( 26)= 353.92 AINCW= 356.18 AINCHI= 353.92 DELZ= 2.263 ALP=453.73 ALPHI=453.70
*PARTBN* TIME=112.00 IS=1 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 440.06 DELZ= 1.996 ALP=-23.56 ALPHI=******
*PARTBN* TIME=112.00 IS=2 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 440.73 DELZ= 1.331 ALP=-24.62 ALPHI=******
*PARTBN* TIME=112.00 IS=3 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 440.60 DELZ= 1.456 ALP=-24.42 ALPHI=******
*PARTBN* TIME=112.00 IS=4 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 439.88 DELZ= 2.179 ALP=-23.27 ALPHI=******
*PARTBN* TIME=112.00 IS=5 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 439.02 DELZ= 3.036 ALP=-21.91 ALPHI=******
*PARTBN* TIME=112.00 IS=6 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 438.77 DELZ= 3.290 ALP=-21.51 ALPHI=******
*PARTBN* TIME=112.00 IS=7 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 438.82 DELZ= 3.240 ALP=-21.58 ALPHI=******
*PARTBN* TIME=112.00 IS=8 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 439.11 DELZ= 2.947 ALP=-22.05 ALPHI=******
*PARTBN* TIME=112.00 IS=2 ZCALC( 52)= 703.20 ZCALC( 51)= 688.20 AINCW= 698.79 AINCHI= 688.20 DELZ=10.584 ALP=453.74 ALPHI=453.39
*PARTBN* TIME=112.00 IS=3 ZCALC( 52)= 703.20 ZCALC( 51)= 688.20 AINCW= 700.03 AINCHI= 688.20 DELZ=11.824 ALP=453.73 ALPHI=453.34
*PARTBN* TIME=112.00 IS=1 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 705.39 AINCHI= 703.20 DELZ= 2.186 ALP=453.72 ALPHI=453.70
*PARTBN* TIME=112.00 IS=4 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 707.21 AINCHI= 703.20 DELZ= 4.003 ALP=453.72 ALPHI=453.62
*PARTBN* TIME=112.00 IS=5 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 715.77 AINCHI= 703.20 DELZ=12.562 ALP=453.69 ALPHI=453.28
*PARTBN* TIME=112.00 IS=6 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 718.28 AINCHI= 703.20 DELZ=15.076 ALP=453.69 ALPHI=453.17
*PARTBN* TIME=112.00 IS=7 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 717.79 AINCHI= 703.20 DELZ=14.583 ALP=453.69 ALPHI=453.19
*PARTBN* TIME=112.00 IS=8 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 714.87 AINCHI= 703.20 DELZ=11.669 ALP=453.70 ALPHI=453.31
*PARTBN* TIME=112.00 IS=2 ZCALC( 25)= 338.92 ZCALC( 24)= 323.92 AINCW= 337.83 AINCHI= 323.92 DELZ=13.909 ALP=453.75 ALPHI=453.46
*PARTBN* TIME=112.00 IS=3 ZCALC( 25)= 338.92 ZCALC( 24)= 323.92 AINCW= 339.03 AINCHI= 323.92 DELZ=15.107 ALP=453.75 ALPHI=453.43
*PARTBN* TIME=112.00 IS=1 ZCALC( 26)= 353.92 ZCALC( 25)= 338.92 AINCW= 344.20 AINCHI= 338.92 DELZ= 5.283 ALP=453.74 ALPHI=453.65
*PARTBN* TIME=112.00 IS=4 ZCALC( 26)= 353.92 ZCALC( 25)= 338.92 AINCW= 345.96 AINCHI= 338.92 DELZ= 7.040 ALP=453.74 ALPHI=453.61
*PARTBN* TIME=112.00 IS=5 ZCALC( 26)= 353.92 ZCALC( 25)= 338.92 AINCW= 354.22 AINCHI= 338.92 DELZ=15.305 ALP=453.73 ALPHI=453.43
*PARTBN* TIME=112.00 IS=8 ZCALC( 26)= 353.92 ZCALC( 25)= 338.92 AINCW= 353.36 AINCHI= 338.92 DELZ=14.445 ALP=453.73 ALPHI=453.45
*PARTBN* TIME=112.00 IS=6 ZCALC( 27)= 368.92 ZCALC( 26)= 353.92 AINCW= 356.66 AINCHI= 353.92 DELZ= 2.742 ALP=453.73 ALPHI=453.69
*PARTBN* TIME=112.00 IS=7 ZCALC( 27)= 368.92 ZCALC( 26)= 353.92 AINCW= 356.18 AINCHI= 353.92 DELZ= 2.263 ALP=453.73 ALPHI=453.70
*PARTBN* TIME=112.00 IS=1 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 440.06 DELZ= 1.996 ALP=-23.56 ALPHI=******
*PARTBN* TIME=112.00 IS=2 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 440.73 DELZ= 1.331 ALP=-24.62 ALPHI=******
*PARTBN* TIME=112.00 IS=3 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 440.60 DELZ= 1.456 ALP=-24.42 ALPHI=******
*PARTBN* TIME=112.00 IS=4 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 439.88 DELZ= 2.179 ALP=-23.27 ALPHI=******
*PARTBN* TIME=112.00 IS=5 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 439.02 DELZ= 3.036 ALP=-21.91 ALPHI=******
```

```
*PARTBN* TIME=112.00 IS=6 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 438.77 DELZ= 3.290 ALP=-21.51 ALPHI=******
*PARTBN* TIME=112.00 IS=7 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 438.82 DELZ= 3.240 ALP=-21.58 ALPHI=******
*PARTBN* TIME=112.00 IS=8 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 439.11 DELZ= 2.947 ALP=-22.05 ALPHI=******
*PARTBN* TIME=112.00 IS=2 ZCALC( 52)= 703.20 ZCALC( 51)= 688.20 AINCW= 698.79 AINCHI= 688.20 DELZ=10.584 ALP=453.74 ALPHI=453.39
*PARTBN* TIME=112.00 IS=3 ZCALC( 52)= 703.20 ZCALC( 51)= 688.20 AINCW= 700.03 AINCHI= 688.20 DELZ=11.824 ALP=453.73 ALPHI=453.34
*PARTBN* TIME=112.00 IS=1 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 705.39 AINCHI= 703.20 DELZ= 2.186 ALP=453.72 ALPHI=453.70
*PARTBN* TIME=112.00 IS=4 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 707.21 AINCHI= 703.20 DELZ= 4.003 ALP=453.72 ALPHI=453.62
*PARTBN* TIME=112.00 IS=5 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 715.77 AINCHI= 703.20 DELZ=12.562 ALP=453.69 ALPHI=453.28
*PARTBN* TIME=112.00 IS=6 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 718.28 AINCHI= 703.20 DELZ=15.076 ALP=453.69 ALPHI=453.17
*PARTBN* TIME=112.00 IS=7 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 717.79 AINCHI= 703.20 DELZ=14.583 ALP=453.69 ALPHI=453.19
*PARTBN* TIME=112.00 IS=8 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 714.87 AINCHI= 703.20 DELZ=11.669 ALP=453.70 ALPHI=453.31
*PARTBN* TIME=112.00 IS=2 ZCALC( 25)= 338.92 ZCALC( 24)= 323.92 AINCW= 337.83 AINCHI= 323.92 DELZ=13.907 ALP=453.75 ALPHI=453.46
*PARTBN* TIME=112.00 IS=3 ZCALC( 25)= 338.92 ZCALC( 24)= 323.92 AINCW= 339.03 AINCHI= 323.92 DELZ=15.107 ALP=453.75 ALPHI=453.43
*PARTBN* TIME=112.00 IS=1 ZCALC( 26)= 353.92 ZCALC( 25)= 338.92 AINCW= 344.20 AINCHI= 338.92 DELZ= 5.283 ALP=453.74 ALPHI=453.65
*PARTBN* TIME=112.00 IS=4 ZCALC( 26)= 353.92 ZCALC( 25)= 338.92 AINCW= 345.96 AINCHI= 338.92 DELZ= 7.040 ALP=453.74 ALPHI=453.61
*PARTBN* TIME=112.00 IS=5 ZCALC( 26)= 353.92 ZCALC( 25)= 338.92 AINCW= 354.22 AINCHI= 338.92 DELZ=15.305 ALP=453.73 ALPHI=453.43
*PARTBN* TIME=112.00 IS=8 ZCALC( 26)= 353.92 ZCALC( 25)= 338.92 AINCW= 353.36 AINCHI= 338.92 DELZ=14.445 ALP=453.73 ALPHI=453.45
*PARTBN* TIME=112.00 IS=6 ZCALC( 27)= 368.92 ZCALC( 26)= 353.92 AINCW= 356.66 AINCHI= 353.92 DELZ= 2.742 ALP=453.73 ALPHI=453.69
*PARTBN* TIME=112.00 IS=7 ZCALC( 27)= 368.92 ZCALC( 26)= 353.92 AINCW= 356.18 AINCHI= 353.92 DELZ= 2.263 ALP=453.73 ALPHI=453.70
*PARTBN* TIME=112.00 IS=1 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 440.06 DELZ= 1.996 ALP=-23.56 ALPHI=******
*PARTBN* TIME=112.00 IS=2 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 440.73 DELZ= 1.331 ALP=-24.62 ALPHI=******
*PARTBN* TIME=112.00 IS=3 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 440.60 DELZ= 1.456 ALP=-24.42 ALPHI=******
*PARTBN* TIME=112.00 IS=4 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 439.88 DELZ= 2.179 ALP=-23.27 ALPHI=******
*PARTBN* TIME=112.00 IS=5 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 439.02 DELZ= 3.036 ALP=-21.91 ALPHI=******
*PARTBN* TIME=112.00 IS=6 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 438.77 DELZ= 3.290 ALP=-21.51 ALPHI=******
*PARTBN* TIME=112.00 IS=7 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 438.82 DELZ= 3.240 ALP=-21.58 ALPHI=******
*PARTBN* TIME=112.00 IS=8 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 439.11 DELZ= 2.947 ALP=-22.05 ALPHI=******
*PARTBN* TIME=112.00 IS=2 ZCALC( 52)= 703.20 ZCALC( 51)= 688.20 AINCW= 698.79 AINCHI= 688.20 DELZ=10.584 ALP=453.74 ALPHI=453.39
*PARTBN* TIME=112.00 IS=3 ZCALC( 52)= 703.20 ZCALC( 51)= 688.20 AINCW= 700.03 AINCHI= 688.20 DELZ=11.824 ALP=453.73 ALPHI=453.34
*PARTBN* TIME=112.00 IS=1 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 705.39 AINCHI= 703.20 DELZ= 2.186 ALP=453.72 ALPHI=453.70
*PARTBN* TIME=112.00 IS=4 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 707.21 AINCHI= 703.20 DELZ= 4.003 ALP=453.72 ALPHI=453.62
*PARTBN* TIME=112.00 IS=5 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 715.77 AINCHI= 703.20 DELZ=12.562 ALP=453.69 ALPHI=453.28
*PARTBN* TIME=112.00 IS=6 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 718.28 AINCHI= 703.20 DELZ=15.076 ALP=453.69 ALPHI=453.17
*PARTBN* TIME=112.00 IS=7 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 717.79 AINCHI= 703.20 DELZ=14.583 ALP=453.69 ALPHI=453.19
*PARTBN* TIME=112.00 IS=8 ZCALC( 53)= 718.20 ZCALC( 52)= 703.20 AINCW= 714.87 AINCHI= 703.20 DELZ=11.669 ALP=453.70 ALPHI=453.31
```

IGNITION TIME, TIME (S) 112.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	6231831.0	1400971.3
TOTAL VACUUM THRUST (N,LBF)	FTVAC	6239538.2	1402704.0
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	50691.068	11395.806
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.12138900+10	.27289332+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	255.38169	255.38169
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.12638742+10	.28413023+09
THRUST COEFFICIENT	CF	1.6286554	1.6286554
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	2464.1862	5432.6007
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	497642.14	1097113.1
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	27.205529	59.977924
INERT MASS REMAINING (KG,LBM)	MIR	94.766180	208.92366
TOTAL BURN AREA (M**2,IN**2)	ABTOT	169.98660	263479.76
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	6.2030226	378531.66
PROPELLANT MASS REMAINING (KG,LBM)	WF	8248.5675	18184.979
TOTAL GAS MASS (KG,LBM)	WGTOT	855.39248	1885.8176
RATIO OF SPECIFIC HEATS	GAMA	1.1594827	1.1594827
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.786047	28.188409
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1554.7215	5100.7925
MAXIMUM CHAMBER MACH NUMBER	AMPN	.10023089	.10023089
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.24320770+09	352.74295
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.52509492+11	76158.580
BURN AREA (M**2,IN**2)	AHH	1.8540981	2873.6578
BURN RATE (M/S,IN/S)	RBZ(1)	.76600007-02	.30157483
DISTANCE BURNED (M,IN)	TAUZ(1)	1.0675680	42.030238
PROPELLANT VOLUME (M**3,IN**3)	VFH	.26619719	16244.349
GAS VOLUME (M**3,IN**3)	VPH	54.837635	3346397.8
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3354.1435	6037.4583
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	168.13250	260605.90
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	5.9348592	362167.33
GAS VOLUME (M**3,IN**3)	VP	278.62828	17002941.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.23938316+09	347.19593
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.50107109+11	72674.211
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.76339393-02	.30054879
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.76271724-02	.30028317
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.347463	1040330.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3353.0655	6035.5179
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.228839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.6004040	2480.6312
EXPANSION RATIO	EPR	6.7161259	6.7161259
PRESSURE RATIO	PEPO	.23524305-01	.23524305-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	3.0000000	3.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	352.74	352.74	6037.46	6.67	.002	444.43	15714.26	111.57	54.90	-56.67	.3011	42.030	.0000	.000
15.000	352.74	352.74	6037.45	14.48	.004	444.69	15733.57	242.77	127.39	-3.82	.3011	41.984	.0000	.000
30.000	352.74	352.73	6037.44	22.29	.006	444.96	15752.85	374.06	127.47	-3.82	.3011	41.979	.0000	.000
45.000	352.73	352.72	6037.42	30.08	.009	445.22	15772.08	505.45	127.56	-3.83	.3011	41.975	.0000	.000
60.000	352.73	352.70	6037.40	37.86	.011	445.48	15791.27	636.92	127.64	-3.83	.3012	41.970	.0000	.000
75.000	352.72	352.69	6037.38	45.63	.013	445.75	15810.42	768.49	127.73	-3.84	.3012	41.965	.0000	.000
90.000	352.71	352.66	6037.35	53.39	.015	446.01	15829.52	900.15	127.82	-3.84	.3012	41.960	.0000	.000
105.000	352.70	352.64	6037.31	61.13	.017	446.28	15848.59	1031.90	127.91	-3.85	.3012	41.955	.0000	.000
116.761	352.69	352.61	6037.28	67.20	.019	446.48	15863.51	1135.27	100.35	-3.02	.3013	41.950	.0000	.000
118.771	352.68	352.58	6037.21	79.80	.023	-340.45	13358.69	1135.28	.00	-.00	.3013	41.951	.0000	.000
131.771	352.67	352.58	6037.25	72.71	.021	93.89	14708.41	1138.90	.00	-3.62	.3012	41.951	.0000	.000
143.919	352.64	352.56	6037.26	71.58	.020	445.64	15803.04	1204.58	62.63	-3.05	.3012	41.943	.0000	.000
158.919	352.63	352.52	6037.22	79.17	.023	446.53	15852.14	1336.32	127.89	-3.85	.3013	41.937	.0000	.000
173.919	352.61	352.48	6037.17	86.74	.025	447.35	15900.98	1468.36	128.17	-3.87	.3014	41.932	.0000	.000
188.919	352.59	352.44	6037.11	94.28	.027	448.14	15949.57	1600.69	128.43	-3.90	.3014	41.926	.0000	.000
203.919	352.56	352.39	6037.06	101.79	.029	448.88	15997.91	1733.30	128.68	-3.92	.3015	41.920	.0000	.000
218.919	352.54	352.34	6036.99	109.28	.031	449.57	16046.00	1866.16	128.92	-3.94	.3016	41.914	.0000	.000
233.919	352.51	352.29	6036.93	116.74	.033	450.22	16093.84	1999.27	129.15	-3.97	.3016	41.908	.0000	.000
248.919	352.48	352.23	6036.86	124.16	.035	450.83	16141.42	2132.62	129.36	-3.99	.3017	41.902	.0000	.000
263.919	352.45	352.17	6036.79	131.60	.037	451.39	16188.76	2266.19	129.55	-4.01	.3018	41.895	.0000	.000
278.919	352.42	352.10	6036.71	138.98	.040	451.91	16235.84	2399.96	129.74	-4.04	.3019	41.889	.0000	.000
293.919	352.39	352.03	6036.63	146.35	.042	452.39	16282.68	2533.95	129.92	-4.06	.3020	41.882	.0000	.000
308.919	352.35	351.96	6036.54	153.69	.044	452.82	16329.26	2668.13	130.10	-4.08	.3021	41.876	.0000	.000
323.919	352.31	351.88	6036.45	161.00	.046	453.21	16375.59	2802.49	130.26	-4.10	.3022	41.869	.0000	.000
338.919	352.27	351.80	6036.36	168.23	.048	453.55	16421.30	2935.91	129.33	-4.09	.3023	41.862	.0000	.000
353.919	352.25	351.75	6036.30	172.55	.049	340.29	16460.81	3018.06	78.10	-4.05	.3023	41.814	.0000	.000
368.919	352.24	351.75	6036.30	172.66	.049	113.43	16502.97	3027.70	5.42	-4.22	.3023	41.710	.0000	.000
383.919	352.24	351.75	6036.30	172.32	.049	.00	16556.41	3031.88	.00	-4.18	.3023	41.602	.0000	.000
398.919	352.24	351.75	6036.31	172.09	.049	.00	16603.49	3036.07	.00	-4.19	.3023	41.494	.0000	.000
408.048	352.24	351.75	6036.31	172.03	.049	.00	16615.85	3037.23	.00	-1.16	.3023	41.464	.0000	.000
418.048	352.25	351.75	6036.28	173.80	.049	.00	16469.10	3041.42	.00	-4.20	.3023	41.192	.0000	.000
427.061	352.25	351.75	6036.27	174.87	.050	.00	16381.95	3043.92	.00	-2.50	.3023	41.174	.0000	.000
427.061	352.24	351.56	6035.84	203.73	.058	.00	14067.75	3043.93	.00	-.00	.3022	41.029	.0000	.000
442.061	352.18	351.56	6035.98	194.85	.055	-22.87	14726.76	3047.63	.00	-3.71	.3020	41.840	.0000	.000
457.061	352.11	351.52	6036.07	188.95	.054	317.70	15417.85	3093.58	42.23	-3.71	.3011	41.808	.0000	.000
463.204	352.07	351.49	6036.08	188.22	.054	444.32	15710.14	3139.81	44.68	-1.55	.3007	41.765	.0000	.000
478.204	352.02	351.39	6035.97	195.63	.056	444.84	15749.77	3270.87	127.26	-3.81	.3008	41.744	.0000	.000
493.204	351.97	351.29	6035.85	203.33	.058	445.42	15789.21	3402.13	127.43	-3.82	.3008	41.735	.0000	.000
508.204	351.92	351.19	6035.73	210.41	.060	446.00	15828.44	3533.59	127.62	-3.84	.3009	41.725	.0000	.000
523.204	351.87	351.08	6035.61	217.77	.062	446.58	15867.47	3665.26	127.81	-3.86	.3009	41.714	.0000	.000
538.204	351.81	350.97	6035.48	225.13	.064	447.16	15906.29	3797.13	128.00	-3.87	.3010	41.704	.0000	.000
553.204	351.75	350.86	6035.35	232.46	.066	447.74	15944.92	3929.21	128.19	-3.89	.3010	41.694	.0000	.000
568.204	351.69	350.74	6035.22	239.78	.068	448.32	15983.34	4061.49	128.37	-3.91	.3011	41.684	.0000	.000
583.204	351.63	350.62	6035.08	247.09	.070	448.90	16021.56	4193.97	128.56	-3.92	.3011	41.673	.0000	.000
598.204	351.57	350.50	6034.94	254.39	.072	449.48	16059.58	4326.65	128.75	-3.94	.3012	41.663	.0000	.000
613.204	351.50	350.37	6034.79	261.68	.074	450.06	16097.39	4459.54	128.93	-3.95	.3012	41.652	.0000	.000

628.204	351.43	350.24	6034.64	268.95	.077	450.64	16135.00	4592.63	129.12	-3.97	.3013	41.641	.0000	.000
643.204	351.36	350.11	6034.49	276.22	.079	451.21	16172.41	4725.92	129.31	-3.98	.3013	41.631	.0000	.000
658.204	351.29	349.97	6034.33	283.47	.081	451.79	16209.62	4859.42	129.50	-4.00	.3014	41.620	.0000	.000
673.204	351.22	349.83	6034.17	290.72	.083	452.37	16246.63	4993.14	129.70	-4.02	.3015	41.609	.0000	.000
688.204	351.14	349.68	6034.00	297.96	.085	452.94	16283.43	5127.06	129.90	-4.03	.3015	41.598	.0000	.000
703.204	351.07	349.54	6033.84	304.74	.087	453.47	16317.95	5252.90	121.79	-4.05	.3016	41.581	.0000	.000
718.204	351.03	349.46	6033.76	308.25	.088	340.28	16347.11	5321.86	64.91	-4.04	.3016	41.522	.0000	.000
726.191	351.02	349.46	6033.77	307.84	.088	.00	16375.73	5324.03	.00	-2.17	.3016	41.464	.0000	.000
741.191	351.02	349.46	6033.76	307.94	.088	.00	16382.80	5328.10	.00	-4.07	.3016	41.140	.0000	.000
746.336	351.02	349.46	6033.76	307.98	.088	.00	16385.20	5329.50	.00	-1.41	.3016	41.240	.0000	.000
746.346	350.99	348.95	6032.62	352.12	.100	.00	14349.56	5329.51	.00	-.00	.3014	41.029	.0000	.000
761.346	350.83	348.95	6033.01	337.73	.096	.00	14972.15	5333.19	.00	-3.69	.3014	41.104	.0000	.000
776.346	350.68	348.95	6033.36	324.45	.092	.00	15597.03	5337.04	.00	-3.84	.3014	41.178	.0000	.000
791.346	350.55	348.95	6033.66	312.16	.087	.00	16224.19	5341.04	.00	-4.00	.3014	41.253	.0000	.000
794.631	350.52	348.95	6033.73	309.44	.088	.00	16370.23	5341.99	.00	-.95	.3014	41.270	.0000	.000
809.631	350.53	348.95	6033.72	309.80	.088	.00	16363.57	5346.11	.00	-4.12	.3014	41.093	.0000	.000
824.631	350.53	348.95	6033.71	310.16	.088	.00	16356.92	5350.22	.00	-4.11	.3014	40.916	.0000	.000
839.631	350.53	348.95	6033.70	310.53	.088	.00	16350.28	5354.33	.00	-4.11	.3014	40.739	.0000	.000
854.781	350.54	348.95	6033.69	310.89	.088	.00	16343.67	5358.43	.00	-4.10	.3014	40.563	.0000	.000
869.781	350.55	348.95	6033.67	311.66	.089	.00	16315.82	5362.54	.00	-4.11	.3014	39.794	.0000	.000
884.781	350.55	348.95	6033.66	312.43	.089	.00	16287.76	5366.64	.00	-4.10	.3014	39.025	.0000	.000
899.781	350.56	348.95	6033.64	313.20	.089	.00	16260.09	5370.73	.00	-4.09	.3014	38.255	.0000	.000
914.781	350.57	348.95	6033.62	313.98	.089	.00	16232.22	5374.81	.00	-4.09	.3014	37.486	.0000	.000
929.781	350.58	348.95	6033.60	314.76	.090	.00	16204.33	5378.89	.00	-4.08	.3014	36.717	.0000	.000
944.781	350.59	348.95	6033.58	315.54	.090	.00	16176.44	5382.96	.00	-4.07	.3014	35.948	.0000	.000
959.781	350.59	348.95	6033.56	316.32	.090	.00	16148.55	5387.03	.00	-4.06	.3014	35.178	.0000	.000
974.781	350.60	348.95	6033.54	317.10	.090	.00	16120.65	5391.09	.00	-4.06	.3014	34.409	.0000	.000
989.781	350.61	348.95	6033.52	317.89	.090	.00	16092.74	5395.14	.00	-4.05	.3014	33.640	.0000	.000
1004.781	350.62	348.95	6033.50	318.68	.091	.00	16064.82	5399.18	.00	-4.04	.3014	32.871	.0000	.000
1019.781	350.63	348.95	6033.48	319.47	.091	.00	16036.89	5403.22	.00	-4.04	.3014	32.101	.0000	.000
1034.781	350.64	348.95	6033.46	320.27	.091	.00	16008.96	5407.25	.00	-4.03	.3014	31.332	.0000	.000
1040.791	350.64	348.95	6033.45	320.59	.091	.00	15997.77	5408.86	.00	-1.61	.3014	31.024	.0000	.000
1055.791	350.65	348.95	6033.43	321.39	.091	.00	15969.84	5412.88	.00	-4.02	.3014	30.483	.0000	.000
1070.791	350.66	348.95	6033.41	322.19	.092	.00	15941.80	5416.89	.00	-4.01	.3014	29.942	.0000	.000
1084.171	350.66	348.95	6033.40	322.91	.092	.00	15916.69	5420.46	.00	-3.57	.3014	29.459	.0000	.000
AFT(A)	347.20	331.29	5997.31	998.01	.285	.....	15823.73	5432.60	.00	-7.37	.3005	29.460	....	.....
AFT(B)	347.19	347.19	6035.82	-.44	.000	.....	10413.12	4.77	.00	-4.77	.3003	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	3.5269+02	3.5261+02	6.0373+03	6.4761+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.1353+03
AFT	1.1677+02	3.5265+02	3.5258+02	6.0372+03	6.4766+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.1353+03

GAS BUILDUP IN SLOT, DW/DT = -2.7922-03

FOREWARD	4.2705+02	3.5225+02	3.5175+02	6.0363+03	1.7485+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.0439+03
AFT	4.2706+02	3.5206+02	3.5156+02	6.0358+03	1.7494+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.0439+03

GAS BUILDUP IN SLOT, DW/DT = -2.7707-03

FOREWARD	7.4634+02	3.5102+02	3.4946+02	6.0338+03	3.0802+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	5.3295+03
AFT	7.4635+02	3.5051+02	3.4895+02	6.0326+03	3.0842+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	5.3295+03

GAS BUILDUP IN SLOT, DW/DT = -2.7506-03

```
WEB BURNOUT INCREMENT LOCATION =  323.9190    SECTOR NO.  1    TAU = 42.0350    TAUWDP = 42.0350    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  323.9190    SECTOR NO.  2    TAU = 42.0350    TAUWDP = 42.0350    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  323.9190    SECTOR NO.  3    TAU = 42.0350    TAUWDP = 42.0350    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  323.9190    SECTOR NO.  4    TAU = 42.0350    TAUWDP = 42.0350    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  338.9190    SECTOR NO.  1    TAU = 41.9268    TAUWDP = 41.9268    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  338.9190    SECTOR NO.  3    TAU = 41.9268    TAUWDP = 41.9268    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  338.9190    SECTOR NO.  4    TAU = 41.9268    TAUWDP = 41.9268    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  338.9190    SECTOR NO.  5    TAU = 41.9268    TAUWDP = 41.9268    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  338.9190    SECTOR NO.  6    TAU = 41.9268    TAUWDP = 41.9268    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  338.9190    SECTOR NO.  7    TAU = 41.9268    TAUWDP = 41.9268    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  338.9190    SECTOR NO.  8    TAU = 41.9268    TAUWDP = 41.9268    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  353.9190    SECTOR NO.  5    TAU = 41.8185    TAUWDP = 41.8185    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  353.9190    SECTOR NO.  6    TAU = 41.8185    TAUWDP = 41.8185    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  353.9190    SECTOR NO.  7    TAU = 41.8185    TAUWDP = 41.8185    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  442.0610    SECTOR NO.  1    TAU = 41.9981    TAUWDP = 41.9981    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  442.0610    SECTOR NO.  2    TAU = 41.9981    TAUWDP = 41.9981    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  442.0610    SECTOR NO.  3    TAU = 41.9981    TAUWDP = 41.9981    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  442.0610    SECTOR NO.  4    TAU = 41.9981    TAUWDP = 41.9981    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  688.2040    SECTOR NO.  1    TAU = 41.7384    TAUWDP = 41.7384    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  688.2040    SECTOR NO.  2    TAU = 41.7384    TAUWDP = 41.7384    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  688.2040    SECTOR NO.  3    TAU = 41.7384    TAUWDP = 41.7384    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  688.2040    SECTOR NO.  4    TAU = 41.7384    TAUWDP = 41.7384    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  703.2040    SECTOR NO.  1    TAU = 41.6301    TAUWDP = 41.6301    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  703.2040    SECTOR NO.  4    TAU = 41.6301    TAUWDP = 41.6301    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  703.2040    SECTOR NO.  5    TAU = 41.6301    TAUWDP = 41.6301    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  703.2040    SECTOR NO.  6    TAU = 41.6301    TAUWDP = 41.6301    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  703.2040    SECTOR NO.  7    TAU = 41.6301    TAUWDP = 41.6301    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  703.2040    SECTOR NO.  8    TAU = 41.6301    TAUWDP = 41.6301    TIME = 112.00
WEB BURNOUT INCREMENT LOCATION =  718.2040    SECTOR NO.  6    TAU = 41.5217    TAUWDP = 41.5217    TIME = 112.00
*PANTER* TIME=112.50 IS=1 ZCALC( 241)= 323.92 ZCALC( 23)= 308.92 AINCW= 321.88 AINCHI= 308.92 DELZ=12.960 ALP=453.77 ALPHI=453.49
*PANTER* TIME=112.50 IS=2 ZCALC( 241)= 323.92 ZCALC( 23)= 308.92 AINCW= 315.49 AINCHI= 308.92 DELZ= 6.568 ALP=453.78 ALPHI=453.65
```

```
*PARTBN* TIME=112.50 IS=3 ZCALC( 24)= 323.92 ZCALC( 23)= 308.92 AINCW= 316.68 AINCHI= 308.92 DELZ= 7.763 ALP=453.78 ALPHI=453.62
*PARTBN* TIME=112.50 IS=4 ZCALC( 24)= 323.92 ZCALC( 23)= 308.92 AINCW= 323.64 AINCHI= 308.92 DELZ=14.722 ALP=453.77 ALPHI=453.44
*PARTBN* TIME=112.50 IS=5 ZCALC( 25)= 338.92 ZCALC( 24)= 323.92 AINCW= 331.91 AINCHI= 323.92 DELZ= 7.993 ALP=453.76 ALPHI=453.60
*PARTBN* TIME=112.50 IS=6 ZCALC( 25)= 338.92 ZCALC( 24)= 323.92 AINCW= 334.36 AINCHI= 323.92 DELZ=10.441 ALP=453.76 ALPHI=453.54
*PARTBN* TIME=112.50 IS=7 ZCALC( 25)= 338.92 ZCALC( 24)= 323.92 AINCW= 333.88 AINCHI= 323.92 DELZ= 9.961 ALP=453.76 ALPHI=453.56
*PARTBN* TIME=112.50 IS=8 ZCALC( 25)= 338.92 ZCALC( 24)= 323.92 AINCW= 331.05 AINCHI= 323.92 DELZ= 7.134 ALP=453.76 ALPHI=453.62
*PARTBN* TIME=112.50 IS=5 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 441.35 DELZ= .713 ALP=-25.62 ALPHI=-95.13
*PARTBN* TIME=112.50 IS=6 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 441.09 DELZ= .968 ALP=-25.22 ALPHI=******
*PARTBN* TIME=112.50 IS=7 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 441.14 DELZ= .918 ALP=-25.30 ALPHI=******
*PARTBN* TIME=112.50 IS=8 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 441.44 DELZ= .623 ALP=-25.77 ALPHI=-92.88
*PARTBN* TIME=112.50 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 442.38 DELZ=14.684 ALP=317.24 ALPHI=-69.28
*PARTBN* TIME=112.50 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 443.02 DELZ=14.038 ALP=317.13 ALPHI=-53.03
*PARTBN* TIME=112.50 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 442.90 DELZ=14.160 ALP=317.15 ALPHI=-56.09
*PARTBN* TIME=112.50 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 442.20 DELZ=14.863 ALP=317.27 ALPHI=-73.76
*PARTBN* TIME=112.50 IS=1 ZCALC( 51)= 688.20 ZCALC( 50)= 673.20 AINCW= 682.22 AINCHI= 673.20 DELZ= 9.011 ALP=453.78 ALPHI=453.49
*PARTBN* TIME=112.50 IS=2 ZCALC( 51)= 688.20 ZCALC( 50)= 673.20 AINCW= 675.59 AINCHI= 673.20 DELZ= 2.390 ALP=453.79 ALPHI=453.76
*PARTBN* TIME=112.50 IS=3 ZCALC( 51)= 688.20 ZCALC( 50)= 673.20 AINCW= 676.83 AINCHI= 673.20 DELZ= 3.629 ALP=453.79 ALPHI=453.71
*PARTBN* TIME=112.50 IS=4 ZCALC( 51)= 688.20 ZCALC( 50)= 673.20 AINCW= 684.04 AINCHI= 673.20 DELZ=10.833 ALP=453.77 ALPHI=453.42
*PARTBN* TIME=112.50 IS=5 ZCALC( 52)= 703.20 ZCALC( 51)= 688.20 AINCW= 692.61 AINCHI= 688.20 DELZ= 4.403 ALP=453.75 ALPHI=453.64
*PARTBN* TIME=112.50 IS=6 ZCALC( 52)= 703.20 ZCALC( 51)= 688.20 AINCW= 695.13 AINCHI= 688.20 DELZ= 6.929 ALP=453.74 ALPHI=453.54
*PARTBN* TIME=112.50 IS=7 ZCALC( 52)= 703.20 ZCALC( 51)= 688.20 AINCW= 694.64 AINCHI= 688.20 DELZ= 6.434 ALP=453.75 ALPHI=453.56
*PARTBN* TIME=112.50 IS=8 ZCALC( 52)= 703.20 ZCALC( 51)= 688.20 AINCW= 691.71 AINCHI= 688.20 DELZ= 3.510 ALP=453.75 ALPHI=453.68
*PARTBN* TIME=112.50 IS=1 ZCALC( 24)= 323.92 ZCALC( 23)= 308.92 AINCW= 321.88 AINCHI= 308.92 DELZ=12.960 ALP=453.77 ALPHI=453.49
*PARTBN* TIME=112.50 IS=2 ZCALC( 24)= 323.92 ZCALC( 23)= 308.92 AINCW= 315.49 AINCHI= 308.92 DELZ= 6.568 ALP=453.78 ALPHI=453.65
*PARTBN* TIME=112.50 IS=3 ZCALC( 24)= 323.92 ZCALC( 23)= 308.92 AINCW= 316.68 AINCHI= 308.92 DELZ= 7.763 ALP=453.78 ALPHI=453.62
*PARTBN* TIME=112.50 IS=4 ZCALC( 24)= 323.92 ZCALC( 23)= 308.92 AINCW= 323.64 AINCHI= 308.92 DELZ=14.722 ALP=453.77 ALPHI=453.44
*PARTBN* TIME=112.50 IS=5 ZCALC( 25)= 338.92 ZCALC( 24)= 323.92 AINCW= 331.91 AINCHI= 323.92 DELZ= 7.993 ALP=453.76 ALPHI=453.60
*PARTBN* TIME=112.50 IS=6 ZCALC( 25)= 338.92 ZCALC( 24)= 323.92 AINCW= 334.36 AINCHI= 323.92 DELZ=10.441 ALP=453.76 ALPHI=453.54
*PARTBN* TIME=112.50 IS=7 ZCALC( 25)= 338.92 ZCALC( 24)= 323.92 AINCW= 333.88 AINCHI= 323.92 DELZ= 9.961 ALP=453.76 ALPHI=453.56
*PARTBN* TIME=112.50 IS=8 ZCALC( 25)= 338.92 ZCALC( 24)= 323.92 AINCW= 331.05 AINCHI= 323.92 DELZ= 7.134 ALP=453.76 ALPHI=453.62
*PARTBN* TIME=112.50 IS=5 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 441.35 DELZ= .713 ALP=-25.62 ALPHI=-95.13
*PARTBN* TIME=112.50 IS=6 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 441.09 DELZ= .968 ALP=-25.22 ALPHI=******
*PARTBN* TIME=112.50 IS=7 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 441.14 DELZ= .918 ALP=-25.30 ALPHI=******
*PARTBN* TIME=112.50 IS=8 ZCALC( 34)= 442.06 ZCALC( 33)= 427.06 AINCW= 442.06 AINCHI= 441.44 DELZ= .623 ALP=-25.77 ALPHI=-92.88
*PARTBN* TIME=112.50 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 442.38 DELZ=14.684 ALP=317.24 ALPHI=-69.28
*PARTBN* TIME=112.50 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 443.02 DELZ=14.038 ALP=317.13 ALPHI=-53.03
*PARTBN* TIME=112.50 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 442.90 DELZ=14.160 ALP=317.15 ALPHI=-56.09
*PARTBN* TIME=112.50 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 442.20 DELZ=14.863 ALP=317.27 ALPHI=-73.76
*PARTBN* TIME=112.50 IS=1 ZCALC( 51)= 688.20 ZCALC( 50)= 673.20 AINCW= 682.22 AINCHI= 673.20 DELZ= 9.011 ALP=453.78 ALPHI=453.49
*PARTBN* TIME=112.50 IS=2 ZCALC( 51)= 688.20 ZCALC( 50)= 673.20 AINCW= 675.59 AINCHI= 673.20 DELZ= 2.390 ALP=453.79 ALPHI=453.76
*PARTBN* TIME=112.50 IS=3 ZCALC( 51)= 688.20 ZCALC( 50)= 673.20 AINCW= 676.83 AINCHI= 673.20 DELZ= 3.629 ALP=453.79 ALPHI=453.71
*PARTBN* TIME=112.50 IS=4 ZCALC( 51)= 688.20 ZCALC( 50)= 673.20 AINCW= 684.04 AINCHI= 673.20 DELZ=10.833 ALP=453.77 ALPHI=453.42
*PARTBN* TIME=112.50 IS=5 ZCALC( 52)= 703.20 ZCALC( 51)= 688.20 AINCW= 692.61 AINCHI= 688.20 DELZ= 4.403 ALP=453.75 ALPHI=453.64
*PARTBN* TIME=112.50 IS=6 ZCALC( 52)= 703.20 ZCALC( 51)= 688.20 AINCW= 695.13 AINCHI= 688.20 DELZ= 6.929 ALP=453.74 ALPHI=453.54
*PARTBN* TIME=112.50 IS=7 ZCALC( 52)= 703.20 ZCALC( 51)= 688.20 AINCW= 694.64 AINCHI= 688.20 DELZ= 6.434 ALP=453.75 ALPHI=453.56
*PARTBN* TIME=112.50 IS=8 ZCALC( 52)= 703.20 ZCALC( 51)= 688.20 AINCW= 691.71 AINCHI= 688.20 DELZ= 3.510 ALP=453.75 ALPHI=453.68
*EB BURNOUT INCREMENT LOCATION = 308.9190 SECTOR NO. 1 TAU = 42.1433 TAUWDP = 42.1433 TIME = 112.50
*EB BURNOUT INCREMENT LOCATION = 308.9190 SECTOR NO. 2 TAU = 42.1433 TAUWDP = 42.1433 TIME = 112.50
*EB BURNOUT INCREMENT LOCATION = 308.9190 SECTOR NO. 3 TAU = 42.1433 TAUWDP = 42.1433 TIME = 112.50
*EB BURNOUT INCREMENT LOCATION = 308.9190 SECTOR NO. 4 TAU = 42.1433 TAUWDP = 42.1433 TIME = 112.50
*EB BURNOUT INCREMENT LOCATION = 323.9190 SECTOR NO. 5 TAU = 42.0350 TAUWDP = 42.0350 TIME = 112.50
*EB BURNOUT INCREMENT LOCATION = 323.9190 SECTOR NO. 6 TAU = 42.0350 TAUWDP = 42.0350 TIME = 112.50
*EB BURNOUT INCREMENT LOCATION = 323.9190 SECTOR NO. 7 TAU = 42.0350 TAUWDP = 42.0350 TIME = 112.50
*EB BURNOUT INCREMENT LOCATION = 323.9190 SECTOR NO. 8 TAU = 42.0350 TAUWDP = 42.0350 TIME = 112.50
*EB BURNOUT INCREMENT LOCATION = 442.0610 SECTOR NO. 5 TAU = 41.9981 TAUWDP = 41.9981 TIME = 112.50
*EB BURNOUT INCREMENT LOCATION = 442.0610 SECTOR NO. 6 TAU = 41.9981 TAUWDP = 41.9981 TIME = 112.50
```

```
WEB BURNOUT INCREMENT LOCATION =  442.0610   SECTOR NO.  7   TAU = 41.9981   TAUWDP = 41.9981   TIME = 112.50
WEB BURNOUT INCREMENT LOCATION =  442.0610   SECTOR NO.  8   TAU = 41.9981   TAUWDP = 41.9981   TIME = 112.50
WEB BURNOUT INCREMENT LOCATION =  658.2040   SECTOR NO.  2   TAU = 41.9552   TAUWDP = 41.9552   TIME = 112.50
WEB BURNOUT INCREMENT LOCATION =  658.2040   SECTOR NO.  3   TAU = 41.9552   TAUWDP = 41.9552   TIME = 112.50
WEB BURNOUT INCREMENT LOCATION =  673.2040   SECTOR NO.  1   TAU = 41.8468   TAUWDP = 41.8468   TIME = 112.50
WEB BURNOUT INCREMENT LOCATION =  673.2040   SECTOR NO.  2   TAU = 41.8468   TAUWDP = 41.8468   TIME = 112.50
WEB BURNOUT INCREMENT LOCATION =  673.2040   SECTOR NO.  3   TAU = 41.8468   TAUWDP = 41.8468   TIME = 112.50
WEB BURNOUT INCREMENT LOCATION =  673.2040   SECTOR NO.  4   TAU = 41.8468   TAUWDP = 41.8468   TIME = 112.50
WEB BURNOUT INCREMENT LOCATION =  673.2040   SECTOR NO.  5   TAU = 41.8468   TAUWDP = 41.8468   TIME = 112.50
WEB BURNOUT INCREMENT LOCATION =  673.2040   SECTOR NO.  6   TAU = 41.8468   TAUWDP = 41.8468   TIME = 112.50
WEB BURNOUT INCREMENT LOCATION =  673.2040   SECTOR NO.  7   TAU = 41.8468   TAUWDP = 41.8468   TIME = 112.50
WEB BURNOUT INCREMENT LOCATION =  673.2040   SECTOR NO.  8   TAU = 41.8468   TAUWDP = 41.8468   TIME = 112.50
WEB BURNOUT INCREMENT LOCATION =  688.2040   SECTOR NO.  5   TAU = 41.7384   TAUWDP = 41.7384   TIME = 112.50
WEB BURNOUT INCREMENT LOCATION =  688.2040   SECTOR NO.  6   TAU = 41.7384   TAUWDP = 41.7384   TIME = 112.50
WEB BURNOUT INCREMENT LOCATION =  688.2040   SECTOR NO.  7   TAU = 41.7384   TAUWDP = 41.7384   TIME = 112.50
WEB BURNOUT INCREMENT LOCATION =  688.2040   SECTOR NO.  8   TAU = 41.7384   TAUWDP = 41.7384   TIME = 112.50
*PARTBN* TIME=113.00 IS=2 ZCALC( 22)= 293.92 ZCALC( 21)= 278.92 AINCW= 294.01 AINCHI= 278.92 DELZ=15.089 ALP=453.81 ALPHI=453.43
*PARTBN* TIME=113.00 IS=3 ZCALC( 22)= 293.92 ZCALC( 21)= 278.92 AINCW= 295.21 AINCHI= 278.92 DELZ=16.286 ALP=453.81 ALPHI=453.40
*PARTBN* TIME=113.00 IS=1 ZCALC( 23)= 308.92 ZCALC( 22)= 293.92 AINCW= 300.40 AINCHI= 293.92 DELZ= 6.481 ALP=453.80 ALPHI=453.66
*PARTBN* TIME=113.00 IS=4 ZCALC( 23)= 308.92 ZCALC( 22)= 293.92 AINCW= 302.17 AINCHI= 293.92 DELZ= 8.247 ALP=453.80 ALPHI=453.62
*PARTBN* TIME=113.00 IS=8 ZCALC( 23)= 308.92 ZCALC( 22)= 293.92 AINCW= 309.59 AINCHI= 293.92 DELZ=15.674 ALP=453.79 ALPHI=453.42
*PARTBN* TIME=113.00 IS=5 ZCALC( 24)= 323.92 ZCALC( 23)= 308.92 AINCW= 310.45 AINCHI= 308.92 DELZ= 1.531 ALP=453.79 ALPHI=453.77
*PARTBN* TIME=113.00 IS=6 ZCALC( 24)= 323.92 ZCALC( 23)= 308.92 AINCW= 312.91 AINCHI= 308.92 DELZ= 3.989 ALP=453.78 ALPHI=453.71
*PARTBN* TIME=113.00 IS=7 ZCALC( 24)= 323.92 ZCALC( 23)= 308.92 AINCW= 312.43 AINCHI= 308.92 DELZ= 3.507 ALP=453.79 ALPHI=453.73
*PARTBN* TIME=113.00 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 444.55 DELZ=12.511 ALP=316.85 ALPHI=-14.65
*PARTBN* TIME=113.00 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 445.20 DELZ=11.864 ALP=316.74 ALPHI= 1.63
*PARTBN* TIME=113.00 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 445.08 DELZ=11.986 ALP=316.76 ALPHI= -1.44
*PARTBN* TIME=113.00 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 444.37 DELZ=12.690 ALP=316.88 ALPHI=-19.13
*PARTBN* TIME=113.00 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 443.54 DELZ=13.521 ALP=317.02 ALPHI=-40.04
*PARTBN* TIME=113.00 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 443.29 DELZ=13.770 ALP=317.07 ALPHI=-46.29
*PARTBN* TIME=113.00 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 443.34 DELZ=13.721 ALP=317.06 ALPHI=-45.07
*PARTBN* TIME=113.00 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 443.63 DELZ=13.434 ALP=317.01 ALPHI=-37.85
*PARTBN* TIME=113.00 IS=2 ZCALC( 49)= 658.20 ZCALC( 48)= 643.20 AINCW= 653.23 AINCHI= 643.20 DELZ=10.029 ALP=453.84 ALPHI=453.52
*PARTBN* TIME=113.00 IS=3 ZCALC( 49)= 658.20 ZCALC( 48)= 643.20 AINCW= 654.48 AINCHI= 643.20 DELZ=11.273 ALP=453.84 ALPHI=453.47
*PARTBN* TIME=113.00 IS=1 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 659.88 AINCHI= 658.20 DELZ= 1.672 ALP=453.83 ALPHI=453.83
*PARTBN* TIME=113.00 IS=4 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 661.71 AINCHI= 658.20 DELZ= 3.503 ALP=453.82 ALPHI=453.75
*PARTBN* TIME=113.00 IS=5 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 670.32 AINCHI= 658.20 DELZ=12.115 ALP=453.80 ALPHI=453.40
*PARTBN* TIME=113.00 IS=6 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 672.86 AINCHI= 658.20 DELZ=14.656 ALP=453.80 ALPHI=453.30
*PARTBN* TIME=113.00 IS=7 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 672.36 AINCHI= 658.20 DELZ=14.158 ALP=453.80 ALPHI=453.32
*PARTBN* TIME=113.00 IS=8 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 669.42 AINCHI= 658.20 DELZ=11.220 ALP=453.81 ALPHI=453.44
*PARTBN* TIME=113.00 IS=2 ZCALC( 22)= 293.92 ZCALC( 21)= 278.92 AINCW= 294.01 AINCHI= 278.92 DELZ=15.089 ALP=453.81 ALPHI=453.43
*PARTBN* TIME=113.00 IS=3 ZCALC( 22)= 293.92 ZCALC( 21)= 278.92 AINCW= 295.21 AINCHI= 278.92 DELZ=16.286 ALP=453.81 ALPHI=453.40
*PARTBN* TIME=113.00 IS=1 ZCALC( 23)= 308.92 ZCALC( 22)= 293.92 AINCW= 300.40 AINCHI= 293.92 DELZ= 6.481 ALP=453.80 ALPHI=453.66
*PARTBN* TIME=113.00 IS=4 ZCALC( 23)= 308.92 ZCALC( 22)= 293.92 AINCW= 302.17 AINCHI= 293.92 DELZ= 8.247 ALP=453.80 ALPHI=453.62
*PARTBN* TIME=113.00 IS=8 ZCALC( 23)= 308.92 ZCALC( 22)= 293.92 AINCW= 309.59 AINCHI= 293.92 DELZ=15.674 ALP=453.79 ALPHI=453.42
*PARTBN* TIME=113.00 IS=5 ZCALC( 24)= 323.92 ZCALC( 23)= 308.92 AINCW= 310.45 AINCHI= 308.92 DELZ= 1.531 ALP=453.79 ALPHI=453.77
*PARTBN* TIME=113.00 IS=6 ZCALC( 24)= 323.92 ZCALC( 23)= 308.92 AINCW= 312.91 AINCHI= 308.92 DELZ= 3.989 ALP=453.78 ALPHI=453.71
*PARTBN* TIME=113.00 IS=7 ZCALC( 24)= 323.92 ZCALC( 23)= 308.92 AINCW= 312.43 AINCHI= 308.92 DELZ= 3.507 ALP=453.79 ALPHI=453.73
*PARTBN* TIME=113.00 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 444.55 DELZ=12.511 ALP=316.85 ALPHI=-14.65
*PARTBN* TIME=113.00 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 445.20 DELZ=11.864 ALP=316.74 ALPHI= 1.63
*PARTBN* TIME=113.00 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 445.08 DELZ=11.986 ALP=316.76 ALPHI= -1.44
*PARTBN* TIME=113.00 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 444.37 DELZ=12.690 ALP=316.88 ALPHI=-19.13
*PARTBN* TIME=113.00 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 443.54 DELZ=13.521 ALP=317.02 ALPHI=-40.04
*PARTBN* TIME=113.00 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 443.29 DELZ=13.770 ALP=317.07 ALPHI=-46.29
*PARTBN* TIME=113.00 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 443.34 DELZ=13.721 ALP=317.06 ALPHI=-45.07
*PARTBN* TIME=113.00 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 443.63 DELZ=13.434 ALP=317.01 ALPHI=-37.85
```

```
*PARTBN* TIME=113.00 IS=2 ZCALC( 49)= 658.20 ZCALC( 48)= 643.20 AINCW= 653.23 AINCHI= 643.20 DELZ=10.029 ALP=453.84 ALPHI=453.52
*PARTBN* TIME=113.00 IS=3 ZCALC( 49)= 658.20 ZCALC( 48)= 643.20 AINCW= 654.48 AINCHI= 643.20 DELZ=11.273 ALP=453.84 ALPHI=453.47
*PARTBN* TIME=113.00 IS=1 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 659.88 AINCHI= 658.20 DELZ= 1.672 ALP=453.83 ALPHI=453.83
*PARTBN* TIME=113.00 IS=4 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 661.71 AINCHI= 658.20 DELZ= 3.503 ALP=453.82 ALPHI=453.75
*PARTBN* TIME=113.00 IS=5 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 670.32 AINCHI= 658.20 DELZ=12.115 ALP=453.80 ALPHI=453.40
*PARTBN* TIME=113.00 IS=6 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 672.86 AINCHI= 658.20 DELZ=14.656 ALP=453.80 ALPHI=453.30
*PARTBN* TIME=113.00 IS=7 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 672.36 AINCHI= 658.20 DELZ=14.158 ALP=453.80 ALPHI=453.32
*PARTBN* TIME=113.00 IS=8 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 669.42 AINCHI= 658.20 DELZ=11.220 ALP=453.81 ALPHI=453.44
*PARTBN* TIME=113.00 IS=2 ZCALC( 22)= 293.92 ZCALC( 21)= 278.92 AINCW= 294.01 AINCHI= 278.92 DELZ=15.089 ALP=453.81 ALPHI=453.43
*PARTBN* TIME=113.00 IS=3 ZCALC( 22)= 293.92 ZCALC( 21)= 278.92 AINCW= 295.21 AINCHI= 278.92 DELZ=16.286 ALP=453.81 ALPHI=453.40
*PARTBN* TIME=113.00 IS=1 ZCALC( 23)= 308.92 ZCALC( 22)= 293.92 AINCW= 300.40 AINCHI= 293.92 DELZ= 6.481 ALP=453.80 ALPHI=453.66
*PARTBN* TIME=113.00 IS=4 ZCALC( 23)= 308.92 ZCALC( 22)= 293.92 AINCW= 302.17 AINCHI= 293.92 DELZ= 8.247 ALP=453.80 ALPHI=453.62
*PARTBN* TIME=113.00 IS=6 ZCALC( 23)= 308.92 ZCALC( 22)= 293.92 AINCW= 309.59 AINCHI= 293.92 DELZ=15.674 ALP=453.79 ALPHI=453.42
*PARTBN* TIME=113.00 IS=5 ZCALC( 24)= 323.92 ZCALC( 23)= 308.92 AINCW= 310.45 AINCHI= 308.92 DELZ= 1.531 ALP=453.79 ALPHI=453.77
*PARTBN* TIME=113.00 IS=6 ZCALC( 24)= 323.92 ZCALC( 23)= 308.92 AINCW= 312.91 AINCHI= 308.92 DELZ= 3.989 ALP=453.78 ALPHI=453.71
*PARTBN* TIME=113.00 IS=7 ZCALC( 24)= 323.92 ZCALC( 23)= 308.92 AINCW= 312.43 AINCHI= 308.92 DELZ= 3.507 ALP=453.79 ALPHI=453.73
*PARTBN* TIME=113.00 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 444.55 DELZ=12.511 ALP=316.85 ALPHI=-14.65
*PARTBN* TIME=113.00 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 445.20 DELZ=11.869 ALP=316.74 ALPHI= -1.63
*PARTBN* TIME=113.00 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 445.08 DELZ=11.986 ALP=316.76 ALPHI= -1.44
*PARTBN* TIME=113.00 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 444.37 DELZ=12.690 ALP=316.88 ALPHI=-19.13
*PARTBN* TIME=113.00 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 443.54 DELZ=13.521 ALP=317.02 ALPHI=-40.04
*PARTBN* TIME=113.00 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 443.29 DELZ=13.770 ALP=317.07 ALPHI=-46.29
*PARTBN* TIME=113.00 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 443.34 DELZ=13.721 ALP=317.06 ALPHI=-45.07
*PARTBN* TIME=113.00 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 443.63 DELZ=13.434 ALP=317.01 ALPHI=-37.85
*PARTBN* TIME=113.00 IS=2 ZCALC( 49)= 658.20 ZCALC( 48)= 643.20 AINCW= 653.23 AINCHI= 643.20 DELZ=10.029 ALP=453.84 ALPHI=453.52
*PARTBN* TIME=113.00 IS=3 ZCALC( 49)= 658.20 ZCALC( 48)= 643.20 AINCW= 654.48 AINCHI= 643.20 DELZ=11.273 ALP=453.84 ALPHI=453.47
*PARTBN* TIME=113.00 IS=1 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 659.88 AINCHI= 658.20 DELZ= 1.672 ALP=453.83 ALPHI=453.83
*PARTBN* TIME=113.00 IS=4 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 661.71 AINCHI= 658.20 DELZ= 3.503 ALP=453.82 ALPHI=453.75
*PARTBN* TIME=113.00 IS=5 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 670.32 AINCHI= 658.20 DELZ=12.115 ALP=453.80 ALPHI=453.40
*PARTBN* TIME=113.00 IS=6 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 672.86 AINCHI= 658.20 DELZ=14.656 ALP=453.80 ALPHI=453.30
*PARTBN* TIME=113.00 IS=7 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 672.36 AINCHI= 658.20 DELZ=14.158 ALP=453.80 ALPHI=453.32
*PARTBN* TIME=113.00 IS=8 ZCALC( 50)= 673.20 ZCALC( 49)= 658.20 AINCW= 669.42 AINCHI= 658.20 DELZ=11.220 ALP=453.81 ALPHI=453.44
```

IGNITION TIME, TIME (S) 113.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	4987592.7	1121255.5
TOTAL VACUUM THRUST (N,LBF)	FTVAC	4994781.2	1122871.5
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	40726.478	9155.6764
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.32194960+10	.27415362+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	255.12114	255.12114
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.12694877+10	.28539220+09
THRUST COEFFICIENT	CF	1.6286909	1.6286909
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	1974.5506	4353.1389
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	499861.14	1102005.2
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	21.857605	48.187771
INERT MASS REMAINING (KG,LBM)	MIR	71.560890	157.76476
TOTAL BURN AREA (M**2,IN**2)	ABTOT	143.84098	222953.97
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	5.7230945	349249.65
PROPELLANT MASS REMAINING (KG,LBM)	WF	6198.2009	13664.699
TOTAL GAS MASS (KG,LBM)	WGTOT	692.00755	1525.6155
RATIO OF SPECIFIC HEATS	GAMA	1.1594122	1.1594122
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.766692	28.145738
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1553.1572	5095.6600
MAXIMUM CHAMBER MACH NUMBER	AMPN	.99666501-01	.99666501-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.19457820+09	282.21182
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.52728238+11	76475.844
BURN AREA (M**2,IN**2)	AHH	1.5623691	2421.6769
BURN RATE (M/S,IN/S)	RBZ(1)	.70911012-02	.27917721
DISTANCE BURNED (M,IN)	TAUZ(1)	1.0750891	42.326342
PROPELLANT VOLUME (M**3,IN**3)	VFH	.25337456	15463.085
GAS VOLUME (M**3,IN**3)	VPH	54.850438	3347179.1
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3340.4289	6012.7719
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	142.27861	220532.29
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	5.4677337	333661.58
GAS VOLUME (M**3,IN**3)	VP	281.64187	17186841.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.19156264+09	277.83812
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.50322433+11	72986.519
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.70611449-02	.27799783
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.70548971-02	.27775186
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.847463	1090300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3339.5793	6011.2427
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.6009102	2481.4159
EXPANSION RATIO	EPR	6.7140022	6.7140022
PRESSURE RATIO	PEPO	.23538100-01	.23538100-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AARST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	3.0000000	3.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	282.21	282.21	6012.77	7.50	.002	446.28	15845.90	101.61	42.82	-58.80	.2786	42.326	.0000	.000
15.000	282.21	282.21	6012.76	16.53	.005	446.54	15865.31	224.05	118.39	-4.04	.2787	42.279	.0000	.000
30.000	282.21	282.20	6012.75	25.53	.007	446.81	15884.67	346.57	118.48	-4.05	.2787	42.275	.0000	.000
45.000	282.20	282.19	6012.73	34.52	.010	447.07	15904.00	469.19	118.56	-4.05	.2787	42.270	.0000	.000
60.000	282.20	282.17	6012.70	43.50	.012	447.34	15923.28	591.89	118.64	-4.06	.2788	42.266	.0000	.000
75.000	282.19	282.15	6012.67	52.47	.015	447.60	15942.52	714.68	118.73	-4.06	.2788	42.261	.0000	.000
90.000	282.18	282.13	6012.63	61.42	.017	447.87	15961.71	837.56	118.81	-4.07	.2788	42.256	.0000	.000
105.000	282.16	282.10	6012.58	70.36	.020	448.13	15980.87	960.52	118.89	-4.07	.2788	42.251	.0000	.000
116.761	282.15	282.07	6012.54	77.36	.022	448.34	15995.85	1057.00	93.27	-3.20	.2789	42.246	.0000	.000
115.771	282.15	282.03	6012.43	93.38	.027	-366.25	13254.04	1057.00	.00	-.00	.2788	42.246	.0000	.000
131.771	282.13	282.03	6012.50	84.29	.024	83.33	14734.46	1060.73	.00	-3.73	.2788	42.246	.0000	.000
143.919	282.10	282.01	6012.51	82.37	.023	447.44	15935.10	1120.97	57.03	-3.21	.2788	42.239	.0000	.000
158.919	282.09	281.97	6012.45	91.18	.026	448.25	15976.24	1243.89	118.85	-4.07	.2789	42.233	.0000	.000
173.919	282.07	281.93	6012.39	99.97	.028	449.01	16017.17	1367.07	119.08	-4.09	.2789	42.227	.0000	.000
188.919	282.04	281.89	6012.31	108.73	.031	449.74	16057.88	1490.49	119.31	-4.11	.2790	42.222	.0000	.000
203.919	282.02	281.84	6012.24	117.48	.033	450.41	16098.38	1614.15	119.52	-4.13	.2791	42.216	.0000	.000
218.919	281.99	281.78	6012.15	126.20	.036	451.04	16138.66	1738.03	119.72	-4.15	.2791	42.210	.0000	.000
233.919	281.96	281.72	6012.07	134.90	.038	451.63	16178.74	1862.11	119.92	-4.17	.2792	42.204	.0000	.000
248.919	281.93	281.66	6011.97	143.58	.041	452.18	16218.60	1986.40	120.10	-4.19	.2793	42.198	.0000	.000
263.919	281.90	281.59	6011.87	152.24	.043	452.68	16258.25	2110.89	120.28	-4.21	.2794	42.192	.0000	.000
278.919	281.87	281.52	6011.77	160.86	.046	453.14	16297.68	2235.56	120.44	-4.23	.2795	42.185	.0000	.000
293.919	281.83	281.45	6011.66	169.57	.048	453.55	16337.34	2361.45	121.99	-3.90	.2795	42.179	.0000	.000
308.919	281.81	281.40	6011.58	174.96	.050	340.33	16371.30	2441.13	75.59	-4.09	.2796	42.135	.0000	.000
323.919	281.80	281.39	6011.57	175.58	.050	170.17	16402.64	2454.45	9.04	-4.29	.2796	42.035	.0000	.000
338.919	281.80	281.39	6011.58	175.34	.050	.00	16453.29	2458.74	.00	-4.29	.2796	41.927	.0000	.000
353.919	281.80	281.39	6011.58	175.24	.050	.00	16491.67	2463.04	.00	-4.30	.2796	41.819	.0000	.000
368.919	281.80	281.39	6011.58	175.14	.050	.00	16529.82	2467.36	.00	-4.32	.2796	41.710	.0000	.000
383.919	281.80	281.39	6011.58	175.05	.050	.00	16567.77	2471.70	.00	-4.34	.2796	41.602	.0000	.000
398.919	281.80	281.39	6011.58	174.96	.050	.00	16605.50	2476.06	.00	-4.36	.2796	41.494	.0000	.000
403.048	281.80	281.39	6011.58	174.94	.050	.00	16615.85	2477.26	.00	-1.20	.2796	41.464	.0000	.000
419.048	281.81	281.39	6011.56	176.81	.050	.00	16469.10	2481.62	.00	-4.35	.2796	41.192	.0000	.000
427.051	281.81	281.39	6011.54	177.93	.051	.00	16381.95	2484.21	.00	-2.59	.2796	41.174	.0000	.000
427.061	281.80	281.23	6011.10	207.31	.059	.00	14067.75	2484.21	.00	-.00	.2795	41.029	.0000	.000
442.061	281.75	281.23	6011.26	197.60	.056	.00	14779.60	2487.63	.00	-3.42	.2795	41.998	.0000	.000
457.061	281.69	281.21	6011.36	190.93	.054	316.92	15525.97	2524.85	33.23	-3.98	.2787	42.103	.0000	.000
463.204	281.65	281.17	6011.36	190.34	.054	446.18	15841.60	2567.90	41.42	-1.64	.2783	42.060	.0000	.000
478.204	281.61	281.08	6011.23	199.07	.057	446.69	15873.43	2690.21	118.28	-4.04	.2784	42.040	.0000	.000
493.204	281.56	280.99	6011.09	207.78	.059	447.28	15905.09	2812.71	118.44	-4.05	.2784	42.030	.0000	.000
508.204	281.52	280.90	6010.95	216.49	.062	447.86	15936.59	2935.40	118.62	-4.07	.2785	42.020	.0000	.000
523.204	281.47	280.79	6010.80	225.18	.064	448.44	15967.93	3058.28	118.79	-4.09	.2785	42.010	.0000	.000
538.204	281.41	280.69	6010.65	233.87	.067	449.02	15999.09	3181.34	118.96	-4.10	.2786	42.000	.0000	.000
553.204	281.36	280.58	6010.49	242.54	.069	449.60	16030.10	3304.59	119.13	-4.12	.2786	41.990	.0000	.000
568.204	281.30	280.47	6010.32	251.22	.072	450.18	16060.94	3428.03	119.31	-4.13	.2787	41.979	.0000	.000
583.204	281.24	280.35	6010.15	259.88	.074	450.76	16091.61	3551.66	119.48	-4.15	.2787	41.969	.0000	.000
598.204	281.18	280.23	6009.97	268.54	.077	451.34	16122.12	3675.47	119.65	-4.17	.2787	41.958	.0000	.000
613.204	281.12	280.11	6009.78	277.19	.079	451.92	16152.46	3799.48	119.83	-4.18	.2788	41.948	.0000	.000

628.204	281.06	279.98	6009.60	285.84	.081	452.49	16182.64	3923.69	120.01	-4.20	.2789	41.937	.0000	.000
643.204	280.99	279.84	6009.40	294.49	.084	453.07	16212.66	4048.10	120.19	-4.21	.2789	41.927	.0000	.000
658.204	280.72	279.72	6009.21	302.52	.086	453.59	16240.55	4163.89	111.57	-4.23	.2790	41.909	.0000	.000
673.204	280.89	279.65	6009.12	306.62	.087	340.36	16263.84	4225.44	57.30	-4.24	.2790	41.847	.0000	.000
688.204	280.89	279.65	6009.13	306.22	.087	.00	16301.71	4229.68	.00	-4.24	.2789	41.738	.0000	.000
703.204	280.89	279.65	6009.13	305.87	.087	.00	16331.06	4233.92	.00	-4.23	.2789	41.630	.0000	.000
718.204	280.88	279.65	6009.14	305.73	.087	.00	16360.25	4238.17	.00	-4.25	.2789	41.522	.0000	.000
726.191	280.88	279.65	6009.14	305.61	.087	.00	16375.73	4240.44	.00	-2.28	.2789	41.464	.0000	.000
741.191	280.88	279.65	6009.14	305.79	.087	.00	16382.80	4244.72	.00	-4.28	.2789	41.140	.0000	.000
746.336	280.88	279.65	6009.14	305.85	.087	.00	16385.20	4246.19	.00	-1.47	.2789	41.240	.0000	.000
746.346	280.86	279.24	6008.01	349.68	.100	.00	14349.56	4246.19	.00	-.00	.2788	41.029	.0000	.000
761.346	280.73	279.24	6008.40	335.46	.096	.00	14972.15	4250.02	.00	-3.82	.2788	41.104	.0000	.000
776.346	280.61	279.24	6008.73	322.34	.092	.00	15597.33	4254.01	.00	-3.99	.2788	41.178	.0000	.000
791.346	280.51	279.24	6009.03	310.20	.088	.00	16224.19	4258.16	.00	-4.15	.2788	41.253	.0000	.000
799.831	280.49	279.24	6009.10	307.50	.088	.00	16370.23	4259.14	.00	-.99	.2788	41.270	.0000	.000
809.831	280.49	279.24	6009.09	307.94	.088	.00	16363.57	4263.41	.00	-4.27	.2788	41.093	.0000	.000
824.831	280.50	279.24	6009.07	308.37	.088	.00	16356.92	4267.68	.00	-4.27	.2788	40.916	.0000	.000
839.831	280.50	279.24	6009.06	308.80	.088	.00	16350.28	4271.95	.00	-4.27	.2788	40.739	.0000	.000
854.781	280.50	279.24	6009.05	309.23	.088	.00	16343.67	4276.20	.00	-4.25	.2788	40.563	.0000	.000
869.781	280.51	279.24	6009.03	310.07	.088	.00	16315.82	4280.46	.00	-4.26	.2788	39.794	.0000	.000
884.781	280.52	279.24	6009.01	310.91	.089	.00	16287.96	4284.71	.00	-4.25	.2788	39.025	.0000	.000
899.781	280.52	279.24	6008.99	311.75	.089	.00	16260.09	4288.95	.00	-4.25	.2788	38.255	.0000	.000
914.781	280.53	279.24	6008.97	312.59	.089	.00	16232.22	4293.19	.00	-4.24	.2788	37.486	.0000	.000
929.781	280.54	279.24	6008.95	313.44	.089	.00	16204.33	4297.42	.00	-4.23	.2788	36.717	.0000	.000
944.781	280.55	279.24	6008.93	314.28	.090	.00	16176.44	4301.65	.00	-4.22	.2788	35.948	.0000	.000
959.781	280.55	279.24	6008.91	315.13	.090	.00	16148.55	4305.86	.00	-4.22	.2788	35.178	.0000	.000
974.781	280.56	279.24	6008.89	315.99	.090	.00	16120.65	4310.07	.00	-4.21	.2788	34.409	.0000	.000
989.781	280.57	279.24	6008.87	316.84	.090	.00	16092.74	4314.27	.00	-4.20	.2788	33.640	.0000	.000
1004.781	280.57	279.24	6008.85	317.70	.091	.00	16064.82	4318.47	.00	-4.19	.2788	32.871	.0000	.000
1019.781	280.58	279.24	6008.83	318.56	.091	.00	16036.89	4322.66	.00	-4.19	.2788	32.101	.0000	.000
1034.781	280.59	279.24	6008.80	319.43	.091	.00	16008.96	4326.84	.00	-4.18	.2788	31.332	.0000	.000
1045.791	280.59	279.24	6008.80	319.77	.091	.00	15997.77	4328.51	.00	-1.67	.2788	31.024	.0000	.000
1055.791	280.60	279.24	6008.77	320.64	.091	.00	15969.84	4332.68	.00	-4.17	.2788	30.483	.0000	.000
1070.791	280.61	279.24	6008.75	321.51	.092	.00	15941.86	4336.84	.00	-4.16	.2788	29.942	.0000	.000
1084.171	280.61	279.24	6008.73	322.29	.092	.00	15916.69	4340.55	.00	-3.71	.2788	29.459	.0000	.000
AFT(A)	277.84	265.10	5973.06	997.06	.285	.....	15823.73	4353.14	.00	-7.65	.2780	29.460	....	.....
AFT(B)	277.84	277.84	6011.24	-.56	.000	.....	10413.12	4.94	.00	-4.94	.2778	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	2.8215+02	2.8207+02	6.0125+03	7.5178+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.0570+03
AFT	1.1677+02	2.8211+02	2.8203+02	6.0124+03	7.5188+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.0570+03

GAS BUILDUP IN SLOT, DW/DT = -2.8948-03

FOREWARD	4.2705+02	2.8181+02	2.8139+02	6.0115+03	1.7792+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	2.4842+03
AFT	4.2706+02	2.8165+02	2.8123+02	6.0111+03	1.7801+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	2.4842+03

GAS BUILDUP IN SLOT, DW/DT = -2.8741-03

FOREWARD	7.4634+02	2.8088+02	2.7965+02	6.0091+03	3.3589+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.2482+03
AFT	7.4635+02	2.8048+02	2.7924+02	6.0080+03	3.0628+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.2462+03

GAS BUILDUP IN SLOT, DW/DT = -2.8530-03

```
WEB BURNOUT INCREMENT LOCATION =  278.9190    SECTOR NO.  2    TAU = 42.3598    TAUWDP = 42.3598    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  278.9190    SECTOR NO.  3    TAU = 42.3598    TAUWDP = 42.3598    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  293.9190    SECTOR NO.  1    TAU = 42.2515    TAUWDP = 42.2515    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  293.9190    SECTOR NO.  2    TAU = 42.2515    TAUWDP = 42.2515    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  293.9190    SECTOR NO.  3    TAU = 42.2515    TAUWDP = 42.2515    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  293.9190    SECTOR NO.  4    TAU = 42.2515    TAUWDP = 42.2515    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  293.9190    SECTOR NO.  5    TAU = 42.2515    TAUWDP = 42.2515    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  293.9190    SECTOR NO.  6    TAU = 42.2515    TAUWDP = 42.2515    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  293.9190    SECTOR NO.  7    TAU = 42.2515    TAUWDP = 42.2515    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  293.9190    SECTOR NO.  8    TAU = 42.2515    TAUWDP = 42.2515    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  308.9190    SECTOR NO.  5    TAU = 42.1433    TAUWDP = 42.1433    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  308.9190    SECTOR NO.  6    TAU = 42.1433    TAUWDP = 42.1433    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  308.9190    SECTOR NO.  7    TAU = 42.1433    TAUWDP = 42.1433    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  308.9190    SECTOR NO.  8    TAU = 42.1433    TAUWDP = 42.1433    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  643.2040    SECTOR NO.  1    TAU = 42.0636    TAUWDP = 42.0636    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  643.2040    SECTOR NO.  2    TAU = 42.0636    TAUWDP = 42.0636    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  643.2040    SECTOR NO.  3    TAU = 42.0636    TAUWDP = 42.0636    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  643.2040    SECTOR NO.  4    TAU = 42.0636    TAUWDP = 42.0636    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  658.2040    SECTOR NO.  1    TAU = 41.9552    TAUWDP = 41.9552    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  658.2040    SECTOR NO.  4    TAU = 41.9552    TAUWDP = 41.9552    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  658.2040    SECTOR NO.  5    TAU = 41.9552    TAUWDP = 41.9552    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  658.2040    SECTOR NO.  6    TAU = 41.9552    TAUWDP = 41.9552    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  658.2040    SECTOR NO.  7    TAU = 41.9552    TAUWDP = 41.9552    TIME = 113.00
WEB BURNOUT INCREMENT LOCATION =  658.2040    SECTOR NO.  8    TAU = 41.9552    TAUWDP = 41.9552    TIME = 113.00
*PARTBN* TIME=113.50 IS=1 ZCALC( 21)= 278.92 ZCALC( 20)= 263.92 AINCW= 279.82 AINCHI= 263.92 DELZ=15.897 ALP=453.83 ALPHI=453.41
*PARTBN* TIME=113.50 IS=2 ZCALC( 21)= 278.92 ZCALC( 20)= 263.92 AINCW= 273.41 AINCHI= 263.92 DELZ= 9.491 ALP=453.84 ALPHI=453.60
*PARTBN* TIME=113.50 IS=3 ZCALC( 21)= 278.92 ZCALC( 20)= 263.92 AINCW= 274.61 AINCHI= 263.92 DELZ=10.687 ALP=453.83 ALPHI=453.56
*PARTBN* TIME=113.50 IS=4 ZCALC( 22)= 293.92 ZCALC( 21)= 278.92 AINCW= 281.58 AINCHI= 278.92 DELZ= 2.659 ALP=453.82 ALPHI=453.78
*PARTBN* TIME=113.50 IS=5 ZCALC( 22)= 293.92 ZCALC( 21)= 278.92 AINCW= 289.88 AINCHI= 278.92 DELZ=10.960 ALP=453.81 ALPHI=453.55
*PARTBN* TIME=113.50 IS=6 ZCALC( 22)= 293.92 ZCALC( 21)= 278.92 AINCW= 292.34 AINCHI= 278.92 DELZ=13.425 ALP=453.81 ALPHI=453.48
*PARTBN* TIME=113.50 IS=7 ZCALC( 22)= 293.92 ZCALC( 21)= 278.92 AINCW= 291.86 AINCHI= 278.92 DELZ=12.942 ALP=453.81 ALPHI=453.50
```

C-4


```
*PARTBN* TIME=113.50 IS=8 ZCALC( 22)= 293.92 ZCALC( 21)= 278.92 AINCW= 289.02 AINCHI= 278.92 DELZ=10.102 ALP=453.82 ALPHI=453.58
*PARTBN* TIME=113.50 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 446.64 DELZ=10.424 ALP=316.47 ALPHI= 37.83
*PARTBN* TIME=113.50 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 447.29 DELZ= 9.775 ALP=316.36 ALPHI= 54.14
*PARTBN* TIME=113.50 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 447.16 DELZ= 9.897 ALP=316.38 ALPHI= 51.06
*PARTBN* TIME=113.50 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 446.46 DELZ=10.603 ALP=316.50 ALPHI= 33.33
*PARTBN* TIME=113.50 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 445.63 DELZ=11.436 ALP=316.64 ALPHI= 12.38
*PARTBN* TIME=113.50 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 445.38 DELZ=11.686 ALP=316.69 ALPHI= 6.10
*PARTBN* TIME=113.50 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 445.42 DELZ=11.637 ALP=316.68 ALPHI= 7.32
*PARTBN* TIME=113.50 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 445.71 DELZ=11.349 ALP=316.63 ALPHI= 14.56
*PARTBN* TIME=113.50 IS=1 ZCALC( 48)= 643.20 ZCALC( 47)= 628.20 AINCW= 638.44 AINCHI= 628.20 DELZ=10.235 ALP=453.88 ALPHI=453.55
*PARTBN* TIME=113.50 IS=2 ZCALC( 48)= 643.20 ZCALC( 47)= 628.20 AINCW= 631.78 AINCHI= 628.20 DELZ= 3.576 ALP=453.90 ALPHI=453.82
*PARTBN* TIME=113.50 IS=3 ZCALC( 48)= 643.20 ZCALC( 47)= 628.20 AINCW= 633.02 AINCHI= 628.20 DELZ= 4.819 ALP=453.89 ALPHI=453.77
*PARTBN* TIME=113.50 IS=4 ZCALC( 48)= 643.20 ZCALC( 47)= 628.20 AINCW= 640.28 AINCHI= 628.20 DELZ=12.072 ALP=453.88 ALPHI=453.47
*PARTBN* TIME=113.50 IS=5 ZCALC( 49)= 658.20 ZCALC( 48)= 643.20 AINCW= 648.90 AINCHI= 643.20 DELZ= 5.693 ALP=453.86 ALPHI=453.70
*PARTBN* TIME=113.50 IS=6 ZCALC( 49)= 658.20 ZCALC( 48)= 643.20 AINCW= 651.45 AINCHI= 643.20 DELZ= 8.246 ALP=453.85 ALPHI=453.60
*PARTBN* TIME=113.50 IS=7 ZCALC( 49)= 658.20 ZCALC( 48)= 643.20 AINCW= 650.95 AINCHI= 643.20 DELZ= 7.745 ALP=453.85 ALPHI=453.62
*PARTBN* TIME=113.50 IS=8 ZCALC( 49)= 658.20 ZCALC( 48)= 643.20 AINCW= 648.00 AINCHI= 643.20 DELZ= 4.798 ALP=453.86 ALPHI=453.74
*PARTBN* TIME=113.50 IS=1 ZCALC( 21)= 278.92 ZCALC( 20)= 263.92 AINCW= 279.82 AINCHI= 263.92 DELZ=15.897 ALP=453.83 ALPHI=453.41
*PARTBN* TIME=113.50 IS=2 ZCALC( 21)= 278.92 ZCALC( 20)= 263.92 AINCW= 273.41 AINCHI= 263.92 DELZ= 9.491 ALP=453.84 ALPHI=453.60
*PARTBN* TIME=113.50 IS=3 ZCALC( 21)= 278.92 ZCALC( 20)= 263.92 AINCW= 274.61 AINCHI= 263.92 DELZ=10.687 ALP=453.83 ALPHI=453.56
*PARTBN* TIME=113.50 IS=4 ZCALC( 22)= 293.92 ZCALC( 21)= 278.92 AINCW= 281.58 AINCHI= 278.92 DELZ= 2.659 ALP=453.82 ALPHI=453.79
*PARTBN* TIME=113.50 IS=5 ZCALC( 22)= 293.92 ZCALC( 21)= 278.92 AINCW= 289.88 AINCHI= 278.92 DELZ=10.960 ALP=453.81 ALPHI=453.55
*PARTBN* TIME=113.50 IS=6 ZCALC( 22)= 293.92 ZCALC( 21)= 278.92 AINCW= 292.34 AINCHI= 278.92 DELZ=13.425 ALP=453.81 ALPHI=453.48
*PARTBN* TIME=113.50 IS=7 ZCALC( 22)= 293.92 ZCALC( 21)= 278.92 AINCW= 291.86 AINCHI= 278.92 DELZ=12.942 ALP=453.81 ALPHI=453.50
*PARTBN* TIME=113.50 IS=8 ZCALC( 22)= 293.92 ZCALC( 21)= 278.92 AINCW= 289.02 AINCHI= 278.92 DELZ=10.102 ALP=453.82 ALPHI=453.58
*PARTBN* TIME=113.50 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 446.64 DELZ=10.424 ALP=316.47 ALPHI= 37.83
*PARTBN* TIME=113.50 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 447.29 DELZ= 9.775 ALP=316.36 ALPHI= 54.14
*PARTBN* TIME=113.50 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 447.16 DELZ= 9.897 ALP=316.38 ALPHI= 51.06
*PARTBN* TIME=113.50 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 446.46 DELZ=10.603 ALP=316.50 ALPHI= 33.33
*PARTBN* TIME=113.50 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 445.63 DELZ=11.436 ALP=316.64 ALPHI= 12.38
*PARTBN* TIME=113.50 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 445.38 DELZ=11.686 ALP=316.69 ALPHI= 6.10
*PARTBN* TIME=113.50 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 445.42 DELZ=11.637 ALP=316.68 ALPHI= 7.32
*PARTBN* TIME=113.50 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 445.71 DELZ=11.349 ALP=316.63 ALPHI= 14.56
*PARTBN* TIME=113.50 IS=1 ZCALC( 48)= 643.20 ZCALC( 47)= 628.20 AINCW= 638.44 AINCHI= 628.20 DELZ=10.235 ALP=453.88 ALPHI=453.55
*PARTBN* TIME=113.50 IS=2 ZCALC( 48)= 643.20 ZCALC( 47)= 628.20 AINCW= 631.78 AINCHI= 628.20 DELZ= 3.576 ALP=453.90 ALPHI=453.82
*PARTBN* TIME=113.50 IS=3 ZCALC( 48)= 643.20 ZCALC( 47)= 628.20 AINCW= 633.02 AINCHI= 628.20 DELZ= 4.819 ALP=453.89 ALPHI=453.77
*PARTBN* TIME=113.50 IS=4 ZCALC( 48)= 643.20 ZCALC( 47)= 628.20 AINCW= 640.28 AINCHI= 628.20 DELZ=12.072 ALP=453.88 ALPHI=453.47
*PARTBN* TIME=113.50 IS=5 ZCALC( 49)= 658.20 ZCALC( 48)= 643.20 AINCW= 648.90 AINCHI= 643.20 DELZ= 5.693 ALP=453.86 ALPHI=453.70
*PARTBN* TIME=113.50 IS=6 ZCALC( 49)= 658.20 ZCALC( 48)= 643.20 AINCW= 651.45 AINCHI= 643.20 DELZ= 8.246 ALP=453.85 ALPHI=453.60
*PARTBN* TIME=113.50 IS=7 ZCALC( 49)= 658.20 ZCALC( 48)= 643.20 AINCW= 650.95 AINCHI= 643.20 DELZ= 7.745 ALP=453.85 ALPHI=453.62
*PARTBN* TIME=113.50 IS=8 ZCALC( 49)= 658.20 ZCALC( 48)= 643.20 AINCW= 648.00 AINCHI= 643.20 DELZ= 4.798 ALP=453.86 ALPHI=453.74
*EB BURNOUT INCREMENT LOCATION = 263.9190 SECTOR NO. 1 TAU = 42.4680 TAUWDP = 42.4680 TIME = 113.50
*EB BURNOUT INCREMENT LOCATION = 263.9190 SECTOR NO. 2 TAU = 42.4680 TAUWDP = 42.4680 TIME = 113.50
*EB BURNOUT INCREMENT LOCATION = 263.9190 SECTOR NO. 3 TAU = 42.4680 TAUWDP = 42.4680 TIME = 113.50
*EB BURNOUT INCREMENT LOCATION = 263.9190 SECTOR NO. 4 TAU = 42.4680 TAUWDP = 42.4680 TIME = 113.50
*EB BURNOUT INCREMENT LOCATION = 278.9190 SECTOR NO. 1 TAU = 42.3598 TAUWDP = 42.3598 TIME = 113.50
*EB BURNOUT INCREMENT LOCATION = 278.9190 SECTOR NO. 4 TAU = 42.3598 TAUWDP = 42.3598 TIME = 113.50
*EB BURNOUT INCREMENT LOCATION = 278.9190 SECTOR NO. 5 TAU = 42.3598 TAUWDP = 42.3598 TIME = 113.50
*EB BURNOUT INCREMENT LOCATION = 278.9190 SECTOR NO. 6 TAU = 42.3598 TAUWDP = 42.3598 TIME = 113.50
*EB BURNOUT INCREMENT LOCATION = 278.9190 SECTOR NO. 7 TAU = 42.3598 TAUWDP = 42.3598 TIME = 113.50
*EB BURNOUT INCREMENT LOCATION = 278.9190 SECTOR NO. 8 TAU = 42.3598 TAUWDP = 42.3598 TIME = 113.50
*EB BURNOUT INCREMENT LOCATION = 613.2640 SECTOR NO. 2 TAU = 42.2803 TAUWDP = 42.2803 TIME = 113.50
*EB BURNOUT INCREMENT LOCATION = 613.2640 SECTOR NO. 3 TAU = 42.2803 TAUWDP = 42.2803 TIME = 113.50
*EB BURNOUT INCREMENT LOCATION = 628.2640 SECTOR NO. 1 TAU = 42.1719 TAUWDP = 42.1719 TIME = 113.50
*EB BURNOUT INCREMENT LOCATION = 628.2640 SECTOR NO. 2 TAU = 42.1719 TAUWDP = 42.1719 TIME = 113.50
*EB BURNOUT INCREMENT LOCATION = 628.2640 SECTOR NO. 3 TAU = 42.1719 TAUWDP = 42.1719 TIME = 113.50
```

```
*EB BURNOUT INCREMENT LOCATION =  628.2040    SECTOR NO.  4   TAU = 42.1719   TAUWDP = 42.1719   TIME = 113.50
*EB BURNOUT INCREMENT LOCATION =  628.2040    SECTOR NO.  8   TAU = 42.1719   TAUWDP = 42.1719   TIME = 113.50
*EB BURNOUT INCREMENT LOCATION =  643.2040    SECTOR NO.  5   TAU = 42.0636   TAUWDP = 42.0636   TIME = 113.50
*EB BURNOUT INCREMENT LOCATION =  643.2040    SECTOR NO.  6   TAU = 42.0636   TAUWDP = 42.0636   TIME = 113.50
*EB BURNOUT INCREMENT LOCATION =  643.2040    SECTOR NO.  7   TAU = 42.0636   TAUWDP = 42.0636   TIME = 113.50
*EB BURNOUT INCREMENT LOCATION =  643.2040    SECTOR NO.  8   TAU = 42.0636   TAUWDP = 42.0636   TIME = 113.50
*PARTBN* TIME=114.00 IS=1 ZCALC( 20)= 263.92 ZCALC( 19)= 248.92 AINCW= 260.14 AINCHI= 248.92 DELZ=11.218 ALP=453.85 ALPHI=453.55
*PARTBN* TIME=114.00 IS=2 ZCALC( 20)= 263.92 ZCALC( 19)= 248.92 AINCW= 253.72 AINCHI= 248.92 DELZ= 4.803 ALP=453.86 ALPHI=453.75
*PARTBN* TIME=114.00 IS=3 ZCALC( 20)= 263.92 ZCALC( 19)= 248.92 AINCW= 254.92 AINCHI= 248.92 DELZ= 5.998 ALP=453.86 ALPHI=453.72
*PARTBN* TIME=114.00 IS=4 ZCALC( 20)= 263.92 ZCALC( 19)= 248.92 AINCW= 261.91 AINCHI= 248.92 DELZ=12.991 ALP=453.85 ALPHI=453.50
*PARTBN* TIME=114.00 IS=5 ZCALC( 21)= 278.92 ZCALC( 20)= 263.92 AINCW= 270.22 AINCHI= 263.92 DELZ= 6.296 ALP=453.84 ALPHI=453.70
*PARTBN* TIME=114.00 IS=6 ZCALC( 21)= 278.92 ZCALC( 20)= 263.92 AINCW= 272.69 AINCHI= 263.92 DELZ= 8.770 ALP=453.84 ALPHI=453.62
*PARTBN* TIME=114.00 IS=7 ZCALC( 21)= 278.92 ZCALC( 20)= 263.92 AINCW= 272.20 AINCHI= 263.92 DELZ= 8.285 ALP=453.84 ALPHI=453.64
*PARTBN* TIME=114.00 IS=8 ZCALC( 21)= 278.92 ZCALC( 20)= 263.92 AINCW= 269.36 AINCHI= 263.92 DELZ= 5.439 ALP=453.84 ALPHI=453.72
*PARTBN* TIME=114.00 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 448.64 DELZ= 8.424 ALP=316.11 ALPHI= 88.09
*PARTBN* TIME=114.00 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 449.29 DELZ= 7.774 ALP=315.99 ALPHI=104.44
*PARTBN* TIME=114.00 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 449.16 DELZ= 7.897 ALP=316.01 ALPHI=101.35
*PARTBN* TIME=114.00 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 448.46 DELZ= 8.604 ALP=316.14 ALPHI= 83.57
*PARTBN* TIME=114.00 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 447.62 DELZ= 9.440 ALP=316.28 ALPHI= 62.56
*PARTBN* TIME=114.00 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 447.37 DELZ= 9.691 ALP=316.33 ALPHI= 56.26
*PARTBN* TIME=114.00 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 447.42 DELZ= 9.642 ALP=316.32 ALPHI= 57.48
*PARTBN* TIME=114.00 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 447.71 DELZ= 9.353 ALP=316.27 ALPHI= 64.74
*PARTBN* TIME=114.00 IS=2 ZCALC( 46)= 613.20 ZCALC( 45)= 598.20 AINCW= 611.28 AINCHI= 598.20 DELZ=13.073 ALP=453.95 ALPHI=453.50
*PARTBN* TIME=114.00 IS=3 ZCALC( 46)= 613.20 ZCALC( 45)= 598.20 AINCW= 612.52 AINCHI= 598.20 DELZ=14.318 ALP=453.94 ALPHI=453.45
*PARTBN* TIME=114.00 IS=1 ZCALC( 47)= 628.20 ZCALC( 46)= 613.20 AINCW= 617.94 AINCHI= 613.20 DELZ= 4.735 ALP=453.93 ALPHI=453.81
*PARTBN* TIME=114.00 IS=4 ZCALC( 47)= 628.20 ZCALC( 46)= 613.20 AINCW= 619.78 AINCHI= 613.20 DELZ= 6.576 ALP=453.92 ALPHI=453.73
*PARTBN* TIME=114.00 IS=5 ZCALC( 47)= 628.20 ZCALC( 46)= 613.20 AINCW= 628.42 AINCHI= 613.20 DELZ=15.211 ALP=453.90 ALPHI=453.38
*PARTBN* TIME=114.00 IS=8 ZCALC( 47)= 628.20 ZCALC( 46)= 613.20 AINCW= 627.52 AINCHI= 613.20 DELZ=14.318 ALP=453.91 ALPHI=453.42
*PARTBN* TIME=114.00 IS=6 ZCALC( 48)= 643.20 ZCALC( 47)= 628.20 AINCW= 630.98 AINCHI= 628.20 DELZ= 2.774 ALP=453.90 ALPHI=453.85
*PARTBN* TIME=114.00 IS=7 ZCALC( 48)= 643.20 ZCALC( 47)= 628.20 AINCW= 630.48 AINCHI= 628.20 DELZ= 2.272 ALP=453.90 ALPHI=453.87
*PARTBN* TIME=114.00 IS=1 ZCALC( 20)= 263.92 ZCALC( 19)= 248.92 AINCW= 260.14 AINCHI= 248.92 DELZ=11.218 ALP=453.85 ALPHI=453.55
*PARTBN* TIME=114.00 IS=2 ZCALC( 20)= 263.92 ZCALC( 19)= 248.92 AINCW= 253.72 AINCHI= 248.92 DELZ= 4.803 ALP=453.86 ALPHI=453.75
```

```
*PARTBN* TIME=114.00 IS=3 ZCALC( 20)= 263.92 ZCALC( 19)= 248.92 AINCW= 254.92 AINCHI= 248.92 DELZ= 5.998 ALP=453.86 ALPHI=453.72
*PARTBN* TIME=114.00 IS=4 ZCALC( 20)= 263.92 ZCALC( 19)= 248.92 AINCW= 261.91 AINCHI= 248.92 DELZ=12.991 ALP=453.85 ALPHI=453.50
*PARTBN* TIME=114.00 IS=5 ZCALC( 21)= 278.92 ZCALC( 20)= 263.92 AINCW= 270.22 AINCHI= 263.92 DELZ= 6.296 ALP=453.84 ALPHI=453.70
*PARTBN* TIME=114.00 IS=6 ZCALC( 21)= 278.92 ZCALC( 20)= 263.92 AINCW= 272.69 AINCHI= 263.92 DELZ= 8.770 ALP=453.84 ALPHI=453.62
*PARTBN* TIME=114.00 IS=7 ZCALC( 21)= 278.92 ZCALC( 20)= 263.92 AINCW= 272.20 AINCHI= 263.92 DELZ= 8.285 ALP=453.84 ALPHI=453.64
*PARTBN* TIME=114.00 IS=8 ZCALC( 21)= 278.92 ZCALC( 20)= 263.92 AINCW= 269.36 AINCHI= 263.92 DELZ= 5.439 ALP=453.84 ALPHI=453.72
*PARTBN* TIME=114.00 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 448.64 DELZ= 8.424 ALP=316.11 ALPHI= 88.09
*PARTBN* TIME=114.00 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 449.29 DELZ= 7.774 ALP=315.99 ALPHI=104.44
*PARTBN* TIME=114.00 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 449.16 DELZ= 7.897 ALP=316.01 ALPHI=101.35
*PARTBN* TIME=114.00 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 448.46 DELZ= 8.604 ALP=316.14 ALPHI= 83.57
*PARTBN* TIME=114.00 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 447.62 DELZ= 9.440 ALP=316.28 ALPHI= 62.56
*PARTBN* TIME=114.00 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 447.37 DELZ= 9.691 ALP=316.33 ALPHI= 56.26
*PARTBN* TIME=114.00 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 447.42 DELZ= 9.642 ALP=316.32 ALPHI= 57.48
*PARTBN* TIME=114.00 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 447.71 DELZ= 9.353 ALP=316.27 ALPHI= 64.74
*PARTBN* TIME=114.00 IS=2 ZCALC( 46)= 613.20 ZCALC( 45)= 598.20 AINCW= 611.28 AINCHI= 598.20 DELZ=13.073 ALP=453.95 ALPHI=453.50
*PARTBN* TIME=114.00 IS=3 ZCALC( 46)= 613.20 ZCALC( 45)= 598.20 AINCW= 612.52 AINCHI= 598.20 DELZ=14.318 ALP=453.94 ALPHI=453.45
*PARTBN* TIME=114.00 IS=1 ZCALC( 47)= 628.20 ZCALC( 46)= 613.20 AINCW= 617.94 AINCHI= 613.20 DELZ= 4.735 ALP=453.93 ALPHI=453.81
*PARTBN* TIME=114.00 IS=4 ZCALC( 47)= 628.20 ZCALC( 46)= 613.20 AINCW= 619.78 AINCHI= 613.20 DELZ= 6.576 ALP=453.92 ALPHI=453.73
*PARTBN* TIME=114.00 IS=5 ZCALC( 47)= 628.20 ZCALC( 46)= 613.20 AINCW= 628.42 AINCHI= 613.20 DELZ=15.211 ALP=453.90 ALPHI=453.38
*PARTBN* TIME=114.00 IS=6 ZCALC( 47)= 628.20 ZCALC( 46)= 613.20 AINCW= 627.52 AINCHI= 613.20 DELZ=14.318 ALP=453.91 ALPHI=453.42
*PARTBN* TIME=114.00 IS=6 ZCALC( 48)= 643.20 ZCALC( 47)= 628.20 AINCW= 630.98 AINCHI= 628.20 DELZ= 2.774 ALP=453.90 ALPHI=453.85
*PARTBN* TIME=114.00 IS=7 ZCALC( 48)= 643.20 ZCALC( 47)= 628.20 AINCW= 630.48 AINCHI= 628.20 DELZ= 2.272 ALP=453.90 ALPHI=453.87
```

IGNITION TIME, TIME (S) 114.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
ROTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	3857369.4	867171.15
TOTAL VACUUM THRUST (N,LBF)	FTVAC	3864039.2	868670.56
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	31571.236	7097.4963
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.12239082+10	.27514552+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	254.88795	254.88795
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.12739369+10	.28638566+09
THRUST COEFFICIENT	CF	1.6287107	1.6287107
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	1528.9209	3370.6935
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	501609.53	1105859.7
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	16.944053	37.355244
INERT MASS REMAINING (KG,LBM)	MIR	53.430045	117.79485
TOTAL BURN AREA (M**2,IN**2)	ABTOT	119.69141	185522.06
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	4.8698565	297176.87
PROPELLANT MASS REMAINING (KG,LBM)	WF	4610.3007	10163.973
TOTAL GAS MASS (KG,LBM)	WGTOT	535.36272	1180.2728
RATIO OF SPECIFIC HEATS	GAMA	1.1593482	1.1593482
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.749134	28.107029
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1551.7372	5091.0012
MAXIMUM CHAMBER MACH NUMBER	AMPN	.99302330-01	.99302330-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.15046443+09	218.23021
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.52900357+11	76725.481
BURN AREA (M**2,IN**2)	AHH	1.2931977	2004.4604
BURN RATE (M/S,IN/S)	RBZ(1)	.64872492-02	.25540351
DISTANCE BURNED (M,IN)	TAUZ(1)	1.0820301	42.599611
PROPELLANT VOLUME (M**3,IN**3)	VFH	.24352443	14860.772
GAS VOLUME (M**3,IN**3)	VPH	54.860308	3347781.4
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3327.9879	5990.3781
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	118.39821	183517.60
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	4.6243658	282196.12
GAS VOLUME (M**3,IN**3)	VP	281.00554	17148010.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.14815560+09	214.88153
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.50491896+11	73232.304
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.64538356-02	.25408802
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.64481213-02	.25386304
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74826400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040330.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3327.3378	5989.2081
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.6013251	2482.0589
EXPANSION RATIO	EPR	6.7122629	6.7122629
PRESSURE RATIO	PEPO	.23549760-01	.23549760-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	3.0000000	3.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS AUDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	218.23	218.23	5990.38	8.00	.002	447.98	15967.05	84.59	32.41	-52.17	.2549	42.600	.0000	.000
15.000	218.23	218.23	5990.37	18.60	.005	448.25	15987.34	196.93	108.70	-3.64	.2549	42.552	.0000	.000
30.000	218.23	218.22	5990.35	29.18	.008	448.52	16006.79	309.35	108.78	-3.64	.2549	42.548	.0000	.000
45.000	218.22	218.21	5990.32	39.74	.011	448.78	16026.20	421.85	108.85	-3.65	.2549	42.543	.0000	.000
60.000	218.21	218.19	5990.28	50.29	.014	449.05	16045.57	534.43	108.93	-3.65	.2550	42.539	.0000	.000
75.000	218.21	218.17	5990.24	60.83	.017	449.32	16064.89	647.09	109.01	-3.66	.2550	42.534	.0000	.000
90.000	218.19	218.14	5990.18	71.35	.020	449.58	16084.17	759.83	109.08	-3.66	.2550	42.529	.0000	.000
105.000	218.18	218.11	5990.12	81.85	.023	449.85	16103.41	872.66	109.16	-3.67	.2550	42.524	.0000	.000
116.761	218.17	218.08	5990.07	90.08	.026	450.06	16118.46	961.17	85.64	-2.88	.2550	42.519	.0000	.000
116.771	218.16	218.04	5989.91	110.43	.032	-388.48	13151.04	961.17	.00	-.00	.2550	42.519	.0000	.000
131.771	218.14	218.04	5990.00	98.76	.028	74.36	14755.88	964.47	.00	-3.30	.2550	42.519	.0000	.000
143.919	218.11	218.02	5990.02	95.87	.027	449.09	16057.42	1018.77	51.43	-2.87	.2550	42.511	.0000	.000
158.919	218.09	217.98	5989.94	106.28	.030	449.84	16091.19	1131.52	109.08	-3.67	.2550	42.506	.0000	.000
173.919	218.07	217.93	5989.85	116.67	.033	450.55	16124.78	1244.49	109.29	-3.68	.2551	42.500	.0000	.000
188.919	218.05	217.88	5989.75	127.04	.036	451.21	16158.20	1357.66	109.48	-3.69	.2551	42.495	.0000	.000
203.919	218.02	217.83	5989.65	137.40	.039	451.83	16191.43	1471.03	109.66	-3.71	.2552	42.489	.0000	.000
218.919	217.99	217.77	5989.53	147.74	.042	452.41	16224.49	1584.60	109.84	-3.72	.2553	42.483	.0000	.000
233.919	217.96	217.71	5989.41	158.07	.045	452.94	16257.38	1698.34	110.01	-3.74	.2554	42.477	.0000	.000
248.919	217.93	217.64	5989.28	168.38	.048	453.42	16290.08	1812.26	110.17	-3.75	.2555	42.471	.0000	.000
263.919	217.91	217.59	5989.17	176.59	.050	453.76	16316.05	1903.20	87.18	-3.76	.2555	42.444	.0000	.000
278.919	217.90	217.57	5989.14	179.08	.051	226.92	16346.39	1933.53	26.35	-3.98	.2555	42.360	.0000	.000
293.919	217.90	217.57	5989.14	178.99	.051	.00	16387.13	1937.31	.00	-3.78	.2555	42.252	.0000	.000
308.919	217.90	217.57	5989.14	178.99	.051	.00	16419.12	1941.10	.00	-3.78	.2555	42.143	.0000	.000
323.919	217.90	217.57	5989.14	178.99	.051	.00	16450.94	1944.90	.00	-3.80	.2555	42.035	.0000	.000
338.919	217.90	217.57	5989.14	179.00	.051	.00	16482.58	1948.72	.00	-3.82	.2555	41.927	.0000	.000
353.919	217.90	217.57	5989.14	179.01	.051	.00	16514.05	1952.55	.00	-3.83	.2555	41.819	.0000	.000
368.919	217.90	217.57	5989.14	179.02	.051	.00	16545.33	1956.39	.00	-3.84	.2555	41.710	.0000	.000
383.919	217.90	217.57	5989.14	179.04	.051	.00	16576.44	1960.25	.00	-3.86	.2555	41.602	.0000	.000
398.919	217.90	217.57	5989.14	179.06	.051	.00	16607.37	1964.11	.00	-3.87	.2555	41.494	.0000	.000
403.048	217.90	217.57	5989.14	179.06	.051	.00	16615.85	1965.18	.00	-1.07	.2555	41.464	.0000	.000
418.048	217.90	217.57	5989.11	181.01	.052	.00	16469.10	1969.04	.00	-3.86	.2555	41.192	.0000	.000
427.051	217.91	217.57	5989.09	182.19	.052	.00	16381.95	1971.34	.00	-2.30	.2555	41.174	.0000	.000
427.061	217.90	217.44	5988.63	212.27	.061	.00	14067.75	1971.35	.00	-.00	.2554	41.029	.0000	.000
442.061	217.85	217.44	5988.80	201.73	.058	.00	14828.55	1974.70	.00	-3.35	.2554	41.998	.0000	.000
457.061	217.80	217.41	5988.91	194.52	.055	316.18	15626.14	2006.32	28.07	-3.55	.2549	42.376	.0000	.000
463.204	217.77	217.38	5988.92	194.18	.055	447.89	15963.39	2045.71	37.93	-1.47	.2546	42.333	.0000	.000
478.204	217.73	217.30	5988.76	204.59	.058	448.40	15987.98	2157.93	108.59	-3.63	.2546	42.312	.0000	.000
493.204	217.69	217.21	5988.59	214.99	.061	448.99	16012.45	2270.32	108.74	-3.64	.2547	42.302	.0000	.000
508.204	217.64	217.12	5988.41	225.40	.064	449.57	16036.78	2382.87	108.90	-3.65	.2547	42.292	.0000	.000
523.204	217.60	217.03	5988.22	235.80	.067	450.15	16060.99	2495.58	109.05	-3.66	.2547	42.282	.0000	.000
538.204	217.55	216.93	5988.03	246.20	.070	450.73	16085.06	2608.46	109.21	-3.68	.2547	42.272	.0000	.000
553.204	217.50	216.82	5987.82	256.60	.073	451.31	16109.00	2721.52	109.36	-3.69	.2548	42.262	.0000	.000
568.204	217.44	216.71	5987.61	267.01	.076	451.89	16132.82	2834.74	109.53	-3.70	.2548	42.252	.0000	.000
583.204	217.39	216.60	5987.39	277.42	.079	452.47	16156.53	2948.14	109.69	-3.71	.2549	42.242	.0000	.000
598.204	217.33	216.48	5987.16	287.83	.082	453.05	16180.05	3061.71	109.85	-3.72	.2550	42.231	.0000	.000
613.204	217.27	216.36	5986.93	298.23	.085	453.60	16203.03	3173.94	107.60	-3.73	.2550	42.219	.0000	.000

628.204	217.23	216.29	5986.79	304.19	.087	340.42	16222.89	3241.51	64.77	-3.70	.2550	42.168	.0000	.000
643.204	217.23	216.28	5986.78	304.56	.087	113.47	16244.92	3249.86	4.61	-3.74	.2550	42.064	.0000	.000
658.204	217.23	216.28	5986.78	304.39	.087	.00	16272.97	3253.60	.00	-3.74	.2550	41.955	.0000	.000
673.204	217.23	216.28	5986.78	304.31	.087	.00	16295.87	3257.35	.00	-3.75	.2550	41.847	.0000	.000
688.204	217.23	216.28	5986.79	304.24	.087	.00	16318.64	3261.11	.00	-3.76	.2550	41.738	.0000	.000
703.204	217.23	216.28	5986.79	304.17	.087	.00	16341.28	3264.89	.00	-3.77	.2550	41.630	.0000	.000
718.204	217.23	216.28	5986.79	304.10	.087	.00	16363.79	3268.67	.00	-3.79	.2550	41.522	.0000	.000
725.191	217.23	216.28	5986.79	304.07	.087	.00	16375.73	3270.69	.00	-2.02	.2550	41.464	.0000	.000
741.191	217.23	216.28	5986.78	304.29	.087	.00	16382.80	3274.49	.00	-3.80	.2550	41.140	.0000	.000
746.336	217.23	216.28	5986.78	304.37	.087	.00	16385.28	3275.79	.00	-1.30	.2550	41.240	.0000	.000
746.346	217.21	215.97	5985.67	347.98	.099	.00	14349.56	3275.80	.00	-.00	.2548	41.029	.0000	.000
761.346	217.11	215.97	5986.05	333.88	.095	.00	14972.15	3279.19	.00	-3.39	.2548	41.104	.0000	.000
776.346	217.02	215.97	5986.38	320.86	.092	.00	15597.03	3282.73	.00	-3.54	.2548	41.178	.0000	.000
791.346	216.94	215.97	5986.68	308.82	.088	.00	16224.19	3286.41	.00	-3.66	.2548	41.253	.0000	.000
794.831	216.93	215.97	5986.74	306.15	.087	.00	16370.23	3287.29	.00	-.88	.2548	41.270	.0000	.000
809.831	216.93	215.97	5986.73	306.63	.087	.00	16363.57	3291.08	.00	-3.79	.2548	41.093	.0000	.000
824.831	216.93	215.97	5986.72	307.11	.088	.00	16356.92	3294.86	.00	-3.79	.2548	40.916	.0000	.000
839.831	216.94	215.97	5986.71	307.58	.088	.00	16350.28	3298.65	.00	-3.79	.2548	40.739	.0000	.000
854.781	216.94	215.97	5986.70	308.06	.088	.00	16343.67	3302.42	.00	-3.77	.2548	40.563	.0000	.000
869.781	216.94	215.97	5986.67	308.94	.088	.00	16315.82	3306.20	.00	-3.78	.2548	39.794	.0000	.000
884.781	216.95	215.97	5986.65	309.82	.088	.00	16287.96	3309.97	.00	-3.77	.2548	39.025	.0000	.000
899.781	216.96	215.97	5986.63	310.70	.089	.00	16260.09	3313.74	.00	-3.77	.2548	38.255	.0000	.000
914.781	216.96	215.97	5986.61	311.59	.089	.00	16232.22	3317.50	.00	-3.76	.2548	37.486	.0000	.000
929.781	216.97	215.97	5986.59	312.47	.089	.00	16204.33	3321.25	.00	-3.75	.2548	36.717	.0000	.000
944.781	216.97	215.97	5986.57	313.36	.089	.00	16176.44	3325.00	.00	-3.75	.2548	35.948	.0000	.000
959.781	216.98	215.97	5986.55	314.26	.090	.00	16148.55	3328.74	.00	-3.74	.2548	35.178	.0000	.000
974.781	216.98	215.97	5986.52	315.15	.090	.00	16120.65	3332.48	.00	-3.73	.2548	34.409	.0000	.000
989.781	216.99	215.97	5986.50	316.05	.090	.00	16092.74	3336.21	.00	-3.73	.2548	33.640	.0000	.000
1004.781	217.00	215.97	5986.48	316.95	.090	.00	16064.82	3339.93	.00	-3.72	.2548	32.871	.0000	.000
1019.781	217.00	215.97	5986.46	317.86	.091	.00	16036.89	3343.64	.00	-3.72	.2548	32.101	.0000	.000
1034.781	217.01	215.97	5986.43	318.76	.091	.00	16008.96	3347.35	.00	-3.71	.2548	31.332	.0000	.000
1040.791	217.01	215.97	5986.43	319.13	.091	.00	15997.77	3348.84	.00	-1.48	.2548	31.024	.0000	.000
1055.791	217.02	215.97	5986.40	320.04	.091	.00	15969.84	3352.54	.00	-3.70	.2548	30.483	.0000	.000
1070.791	217.02	215.97	5986.38	320.95	.092	.00	15941.80	3356.23	.00	-3.69	.2548	29.942	.0000	.000
1084.171	217.03	215.97	5986.36	321.77	.092	.00	15916.69	3359.52	.00	-3.29	.2548	29.459	.0000	.000
AFT(A)	214.88	205.02	5951.05	996.16	.285	.....	15823.73	3370.69	.00	-6.79	.2541	29.460	....	.....
AFT(B)	214.88	214.68	5989.21	-.65	.000	.....	16413.12	4.39	.00	-4.39	.2539	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	*SLOT LB/SEC
FOREWARD	1.1676+02	2.1817+02	2.1806+02	5.9901+03	8.8212+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	9.6117+02
AFT	1.1677+02	2.1812+02	2.1804+02	5.9899+03	8.8229+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	9.6117+02

GAS BUILDUP IN SLOT, DW/DT = -2.5675-03

FOREWARD	4.2705+02	2.1791+02	2.1757+02	5.9891+03	1.8218+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.9713+03
AFT	4.2706+02	2.1778+02	2.1744+02	5.9886+03	1.8227+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.9713+03

GAS BUILDUP IN SLOT, DW/DT = -2.5492-03

FOREWARD	7.4634+02	2.1723+02	2.1628+02	5.9868+03	3.0441+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.2758+03
AFT	7.4635+02	2.1692+02	2.1597+02	5.9857+03	3.0479+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	3.2758+03

GAS BUILDUP IN SLOT, DW/DT = -2.5314-03

```
AEB BURNOUT INCREMENT LOCATION =  248.9190     SECTOR NO.  1   TAU = 42.5763   TAUWDP = 42.5763   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  248.9190     SECTOR NO.  2   TAU = 42.5763   TAUWDP = 42.5763   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  248.9190     SECTOR NO.  3   TAU = 42.5763   TAUWDP = 42.5763   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  248.9190     SECTOR NO.  4   TAU = 42.5763   TAUWDP = 42.5763   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  263.9190     SECTOR NO.  5   TAU = 42.4680   TAUWDP = 42.4680   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  263.9190     SECTOR NO.  6   TAU = 42.4680   TAUWDP = 42.4680   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  263.9190     SECTOR NO.  7   TAU = 42.4680   TAUWDP = 42.4680   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  263.9190     SECTOR NO.  8   TAU = 42.4680   TAUWDP = 42.4680   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  598.2640     SECTOR NO.  2   TAU = 42.3887   TAUWDP = 42.3887   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  598.2640     SECTOR NO.  3   TAU = 42.3887   TAUWDP = 42.3887   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  613.2640     SECTOR NO.  1   TAU = 42.2803   TAUWDP = 42.2803   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  613.2640     SECTOR NO.  4   TAU = 42.2803   TAUWDP = 42.2803   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  613.2640     SECTOR NO.  5   TAU = 42.2803   TAUWDP = 42.2803   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  613.2640     SECTOR NO.  6   TAU = 42.2803   TAUWDP = 42.2803   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  613.2640     SECTOR NO.  7   TAU = 42.2803   TAUWDP = 42.2803   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  613.2640     SECTOR NO.  8   TAU = 42.2803   TAUWDP = 42.2803   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  628.2640     SECTOR NO.  5   TAU = 42.1719   TAUWDP = 42.1719   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  628.2640     SECTOR NO.  6   TAU = 42.1719   TAUWDP = 42.1719   TIME = 114.00
AEB BURNOUT INCREMENT LOCATION =  628.2640     SECTOR NO.  7   TAU = 42.1719   TAUWDP = 42.1719   TIME = 114.00
*PARTBN* TIME=114.50 IS=2 ZCALC( 18)= 233.92 ZCALC( 17)= 218.92 AINCW= 234.96 AINCHI= 218.92 DELZ=16.039 ALP=453.88 ALPHI=453.40
*PARTBN* TIME=114.50 IS=1 ZCALC( 19)= 248.92 ZCALC( 18)= 233.92 AINCW= 241.37 AINCHI= 233.92 DELZ= 7.454 ALP=453.88 ALPHI=453.68
*PARTBN* TIME=114.50 IS=3 ZCALC( 19)= 248.92 ZCALC( 18)= 233.92 AINCW= 236.14 AINCHI= 233.92 DELZ= 2.225 ALP=453.88 ALPHI=453.85
*PARTBN* TIME=114.50 IS=4 ZCALC( 19)= 248.92 ZCALC( 18)= 233.92 AINCW= 243.15 AINCHI= 233.92 DELZ= 9.231 ALP=453.87 ALPHI=453.63
*PARTBN* TIME=114.50 IS=5 ZCALC( 20)= 263.92 ZCALC( 19)= 248.92 AINCW= 251.46 AINCHI= 248.92 DELZ= 2.546 ALP=453.86 ALPHI=453.82
*PARTBN* TIME=114.50 IS=6 ZCALC( 20)= 263.92 ZCALC( 19)= 248.92 AINCW= 253.95 AINCHI= 248.92 DELZ= 5.028 ALP=453.86 ALPHI=453.75
*PARTBN* TIME=114.50 IS=7 ZCALC( 20)= 263.92 ZCALC( 19)= 248.92 AINCW= 253.46 AINCHI= 248.92 DELZ= 4.542 ALP=453.86 ALPHI=453.76
*PARTBN* TIME=114.50 IS=8 ZCALC( 20)= 263.92 ZCALC( 19)= 248.92 AINCW= 250.61 AINCHI= 248.92 DELZ= 1.689 ALP=453.86 ALPHI=453.85
*PARTBN* TIME=114.50 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 450.55 DELZ= 6.515 ALP=315.76 ALPHI=136.10
*PARTBN* TIME=114.50 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.20 DELZ= 5.862 ALP=315.64 ALPHI=152.50
*PARTBN* TIME=114.50 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.08 DELZ= 5.985 ALP=315.66 ALPHI=149.40
*PARTBN* TIME=114.50 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 450.37 DELZ= 6.695 ALP=315.79 ALPHI=131.56
```

```
*PARTBN* TIME=114.50 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 449.53 DELZ= 7.534 ALP=315.94 ALPHI=110.48
*PARTBN* TIME=114.50 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 449.28 DELZ= 7.785 ALP=315.98 ALPHI=104.16
*PARTBN* TIME=114.50 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 449.32 DELZ= 7.737 ALP=315.97 ALPHI=105.38
*PARTBN* TIME=114.50 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 449.61 DELZ= 7.447 ALP=315.92 ALPHI=112.67
*PARTBN* TIME=114.50 IS=1 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 598.39 AINCHI= 583.20 DELZ=15.191 ALP=453.98 ALPHI=453.45
*PARTBN* TIME=114.50 IS=2 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 591.72 AINCHI= 583.20 DELZ= 8.515 ALP=453.99 ALPHI=453.72
*PARTBN* TIME=114.50 IS=3 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 592.96 AINCHI= 583.20 DELZ= 9.759 ALP=453.99 ALPHI=453.67
*PARTBN* TIME=114.50 IS=4 ZCALC( 46)= 613.20 ZCALC( 45)= 598.20 AINCW= 600.23 AINCHI= 598.20 DELZ= 2.029 ALP=453.97 ALPHI=453.96
*PARTBN* TIME=114.50 IS=5 ZCALC( 46)= 613.20 ZCALC( 45)= 598.20 AINCW= 608.89 AINCHI= 598.20 DELZ=10.681 ALP=453.95 ALPHI=453.60
*PARTBN* TIME=114.50 IS=6 ZCALC( 46)= 613.20 ZCALC( 45)= 598.20 AINCW= 611.46 AINCHI= 598.20 DELZ=13.251 ALP=453.94 ALPHI=453.50
*PARTBN* TIME=114.50 IS=7 ZCALC( 46)= 613.20 ZCALC( 45)= 598.20 AINCW= 610.95 AINCHI= 598.20 DELZ=12.748 ALP=453.95 ALPHI=453.52
*PARTBN* TIME=114.50 IS=8 ZCALC( 46)= 613.20 ZCALC( 45)= 598.20 AINCW= 607.99 AINCHI= 598.20 DELZ= 9.788 ALP=453.95 ALPHI=453.64
*PARTBN* TIME=114.50 IS=1 ZCALC( 19)= 248.92 ZCALC( 17)= 218.92 AINCW= 234.96 AINCHI= 218.92 DELZ=16.039 ALP=453.88 ALPHI=453.40
*PARTBN* TIME=114.50 IS=2 ZCALC( 19)= 248.92 ZCALC( 18)= 233.92 AINCW= 241.37 AINCHI= 233.92 DELZ= 7.454 ALP=453.88 ALPHI=453.68
*PARTBN* TIME=114.50 IS=3 ZCALC( 19)= 248.92 ZCALC( 18)= 233.92 AINCW= 236.14 AINCHI= 233.92 DELZ= 2.225 ALP=453.88 ALPHI=453.85
*PARTBN* TIME=114.50 IS=4 ZCALC( 19)= 248.92 ZCALC( 18)= 233.92 AINCW= 243.15 AINCHI= 233.92 DELZ= 9.231 ALP=453.87 ALPHI=453.63
*PARTBN* TIME=114.50 IS=5 ZCALC( 20)= 263.92 ZCALC( 19)= 248.92 AINCW= 251.46 AINCHI= 248.92 DELZ= 2.546 ALP=453.86 ALPHI=453.82
*PARTBN* TIME=114.50 IS=6 ZCALC( 20)= 263.92 ZCALC( 19)= 248.92 AINCW= 253.95 AINCHI= 248.92 DELZ= 5.028 ALP=453.86 ALPHI=453.75
*PARTBN* TIME=114.50 IS=7 ZCALC( 20)= 263.92 ZCALC( 19)= 248.92 AINCW= 253.46 AINCHI= 248.92 DELZ= 4.542 ALP=453.86 ALPHI=453.76
*PARTBN* TIME=114.50 IS=8 ZCALC( 20)= 263.92 ZCALC( 19)= 248.92 AINCW= 250.61 AINCHI= 248.92 DELZ= 1.689 ALP=453.86 ALPHI=453.85
*PARTBN* TIME=114.50 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 450.55 DELZ= 6.515 ALP=315.76 ALPHI=136.10
*PARTBN* TIME=114.50 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.20 DELZ= 5.862 ALP=315.64 ALPHI=152.50
*PARTBN* TIME=114.50 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.08 DELZ= 5.985 ALP=315.66 ALPHI=149.90
*PARTBN* TIME=114.50 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 450.37 DELZ= 6.695 ALP=315.79 ALPHI=131.56
*PARTBN* TIME=114.50 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 449.53 DELZ= 7.534 ALP=315.94 ALPHI=110.48
*PARTBN* TIME=114.50 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 449.28 DELZ= 7.785 ALP=315.98 ALPHI=104.16
*PARTBN* TIME=114.50 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 449.32 DELZ= 7.737 ALP=315.97 ALPHI=105.38
*PARTBN* TIME=114.50 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 449.61 DELZ= 7.447 ALP=315.92 ALPHI=112.67
*PARTBN* TIME=114.50 IS=1 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 598.39 AINCHI= 583.20 DELZ=15.191 ALP=453.98 ALPHI=453.45
*PARTBN* TIME=114.50 IS=2 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 591.72 AINCHI= 583.20 DELZ= 8.515 ALP=453.99 ALPHI=453.72
*PARTBN* TIME=114.50 IS=3 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 592.96 AINCHI= 583.20 DELZ= 9.759 ALP=453.99 ALPHI=453.67
*PARTBN* TIME=114.50 IS=4 ZCALC( 46)= 613.20 ZCALC( 45)= 598.20 AINCW= 600.23 AINCHI= 598.20 DELZ= 2.029 ALP=453.97 ALPHI=453.96
*PARTBN* TIME=114.50 IS=5 ZCALC( 46)= 613.20 ZCALC( 45)= 598.20 AINCW= 608.89 AINCHI= 598.20 DELZ=10.681 ALP=453.95 ALPHI=453.60
*PARTBN* TIME=114.50 IS=6 ZCALC( 46)= 613.20 ZCALC( 45)= 598.20 AINCW= 611.46 AINCHI= 598.20 DELZ=13.251 ALP=453.94 ALPHI=453.50
*PARTBN* TIME=114.50 IS=7 ZCALC( 46)= 613.20 ZCALC( 45)= 598.20 AINCW= 610.95 AINCHI= 598.20 DELZ=12.748 ALP=453.95 ALPHI=453.52
*PARTBN* TIME=114.50 IS=8 ZCALC( 46)= 613.20 ZCALC( 45)= 598.20 AINCW= 607.99 AINCHI= 598.20 DELZ= 9.788 ALP=453.95 ALPHI=453.64
HEB BURNOUT INCREMENT LOCATION = 218.9190 SECTOR NO. 2 TAU = 42.7928 TAUWDP = 42.7928 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 218.9190 SECTOR NO. 3 TAU = 42.7928 TAUWDP = 42.7928 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 233.9190 SECTOR NO. 1 TAU = 42.6845 TAUWDP = 42.6845 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 233.9190 SECTOR NO. 2 TAU = 42.6845 TAUWDP = 42.6845 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 233.9190 SECTOR NO. 3 TAU = 42.6845 TAUWDP = 42.6845 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 233.9190 SECTOR NO. 4 TAU = 42.6845 TAUWDP = 42.6845 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 233.9190 SECTOR NO. 5 TAU = 42.6845 TAUWDP = 42.6845 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 233.9190 SECTOR NO. 8 TAU = 42.6845 TAUWDP = 42.6845 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 248.9190 SECTOR NO. 5 TAU = 42.5763 TAUWDP = 42.5763 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 248.9190 SECTOR NO. 6 TAU = 42.5763 TAUWDP = 42.5763 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 248.9190 SECTOR NO. 7 TAU = 42.5763 TAUWDP = 42.5763 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 248.9190 SECTOR NO. 8 TAU = 42.5763 TAUWDP = 42.5763 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 583.2040 SECTOR NO. 1 TAU = 42.4970 TAUWDP = 42.4970 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 583.2040 SECTOR NO. 2 TAU = 42.4970 TAUWDP = 42.4970 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 583.2040 SECTOR NO. 3 TAU = 42.4970 TAUWDP = 42.4970 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 583.2040 SECTOR NO. 4 TAU = 42.4970 TAUWDP = 42.4970 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 598.2040 SECTOR NO. 1 TAU = 42.3887 TAUWDP = 42.3887 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 598.2040 SECTOR NO. 4 TAU = 42.3887 TAUWDP = 42.3887 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 598.2040 SECTOR NO. 5 TAU = 42.3887 TAUWDP = 42.3887 TIME = 114.50
HEB BURNOUT INCREMENT LOCATION = 598.2040 SECTOR NO. 6 TAU = 42.3887 TAUWDP = 42.3887 TIME = 114.50
```

```
*EB BURNOUT INCREMENT LOCATION =  598.2040     SECTOR NO.  7    TAU = 42.3887    TAUWDP = 42.3887    TIME = 114.50
*EB BURNOUT INCREMENT LOCATION =  598.2040     SECTOR NO.  8    TAU = 42.3887    TAUWDP = 42.3887    TIME = 114.50
*PARTBN* TIME=115.00 IS=2 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 217.11 AINCHI= 203.92 DELZ=13.195 ALP=453.91 ALPHI=453.50
*PARTBN* TIME=115.00 IS=3 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 218.31 AINCHI= 203.92 DELZ=14.391 ALP=453.91 ALPHI=453.46
*PARTBN* TIME=115.00 IS=1 ZCALC( 18)= 233.92 ZCALC( 17)= 218.92 AINCW= 223.53 AINCHI= 218.92 DELZ= 4.616 ALP=453.90 ALPHI=453.79
*PARTBN* TIME=115.00 IS=4 ZCALC( 18)= 233.92 ZCALC( 17)= 218.92 AINCW= 225.31 AINCHI= 218.92 DELZ= 6.395 ALP=453.90 ALPHI=453.73
*PARTBN* TIME=115.00 IS=5 ZCALC( 18)= 233.92 ZCALC( 17)= 218.92 AINCW= 233.64 AINCHI= 218.92 DELZ=14.722 ALP=453.89 ALPHI=453.45
*PARTBN* TIME=115.00 IS=6 ZCALC( 18)= 233.92 ZCALC( 17)= 218.92 AINCW= 232.79 AINCHI= 218.92 DELZ=13.866 ALP=453.89 ALPHI=453.48
*PARTBN* TIME=115.00 IS=8 ZCALC( 18)= 233.92 ZCALC( 17)= 218.92 AINCW= 236.13 AINCHI= 233.92 DELZ= 2.210 ALP=453.88 ALPHI=453.85
*PARTBN* TIME=115.00 IS=6 ZCALC( 19)= 248.92 ZCALC( 18)= 233.92 AINCW= 235.64 AINCHI= 233.92 DELZ= 1.722 ALP=453.88 ALPHI=453.87
*PARTBN* TIME=115.00 IS=7 ZCALC( 19)= 248.92 ZCALC( 18)= 233.92 AINCW= 457.06 AINCHI= 452.37 DELZ= 4.696 ALP=315.43 ALPHI=181.82
*PARTBN* TIME=115.00 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 453.02 DELZ= 4.041 ALP=315.31 ALPHI=198.28
*PARTBN* TIME=115.00 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 452.90 DELZ= 4.165 ALP=315.33 ALPHI=195.18
*PARTBN* TIME=115.00 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 452.18 DELZ= 4.877 ALP=315.46 ALPHI=177.27
*PARTBN* TIME=115.00 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.34 DELZ= 5.719 ALP=315.61 ALPHI=156.11
*PARTBN* TIME=115.00 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.09 DELZ= 5.971 ALP=315.66 ALPHI=149.76
*PARTBN* TIME=115.00 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.14 DELZ= 5.922 ALP=315.65 ALPHI=150.99
*PARTBN* TIME=115.00 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.43 DELZ= 5.632 ALP=315.59 ALPHI=158.29
*PARTBN* TIME=115.00 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.43 DELZ= 5.632 ALP=315.59 ALPHI=158.29
*PARTBN* TIME=115.00 IS=1 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 579.81 AINCHI= 568.20 DELZ=11.602 ALP=454.02 ALPHI=453.63
*PARTBN* TIME=115.00 IS=2 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 573.12 AINCHI= 568.20 DELZ= 4.916 ALP=454.04 ALPHI=453.91
*PARTBN* TIME=115.00 IS=3 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 574.36 AINCHI= 568.20 DELZ= 6.160 ALP=454.03 ALPHI=453.86
*PARTBN* TIME=115.00 IS=4 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 581.65 AINCHI= 568.20 DELZ=13.450 ALP=454.02 ALPHI=453.56
*PARTBN* TIME=115.00 IS=5 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 590.31 AINCHI= 583.20 DELZ= 7.109 ALP=454.00 ALPHI=453.78
*PARTBN* TIME=115.00 IS=6 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 592.89 AINCHI= 583.20 DELZ= 9.688 ALP=453.99 ALPHI=453.68
*PARTBN* TIME=115.00 IS=7 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 592.39 AINCHI= 583.20 DELZ= 9.183 ALP=453.99 ALPHI=453.70
*PARTBN* TIME=115.00 IS=8 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 589.42 AINCHI= 583.20 DELZ= 6.216 ALP=454.00 ALPHI=453.82
*PARTBN* TIME=115.00 IS=1 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 217.11 AINCHI= 203.92 DELZ=13.195 ALP=453.91 ALPHI=453.50
*PARTBN* TIME=115.00 IS=2 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 218.31 AINCHI= 203.92 DELZ=14.391 ALP=453.91 ALPHI=453.46
*PARTBN* TIME=115.00 IS=3 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 223.53 AINCHI= 218.92 DELZ= 4.616 ALP=453.90 ALPHI=453.79
*PARTBN* TIME=115.00 IS=1 ZCALC( 18)= 233.92 ZCALC( 17)= 218.92 AINCW= 225.31 AINCHI= 218.92 DELZ= 6.395 ALP=453.90 ALPHI=453.73
*PARTBN* TIME=115.00 IS=4 ZCALC( 18)= 233.92 ZCALC( 17)= 218.92 AINCW= 233.64 AINCHI= 218.92 DELZ=14.722 ALP=453.89 ALPHI=453.45
*PARTBN* TIME=115.00 IS=5 ZCALC( 18)= 233.92 ZCALC( 17)= 218.92 AINCW= 232.79 AINCHI= 218.92 DELZ=13.866 ALP=453.89 ALPHI=453.48
*PARTBN* TIME=115.00 IS=6 ZCALC( 18)= 233.92 ZCALC( 17)= 218.92 AINCW= 236.13 AINCHI= 233.92 DELZ= 2.210 ALP=453.88 ALPHI=453.85
*PARTBN* TIME=115.00 IS=6 ZCALC( 19)= 248.92 ZCALC( 18)= 233.92 AINCW= 235.64 AINCHI= 233.92 DELZ= 1.722 ALP=453.88 ALPHI=453.87
*PARTBN* TIME=115.00 IS=7 ZCALC( 19)= 248.92 ZCALC( 18)= 233.92 AINCW= 457.06 AINCHI= 452.37 DELZ= 4.696 ALP=315.43 ALPHI=181.82
*PARTBN* TIME=115.00 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 453.02 DELZ= 4.041 ALP=315.31 ALPHI=198.28
*PARTBN* TIME=115.00 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 452.90 DELZ= 4.165 ALP=315.33 ALPHI=195.18
*PARTBN* TIME=115.00 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 452.18 DELZ= 4.877 ALP=315.46 ALPHI=177.27
*PARTBN* TIME=115.00 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.34 DELZ= 5.719 ALP=315.61 ALPHI=156.11
*PARTBN* TIME=115.00 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.09 DELZ= 5.971 ALP=315.66 ALPHI=149.76
*PARTBN* TIME=115.00 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.14 DELZ= 5.922 ALP=315.65 ALPHI=150.99
*PARTBN* TIME=115.00 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.43 DELZ= 5.632 ALP=315.59 ALPHI=158.29
*PARTBN* TIME=115.00 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.43 DELZ= 5.632 ALP=315.59 ALPHI=158.29
*PARTBN* TIME=115.00 IS=1 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 579.81 AINCHI= 568.20 DELZ=11.602 ALP=454.02 ALPHI=453.63
*PARTBN* TIME=115.00 IS=2 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 573.12 AINCHI= 568.20 DELZ= 4.916 ALP=454.04 ALPHI=453.91
*PARTBN* TIME=115.00 IS=3 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 574.36 AINCHI= 568.20 DELZ= 6.160 ALP=454.03 ALPHI=453.86
*PARTBN* TIME=115.00 IS=4 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 581.65 AINCHI= 568.20 DELZ=13.450 ALP=454.02 ALPHI=453.56
*PARTBN* TIME=115.00 IS=5 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 590.31 AINCHI= 583.20 DELZ= 7.109 ALP=454.00 ALPHI=453.78
*PARTBN* TIME=115.00 IS=6 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 592.89 AINCHI= 583.20 DELZ= 9.688 ALP=453.99 ALPHI=453.68
*PARTBN* TIME=115.00 IS=7 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 592.39 AINCHI= 583.20 DELZ= 9.183 ALP=453.99 ALPHI=453.70
*PARTBN* TIME=115.00 IS=8 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 589.42 AINCHI= 583.20 DELZ= 6.216 ALP=454.00 ALPHI=453.82
*PARTBN* TIME=115.00 IS=2 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 217.11 AINCHI= 203.92 DELZ=13.195 ALP=453.91 ALPHI=453.50
*PARTBN* TIME=115.00 IS=3 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 218.31 AINCHI= 203.92 DELZ=14.391 ALP=453.91 ALPHI=453.46
*PARTBN* TIME=115.00 IS=1 ZCALC( 18)= 233.92 ZCALC( 17)= 218.92 AINCW= 223.53 AINCHI= 218.92 DELZ= 4.616 ALP=453.90 ALPHI=453.79
*PARTBN* TIME=115.00 IS=4 ZCALC( 18)= 233.92 ZCALC( 17)= 218.92 AINCW= 225.31 AINCHI= 218.92 DELZ= 6.395 ALP=453.90 ALPHI=453.73
*PARTBN* TIME=115.00 IS=5 ZCALC( 18)= 233.92 ZCALC( 17)= 218.92 AINCW= 233.64 AINCHI= 218.92 DELZ=14.722 ALP=453.89 ALPHI=453.45
*PARTBN* TIME=115.00 IS=6 ZCALC( 18)= 233.92 ZCALC( 17)= 218.92 AINCW= 232.79 AINCHI= 218.92 DELZ=13.866 ALP=453.89 ALPHI=453.48
```

```
*PARTBN* TIME=115.00 IS=6 ZCALC( 19)= 248.92 ZCALC( 18)= 233.92 AINCW= 236.13 AINCHI= 233.92 DELZ= 2.210 ALP=453.88 ALPHI=453.85
*PARTBN* TIME=115.00 IS=7 ZCALC( 19)= 248.92 ZCALC( 18)= 233.92 AINCW= 235.64 AINCHI= 233.92 DELZ= 1.722 ALP=453.88 ALPHI=453.87
*PARTBN* TIME=115.00 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 452.37 DELZ= 4.696 ALP=315.43 ALPHI=181.62
*PARTBN* TIME=115.00 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 453.02 DELZ= 4.041 ALP=315.31 ALPHI=198.28
*PARTBN* TIME=115.00 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 452.90 DELZ= 4.165 ALP=315.33 ALPHI=195.18
*PARTBN* TIME=115.00 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 452.18 DELZ= 4.877 ALP=315.46 ALPHI=177.27
*PARTBN* TIME=115.00 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.34 DELZ= 5.719 ALP=315.61 ALPHI=156.11
*PARTBN* TIME=115.00 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.09 DELZ= 5.971 ALP=315.66 ALPHI=149.76
*PARTBN* TIME=115.00 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.14 DELZ= 5.922 ALP=315.65 ALPHI=150.99
*PARTBN* TIME=115.00 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 451.43 DELZ= 5.632 ALP=315.59 ALPHI=158.29
*PARTBN* TIME=115.00 IS=1 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 579.81 AINCHI= 568.20 DELZ=11.602 ALP=454.02 ALPHI=453.63
*PARTBN* TIME=115.00 IS=2 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 573.12 AINCHI= 568.20 DELZ= 4.916 ALP=454.09 ALPHI=453.91
*PARTBN* TIME=115.00 IS=3 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 574.36 AINCHI= 568.20 DELZ= 6.160 ALP=454.03 ALPHI=453.86
*PARTBN* TIME=115.00 IS=4 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 581.65 AINCHI= 568.20 DELZ=13.450 ALP=454.02 ALPHI=453.56
*PARTBN* TIME=115.00 IS=5 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 590.31 AINCHI= 583.20 DELZ= 7.109 ALP=454.00 ALPHI=453.78
*PARTBN* TIME=115.00 IS=6 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 592.89 AINCHI= 583.20 DELZ= 9.688 ALP=453.99 ALPHI=453.68
*PARTBN* TIME=115.00 IS=7 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 592.39 AINCHI= 583.20 DELZ= 9.183 ALP=453.99 ALPHI=453.70
*PARTBN* TIME=115.00 IS=8 ZCALC( 45)= 598.20 ZCALC( 44)= 583.20 AINCW= 589.42 AINCHI= 583.20 DELZ= 6.216 ALP=454.00 ALPHI=453.82
```

IGNITION TIME, TIME (S) 115.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	2890118.2	649724.42
TOTAL VACUUM THRUST (N,LBF)	FTVAC	2896269.2	651107.22
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	23692.694	5326.3296
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.12272707+10	.27590142+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	254.66037	254.66037
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.12772757+10	.28714300+09
THRUST COEFFICIENT	CF	1.6287218	1.6287218
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	1147.0143	2528.7337
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	502943.55	1108830.7
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	12.715697	28.033314
INERT MASS REMAINING (KG,LBM)	MIR	39.701866	87.527633
TOTAL BURN AREA (M**2,IN**2)	ABTOT	97.430356	151017.36
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	4.1215407	251511.85
PROPELLANT MASS REMAINING (KG,LBM)	WF	3415.9031	7530.7773
TOTAL GAS MASS (KG,LBM)	WGTOT	401.79508	885.80830
RATIO OF SPECIFIC HEATS	GAMA	1.1592953	1.1592953
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.732678	28.071191
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1550.3503	5086.4510
MAXIMUM CHAMBER MACH NUMBER	AMPN	.98933081-01	.98933081-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	.11274067+09	163.51652
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.53031517+11	76915.713
BURN AREA (M**2,IN**2)	AHH	1.0476668	1623.8868
BURN RATE (M/S,IN/S)	RBZ(1)	.58691803-02	.23107009
DISTANCE BURNED (M,IN)	TAUZ(1)	1.0883629	42.848935
PROPELLANT VOLUME (M**3,IN**3)	VFH	.23614620	14410.525
GAS VOLUME (M**3,IN**3)	VPH	54.867686	3348231.6
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3316.6395	5969.9510
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	96.382689	149393.47
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	3.8834283	236981.33
GAS VOLUME (M**3,IN**3)	VP	280.86755	17139590.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	.11102553+09	161.02892
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.50621050+11	73419.626
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.58339787-02	.22968420
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.58286892-02	.22948068
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040000.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3316.1987	5968.9957
PORT AREA, NOZ ENT (M**2,IN**2)	AZA	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.6016556	2482.5712
EXPANSION RATIO	EPR	6.7108776	6.7108776
PRESSURE RATIO	PEPO	.23559165-01	.23559165-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37819250-01	.37819250-01
NUMBER OF PRESSURE ITERATIONS	ANLUPS	3.0000000	3.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	163.52	163.52	5969.95	8.50	.002	449.54	16079.49	67.99	23.75	-44.24	.2305	42.849	.0000	.000
15.000	163.52	163.51	5969.94	21.20	.006	449.61	16099.06	169.78	98.67	-3.12	.2306	42.801	.0000	.000
30.000	163.51	163.50	5969.91	33.89	.010	450.07	16118.59	271.64	98.73	-3.13	.2306	42.797	.0000	.000
45.000	163.51	163.49	5969.87	46.55	.013	450.34	16138.08	373.58	98.83	-3.13	.2306	42.792	.0000	.000
60.000	163.50	163.47	5969.82	59.19	.017	450.61	16157.52	475.59	98.87	-3.13	.2306	42.788	.0000	.000
75.000	163.49	163.45	5969.75	71.82	.021	450.88	16176.92	577.67	98.94	-3.14	.2306	42.783	.0000	.000
90.000	163.48	163.42	5969.68	84.44	.024	451.14	16196.28	679.82	99.01	-3.14	.2307	42.778	.0000	.000
105.000	163.46	163.39	5969.59	97.03	.028	451.41	16215.59	782.04	99.07	-3.15	.2307	42.773	.0000	.000
116.761	163.45	163.36	5969.51	106.90	.031	451.62	16230.70	862.23	77.73	-2.47	.2307	42.768	.0000	.000
116.771	163.45	163.31	5969.27	132.98	.038	-408.74	13051.82	862.23	.00	-.00	.2306	42.768	.0000	.000
131.771	163.42	163.31	5969.42	117.86	.034	66.06	14773.27	865.02	.00	-2.79	.2306	42.768	.0000	.000
143.919	163.39	163.29	5969.45	113.73	.032	450.59	16169.38	913.39	45.92	-2.45	.2306	42.760	.0000	.000
158.919	163.37	163.24	5969.34	126.26	.036	451.29	16196.40	1015.52	98.98	-3.14	.2307	42.755	.0000	.000
173.919	163.34	163.19	5969.21	138.79	.040	451.95	16223.28	1117.83	99.16	-3.15	.2307	42.749	.0000	.000
188.919	163.32	163.14	5969.07	151.31	.043	452.56	16250.02	1220.33	99.33	-3.16	.2308	42.744	.0000	.000
203.919	163.29	163.08	5968.91	163.83	.047	453.12	16276.61	1322.99	99.49	-3.17	.2309	42.738	.0000	.000
218.919	163.26	163.02	5968.75	176.09	.050	453.63	16302.54	1423.79	97.61	-3.18	.2309	42.730	.0000	.000
233.919	163.24	162.98	5968.65	183.42	.052	340.41	16325.07	1484.79	57.63	-3.37	.2309	42.681	.0000	.000
248.919	163.24	162.98	5968.64	183.95	.053	113.47	16349.13	1491.24	3.25	-3.20	.2309	42.576	.0000	.000
263.919	163.24	162.98	5968.64	183.98	.053	.00	16381.52	1494.43	.00	-3.20	.2309	42.468	.0000	.000
278.919	163.24	162.98	5968.64	184.08	.053	.00	16407.38	1497.64	.00	-3.20	.2309	42.360	.0000	.000
293.919	163.24	162.98	5968.64	184.19	.053	.00	16433.10	1500.86	.00	-3.22	.2309	42.252	.0000	.000
308.919	163.24	162.98	5968.64	184.30	.053	.00	16458.68	1504.09	.00	-3.23	.2309	42.143	.0000	.000
323.919	163.24	162.98	5968.64	184.41	.053	.00	16484.11	1507.32	.00	-3.24	.2309	42.035	.0000	.000
338.919	163.24	162.98	5968.63	184.53	.053	.00	16509.39	1510.57	.00	-3.25	.2309	41.927	.0000	.000
353.919	163.24	162.98	5968.63	184.64	.053	.00	16534.53	1513.82	.00	-3.25	.2309	41.819	.0000	.000
368.919	163.25	162.98	5968.63	184.76	.053	.00	16559.52	1517.09	.00	-3.26	.2309	41.710	.0000	.000
383.919	163.25	162.98	5968.63	184.88	.053	.00	16584.37	1520.36	.00	-3.27	.2309	41.602	.0000	.000
398.919	163.25	162.98	5968.63	185.00	.053	.00	16609.08	1523.64	.00	-3.28	.2309	41.494	.0000	.000
403.048	163.25	162.98	5968.63	185.04	.053	.00	16615.85	1524.55	.00	-.90	.2309	41.464	.0000	.000
418.048	163.25	162.98	5968.63	187.09	.053	.00	16469.10	1527.82	.00	-3.27	.2309	41.192	.0000	.000
427.051	163.26	162.98	5968.58	188.32	.054	.00	16381.95	1529.77	.00	-1.95	.2309	41.174	.0000	.000
427.061	163.25	162.88	5968.09	219.43	.063	.00	14067.75	1529.77	.00	-.00	.2309	41.029	.0000	.000
442.061	163.21	162.88	5968.28	207.93	.059	.00	14873.37	1532.62	.00	-2.85	.2309	41.998	.0000	.000
457.061	163.17	162.86	5968.41	199.50	.057	315.50	15717.83	1553.77	18.15	-3.00	.2306	42.625	.0000	.000
463.204	163.14	162.83	5968.41	199.57	.057	449.45	16074.88	1589.38	34.34	-1.26	.2302	42.581	.0000	.000
478.204	163.10	162.76	5968.21	212.20	.061	449.96	16092.85	1691.05	98.56	-3.11	.2303	42.561	.0000	.000
493.204	163.07	162.68	5967.99	224.83	.064	450.55	16110.72	1792.86	98.69	-3.12	.2303	42.551	.0000	.000
508.204	163.02	162.59	5967.77	237.47	.068	451.13	16128.50	1894.82	98.83	-3.13	.2303	42.541	.0000	.000
523.204	162.98	162.50	5967.53	250.12	.071	451.71	16146.18	1996.93	98.97	-3.14	.2304	42.531	.0000	.000
538.204	162.93	162.40	5967.28	262.79	.075	452.29	16163.76	2099.19	99.12	-3.14	.2304	42.521	.0000	.000
553.204	162.89	162.30	5967.01	275.47	.079	452.87	16181.24	2201.61	99.26	-3.15	.2305	42.511	.0000	.000
568.204	162.83	162.20	5966.73	288.17	.082	453.45	16198.62	2304.17	99.41	-3.16	.2305	42.501	.0000	.000
583.204	162.79	162.11	5966.50	299.41	.085	453.89	16212.91	2386.94	79.60	-3.17	.2305	42.471	.0000	.000
598.204	162.78	162.08	5966.42	301.89	.086	227.00	16228.69	2416.73	26.59	-3.20	.2305	42.389	.0000	.000
613.204	162.78	162.08	5966.42	301.88	.086	.00	16255.18	2419.89	.00	-3.17	.2305	42.280	.0000	.000

628.204	162.78	162.08	5966.42	301.96	.086	.00	16267.17	2423.06	.00	-3.17	.2305	42.172	.0000	.000
643.204	162.78	162.08	5966.42	302.05	.086	.00	16204.06	2426.24	.00	-3.18	.2305	42.064	.0000	.000
658.204	162.78	162.08	5966.41	302.13	.086	.00	16300.85	2429.42	.00	-3.18	.2305	41.955	.0000	.000
673.204	162.78	162.08	5966.41	302.22	.086	.00	16317.54	2432.61	.00	-3.19	.2305	41.847	.0000	.000
688.204	162.78	162.08	5966.41	302.31	.086	.00	16334.14	2435.81	.00	-3.20	.2305	41.738	.0000	.000
703.204	162.78	162.08	5966.41	302.40	.086	.00	16350.64	2439.02	.00	-3.20	.2305	41.630	.0000	.000
718.204	162.78	162.08	5966.41	302.49	.086	.00	16367.04	2442.23	.00	-3.21	.2305	41.522	.0000	.000
726.191	162.78	162.08	5966.40	302.55	.086	.00	16375.73	2443.94	.00	-1.71	.2305	41.464	.0000	.000
741.191	162.78	162.08	5966.40	302.81	.086	.00	16382.80	2447.16	.00	-3.22	.2305	41.140	.0000	.000
746.336	162.78	162.08	5966.40	302.91	.087	.00	16385.20	2448.26	.00	-1.10	.2305	41.240	.0000	.000
746.346	162.77	161.85	5965.30	346.31	.099	.00	14349.56	2448.27	.00	-.00	.2304	41.029	.0000	.000
761.346	162.69	161.85	5965.67	332.32	.095	.00	14972.15	2451.14	.00	-2.88	.2304	41.104	.0000	.000
776.346	162.63	161.85	5966.00	319.41	.091	.00	15597.03	2454.14	.00	-3.00	.2304	41.178	.0000	.000
791.346	162.57	161.85	5966.29	307.47	.088	.00	16224.19	2457.27	.00	-3.12	.2304	41.253	.0000	.000
794.831	162.56	161.85	5966.35	304.82	.087	.00	16370.23	2458.01	.00	-.74	.2304	41.270	.0000	.000
809.831	162.56	161.85	5966.34	305.35	.087	.00	16363.57	2461.22	.00	-3.21	.2304	41.093	.0000	.000
824.831	162.56	161.85	5966.33	305.87	.087	.00	16356.92	2464.43	.00	-3.21	.2304	40.916	.0000	.000
839.781	162.57	161.85	5966.31	306.39	.088	.00	16350.28	2467.64	.00	-3.21	.2304	40.739	.0000	.000
854.781	162.57	161.85	5966.30	306.91	.088	.00	16343.67	2470.84	.00	-3.20	.2304	40.563	.0000	.000
869.781	162.57	161.85	5966.28	307.83	.088	.00	16315.82	2474.05	.00	-3.21	.2304	39.794	.0000	.000
884.781	162.58	161.85	5966.26	308.76	.088	.00	16287.96	2477.25	.00	-3.20	.2304	39.025	.0000	.000
899.781	162.58	161.85	5966.24	309.68	.088	.00	16260.09	2480.44	.00	-3.19	.2304	38.255	.0000	.000
914.781	162.59	161.85	5966.21	310.61	.089	.00	16232.22	2483.63	.00	-3.19	.2304	37.486	.0000	.000
929.781	162.59	161.85	5966.19	311.54	.089	.00	16204.33	2486.81	.00	-3.18	.2304	36.717	.0000	.000
944.781	162.59	161.85	5966.17	312.48	.089	.00	16176.44	2489.99	.00	-3.18	.2304	35.948	.0000	.000
959.781	162.60	161.85	5966.14	313.42	.090	.00	16148.55	2493.16	.00	-3.17	.2304	35.178	.0000	.000
974.781	162.60	161.85	5966.12	314.36	.090	.00	16120.65	2496.33	.00	-3.17	.2304	34.409	.0000	.000
989.781	162.61	161.85	5966.10	315.30	.090	.00	16092.74	2499.49	.00	-3.16	.2304	33.640	.0000	.000
1004.781	162.61	161.85	5966.08	316.24	.090	.00	16064.82	2502.65	.00	-3.16	.2304	32.871	.0000	.000
1019.781	162.62	161.85	5966.05	317.19	.091	.00	16036.89	2505.80	.00	-3.15	.2304	32.101	.0000	.000
1034.781	162.62	161.85	5966.03	318.14	.091	.00	16008.96	2508.94	.00	-3.15	.2304	31.332	.0000	.000
1040.791	162.62	161.85	5966.02	318.53	.091	.00	15997.77	2510.20	.00	-1.26	.2304	31.024	.0000	.000
1055.791	162.63	161.85	5966.00	319.48	.091	.00	15969.84	2513.34	.00	-3.14	.2304	30.483	.0000	.000
1070.791	162.63	161.85	5965.97	320.44	.092	.00	15941.80	2516.47	.00	-3.13	.2304	29.942	.0000	.000
1084.171	162.64	161.85	5965.95	321.30	.092	.00	15916.69	2519.20	.00	-2.79	.2304	29.459	.0000	.000
AFT(A)	161.03	153.64	5930.90	995.31	.285	.....	15823.73	2528.73	.00	-5.75	.2297	29.460	....	.....
AFT(B)	161.03	161.03	5969.00	-.73	.000	.....	10413.12	3.72	.00	-3.72	.2295	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	#SLOT LB/SEC
FOREWARD	1.1676+02	1.6345+02	1.6336+02	5.9695+03	1.0541+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	8.6223+02
AFT	1.1677+02	1.6340+02	1.6331+02	5.9693+03	1.0544+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	8.6223+02

GAS BUILDUP IN SLOT, DW/DT = -2.1767-03

FOREWARD	4.2705+02	1.6326+02	1.6298+02	5.9686+03	1.8831+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.5298+03
AFT	4.2706+02	1.6315+02	1.6288+02	5.9681+03	1.8842+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.5298+03

GAS BUILDUP IN SLOT, DW/DT = -2.1611-03

FOREWARD	7.4634+02	1.6278+02	1.6208+02	5.9664+03	3.0295+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	2.4483+03
AFT	7.4635+02	1.6255+02	1.6185+02	5.9653+03	3.0333+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	2.4483+03

GAS BUILDUP IN SLOT, DW/DT = -2.1464-03

```
WEB BURNOUT INCREMENT LOCATION =  203.9190   SECTOR NO.  2   TAU = 42.9010   TAUWDP = 42.9010   TIME = 115.00
WEB BURNOUT INCREMENT LOCATION =  203.9190   SECTOR NO.  3   TAU = 42.9010   TAUWDP = 42.9010   TIME = 115.00
WEB BURNOUT INCREMENT LOCATION =  218.9190   SECTOR NO.  1   TAU = 42.7928   TAUWDP = 42.7928   TIME = 115.00
WEB BURNOUT INCREMENT LOCATION =  218.9190   SECTOR NO.  4   TAU = 42.7928   TAUWDP = 42.7928   TIME = 115.00
WEB BURNOUT INCREMENT LOCATION =  218.9190   SECTOR NO.  5   TAU = 42.7928   TAUWDP = 42.7928   TIME = 115.00
WEB BURNOUT INCREMENT LOCATION =  218.9190   SECTOR NO.  7   TAU = 42.7928   TAUWDP = 42.7928   TIME = 115.00
WEB BURNOUT INCREMENT LOCATION =  218.9190   SECTOR NO.  8   TAU = 42.7928   TAUWDP = 42.7928   TIME = 115.00
WEB BURNOUT INCREMENT LOCATION =  233.9190   SECTOR NO.  6   TAU = 42.6845   TAUWDP = 42.6845   TIME = 115.00
WEB BURNOUT INCREMENT LOCATION =  233.9190   SECTOR NO.  7   TAU = 42.6845   TAUWDP = 42.6845   TIME = 115.00
WEB BURNOUT INCREMENT LOCATION =  568.2040   SECTOR NO.  1   TAU = 42.6054   TAUWDP = 42.6054   TIME = 115.00
WEB BURNOUT INCREMENT LOCATION =  568.2040   SECTOR NO.  2   TAU = 42.6054   TAUWDP = 42.6054   TIME = 115.00
WEB BURNOUT INCREMENT LOCATION =  568.2040   SECTOR NO.  3   TAU = 42.6054   TAUWDP = 42.6054   TIME = 115.00
WEB BURNOUT INCREMENT LOCATION =  568.2040   SECTOR NO.  4   TAU = 42.6054   TAUWDP = 42.6054   TIME = 115.00
WEB BURNOUT INCREMENT LOCATION =  583.2040   SECTOR NO.  5   TAU = 42.4970   TAUWDP = 42.4970   TIME = 115.00
WEB BURNOUT INCREMENT LOCATION =  583.2040   SECTOR NO.  6   TAU = 42.4970   TAUWDP = 42.4970   TIME = 115.00
WEB BURNOUT INCREMENT LOCATION =  583.2040   SECTOR NO.  7   TAU = 42.4970   TAUWDP = 42.4970   TIME = 115.00
WEB BURNOUT INCREMENT LOCATION =  583.2040   SECTOR NO.  8   TAU = 42.4970   TAUWDP = 42.4970   TIME = 115.00
*PARTBN* TIME=115.50 IS=2 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 209.19 AINCHI= 188.92 DELZ=11.273 ALP=453.93 ALPHI=453.57
*PARTBN* TIME=115.50 IS=3 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 201.39 AINCHI= 188.92 DELZ=12.468 ALP=453.93 ALPHI=453.53
*PARTBN* TIME=115.50 IS=1 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 206.62 AINCHI= 203.92 DELZ= 2.700 ALP=453.92 ALPHI=453.87
*PARTBN* TIME=115.50 IS=4 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 208.40 AINCHI= 203.92 DELZ= 4.483 ALP=453.92 ALPHI=453.81
*PARTBN* TIME=115.50 IS=5 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 216.74 AINCHI= 203.92 DELZ=12.819 ALP=453.91 ALPHI=453.52
*PARTBN* TIME=115.50 IS=6 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 219.23 AINCHI= 203.92 DELZ=15.314 ALP=453.90 ALPHI=453.43
*PARTBN* TIME=115.50 IS=7 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 218.75 AINCHI= 203.92 DELZ=14.826 ALP=453.90 ALPHI=453.45
*PARTBN* TIME=115.50 IS=8 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 215.88 AINCHI= 203.92 DELZ=11.964 ALP=453.91 ALPHI=453.55
*PARTBN* TIME=115.50 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.09 DELZ= 2.968 ALP=315.11 ALPHI=225.27
*PARTBN* TIME=115.50 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.75 DELZ= 2.311 ALP=315.00 ALPHI=241.77
*PARTBN* TIME=115.50 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.63 DELZ= 2.434 ALP=315.02 ALPHI=238.66
*PARTBN* TIME=115.50 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 453.91 DELZ= 3.150 ALP=315.15 ALPHI=220.69
*PARTBN* TIME=115.50 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 453.07 DELZ= 3.995 ALP=315.30 ALPHI=199.44
*PARTBN* TIME=115.50 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 452.81 DELZ= 4.249 ALP=315.34 ALPHI=193.06
```

ORIGINAL PAGE IS OF POOR QUALITY

```
*PARTBN* TIME=115.50 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 452.86 DELZ= 4.200 ALP=315.33 ALPHI=194.30
*PARTBN* TIME=115.50 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 453.15 DELZ= 3.908 ALP=315.28 ALPHI=201.63
*PARTBN* TIME=115.50 IS=1 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 562.17 AINCHI= 553.20 DELZ= 8.969 ALP=454.06 ALPHI=453.78
*PARTBN* TIME=115.50 IS=2 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 555.48 AINCHI= 553.20 DELZ= 2.274 ALP=454.08 ALPHI=454.05
*PARTBN* TIME=115.50 IS=3 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 556.72 AINCHI= 553.20 DELZ= 3.518 ALP=454.08 ALPHI=454.00
*PARTBN* TIME=115.50 IS=4 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 564.02 AINCHI= 553.20 DELZ=10.821 ALP=454.06 ALPHI=453.70
*PARTBN* TIME=115.50 IS=5 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 572.70 AINCHI= 568.20 DELZ= 4.492 ALP=454.04 ALPHI=453.93
*PARTBN* TIME=115.50 IS=6 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 575.28 AINCHI= 568.20 DELZ= 7.080 ALP=454.03 ALPHI=453.82
*PARTBN* TIME=115.50 IS=7 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 574.78 AINCHI= 568.20 DELZ= 6.573 ALP=454.03 ALPHI=453.84
*PARTBN* TIME=115.50 IS=8 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 571.80 AINCHI= 568.20 DELZ= 3.600 ALP=454.04 ALPHI=453.96
*PARTBN* TIME=115.50 IS=2 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 200.19 AINCHI= 188.92 DELZ=11.273 ALP=453.93 ALPHI=453.57
*PARTBN* TIME=115.50 IS=3 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 201.39 AINCHI= 188.92 DELZ=12.468 ALP=453.93 ALPHI=453.53
*PARTBN* TIME=115.50 IS=4 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 206.62 AINCHI= 203.92 DELZ= 2.700 ALP=453.92 ALPHI=453.87
*PARTBN* TIME=115.50 IS=5 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 208.40 AINCHI= 203.92 DELZ= 4.483 ALP=453.92 ALPHI=453.81
*PARTBN* TIME=115.50 IS=6 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 216.74 AINCHI= 203.92 DELZ=12.819 ALP=453.91 ALPHI=453.52
*PARTBN* TIME=115.50 IS=7 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 219.23 AINCHI= 203.92 DELZ=15.314 ALP=453.90 ALPHI=453.43
*PARTBN* TIME=115.50 IS=8 ZCALC( 17)= 218.92 ZCALC( 16)= 203.92 AINCW= 218.75 AINCHI= 203.92 DELZ=14.826 ALP=453.90 ALPHI=453.45
*PARTBN* TIME=115.50 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.09 DELZ= 2.968 ALP=315.11 ALPHI=225.27
*PARTBN* TIME=115.50 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.75 DELZ= 2.311 ALP=315.00 ALPHI=241.77
*PARTBN* TIME=115.50 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.63 DELZ= 2.434 ALP=315.02 ALPHI=238.68
*PARTBN* TIME=115.50 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 453.91 DELZ= 3.150 ALP=315.15 ALPHI=220.69
*PARTBN* TIME=115.50 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 453.07 DELZ= 3.995 ALP=315.30 ALPHI=199.44
*PARTBN* TIME=115.50 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 452.81 DELZ= 4.249 ALP=315.34 ALPHI=193.06
*PARTBN* TIME=115.50 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 452.86 DELZ= 4.200 ALP=315.33 ALPHI=194.30
*PARTBN* TIME=115.50 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 453.15 DELZ= 3.908 ALP=315.28 ALPHI=201.63
*PARTBN* TIME=115.50 IS=1 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 562.17 AINCHI= 553.20 DELZ= 8.969 ALP=454.06 ALPHI=453.78
*PARTBN* TIME=115.50 IS=2 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 555.48 AINCHI= 553.20 DELZ= 2.274 ALP=454.08 ALPHI=454.05
*PARTBN* TIME=115.50 IS=3 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 556.72 AINCHI= 553.20 DELZ= 3.518 ALP=454.08 ALPHI=454.00
*PARTBN* TIME=115.50 IS=4 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 564.02 AINCHI= 553.20 DELZ=10.821 ALP=454.06 ALPHI=453.70
*PARTBN* TIME=115.50 IS=5 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 572.70 AINCHI= 568.20 DELZ= 4.492 ALP=454.04 ALPHI=453.93
*PARTBN* TIME=115.50 IS=6 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 575.28 AINCHI= 568.20 DELZ= 7.080 ALP=454.03 ALPHI=453.82
*PARTBN* TIME=115.50 IS=7 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 574.78 AINCHI= 568.20 DELZ= 6.573 ALP=454.03 ALPHI=453.84
*PARTBN* TIME=115.50 IS=8 ZCALC( 44)= 583.20 ZCALC( 43)= 568.20 AINCW= 571.80 AINCHI= 568.20 DELZ= 3.600 ALP=454.04 ALPHI=453.96
*EB BURNOUT INCREMENT LOCATION = 188.9190 SECTOR NO. 2 TAU = 43.0093 TAUWDP = 43.0093 TIME = 115.50
*EB BURNOUT INCREMENT LOCATION = 188.9190 SECTOR NO. 3 TAU = 43.0093 TAUWDP = 43.0093 TIME = 115.50
*EB BURNOUT INCREMENT LOCATION = 203.9190 SECTOR NO. 1 TAU = 42.9010 TAUWDP = 42.9010 TIME = 115.50
*EB BURNOUT INCREMENT LOCATION = 203.9190 SECTOR NO. 4 TAU = 42.9010 TAUWDP = 42.9010 TIME = 115.50
*EB BURNOUT INCREMENT LOCATION = 203.9190 SECTOR NO. 5 TAU = 42.9010 TAUWDP = 42.9010 TIME = 115.50
*EB BURNOUT INCREMENT LOCATION = 203.9190 SECTOR NO. 6 TAU = 42.9010 TAUWDP = 42.9010 TIME = 115.50
*EB BURNOUT INCREMENT LOCATION = 203.9190 SECTOR NO. 7 TAU = 42.9010 TAUWDP = 42.9010 TIME = 115.50
*EB BURNOUT INCREMENT LOCATION = 203.9190 SECTOR NO. 8 TAU = 42.9010 TAUWDP = 42.9010 TIME = 115.50
*EB BURNOUT INCREMENT LOCATION = 216.9190 SECTOR NO. 6 TAU = 42.7928 TAUWDP = 42.7928 TIME = 115.50
*EB BURNOUT INCREMENT LOCATION = 553.2040 SECTOR NO. 1 TAU = 42.7138 TAUWDP = 42.7138 TIME = 115.50
*EB BURNOUT INCREMENT LOCATION = 553.2040 SECTOR NO. 2 TAU = 42.7138 TAUWDP = 42.7138 TIME = 115.50
*EB BURNOUT INCREMENT LOCATION = 553.2040 SECTOR NO. 3 TAU = 42.7138 TAUWDP = 42.7138 TIME = 115.50
*EB BURNOUT INCREMENT LOCATION = 553.2040 SECTOR NO. 4 TAU = 42.7138 TAUWDP = 42.7138 TIME = 115.50
*EB BURNOUT INCREMENT LOCATION = 568.2040 SECTOR NO. 5 TAU = 42.6054 TAUWDP = 42.6054 TIME = 115.50
*EB BURNOUT INCREMENT LOCATION = 568.2040 SECTOR NO. 6 TAU = 42.6054 TAUWDP = 42.6054 TIME = 115.50
*EB BURNOUT INCREMENT LOCATION = 568.2040 SECTOR NO. 7 TAU = 42.6054 TAUWDP = 42.6054 TIME = 115.50
*EB BURNOUT INCREMENT LOCATION = 568.2040 SECTOR NO. 8 TAU = 42.6054 TAUWDP = 42.6054 TIME = 115.50
*PARTBN* TIME=116.00 IS=2 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 184.20 AINCHI= 173.92 DELZ=10.279 ALP=453.95 ALPHI=453.62
*PARTBN* TIME=116.00 IS=3 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 185.39 AINCHI= 173.92 DELZ=11.474 ALP=453.95 ALPHI=453.57
*PARTBN* TIME=116.00 IS=4 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 190.63 AINCHI= 188.92 DELZ= 1.711 ALP=453.94 ALPHI=453.93
*PARTBN* TIME=116.00 IS=4 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 192.42 AINCHI= 188.92 DELZ= 3.498 ALP=453.94 ALPHI=453.86
*PARTBN* TIME=116.00 IS=5 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 200.76 AINCHI= 188.92 DELZ=11.843 ALP=453.93 ALPHI=453.56
```

```
*PARTBN* TIME=116.00 IS=6 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 203.26 AINCHI= 188.92 DELZ=14.345 ALP=453.92 ALPHI=453.46
*PARTBN* TIME=116.00 IS=7 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 202.77 AINCHI= 188.92 DELZ=13.856 ALP=453.93 ALPHI=453.48
*PARTBN* TIME=116.00 IS=8 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 199.91 AINCHI= 188.92 DELZ=10.989 ALP=453.93 ALPHI=453.59
*PARTBN* TIME=116.00 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 455.73 DELZ= 1.332 ALP=314.82 ALPHI=266.40
*PARTBN* TIME=116.00 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 456.39 DELZ= .673 ALP=314.70 ALPHI=282.95
*PARTBN* TIME=116.00 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 456.27 DELZ= .796 ALP=314.72 ALPHI=279.87
*PARTBN* TIME=116.00 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 455.55 DELZ= 1.514 ALP=314.85 ALPHI=261.81
*PARTBN* TIME=116.00 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.70 DELZ= 2.364 ALP=315.00 ALPHI=240.45
*PARTBN* TIME=116.00 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.44 DELZ= 2.618 ALP=315.05 ALPHI=234.05
*PARTBN* TIME=116.00 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.49 DELZ= 2.569 ALP=315.04 ALPHI=235.29
*PARTBN* TIME=116.00 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.78 DELZ= 2.276 ALP=314.99 ALPHI=242.65
*PARTBN* TIME=116.00 IS=2 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 538.80 AINCHI= 523.20 DELZ=15.601 ALP=454.12 ALPHI=453.57
*PARTBN* TIME=116.00 IS=1 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 545.50 AINCHI= 538.20 DELZ= 7.299 ALP=454.10 ALPHI=453.88
*PARTBN* TIME=116.00 IS=3 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 540.04 AINCHI= 538.20 DELZ= 1.840 ALP=454.12 ALPHI=454.11
*PARTBN* TIME=116.00 IS=4 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 547.36 AINCHI= 538.20 DELZ= 9.155 ALP=454.10 ALPHI=453.81
*PARTBN* TIME=116.00 IS=5 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 556.04 AINCHI= 553.20 DELZ= 2.837 ALP=454.08 ALPHI=454.03
*PARTBN* TIME=116.00 IS=6 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 558.64 AINCHI= 553.20 DELZ= 5.433 ALP=454.07 ALPHI=453.92
*PARTBN* TIME=116.00 IS=7 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 558.13 AINCHI= 553.20 DELZ= 4.925 ALP=454.07 ALPHI=453.94
*PARTBN* TIME=116.00 IS=8 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 555.15 AINCHI= 553.20 DELZ= 1.945 ALP=454.08 ALPHI=454.07
*PARTBN* TIME=116.00 IS=2 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 184.20 AINCHI= 173.92 DELZ=10.279 ALP=453.95 ALPHI=453.62
*PARTBN* TIME=116.00 IS=3 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 185.39 AINCHI= 173.92 DELZ=11.474 ALP=453.95 ALPHI=453.57
*PARTBN* TIME=116.00 IS=1 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 190.63 AINCHI= 188.92 DELZ= 1.711 ALP=453.94 ALPHI=453.93
*PARTBN* TIME=116.00 IS=4 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 192.42 AINCHI= 188.92 DELZ= 3.498 ALP=453.94 ALPHI=453.86
*PARTBN* TIME=116.00 IS=5 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 200.76 AINCHI= 188.92 DELZ=11.843 ALP=453.93 ALPHI=453.56
*PARTBN* TIME=116.00 IS=6 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 203.26 AINCHI= 188.92 DELZ=14.345 ALP=453.92 ALPHI=453.46
*PARTBN* TIME=116.00 IS=7 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 202.77 AINCHI= 188.92 DELZ=13.856 ALP=453.93 ALPHI=453.48
*PARTBN* TIME=116.00 IS=8 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 199.91 AINCHI= 188.92 DELZ=10.989 ALP=453.93 ALPHI=453.59
*PARTBN* TIME=116.00 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 455.73 DELZ= 1.332 ALP=314.82 ALPHI=266.40
*PARTBN* TIME=116.00 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 456.39 DELZ= .673 ALP=314.70 ALPHI=282.95
*PARTBN* TIME=116.00 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 456.27 DELZ= -.796 ALP=314.72 ALPHI=279.87
*PARTBN* TIME=116.00 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 455.55 DELZ= 1.514 ALP=314.85 ALPHI=261.81
*PARTBN* TIME=116.00 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.70 DELZ= 2.364 ALP=315.00 ALPHI=240.45
*PARTBN* TIME=116.00 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.44 DELZ= 2.618 ALP=315.05 ALPHI=234.05
*PARTBN* TIME=116.00 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.49 DELZ= 2.569 ALP=315.04 ALPHI=235.29
*PARTBN* TIME=116.00 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.78 DELZ= 2.276 ALP=314.99 ALPHI=242.65
*PARTBN* TIME=116.00 IS=2 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 538.80 AINCHI= 523.20 DELZ=15.601 ALP=454.12 ALPHI=453.57
*PARTBN* TIME=116.00 IS=1 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 545.50 AINCHI= 538.20 DELZ= 7.299 ALP=454.10 ALPHI=453.88
*PARTBN* TIME=116.00 IS=3 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 540.04 AINCHI= 538.20 DELZ= 1.840 ALP=454.12 ALPHI=454.11
*PARTBN* TIME=116.00 IS=4 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 547.36 AINCHI= 538.20 DELZ= 9.155 ALP=454.10 ALPHI=453.81
*PARTBN* TIME=116.00 IS=5 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 556.04 AINCHI= 553.20 DELZ= 2.837 ALP=454.08 ALPHI=454.03
*PARTBN* TIME=116.00 IS=6 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 558.64 AINCHI= 553.20 DELZ= 5.433 ALP=454.07 ALPHI=453.92
*PARTBN* TIME=116.00 IS=7 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 558.13 AINCHI= 553.20 DELZ= 4.925 ALP=454.07 ALPHI=453.94
*PARTBN* TIME=116.00 IS=8 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 555.15 AINCHI= 553.20 DELZ= 1.945 ALP=454.08 ALPHI=454.07
*PARTBN* TIME=116.00 IS=2 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 184.20 AINCHI= 173.92 DELZ=10.279 ALP=453.95 ALPHI=453.62
*PARTBN* TIME=116.00 IS=3 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 185.39 AINCHI= 173.92 DELZ=11.474 ALP=453.95 ALPHI=453.57
*PARTBN* TIME=116.00 IS=1 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 190.63 AINCHI= 188.92 DELZ= 1.711 ALP=453.94 ALPHI=453.93
*PARTBN* TIME=116.00 IS=4 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 192.42 AINCHI= 188.92 DELZ= 3.498 ALP=453.94 ALPHI=453.86
*PARTBN* TIME=116.00 IS=5 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 200.76 AINCHI= 188.92 DELZ=11.843 ALP=453.93 ALPHI=453.56
*PARTBN* TIME=116.00 IS=6 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 203.26 AINCHI= 188.92 DELZ=14.345 ALP=453.92 ALPHI=453.46
*PARTBN* TIME=116.00 IS=7 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 202.77 AINCHI= 188.92 DELZ=13.856 ALP=453.93 ALPHI=453.48
*PARTBN* TIME=116.00 IS=8 ZCALC( 16)= 203.92 ZCALC( 15)= 188.92 AINCW= 199.91 AINCHI= 188.92 DELZ=10.989 ALP=453.93 ALPHI=453.59
*PARTBN* TIME=116.00 IS=1 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 455.73 DELZ= 1.332 ALP=314.82 ALPHI=266.40
*PARTBN* TIME=116.00 IS=2 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 456.39 DELZ= .673 ALP=314.70 ALPHI=282.95
*PARTBN* TIME=116.00 IS=3 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 456.27 DELZ= .796 ALP=314.72 ALPHI=279.87
*PARTBN* TIME=116.00 IS=4 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 455.55 DELZ= 1.514 ALP=314.85 ALPHI=261.81
*PARTBN* TIME=116.00 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.70 DELZ= 2.364 ALP=315.00 ALPHI=240.45
```

```
*PARTBN* TIME=116.00 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.44 DELZ= 2.618 ALP=315.05 ALPHI=234.05
*PARTBN* TIME=116.00 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.49 DELZ= 2.569 ALP=315.04 ALPHI=235.29
*PARTBN* TIME=116.00 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 454.78 DELZ= 2.276 ALP=314.99 ALPHI=242.65
*PARTBN* TIME=116.00 IS=2 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 538.80 AINCHI= 523.20 DELZ=15.601 ALP=454.12 ALPHI=453.57
*PARTBN* TIME=116.00 IS=1 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 545.50 AINCHI= 538.20 DELZ= 7.299 ALP=454.10 ALPHI=453.28
*PARTBN* TIME=116.00 IS=3 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 546.04 AINCHI= 538.20 DELZ= 1.840 ALP=454.12 ALPHI=454.11
*PARTBN* TIME=116.00 IS=4 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 547.36 AINCHI= 538.20 DELZ= 9.155 ALP=454.10 ALPHI=453.81
*PARTBN* TIME=116.00 IS=5 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 556.04 AINCHI= 553.20 DELZ= 2.837 ALP=454.08 ALPHI=454.03
*PARTBN* TIME=116.00 IS=6 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 558.64 AINCHI= 553.20 DELZ= 5.433 ALP=454.07 ALPHI=453.92
*PARTBN* TIME=116.00 IS=7 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 558.13 AINCHI= 553.20 DELZ= 4.925 ALP=454.07 ALPHI=453.94
*PARTBN* TIME=116.00 IS=8 ZCALC( 43)= 568.20 ZCALC( 42)= 553.20 AINCW= 555.15 AINCHI= 553.20 DELZ= 1.945 ALP=454.08 ALPHI=454.07
```

IGNITION TIME, TIME (S) 116.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	2088956.4	469840.89
TOTAL VACUUM THRUST (N,LBF)	FTVAC	2095058.7	471107.07
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	17121.258	3849.0007
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.12297498+10	.27645876+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	254.46385	254.46385
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.12797608+10	.28770167+09
THRUST COEFFICIENT	CF	1.6287018	1.6287018
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	830.57987	1831.1134
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	503928.57	1110972.3
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	9.1888281	20.257898
INERT MASS REMAINING (KG,LBM)	MIR	29.674767	65.421662
TOTAL BURN AREA (M**2,IN**2)	ABTOT	77.159530	119597.51
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	3.4763586	212140.42
PROPELLANT MASS REMAINING (KG,LBM)	WF	2547.8814	5617.1169
TOTAL GAS MASS (KG,LBM)	WGTOT	290.62129	640.71028
RATIO OF SPECIFIC HEATS	GAMA	1.1592524	1.1592524
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.718926	28.040433
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1549.1490	5082.5098
MAXIMUM CHAMBER MACH NUMBER	AMPN	.98497611-01	.98497611-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	81553743.	118.28370
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.53128241+11	77056.000
BURN AREA (M**2,IN**2)	AHH	.82621649	1280.6381
BURN RATE (M/S,IN/S)	RBZ(1)	.52445331-02	.20647768
DISTANCE BURNED (M,IN)	TAUZ(1)	1.0940758	43.073850
PROPELLANT VOLUME (M**3,IN**3)	VFH	.23082562	14085.539
GAS VOLUME (M**3,IN**3)	VPH	54.873311	3348556.6
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3306.9644	5952.5359
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	76.333313	118316.87
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	3.2435718	197934.89
GAS VOLUME (M**3,IN**3)	VP	280.24741	17101746.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	80320399.	116.49489
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.50716306+11	73557.783
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.52090223-02	.20507962
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.52044325-02	.20489774
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG-K,DEG-R)	PRNT(NI+2,3)	3306.5835	5951.8502
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.6019118	2482.9683
EXPANSION RATIO	EPR	6.7098044	6.7098044
PRESSURE RATIO	PEPO	.23566566-01	.23566566-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	3.0000000	3.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	118.28	118.28	5952.54	9.11	.003	450.94	16180.52	53.11	16.74	-36.37	.2060	43.074	.0000	.000
15.000	118.28	118.28	5952.52	24.68	.007	451.21	16200.16	144.12	88.42	-2.59	.2060	43.025	.0000	.000
30.000	118.28	118.27	5952.48	40.24	.012	451.48	16219.76	235.21	88.49	-2.60	.2060	43.021	.0000	.000
45.000	118.28	118.26	5952.42	55.77	.016	451.75	16239.32	326.36	88.55	-2.60	.2060	43.017	.0000	.000
60.000	118.27	118.24	5952.34	71.28	.020	452.02	16258.83	417.58	88.61	-2.60	.2061	43.012	.0000	.000
75.000	118.26	118.21	5952.25	86.77	.025	452.28	16278.30	508.86	88.68	-2.61	.2061	43.007	.0000	.000
90.000	118.24	118.19	5952.13	102.25	.029	452.55	16297.72	600.21	88.74	-2.61	.2061	43.002	.0000	.000
105.000	118.23	118.15	5952.00	117.72	.034	452.82	16317.10	691.62	88.80	-2.61	.2061	42.997	.0000	.000
116.761	118.21	118.12	5951.89	129.84	.037	453.03	16332.27	763.34	69.67	-2.05	.2061	42.992	.0000	.000
116.771	118.21	118.06	5951.50	163.72	.047	-427.02	12958.00	763.34	.00	-.00	.2061	42.993	.0000	.000
131.771	118.17	118.06	5951.74	143.90	.041	58.63	14787.18	765.62	.00	-2.28	.2060	42.993	.0000	.000
143.919	118.14	118.03	5951.80	138.08	.039	451.95	16270.66	808.19	40.54	-2.03	.2060	42.985	.0000	.000
155.919	118.12	117.99	5951.63	153.54	.044	452.60	16291.59	899.50	88.69	-2.61	.2061	42.979	.0000	.000
173.919	118.09	117.93	5951.43	169.01	.048	453.21	16312.39	990.96	88.84	-2.62	.2061	42.974	.0000	.000
188.919	118.07	117.88	5951.24	183.44	.052	453.72	16331.74	1076.39	82.81	-2.62	.2062	42.961	.0000	.000
203.919	118.05	117.85	5951.13	190.82	.055	340.45	16348.12	1120.59	41.56	-2.63	.2062	42.901	.0000	.000
218.919	118.05	117.85	5951.13	190.97	.055	.00	16374.12	1123.25	.00	-2.67	.2061	42.793	.0000	.000
233.919	118.06	117.85	5951.12	191.18	.055	.00	16394.47	1125.89	.00	-2.63	.2061	42.685	.0000	.000
248.919	118.06	117.85	5951.12	191.40	.055	.00	16414.70	1128.53	.00	-2.64	.2061	42.576	.0000	.000
263.919	118.06	117.85	5951.12	191.61	.055	.00	16434.81	1131.17	.00	-2.65	.2061	42.468	.0000	.000
278.919	118.06	117.85	5951.11	191.83	.055	.00	16454.81	1133.83	.00	-2.65	.2061	42.360	.0000	.000
293.919	118.06	117.85	5951.11	192.04	.055	.00	16474.69	1136.49	.00	-2.66	.2061	42.252	.0000	.000
308.919	118.06	117.85	5951.11	192.26	.055	.00	16494.46	1139.15	.00	-2.66	.2061	42.143	.0000	.000
323.919	118.06	117.85	5951.10	192.48	.055	.00	16514.11	1141.82	.00	-2.67	.2061	42.035	.0000	.000
338.919	118.06	117.85	5951.10	192.71	.055	.00	16533.64	1144.50	.00	-2.68	.2061	41.927	.0000	.000
353.919	118.06	117.85	5951.10	192.93	.055	.00	16553.06	1147.18	.00	-2.68	.2061	41.819	.0000	.000
368.919	118.06	117.85	5951.09	193.16	.055	.00	16572.36	1149.86	.00	-2.69	.2061	41.710	.0000	.000
383.919	118.06	117.85	5951.09	193.39	.055	.00	16591.55	1152.56	.00	-2.69	.2061	41.602	.0000	.000
398.919	118.06	117.85	5951.09	193.62	.055	.00	16610.62	1155.25	.00	-2.70	.2061	41.494	.0000	.000
403.048	118.06	117.85	5951.09	193.68	.055	.00	16615.85	1156.00	.00	-.74	.2061	41.464	.0000	.000
418.048	118.07	117.85	5951.05	195.86	.056	.00	16469.10	1158.69	.00	-2.69	.2061	41.192	.0000	.000
427.061	118.07	117.85	5951.03	197.17	.056	.00	16381.95	1160.29	.00	-1.60	.2061	41.174	.0000	.000
427.061	118.06	117.77	5950.50	229.75	.066	.00	14067.75	1160.29	.00	-.00	.2061	41.029	.0000	.000
442.061	118.03	117.77	5950.71	217.16	.062	.00	14913.91	1162.64	.00	-2.35	.2061	41.998	.0000	.000
457.061	118.00	117.76	5950.89	206.57	.059	314.89	15800.79	1171.59	6.49	-2.46	.2060	42.849	.0000	.000
463.204	117.98	117.74	5950.88	207.29	.059	450.86	16175.75	1203.35	30.71	-1.05	.2057	42.805	.0000	.000
478.204	117.94	117.67	5950.62	222.91	.064	451.37	16187.73	1294.25	88.31	-2.59	.2057	42.785	.0000	.000
493.204	117.91	117.59	5950.34	238.56	.068	451.95	16199.65	1385.28	88.44	-2.59	.2058	42.775	.0000	.000
508.204	117.87	117.51	5950.04	254.23	.073	452.54	16211.49	1476.44	88.57	-2.60	.2058	42.765	.0000	.000
523.204	117.83	117.42	5949.72	269.94	.077	453.12	16223.26	1567.74	88.70	-2.60	.2058	42.755	.0000	.000
538.204	117.78	117.33	5949.38	285.75	.082	453.70	16235.01	1659.55	89.27	-2.55	.2058	42.745	.0000	.000
553.204	117.75	117.26	5949.14	296.14	.085	397.29	16244.23	1719.99	57.83	-2.61	.2058	42.701	.0000	.000
568.204	117.75	117.25	5949.09	298.37	.085	227.04	16253.46	1733.77	11.17	-2.61	.2058	42.605	.0000	.000
583.204	117.75	117.25	5949.09	298.52	.085	.00	16269.66	1736.37	.00	-2.60	.2058	42.497	.0000	.000
598.204	117.75	117.25	5949.08	298.76	.085	.00	16281.08	1738.98	.00	-2.61	.2058	42.389	.0000	.000
613.204	117.75	117.25	5949.08	299.00	.085	.00	16292.44	1741.59	.00	-2.61	.2058	42.280	.0000	.000

628.204	117.75	117.25	5949.07	299.24	.086	.00	16303.72	1744.20	.00	-2.62	.2058	42.172	.0000	.000
643.204	117.75	117.25	5949.07	299.49	.086	.00	16319.44	1746.83	.00	-2.62	.2058	42.064	.0000	.000
658.204	117.75	117.25	5949.06	299.73	.086	.00	16326.08	1749.45	.00	-2.63	.2058	41.955	.0000	.000
673.204	117.75	117.25	5949.05	299.98	.086	.00	16337.16	1752.08	.00	-2.63	.2058	41.847	.0000	.000
688.204	117.75	117.25	5949.05	300.23	.086	.00	16348.17	1754.71	.00	-2.63	.2058	41.738	.0000	.000
703.204	117.75	117.25	5949.04	300.48	.086	.00	16359.10	1757.35	.00	-2.64	.2058	41.630	.0000	.000
719.204	117.76	117.25	5949.04	300.73	.086	.00	16369.97	1759.99	.00	-2.64	.2058	41.522	.0000	.000
726.191	117.76	117.25	5949.03	300.86	.086	.00	16375.73	1761.40	.00	-1.41	.2058	41.464	.0000	.000
741.191	117.76	117.25	5949.03	301.19	.086	.00	16382.80	1764.05	.00	-2.65	.2058	41.140	.0000	.000
746.236	117.76	117.25	5949.02	301.30	.086	.00	16385.20	1764.96	.00	-.91	.2058	41.240	.0000	.000
746.346	117.75	117.09	5947.94	344.46	.099	.00	14349.56	1764.96	.00	-.00	.2057	41.029	.0000	.000
761.346	117.69	117.09	5948.31	330.60	.095	.00	14972.15	1767.32	.00	-2.37	.2057	41.104	.0000	.000
776.346	117.65	117.09	5948.63	317.82	.091	.00	15597.03	1769.79	.00	-2.47	.2057	41.178	.0000	.000
791.346	117.61	117.09	5948.91	305.99	.087	.00	16224.19	1772.36	.00	-2.57	.2057	41.253	.0000	.000
794.631	117.60	117.09	5948.98	303.37	.087	.00	16370.23	1772.97	.00	-.61	.2057	41.270	.0000	.000
809.631	117.60	117.09	5948.96	303.94	.087	.00	16363.57	1775.61	.00	-2.64	.2057	41.093	.0000	.000
824.631	117.60	117.09	5948.95	304.52	.087	.00	16356.92	1778.25	.00	-2.64	.2057	40.916	.0000	.000
839.631	117.60	117.09	5948.93	305.09	.087	.00	16350.28	1780.89	.00	-2.64	.2057	40.739	.0000	.000
854.781	117.61	117.09	5948.92	305.67	.087	.00	16343.67	1783.52	.00	-2.63	.2057	40.563	.0000	.000
869.781	117.61	117.09	5948.90	306.64	.088	.00	16315.82	1786.15	.00	-2.64	.2057	39.794	.0000	.000
884.781	117.61	117.09	5948.87	307.62	.088	.00	16287.96	1788.78	.00	-2.63	.2057	39.025	.0000	.000
899.781	117.62	117.09	5948.85	308.59	.088	.00	16260.09	1791.41	.00	-2.63	.2057	38.255	.0000	.000
914.781	117.62	117.09	5948.83	309.57	.089	.00	16232.22	1794.03	.00	-2.62	.2057	37.486	.0000	.000
929.781	117.62	117.09	5948.80	310.56	.089	.00	16204.33	1796.65	.00	-2.62	.2057	36.717	.0000	.000
944.781	117.63	117.09	5948.78	311.55	.089	.00	16176.44	1799.26	.00	-2.61	.2057	35.948	.0000	.000
959.781	117.63	117.09	5948.76	312.53	.089	.00	16148.55	1801.87	.00	-2.61	.2057	35.178	.0000	.000
974.781	117.63	117.09	5948.73	313.53	.090	.00	16120.65	1804.47	.00	-2.60	.2057	34.409	.0000	.000
989.781	117.64	117.09	5948.71	314.52	.090	.00	16092.74	1807.07	.00	-2.60	.2057	33.640	.0000	.000
1004.781	117.64	117.09	5948.68	315.52	.090	.00	16064.82	1809.67	.00	-2.59	.2057	32.871	.0000	.000
1019.781	117.64	117.09	5948.66	316.52	.091	.00	16036.89	1812.26	.00	-2.59	.2057	32.101	.0000	.000
1034.781	117.65	117.09	5948.64	317.52	.091	.00	16008.96	1814.84	.00	-2.59	.2057	31.332	.0000	.000
1049.791	117.65	117.09	5948.63	317.93	.091	.00	15997.77	1815.88	.00	-1.03	.2057	31.024	.0000	.000
1065.791	117.65	117.09	5948.60	318.93	.091	.00	15969.84	1818.46	.00	-2.58	.2057	30.483	.0000	.000
1080.791	117.66	117.09	5948.58	319.94	.091	.00	15941.80	1821.03	.00	-2.57	.2057	29.942	.0000	.000
1084.171	117.66	117.09	5948.55	320.85	.092	.00	15916.69	1823.32	.00	-2.29	.2057	29.459	.0000	.000
AFT(A)	116.49	111.15	5913.77	994.57	.285	*****	15023.73	1831.11	.00	-4.73	.2051	29.460	****	*****
AFT(U)	116.49	116.49	5951.85	-.83	.000	*****	10413.12	3.06	.00	-3.06	.2049	20.670	****	*****

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FORWARD	1.1676+02	1.1821+02	1.1812+02	5.9519+03	1.2883+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	7.6334+02
AFT	1.1677+02	1.1815+02	1.1806+02	5.9515+03	1.2889+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	7.6334+02

GAS BUILDUP IN SLOT, DW/DT = -1.7893-03

FORWARD	4.2705+02	1.1807+02	1.1785+02	5.9510+03	1.9716+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.1603+03
AFT	4.2706+02	1.1798+02	1.1777+02	5.9505+03	1.9728+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.1603+03

GAS BUILDUP IN SLOT, DW/DT = -1.7764-03

FORWARD	7.4634+02	1.1776+02	1.1725+02	5.9490+03	3.0134+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.7650+03
AFT	7.4635+02	1.1759+02	1.1709+02	5.9479+03	3.0171+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.7650+03

GAS BUILDUP IN SLOT, DW/DT = -1.7646-03

```
WEB BURNOUT INCREMENT LOCATION =  173.9190   SECTOR NO.  2   TAU = 43.1175   TAUWDP = 43.1175   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  173.9190   SECTOR NO.  3   TAU = 43.1175   TAUWDP = 43.1175   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  188.9190   SECTOR NO.  1   TAU = 43.0093   TAUWDP = 43.0093   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  188.9190   SECTOR NO.  4   TAU = 43.0093   TAUWDP = 43.0093   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  188.9190   SECTOR NO.  5   TAU = 43.0093   TAUWDP = 43.0093   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  188.9190   SECTOR NO.  6   TAU = 43.0093   TAUWDP = 43.0093   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  188.9190   SECTOR NO.  7   TAU = 43.0093   TAUWDP = 43.0093   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  188.9190   SECTOR NO.  8   TAU = 43.0093   TAUWDP = 43.0093   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  457.0610   SECTOR NO.  1   TAU = 42.9671   TAUWDP = 42.9671   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  457.0610   SECTOR NO.  2   TAU = 42.9671   TAUWDP = 42.9671   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  457.0610   SECTOR NO.  3   TAU = 42.9671   TAUWDP = 42.9671   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  457.0610   SECTOR NO.  4   TAU = 42.9671   TAUWDP = 42.9671   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  523.2040   SECTOR NO.  2   TAU = 42.9305   TAUWDP = 42.9305   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  538.2040   SECTOR NO.  1   TAU = 42.8221   TAUWDP = 42.8221   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  538.2040   SECTOR NO.  2   TAU = 42.8221   TAUWDP = 42.8221   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  538.2040   SECTOR NO.  3   TAU = 42.8221   TAUWDP = 42.8221   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  538.2040   SECTOR NO.  4   TAU = 42.8221   TAUWDP = 42.8221   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  553.2040   SECTOR NO.  5   TAU = 42.7138   TAUWDP = 42.7138   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  553.2040   SECTOR NO.  6   TAU = 42.7138   TAUWDP = 42.7138   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  553.2040   SECTOR NO.  7   TAU = 42.7138   TAUWDP = 42.7138   TIME = 116.00
WEB BURNOUT INCREMENT LOCATION =  553.2040   SECTOR NO.  8   TAU = 42.7138   TAUWDP = 42.7138   TIME = 116.00
*PARTBN* TIME=116.50 IS=2 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 169.13 AINCHI= 158.92 DELZ=10.207 ALP=453.97 ALPHI=453.63
*PARTBN* TIME=116.50 IS=3 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 170.32 AINCHI= 158.92 DELZ=11.401 ALP=453.97 ALPHI=453.58
*PARTBN* TIME=116.50 IS=1 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 175.57 AINCHI= 173.92 DELZ= 1.646 ALP=453.96 ALPHI=453.95
*PARTBN* TIME=116.50 IS=4 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 177.35 AINCHI= 173.92 DELZ= 3.435 ALP=453.96 ALPHI=453.88
*PARTBN* TIME=116.50 IS=5 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 185.71 AINCHI= 173.92 DELZ=11.788 ALP=453.95 ALPHI=453.56
*PARTBN* TIME=116.50 IS=6 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 188.21 AINCHI= 173.92 DELZ=14.296 ALP=453.94 ALPHI=453.47
*PARTBN* TIME=116.50 IS=7 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 187.72 AINCHI= 173.92 DELZ=13.805 ALP=453.94 ALPHI=453.49
*PARTBN* TIME=116.50 IS=8 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 184.85 AINCHI= 173.92 DELZ=10.933 ALP=453.95 ALPHI=453.60
*PARTBN* TIME=116.50 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 456.24 DELZ=  .824 ALP=314.72 ALPHI=279.15
*PARTBN* TIME=116.50 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 455.98 DELZ= 1.080 ALP=314.77 ALPHI=272.72
```

ORIGINAL PAGE IS OF POOR QUALITY

```
*PARTBN* TIME=116.50 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 456.03 DELZ= 1.030 ALP=314.76 ALPHI=273.98
*PARTBN* TIME=116.50 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 456.32 DELZ=  .737 ALP=314.71 ALPHI=281.35
*PARTBN* TIME=116.50 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.26 DELZ= 5.948 ALP=451.68 ALPHI=304.77
*PARTBN* TIME=116.50 IS=2 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.87 DELZ= 5.334 ALP=451.95 ALPHI=320.21
*PARTBN* TIME=116.50 IS=3 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.76 DELZ= 5.449 ALP=451.90 ALPHI=317.33
*PARTBN* TIME=116.50 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.09 DELZ= 6.119 ALP=451.61 ALPHI=300.49
*PARTBN* TIME=116.50 IS=2 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 523.08 AINCHI= 508.20 DELZ=14.881 ALP=454.16 ALPHI=453.64
*PARTBN* TIME=116.50 IS=3 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 524.33 AINCHI= 508.20 DELZ=16.127 ALP=454.15 ALPHI=453.59
*PARTBN* TIME=116.50 IS=1 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 529.79 AINCHI= 523.20 DELZ= 6.587 ALP=454.14 ALPHI=453.95
*PARTBN* TIME=116.50 IS=4 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 531.65 AINCHI= 523.20 DELZ= 8.446 ALP=454.14 ALPHI=453.87
*PARTBN* TIME=116.50 IS=8 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 539.45 AINCHI= 523.20 DELZ=16.244 ALP=454.12 ALPHI=453.55
*PARTBN* TIME=116.50 IS=5 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 540.34 AINCHI= 538.20 DELZ= 2.139 ALP=454.12 ALPHI=454.09
*PARTBN* TIME=116.50 IS=6 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 542.95 AINCHI= 538.20 DELZ= 4.742 ALP=454.11 ALPHI=453.99
*PARTBN* TIME=116.50 IS=7 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 542.44 AINCHI= 538.20 DELZ= 4.232 ALP=454.11 ALPHI=454.01
*PARTBN* TIME=116.50 IS=2 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 169.13 AINCHI= 158.92 DELZ=10.207 ALP=453.97 ALPHI=453.63
*PARTBN* TIME=116.50 IS=3 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 170.32 AINCHI= 158.92 DELZ=11.401 ALP=453.97 ALPHI=453.58
*PARTBN* TIME=116.50 IS=1 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 175.57 AINCHI= 173.92 DELZ= 1.646 ALP=453.96 ALPHI=453.95
*PARTBN* TIME=116.50 IS=4 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 177.35 AINCHI= 173.92 DELZ= 3.435 ALP=453.96 ALPHI=453.88
*PARTBN* TIME=116.50 IS=5 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 185.71 AINCHI= 173.92 DELZ=11.788 ALP=453.95 ALPHI=453.56
*PARTBN* TIME=116.50 IS=6 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 188.21 AINCHI= 173.92 DELZ=14.296 ALP=453.94 ALPHI=453.47
*PARTBN* TIME=116.50 IS=7 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 187.72 AINCHI= 173.92 DELZ=13.805 ALP=453.94 ALPHI=453.49
*PARTBN* TIME=116.50 IS=8 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 184.85 AINCHI= 173.92 DELZ=10.933 ALP=453.95 ALPHI=453.60
*PARTBN* TIME=116.50 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 456.24 DELZ=  .824 ALP=314.72 ALPHI=279.15
*PARTBN* TIME=116.50 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 455.98 DELZ= 1.080 ALP=314.77 ALPHI=272.72
*PARTBN* TIME=116.50 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 456.03 DELZ= 1.030 ALP=314.76 ALPHI=273.98
*PARTBN* TIME=116.50 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 456.32 DELZ=  .737 ALP=314.71 ALPHI=281.35
*PARTBN* TIME=116.50 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.26 DELZ= 5.948 ALP=451.68 ALPHI=304.77
*PARTBN* TIME=116.50 IS=2 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.87 DELZ= 5.334 ALP=451.95 ALPHI=320.21
*PARTBN* TIME=116.50 IS=3 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.76 DELZ= 5.449 ALP=451.90 ALPHI=317.33
*PARTBN* TIME=116.50 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.09 DELZ= 6.119 ALP=451.61 ALPHI=300.49
*PARTBN* TIME=116.50 IS=2 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 523.08 AINCHI= 508.20 DELZ=14.881 ALP=454.16 ALPHI=453.64
*PARTBN* TIME=116.50 IS=3 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 524.33 AINCHI= 508.20 DELZ=16.127 ALP=454.15 ALPHI=453.59
*PARTBN* TIME=116.50 IS=1 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 529.79 AINCHI= 523.20 DELZ= 6.587 ALP=454.14 ALPHI=453.95
*PARTBN* TIME=116.50 IS=4 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 531.65 AINCHI= 523.20 DELZ= 8.446 ALP=454.14 ALPHI=453.87
*PARTBN* TIME=116.50 IS=8 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 539.45 AINCHI= 523.20 DELZ=16.244 ALP=454.12 ALPHI=453.55
*PARTBN* TIME=116.50 IS=5 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 540.34 AINCHI= 538.20 DELZ= 2.139 ALP=454.12 ALPHI=454.09
*PARTBN* TIME=116.50 IS=6 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 542.95 AINCHI= 538.20 DELZ= 4.742 ALP=454.11 ALPHI=453.99
*PARTBN* TIME=116.50 IS=7 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 542.44 AINCHI= 538.20 DELZ= 4.232 ALP=454.11 ALPHI=454.01
*PARTBN* TIME=116.50 IS=2 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 169.13 AINCHI= 158.92 DELZ=10.207 ALP=453.97 ALPHI=453.63
*PARTBN* TIME=116.50 IS=3 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 170.32 AINCHI= 158.92 DELZ=11.401 ALP=453.97 ALPHI=453.58
*PARTBN* TIME=116.50 IS=1 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 175.57 AINCHI= 173.92 DELZ= 1.646 ALP=453.96 ALPHI=453.95
*PARTBN* TIME=116.50 IS=4 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 177.35 AINCHI= 173.92 DELZ= 3.435 ALP=453.96 ALPHI=453.88
*PARTBN* TIME=116.50 IS=5 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 185.71 AINCHI= 173.92 DELZ=11.788 ALP=453.95 ALPHI=453.56
*PARTBN* TIME=116.50 IS=6 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 188.21 AINCHI= 173.92 DELZ=14.296 ALP=453.94 ALPHI=453.47
*PARTBN* TIME=116.50 IS=7 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 187.72 AINCHI= 173.92 DELZ=13.805 ALP=453.94 ALPHI=453.49
*PARTBN* TIME=116.50 IS=8 ZCALC( 15)= 188.92 ZCALC( 14)= 173.92 AINCW= 184.85 AINCHI= 173.92 DELZ=10.933 ALP=453.95 ALPHI=453.60
*PARTBN* TIME=116.50 IS=5 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 456.24 DELZ=  .824 ALP=314.72 ALPHI=279.15
*PARTBN* TIME=116.50 IS=6 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 455.98 DELZ= 1.080 ALP=314.77 ALPHI=272.72
*PARTBN* TIME=116.50 IS=7 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 456.03 DELZ= 1.030 ALP=314.76 ALPHI=273.98
*PARTBN* TIME=116.50 IS=8 ZCALC( 35)= 457.06 ZCALC( 34)= 442.06 AINCW= 457.06 AINCHI= 456.32 DELZ=  .737 ALP=314.71 ALPHI=281.35
*PARTBN* TIME=116.50 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.26 DELZ= 5.948 ALP=451.68 ALPHI=304.77
*PARTBN* TIME=116.50 IS=2 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.87 DELZ= 5.334 ALP=451.95 ALPHI=320.21
*PARTBN* TIME=116.50 IS=3 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.76 DELZ= 5.449 ALP=451.90 ALPHI=317.33
*PARTBN* TIME=116.50 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.09 DELZ= 6.119 ALP=451.61 ALPHI=300.49
*PARTBN* TIME=116.50 IS=2 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 523.08 AINCHI= 508.20 DELZ=14.881 ALP=454.16 ALPHI=453.64
*PARTBN* TIME=116.50 IS=3 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 524.33 AINCHI= 508.20 DELZ=16.127 ALP=454.15 ALPHI=453.59
```

```
*PARTBN* TIME=116.50 IS=1 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 529.79 AINCHI= 523.20 DELZ= 6.587 ALP=454.14 ALPHI=453.95
*PARTBN* TIME=116.50 IS=4 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 531.65 AINCHI= 523.20 DELZ= 8.446 ALP=454.14 ALPHI=453.87
*PARTBN* TIME=116.50 IS=8 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 539.45 AINCHI= 523.20 DELZ=16.244 ALP=454.12 ALPHI=453.55
*PARTBN* TIME=116.50 IS=5 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 540.34 AINCHI= 538.20 DELZ= 2.139 ALP=454.12 ALPHI=454.09
*PARTBN* TIME=116.50 IS=6 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 542.95 AINCHI= 538.20 DELZ= 4.742 ALP=454.11 ALPHI=453.98
*PARTBN* TIME=116.50 IS=7 ZCALC( 42)= 553.20 ZCALC( 41)= 538.20 AINCW= 542.44 AINCHI= 538.20 DELZ= 4.232 ALP=454.11 ALPHI=454.01
*EB BURNOUT INCREMENT LOCATION = 158.9190 SECTOR NO. 2 TAU = 43.2258 TAUWDP = 43.2258 TIME = 116.50
*EB BURNOUT INCREMENT LOCATION = 158.9190 SECTOR NO. 3 TAU = 43.2258 TAUWDP = 43.2258 TIME = 116.50
*EB BURNOUT INCREMENT LOCATION = 173.9190 SECTOR NO. 1 TAU = 43.1175 TAUWDP = 43.1175 TIME = 116.50
*EB BURNOUT INCREMENT LOCATION = 173.9190 SECTOR NO. 4 TAU = 43.1175 TAUWDP = 43.1175 TIME = 116.50
*EB BURNOUT INCREMENT LOCATION = 173.9190 SECTOR NO. 5 TAU = 43.1175 TAUWDP = 43.1175 TIME = 116.50
*EB BURNOUT INCREMENT LOCATION = 173.9190 SECTOR NO. 7 TAU = 43.1175 TAUWDP = 43.1175 TIME = 116.50
*EB BURNOUT INCREMENT LOCATION = 173.9190 SECTOR NO. 8 TAU = 43.1175 TAUWDP = 43.1175 TIME = 116.50
*EB BURNOUT INCREMENT LOCATION = 457.0610 SECTOR NO. 5 TAU = 42.9671 TAUWDP = 42.9671 TIME = 116.50
*EB BURNOUT INCREMENT LOCATION = 457.0610 SECTOR NO. 6 TAU = 42.9671 TAUWDP = 42.9671 TIME = 116.50
*EB BURNOUT INCREMENT LOCATION = 457.0610 SECTOR NO. 7 TAU = 42.9671 TAUWDP = 42.9671 TIME = 116.50
*EB BURNOUT INCREMENT LOCATION = 457.0610 SECTOR NO. 8 TAU = 42.9671 TAUWDP = 42.9671 TIME = 116.50
*EB BURNOUT INCREMENT LOCATION = 523.2040 SECTOR NO. 1 TAU = 42.9305 TAUWDP = 42.9305 TIME = 116.50
*EB BURNOUT INCREMENT LOCATION = 523.2040 SECTOR NO. 3 TAU = 42.9305 TAUWDP = 42.9305 TIME = 116.50
*EB BURNOUT INCREMENT LOCATION = 523.2040 SECTOR NO. 4 TAU = 42.9305 TAUWDP = 42.9305 TIME = 116.50
*EB BURNOUT INCREMENT LOCATION = 538.2040 SECTOR NO. 5 TAU = 42.8221 TAUWDP = 42.8221 TIME = 116.50
*EB BURNOUT INCREMENT LOCATION = 538.2040 SECTOR NO. 6 TAU = 42.8221 TAUWDP = 42.8221 TIME = 116.50
*EB BURNOUT INCREMENT LOCATION = 538.2040 SECTOR NO. 7 TAU = 42.8221 TAUWDP = 42.8221 TIME = 116.50
*EB BURNOUT INCREMENT LOCATION = 538.2040 SECTOR NO. 8 TAU = 42.8221 TAUWDP = 42.8221 TIME = 116.50
*PARTBN* TIME=117.00 IS=2 ZCALC( 9)= 116.76 ZCALC( 8)= 105.00 AINCW= 119.76 AINCHI= 105.00 DELZ=14.760 ALP=454.74 ALPHI=454.53
*PARTBN* TIME=117.00 IS=2 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 154.98 AINCHI= 143.92 DELZ=11.060 ALP=453.99 ALPHI=453.60
*PARTBN* TIME=117.00 IS=3 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 156.17 AINCHI= 143.92 DELZ=12.254 ALP=453.98 ALPHI=453.55
*PARTBN* TIME=117.00 IS=1 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 161.42 AINCHI= 158.92 DELZ= 2.503 ALP=453.98 ALPHI=453.94
*PARTBN* TIME=117.00 IS=4 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 163.21 AINCHI= 158.92 DELZ= 4.294 ALP=453.98 ALPHI=453.87
*PARTBN* TIME=117.00 IS=5 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 171.57 AINCHI= 158.92 DELZ=12.655 ALP=453.96 ALPHI=453.53
*PARTBN* TIME=117.00 IS=6 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 174.09 AINCHI= 158.92 DELZ=15.167 ALP=453.96 ALPHI=453.43
*PARTBN* TIME=117.00 IS=7 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 173.59 AINCHI= 158.92 DELZ=14.675 ALP=453.96 ALPHI=453.45
*PARTBN* TIME=117.00 IS=8 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 170.72 AINCHI= 158.92 DELZ=11.800 ALP=453.97 ALPHI=453.57
*PARTBN* TIME=117.00 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.60 DELZ= 4.600 ALP=452.29 ALPHI=338.66
*PARTBN* TIME=117.00 IS=2 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.22 DELZ= 3.985 ALP=452.56 ALPHI=354.12
*PARTBN* TIME=117.00 IS=3 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.10 DELZ= 4.100 ALP=452.51 ALPHI=351.24
*PARTBN* TIME=117.00 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.43 DELZ= 4.771 ALP=452.21 ALPHI=334.37
*PARTBN* TIME=117.00 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.64 DELZ= 5.564 ALP=451.86 ALPHI=314.42
*PARTBN* TIME=117.00 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.40 DELZ= 5.893 ALP=451.76 ALPHI=308.42
*PARTBN* TIME=117.00 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.45 DELZ= 5.757 ALP=451.78 ALPHI=309.59
*PARTBN* TIME=117.00 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.72 DELZ= 5.483 ALP=451.90 ALPHI=316.47
*PARTBN* TIME=117.00 IS=2 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 508.32 AINCHI= 493.20 DELZ=15.110 ALP=454.19 ALPHI=453.66
*PARTBN* TIME=117.00 IS=3 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 509.57 AINCHI= 493.20 DELZ=16.363 ALP=454.19 ALPHI=453.61
*PARTBN* TIME=117.00 IS=1 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 515.04 AINCHI= 508.20 DELZ= 6.832 ALP=454.18 ALPHI=453.97
*PARTBN* TIME=117.00 IS=4 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 516.90 AINCHI= 508.20 DELZ= 8.695 ALP=454.17 ALPHI=453.90
*PARTBN* TIME=117.00 IS=8 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 524.71 AINCHI= 508.20 DELZ=16.502 ALP=454.15 ALPHI=453.58
*PARTBN* TIME=117.00 IS=5 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 525.60 AINCHI= 523.20 DELZ= 2.397 ALP=454.15 ALPHI=454.12
*PARTBN* TIME=117.00 IS=6 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 528.21 AINCHI= 523.20 DELZ= 5.007 ALP=454.14 ALPHI=454.01
*PARTBN* TIME=117.00 IS=7 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 527.70 AINCHI= 523.20 DELZ= 4.496 ALP=454.15 ALPHI=454.03
*PARTBN* TIME=117.00 IS=2 ZCALC( 9)= 116.76 ZCALC( 8)= 105.00 AINCW= 119.76 AINCHI= 105.00 DELZ=14.760 ALP=454.74 ALPHI=454.53
*PARTBN* TIME=117.00 IS=2 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 154.98 AINCHI= 143.92 DELZ=11.060 ALP=453.99 ALPHI=453.60
*PARTBN* TIME=117.00 IS=3 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 156.17 AINCHI= 143.92 DELZ=12.254 ALP=453.98 ALPHI=453.55
*PARTBN* TIME=117.00 IS=1 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 161.42 AINCHI= 158.92 DELZ= 2.503 ALP=453.98 ALPHI=453.94
*PARTBN* TIME=117.00 IS=4 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 163.21 AINCHI= 158.92 DELZ= 4.294 ALP=453.98 ALPHI=453.87
*PARTBN* TIME=117.00 IS=5 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 171.57 AINCHI= 158.92 DELZ=12.655 ALP=453.96 ALPHI=453.53
*PARTBN* TIME=117.00 IS=6 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 174.09 AINCHI= 158.92 DELZ=15.167 ALP=453.96 ALPHI=453.43
```

```
*PARTBN* TIME=117.00 IS=7 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 173.59 AINCHI= 158.92 DELZ=14.675 ALP=453.96 ALPHI=453.45
*PARTBN* TIME=117.00 IS=8 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 170.72 AINCHI= 158.92 DELZ=11.800 ALP=453.97 ALPHI=453.57
*PARTBN* TIME=117.00 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.60 DELZ= 4.600 ALP=452.29 ALPHI=338.66
*PARTBN* TIME=117.00 IS=2 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.22 DELZ= 3.985 ALP=452.56 ALPHI=354.12
*PARTBN* TIME=117.00 IS=3 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.10 DELZ= 4.100 ALP=452.51 ALPHI=351.24
*PARTBN* TIME=117.00 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.43 DELZ= 4.771 ALP=452.21 ALPHI=334.37
*PARTBN* TIME=117.00 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.64 DELZ= 5.564 ALP=451.86 ALPHI=314.42
*PARTBN* TIME=117.00 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.40 DELZ= 5.803 ALP=451.76 ALPHI=308.42
*PARTBN* TIME=117.00 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.45 DELZ= 5.757 ALP=451.78 ALPHI=309.59
*PARTBN* TIME=117.00 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.72 DELZ= 5.483 ALP=451.90 ALPHI=316.47
*PARTBN* TIME=117.00 IS=2 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 508.32 AINCHI= 493.20 DELZ=15.118 ALP=454.19 ALPHI=453.66
*PARTBN* TIME=117.00 IS=3 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 509.57 AINCHI= 493.20 DELZ=16.363 ALP=454.19 ALPHI=453.61
*PARTBN* TIME=117.00 IS=1 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 515.04 AINCHI= 508.20 DELZ= 6.832 ALP=454.18 ALPHI=453.97
*PARTBN* TIME=117.00 IS=4 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 516.90 AINCHI= 508.20 DELZ= 8.695 ALP=454.17 ALPHI=453.90
*PARTBN* TIME=117.00 IS=8 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 524.71 AINCHI= 508.20 DELZ=16.502 ALP=454.15 ALPHI=453.58
*PARTBN* TIME=117.00 IS=5 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 525.60 AINCHI= 523.20 DELZ= 2.397 ALP=454.15 ALPHI=454.12
*PARTBN* TIME=117.00 IS=6 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 528.21 AINCHI= 523.20 DELZ= 5.007 ALP=454.14 ALPHI=454.01
*PARTBN* TIME=117.00 IS=7 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 527.70 AINCHI= 523.20 DELZ= 4.496 ALP=454.15 ALPHI=454.03
*PARTBN* TIME=117.00 IS=2 ZCALC(  9)= 116.76 ZCALC(  8)= 105.00 AINCW= 119.76 AINCHI= 105.00 DELZ=14.760 ALP=454.74 ALPHI=454.53
*PARTBN* TIME=117.00 IS=2 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 154.98 AINCHI= 143.92 DELZ=11.060 ALP=453.99 ALPHI=453.60
*PARTBN* TIME=117.00 IS=3 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 156.17 AINCHI= 143.92 DELZ=12.254 ALP=453.98 ALPHI=453.55
*PARTBN* TIME=117.00 IS=1 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 161.42 AINCHI= 158.92 DELZ= 2.503 ALP=453.98 ALPHI=453.94
*PARTBN* TIME=117.00 IS=4 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 163.21 AINCHI= 158.92 DELZ= 4.294 ALP=453.98 ALPHI=453.87
*PARTBN* TIME=117.00 IS=5 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 171.57 AINCHI= 158.92 DELZ=12.655 ALP=453.96 ALPHI=453.53
*PARTBN* TIME=117.00 IS=6 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 174.09 AINCHI= 158.92 DELZ=15.167 ALP=453.96 ALPHI=453.43
*PARTBN* TIME=117.00 IS=7 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 173.59 AINCHI= 158.92 DELZ=14.675 ALP=453.96 ALPHI=453.45
*PARTBN* TIME=117.00 IS=8 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 170.72 AINCHI= 158.92 DELZ=11.800 ALP=453.97 ALPHI=453.57
*PARTBN* TIME=117.00 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.60 DELZ= 4.600 ALP=452.29 ALPHI=338.66
*PARTBN* TIME=117.00 IS=2 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.22 DELZ= 3.985 ALP=452.56 ALPHI=354.12
*PARTBN* TIME=117.00 IS=3 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.10 DELZ= 4.100 ALP=452.51 ALPHI=351.24
*PARTBN* TIME=117.00 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.43 DELZ= 4.771 ALP=452.21 ALPHI=334.37
*PARTBN* TIME=117.00 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.64 DELZ= 5.564 ALP=451.86 ALPHI=314.42
*PARTBN* TIME=117.00 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.40 DELZ= 5.803 ALP=451.76 ALPHI=308.42
*PARTBN* TIME=117.00 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.45 DELZ= 5.757 ALP=451.78 ALPHI=309.59
*PARTBN* TIME=117.00 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 457.72 DELZ= 5.483 ALP=451.90 ALPHI=316.47
*PARTBN* TIME=117.00 IS=2 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 508.32 AINCHI= 493.20 DELZ=15.118 ALP=454.19 ALPHI=453.66
*PARTBN* TIME=117.00 IS=3 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 509.57 AINCHI= 493.20 DELZ=16.363 ALP=454.19 ALPHI=453.61
*PARTBN* TIME=117.00 IS=1 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 515.04 AINCHI= 508.20 DELZ= 6.832 ALP=454.18 ALPHI=453.97
*PARTBN* TIME=117.00 IS=4 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 516.90 AINCHI= 508.20 DELZ= 8.695 ALP=454.17 ALPHI=453.90
*PARTBN* TIME=117.00 IS=8 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 524.71 AINCHI= 508.20 DELZ=16.502 ALP=454.15 ALPHI=453.58
*PARTBN* TIME=117.00 IS=5 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 525.60 AINCHI= 523.20 DELZ= 2.397 ALP=454.15 ALPHI=454.12
*PARTBN* TIME=117.00 IS=6 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 528.21 AINCHI= 523.20 DELZ= 5.007 ALP=454.14 ALPHI=454.01
*PARTBN* TIME=117.00 IS=7 ZCALC( 41)= 538.20 ZCALC( 40)= 523.20 AINCW= 527.70 AINCHI= 523.20 DELZ= 4.496 ALP=454.15 ALPHI=454.03
```

IGNITION TIME, TIME (S) 117.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	1449285.3	325812.30
TOTAL VACUUM THRUST (N,LBF)	FTVAC	1454547.0	326995.18
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	11826.470	2658.6963
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.12315096+10	.27685438+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	254.31234	254.31234
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.12855269+10	.28809851+09
THRUST COEFFICIENT	CF	1.6286356	1.6286356
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	576.80255	1271.8083
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	504628.43	1112515.2
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	6.3471808	13.993138
INERT MASS REMAINING (KG,LBM)	MIR	22.659757	49.956213
TOTAL BURN AREA (M**2,IN**2)	ABTOT	59.057314	91538.556
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	3.2196535	196475.31
PROPELLANT MASS REMAINING (KG,LBM)	WF	1942.7546	4283.0408
TOTAL GAS MASS (KG,LBM)	WGTOT	204.70632	451.30019
RATIO OF SPECIFIC HEATS	GAMA	1.1592180	1.1592180
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.707765	28.015826
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1548.1875	5079.3555
MAXIMUM CHAMBER MACH NUMBER	AMPN	.97963216-01	.97963216-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	56603596.	82.096576
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.53196936+11	77155.033
BURN AREA (M**2,IN**2)	AHH	.62962960	974.99814
BURN RATE (M/S,IN/S)	RBZ(1)	.46193929-02	.18186586
DISTANCE BURNED (M,IN)	TAUZ(1)	1.0991636	43.274158
PROPELLANT VOLUME (M**3,IN**3)	VFH	.22713892	13860.867
GAS VOLUME (M**3,IN**3)	VPH	54.876693	3348781.3
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3299.2242	5938.6035
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	58.427984	90563.558
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	2.99905484	182994.46
GAS VOLUME (M**3,IN**3)	VP	285.04661	17394611.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	55745917.	80.852617
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.50783961+11	73655.909
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.45839734-02	.18047139
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.45799940-02	.18031118
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3298.9601	5938.1281
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.6021042	2483.2666
EXPANSION RATIO	EPR	6.7089984	6.7089984
PRESSURE RATIO	PEPO	.23572244-01	.23572244-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	3.0000000	3.0000000

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	82.10	82.10	5938.60	9.85	.003	452.19	16270.74	40.14	11.22	-28.92	.1814	43.274	.0000	.000
15.000	82.10	82.09	5938.57	29.48	.008	452.46	16290.45	120.30	78.08	-2.08	.1814	43.225	.0000	.000
30.000	82.09	82.08	5938.51	49.08	.014	452.73	16310.11	200.53	78.14	-2.08	.1814	43.221	.0000	.000
45.000	82.09	82.07	5938.42	68.66	.020	453.00	16329.73	280.81	78.20	-2.09	.1814	43.216	.0000	.000
60.000	82.08	82.05	5938.31	88.22	.025	453.27	16349.30	361.16	78.26	-2.09	.1815	43.212	.0000	.000
75.000	82.07	82.02	5938.16	107.76	.031	453.54	16368.83	441.56	78.31	-2.09	.1815	43.207	.0000	.000
90.000	82.05	81.99	5937.98	127.29	.036	453.81	16388.32	522.02	78.36	-2.09	.1815	43.202	.0000	.000
105.000	82.04	81.95	5937.77	146.81	.042	454.08	16407.76	602.53	78.41	-2.10	.1815	43.197	.0000	.000
116.761	82.02	81.92	5937.59	162.55	.046	454.29	16422.98	667.46	63.49	-1.44	.1815	43.192	.0000	.000
116.771	82.01	81.84	5936.94	207.57	.059	-443.89	12870.98	667.47	.00	-.00	.1814	43.193	.0000	.000
131.771	81.97	81.84	5937.34	181.04	.052	51.75	14798.16	669.27	.00	-1.81	.1814	43.192	.0000	.000
143.919	81.93	81.82	5937.45	172.83	.049	453.16	16361.10	706.19	35.29	-1.62	.1814	43.185	.0000	.000
158.919	81.91	81.77	5937.19	191.36	.055	453.72	16375.78	782.16	73.88	-2.10	.1814	43.174	.0000	.000
173.919	81.90	81.74	5937.04	201.50	.058	340.48	16388.52	823.98	39.73	-2.09	.1814	43.117	.0000	.000
183.919	81.90	81.74	5937.03	201.78	.058	.00	16407.26	826.08	.00	-2.10	.1814	43.007	.0000	.000
203.919	81.90	81.74	5937.03	202.11	.058	.00	16422.47	828.18	.00	-2.10	.1814	42.901	.0000	.000
218.919	81.90	81.74	5937.02	202.44	.058	.00	16437.58	830.28	.00	-2.10	.1814	42.793	.0000	.000
233.919	81.90	81.74	5937.02	202.77	.058	.00	16452.61	832.39	.00	-2.11	.1814	42.685	.0000	.000
248.919	81.90	81.74	5937.01	203.10	.058	.00	16467.55	834.50	.00	-2.11	.1814	42.576	.0000	.000
263.919	81.90	81.74	5937.01	203.43	.058	.00	16482.40	836.62	.00	-2.12	.1814	42.468	.0000	.000
278.919	81.90	81.74	5937.00	203.76	.058	.00	16497.16	838.74	.00	-2.12	.1814	42.360	.0000	.000
293.919	81.90	81.74	5937.00	204.09	.058	.00	16511.83	840.86	.00	-2.12	.1814	42.252	.0000	.000
308.919	81.90	81.74	5936.99	204.43	.058	.00	16526.41	842.99	.00	-2.13	.1814	42.143	.0000	.000
323.919	81.90	81.74	5936.99	204.76	.059	.00	16540.90	845.12	.00	-2.13	.1814	42.035	.0000	.000
338.919	81.90	81.74	5936.98	205.10	.059	.00	16555.30	847.25	.00	-2.13	.1814	41.927	.0000	.000
353.919	81.90	81.74	5936.97	205.44	.059	.00	16569.61	849.39	.00	-2.14	.1814	41.819	.0000	.000
368.919	81.90	81.74	5936.97	205.78	.059	.00	16583.83	851.52	.00	-2.14	.1814	41.710	.0000	.000
383.919	81.91	81.74	5936.96	206.12	.059	.00	16597.96	853.67	.00	-2.14	.1814	41.602	.0000	.000
398.919	81.91	81.74	5936.96	206.47	.059	.00	16612.00	855.81	.00	-2.15	.1814	41.494	.0000	.000
403.048	81.91	81.74	5936.96	206.56	.059	.00	16615.85	856.41	.00	-.59	.1814	41.464	.0000	.000
418.048	81.91	81.74	5936.92	208.92	.060	.00	16469.10	858.54	.00	-2.14	.1814	41.192	.0000	.000
427.061	81.91	81.74	5936.90	210.35	.060	.00	16381.75	859.82	.00	-1.27	.1814	41.174	.0000	.000
427.061	81.91	81.67	5936.28	245.12	.070	.00	14067.75	859.82	.00	-.00	.1813	41.029	.0000	.000
442.061	81.88	81.67	5936.54	231.17	.066	.00	14950.12	861.69	.00	-1.87	.1813	41.998	.0000	.000
457.061	81.86	81.67	5936.77	218.17	.062	.00	15874.88	863.53	.00	-1.84	.1813	42.967	.0000	.000
463.204	81.84	81.66	5936.76	218.71	.063	452.11	16265.83	886.76	22.38	-.85	.1811	43.005	.0000	.000
478.204	81.81	81.59	5936.41	238.53	.068	452.62	16272.46	966.81	77.97	-2.08	.1811	42.984	.0000	.000
493.204	81.76	81.52	5936.02	258.41	.074	453.21	16279.05	1046.97	78.08	-2.08	.1811	42.975	.0000	.000
508.204	81.74	81.44	5935.61	278.58	.080	453.78	16285.63	1128.11	79.16	-1.98	.1812	42.965	.0000	.000
523.204	81.71	81.39	5935.32	291.53	.083	340.58	16291.28	1180.26	50.07	-2.08	.1811	42.920	.0000	.000
538.204	81.71	81.38	5935.27	293.91	.084	170.31	16296.48	1190.16	7.72	-2.18	.1811	42.822	.0000	.000
553.204	81.71	81.38	5935.26	294.27	.084	.00	16304.96	1192.24	.00	-2.08	.1811	42.714	.0000	.000
568.204	81.71	81.38	5935.25	294.67	.084	.00	16311.33	1194.32	.00	-2.08	.1811	42.605	.0000	.000
583.204	81.71	81.38	5935.24	295.07	.084	.00	16317.65	1196.40	.00	-2.08	.1811	42.497	.0000	.000
598.204	81.71	81.38	5935.23	295.47	.085	.00	16323.93	1198.48	.00	-2.08	.1811	42.389	.0000	.000
613.204	81.72	81.38	5935.22	295.87	.085	.00	16330.17	1200.57	.00	-2.09	.1811	42.280	.0000	.000

628.204	81.72	81.38	5935.21	296.27	.085	.00	16336.36	1202.66	.00	-2.09	.1811	42.172	.0000	.000
643.204	81.72	81.38	5935.20	296.67	.085	.00	16342.51	1204.75	.00	-2.09	.1811	42.064	.0000	.000
653.204	81.72	81.38	5935.19	297.08	.085	.00	16348.61	1206.84	.00	-2.09	.1811	41.955	.0000	.000
673.204	81.72	81.38	5935.18	297.48	.085	.00	16354.67	1208.94	.00	-2.10	.1811	41.847	.0000	.000
683.204	81.72	81.38	5935.17	297.89	.085	.00	16360.69	1211.04	.00	-2.10	.1811	41.738	.0000	.000
703.204	81.72	81.36	5935.17	298.30	.085	.00	16366.66	1213.14	.00	-2.10	.1811	41.630	.0000	.000
718.204	81.72	81.38	5935.16	298.70	.085	.00	16372.59	1215.24	.00	-2.10	.1811	41.522	.0000	.000
726.191	81.72	81.38	5935.15	298.92	.086	.00	16375.73	1216.36	.00	-1.82	.1811	41.464	.0000	.000
741.191	81.72	81.38	5935.14	299.31	.086	.00	16382.80	1218.47	.00	-2.11	.1811	41.140	.0000	.000
745.336	81.72	81.38	5935.14	299.44	.086	.00	16385.20	1219.19	.00	-.72	.1811	41.240	.0000	.000
746.346	81.72	81.26	5934.07	342.34	.094	.00	14349.56	1219.19	.00	-.00	.1810	41.029	.0000	.000
761.346	81.68	81.26	5934.43	328.63	.090	.00	14972.15	1221.07	.00	-1.88	.1810	41.104	.0000	.000
776.346	81.65	81.26	5934.74	315.99	.087	.00	15597.03	1223.03	.00	-1.96	.1810	41.178	.0000	.000
791.346	81.62	81.26	5935.03	304.30	.086	.00	16224.19	1225.07	.00	-2.04	.1810	41.253	.0000	.000
799.831	81.61	81.26	5935.09	301.70	.087	.00	16370.23	1225.56	.00	-.49	.1810	41.270	.0000	.000
807.831	81.62	81.26	5935.07	302.34	.087	.00	16363.57	1227.66	.00	-2.10	.1810	41.093	.0000	.000
824.831	81.62	81.26	5935.06	302.98	.087	.00	16356.92	1229.76	.00	-2.10	.1810	40.916	.0000	.000
837.831	81.62	81.26	5935.04	303.62	.087	.00	16350.28	1231.86	.00	-2.10	.1810	40.739	.0000	.000
854.781	81.62	81.26	5935.03	304.26	.087	.00	16343.67	1233.95	.00	-2.09	.1810	40.563	.0000	.000
869.781	81.62	81.26	5935.00	305.30	.087	.00	16315.82	1236.05	.00	-2.10	.1810	39.794	.0000	.000
884.781	81.63	81.26	5934.98	306.33	.088	.00	16287.96	1238.14	.00	-2.09	.1810	39.025	.0000	.000
899.781	81.63	81.26	5934.95	307.38	.088	.00	16260.09	1240.23	.00	-2.09	.1810	38.255	.0000	.000
914.781	81.63	81.26	5934.93	308.42	.088	.00	16232.22	1242.31	.00	-2.09	.1810	37.486	.0000	.000
929.781	81.63	81.26	5934.90	309.47	.089	.00	16204.33	1244.39	.00	-2.08	.1810	36.717	.0000	.000
944.781	81.64	81.26	5934.88	310.52	.089	.00	16176.44	1246.47	.00	-2.08	.1810	35.948	.0000	.000
959.781	81.64	81.26	5934.85	311.57	.089	.00	16148.55	1248.55	.00	-2.07	.1810	35.178	.0000	.000
974.781	81.64	81.26	5934.83	312.63	.090	.00	16120.65	1250.62	.00	-2.07	.1810	34.409	.0000	.000
987.781	81.64	81.26	5934.80	313.68	.090	.00	16092.74	1252.68	.00	-2.06	.1810	33.640	.0000	.000
1004.781	81.65	81.26	5934.78	314.75	.090	.00	16064.82	1254.75	.00	-2.06	.1810	32.871	.0000	.000
1017.781	81.65	81.26	5934.75	315.81	.090	.00	16036.89	1256.81	.00	-2.06	.1810	32.101	.0000	.000
1034.781	81.65	81.26	5934.72	316.88	.091	.00	16008.96	1258.87	.00	-.82	.1810	31.332	.0000	.000
1040.791	81.65	81.26	5934.71	317.31	.091	.00	15997.77	1259.69	.00	-2.05	.1810	31.024	.0000	.000
1055.791	81.65	81.26	5934.69	318.38	.091	.00	15969.84	1261.74	.00	-2.05	.1810	30.483	.0000	.000
1070.791	81.66	81.26	5934.66	319.45	.091	.00	15941.80	1263.79	.00	-1.82	.1810	29.942	.0000	.000
1087.171	81.66	81.26	5934.64	320.42	.092	.00	15916.69	1265.61	.00	-3.76	.1805	29.459	.0000	.000
AFT(A)	80.85	77.14	5900.07	993.97	.285	.....	15823.73	1271.81	.00	-2.43	.1803	20.460	....	.....
AFT(B)	80.85	80.85	5938.13	-.95	.000	.....	15413.12	2.43				20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	*SLOT LB/SEC
FORWARD	1.1676+02	8.2020+01	8.1917+01	5.9376+03	1.6218+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	6.6745+02
AFT	1.1677+02	8.1947+01	8.1845+01	5.9369+03	1.6231+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	6.6747+02

GAS BUILDUP IN SLOT, DW/DT = -1.4229-03

FORWARD	4.2705+02	8.1912+01	8.1740+01	5.9369+03	2.1033+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	8.5982+02
AFT	4.2706+02	8.1846+01	8.1674+01	5.9363+03	2.1048+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	8.5982+02

GAS BUILDUP IN SLOT, DW/DT = -1.4125-03

FORWARD	7.4634+02	8.1724+01	8.1377+01	5.9351+03	2.9948+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.2192+03
AFT	7.4635+02	8.1610+01	8.1263+01	5.9341+03	2.9985+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.2192+03

GAS BUILDUP IN SLOT, DW/DT = -1.4034-03

```
WEB BURNOUT INCREMENT LOCATION =   90.0000   SECTOR NO.  2   TAU = 43.3618   TAUWDP = 43.3618   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  105.0000   SECTOR NO.  1   TAU = 43.3126   TAUWDP = 43.3126   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  105.0000   SECTOR NO.  2   TAU = 43.3126   TAUWDP = 43.3126   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  105.0000   SECTOR NO.  3   TAU = 43.3126   TAUWDP = 43.3126   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  131.7710   SECTOR NO.  1   TAU = 43.3072   TAUWDP = 43.3072   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  131.7710   SECTOR NO.  2   TAU = 43.3072   TAUWDP = 43.3072   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  131.7710   SECTOR NO.  3   TAU = 43.3072   TAUWDP = 43.3072   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  143.9190   SECTOR NO.  2   TAU = 43.3340   TAUWDP = 43.3340   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  143.9190   SECTOR NO.  3   TAU = 43.3340   TAUWDP = 43.3340   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  158.9190   SECTOR NO.  1   TAU = 43.2258   TAUWDP = 43.2258   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  158.9190   SECTOR NO.  4   TAU = 43.2258   TAUWDP = 43.2258   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  158.9190   SECTOR NO.  5   TAU = 43.2258   TAUWDP = 43.2258   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  158.9190   SECTOR NO.  8   TAU = 43.2258   TAUWDP = 43.2258   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  173.9190   SECTOR NO.  6   TAU = 43.1175   TAUWDP = 43.1175   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  508.2040   SECTOR NO.  1   TAU = 43.0389   TAUWDP = 43.0389   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  508.2040   SECTOR NO.  2   TAU = 43.0389   TAUWDP = 43.0389   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  508.2040   SECTOR NO.  3   TAU = 43.0389   TAUWDP = 43.0389   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  508.2040   SECTOR NO.  4   TAU = 43.0389   TAUWDP = 43.0389   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  523.2040   SECTOR NO.  5   TAU = 42.9305   TAUWDP = 42.9305   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  523.2040   SECTOR NO.  6   TAU = 42.9305   TAUWDP = 42.9305   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  523.2040   SECTOR NO.  7   TAU = 42.9305   TAUWDP = 42.9305   TIME = 117.00
WEB BURNOUT INCREMENT LOCATION =  523.2040   SECTOR NO.  8   TAU = 42.9305   TAUWDP = 42.9305   TIME = 117.00
*PARTBN* TIME=117.50 IS=2 ZCALC( 7)=  90.00 ZCALC( 6)=  75.00 AINCW=  88.35 AINCHI=  75.00 DELZ=13.350 ALP=454.73 ALPHI=454.54
*PARTBN* TIME=117.50 IS=3 ZCALC( 7)=  90.00 ZCALC( 6)=  75.00 AINCW=  91.12 AINCHI=  75.00 DELZ=16.124 ALP=454.73 ALPHI=454.49
*PARTBN* TIME=117.50 IS=1 ZCALC( 8)= 105.00 ZCALC( 7)=  90.00 AINCW= 103.39 AINCHI=  90.00 DELZ=13.390 ALP=454.74 ALPHI=454.54
*PARTBN* TIME=117.50 IS=4 ZCALC( 8)= 105.00 ZCALC( 7)=  90.00 AINCW= 107.57 AINCHI=  90.00 DELZ=17.571 ALP=454.74 ALPHI=454.47
*PARTBN* TIME=117.50 IS=1 ZCALC( 12)= 143.92 ZCALC( 11)= 131.77 AINCW= 143.92 AINCHI= 133.63 DELZ=10.291 ALP=453.88 ALPHI=109.80
*PARTBN* TIME=117.50 IS=4 ZCALC( 12)= 143.92 ZCALC( 11)= 131.77 AINCW= 143.92 AINCHI= 129.31 DELZ=14.606 ALP=453.81 ALPHI=-34.51
*PARTBN* TIME=117.50 IS=1 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 148.20 AINCHI= 143.92 DELZ= 4.278 ALP=453.99 ALPHI=453.88
*PARTBN* TIME=117.50 IS=4 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 149.99 AINCHI= 143.92 DELZ= 6.071 ALP=453.99 ALPHI=453.81
*PARTBN* TIME=117.50 IS=5 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 158.35 AINCHI= 143.92 DELZ=14.436 ALP=453.98 ALPHI=453.46
```

ORIGINAL PAGE IS OF POOR QUALITY

```
*PARTBN* TIME=117.50 IS=8 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 157.50 AINCHI= 143.92 DELZ=13.583 ALP=453.98 ALPHI=453.50
*PARTBN* TIME=117.50 IS=6 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 160.87 AINCHI= 158.92 DELZ= 1.955 ALP=453.98 ALPHI=453.96
*PARTBN* TIME=117.50 IS=7 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 160.38 AINCHI= 158.92 DELZ= 1.461 ALP=453.98 ALPHI=453.98
*PARTBN* TIME=117.50 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.87 DELZ= 3.337 ALP=452.86 ALPHI=370.40
*PARTBN* TIME=117.50 IS=2 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.48 DELZ= 2.721 ALP=453.13 ALPHI=385.89
*PARTBN* TIME=117.50 IS=3 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.37 DELZ= 2.836 ALP=453.08 ALPHI=383.00
*PARTBN* TIME=117.50 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.70 DELZ= 3.508 ALP=452.78 ALPHI=366.10
*PARTBN* TIME=117.50 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.90 DELZ= 4.303 ALP=452.43 ALPHI=346.12
*PARTBN* TIME=117.50 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.66 DELZ= 4.543 ALP=452.32 ALPHI=340.10
*PARTBN* TIME=117.50 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.71 DELZ= 4.496 ALP=452.34 ALPHI=341.27
*PARTBN* TIME=117.50 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.98 DELZ= 4.222 ALP=452.47 ALPHI=348.17
*PARTBN* TIME=117.50 IS=2 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 494.51 AINCHI= 478.20 DELZ=16.310 ALP=454.22 ALPHI=453.65
*PARTBN* TIME=117.50 IS=1 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 501.23 AINCHI= 493.20 DELZ= 8.028 ALP=454.21 ALPHI=453.96
*PARTBN* TIME=117.50 IS=3 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 495.76 AINCHI= 493.20 DELZ= 2.551 ALP=454.22 ALPHI=454.18
*PARTBN* TIME=117.50 IS=4 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 503.10 AINCHI= 493.20 DELZ= 9.894 ALP=454.20 ALPHI=453.68
*PARTBN* TIME=117.50 IS=5 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 511.81 AINCHI= 508.20 DELZ= 3.606 ALP=454.18 ALPHI=454.11
*PARTBN* TIME=117.50 IS=6 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 514.43 AINCHI= 508.20 DELZ= 6.223 ALP=454.18 ALPHI=454.00
*PARTBN* TIME=117.50 IS=7 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 513.91 AINCHI= 508.20 DELZ= 5.710 ALP=454.18 ALPHI=454.02
*PARTBN* TIME=117.50 IS=8 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 510.92 AINCHI= 508.20 DELZ= 2.715 ALP=454.19 ALPHI=454.14
*PARTBN* TIME=117.50 IS=2 ZCALC( 7)= 90.00 ZCALC( 6)= 75.00 AINCW= 88.35 AINCHI= 75.00 DELZ=13.350 ALP=454.73 ALPHI=454.54
*PARTBN* TIME=117.50 IS=3 ZCALC( 7)= 90.00 ZCALC( 6)= 75.00 AINCW= 91.12 AINCHI= 75.00 DELZ=16.124 ALP=454.73 ALPHI=454.49
*PARTBN* TIME=117.50 IS=1 ZCALC( 8)= 105.00 ZCALC( 7)= 90.00 AINCW= 103.39 AINCHI= 90.00 DELZ=13.390 ALP=454.74 ALPHI=454.54
*PARTBN* TIME=117.50 IS=4 ZCALC( 8)= 105.00 ZCALC( 7)= 90.00 AINCW= 107.57 AINCHI= 90.00 DELZ=17.571 ALP=454.74 ALPHI=454.47
*PARTBN* TIME=117.50 IS=1 ZCALC( 12)= 143.92 ZCALC( 11)= 131.77 AINCW= 143.92 AINCHI= 133.63 DELZ=10.291 ALP=453.88 ALPHI=109.80
*PARTBN* TIME=117.50 IS=4 ZCALC( 12)= 143.92 ZCALC( 11)= 131.77 AINCW= 143.92 AINCHI= 129.31 DELZ=14.606 ALP=453.81 ALPHI=-34.51
*PARTBN* TIME=117.50 IS=1 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 148.20 AINCHI= 143.92 DELZ= 4.278 ALP=453.99 ALPHI=453.88
*PARTBN* TIME=117.50 IS=4 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 149.99 AINCHI= 143.92 DELZ= 6.071 ALP=453.99 ALPHI=453.81
*PARTBN* TIME=117.50 IS=5 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 158.35 AINCHI= 143.92 DELZ=14.436 ALP=453.98 ALPHI=453.46
*PARTBN* TIME=117.50 IS=8 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 157.50 AINCHI= 143.92 DELZ=13.583 ALP=453.98 ALPHI=453.50
*PARTBN* TIME=117.50 IS=6 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 160.87 AINCHI= 158.92 DELZ= 1.955 ALP=453.98 ALPHI=453.96
*PARTBN* TIME=117.50 IS=7 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 160.38 AINCHI= 158.92 DELZ= 1.461 ALP=453.98 ALPHI=453.98
*PARTBN* TIME=117.50 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.87 DELZ= 3.337 ALP=452.86 ALPHI=370.40
*PARTBN* TIME=117.50 IS=2 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.48 DELZ= 2.721 ALP=453.13 ALPHI=385.89
*PARTBN* TIME=117.50 IS=3 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.37 DELZ= 2.836 ALP=453.08 ALPHI=383.00
*PARTBN* TIME=117.50 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.70 DELZ= 3.508 ALP=452.78 ALPHI=366.10
*PARTBN* TIME=117.50 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.90 DELZ= 4.303 ALP=452.43 ALPHI=346.12
*PARTBN* TIME=117.50 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.66 DELZ= 4.543 ALP=452.32 ALPHI=340.10
*PARTBN* TIME=117.50 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.71 DELZ= 4.496 ALP=452.34 ALPHI=341.27
*PARTBN* TIME=117.50 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.98 DELZ= 4.222 ALP=452.47 ALPHI=348.17
*PARTBN* TIME=117.50 IS=2 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 494.51 AINCHI= 478.20 DELZ=16.310 ALP=454.22 ALPHI=453.65
*PARTBN* TIME=117.50 IS=1 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 501.23 AINCHI= 493.20 DELZ= 8.028 ALP=454.21 ALPHI=453.96
*PARTBN* TIME=117.50 IS=3 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 495.76 AINCHI= 493.20 DELZ= 2.551 ALP=454.22 ALPHI=454.18
*PARTBN* TIME=117.50 IS=4 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 503.10 AINCHI= 493.20 DELZ= 9.894 ALP=454.20 ALPHI=453.68
*PARTBN* TIME=117.50 IS=5 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 511.81 AINCHI= 508.20 DELZ= 3.606 ALP=454.18 ALPHI=454.11
*PARTBN* TIME=117.50 IS=6 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 514.43 AINCHI= 508.20 DELZ= 6.223 ALP=454.18 ALPHI=454.00
*PARTBN* TIME=117.50 IS=7 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 513.91 AINCHI= 508.20 DELZ= 5.710 ALP=454.18 ALPHI=454.02
*PARTBN* TIME=117.50 IS=8 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 510.92 AINCHI= 508.20 DELZ= 2.715 ALP=454.19 ALPHI=454.14
*PARTBN* TIME=117.50 IS=2 ZCALC( 7)= 90.00 ZCALC( 6)= 75.00 AINCW= 88.35 AINCHI= 75.00 DELZ=13.350 ALP=454.73 ALPHI=454.54
*PARTBN* TIME=117.50 IS=3 ZCALC( 7)= 90.00 ZCALC( 6)= 75.00 AINCW= 91.12 AINCHI= 75.00 DELZ=16.124 ALP=454.73 ALPHI=454.49
*PARTBN* TIME=117.50 IS=1 ZCALC( 8)= 105.00 ZCALC( 7)= 90.00 AINCW= 103.39 AINCHI= 90.00 DELZ=13.390 ALP=454.74 ALPHI=454.54
*PARTBN* TIME=117.50 IS=4 ZCALC( 8)= 105.00 ZCALC( 7)= 90.00 AINCW= 107.57 AINCHI= 90.00 DELZ=17.571 ALP=454.74 ALPHI=454.47
*PARTBN* TIME=117.50 IS=1 ZCALC( 12)= 143.92 ZCALC( 11)= 131.77 AINCW= 143.92 AINCHI= 133.63 DELZ=10.291 ALP=453.88 ALPHI=109.80
*PARTBN* TIME=117.50 IS=4 ZCALC( 12)= 143.92 ZCALC( 11)= 131.77 AINCW= 143.92 AINCHI= 129.31 DELZ=14.606 ALP=453.81 ALPHI=-34.51
*PARTBN* TIME=117.50 IS=1 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 148.20 AINCHI= 143.92 DELZ= 4.278 ALP=453.99 ALPHI=453.88
*PARTBN* TIME=117.50 IS=4 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 149.99 AINCHI= 143.92 DELZ= 6.071 ALP=453.99 ALPHI=453.81
*PARTBN* TIME=117.50 IS=5 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 158.35 AINCHI= 143.92 DELZ=14.436 ALP=453.98 ALPHI=453.46
```

```
*PARTBN* TIME=117.50 IS=6 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 157.50 AINCHI= 143.92 DELZ=13.583 ALP=453.98 ALPHI=453.50
*PARTBN* TIME=117.50 IS=6 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 160.87 AINCHI= 158.92 DELZ= 1.955 ALP=453.98 ALPHI=453.96
*PARTBN* TIME=117.50 IS=7 ZCALC( 14)= 173.92 ZCALC( 13)= 158.92 AINCW= 160.38 AINCHI= 158.92 DELZ= 1.461 ALP=453.98 ALPHI=453.98
*PARTBN* TIME=117.50 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.87 DELZ= 3.337 ALP=452.86 ALPHI=370.40
*PARTBN* TIME=117.50 IS=2 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.48 DELZ= 2.721 ALP=453.13 ALPHI=385.89
*PARTBN* TIME=117.50 IS=3 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.37 DELZ= 2.836 ALP=453.08 ALPHI=383.00
*PARTBN* TIME=117.50 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.70 DELZ= 3.508 ALP=452.78 ALPHI=366.10
*PARTBN* TIME=117.50 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.90 DELZ= 4.303 ALP=452.43 ALPHI=346.12
*PARTBN* TIME=117.50 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.66 DELZ= 4.543 ALP=452.32 ALPHI=340.10
*PARTBN* TIME=117.50 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.71 DELZ= 4.496 ALP=452.34 ALPHI=341.27
*PARTBN* TIME=117.50 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 458.98 DELZ= 4.222 ALP=452.47 ALPHI=348.17
*PARTBN* TIME=117.50 IS=2 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 494.51 AINCHI= 478.20 DELZ=16.310 ALP=454.22 ALPHI=453.65
*PARTBN* TIME=117.50 IS=1 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 501.23 AINCHI= 493.20 DELZ= 8.028 ALP=454.21 ALPHI=453.96
*PARTBN* TIME=117.50 IS=3 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 495.76 AINCHI= 493.20 DELZ= 2.551 ALP=454.22 ALPHI=454.18
*PARTBN* TIME=117.50 IS=4 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 503.10 AINCHI= 493.20 DELZ= 9.894 ALP=454.20 ALPHI=453.88
*PARTBN* TIME=117.50 IS=5 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 511.81 AINCHI= 508.20 DELZ= 3.606 ALP=454.18 ALPHI=454.11
*PARTBN* TIME=117.50 IS=6 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 514.43 AINCHI= 508.20 DELZ= 6.223 ALP=454.18 ALPHI=454.00
*PARTBN* TIME=117.50 IS=7 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 513.91 AINCHI= 508.20 DELZ= 5.710 ALP=454.18 ALPHI=454.02
*PARTBN* TIME=117.50 IS=8 ZCALC( 40)= 523.20 ZCALC( 39)= 508.20 AINCW= 510.92 AINCHI= 508.20 DELZ= 2.715 ALP=454.19 ALPHI=454.14
WEB BURNOUT INCREMENT LOCATION =   75.0000   SECTOR NO.  2   TAU = 43.4110   TAUWDP = 43.4110   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =   75.0000   SECTOR NO.  3   TAU = 43.4110   TAUWDP = 43.4110   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =   90.0000   SECTOR NO.  1   TAU = 43.3618   TAUWDP = 43.3618   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =   90.0000   SECTOR NO.  3   TAU = 43.3618   TAUWDP = 43.3618   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =   90.0000   SECTOR NO.  4   TAU = 43.3618   TAUWDP = 43.3618   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  105.0000   SECTOR NO.  4   TAU = 43.3126   TAUWDP = 43.3126   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  105.0000   SECTOR NO.  5   TAU = 43.3126   TAUWDP = 43.3126   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  105.0000   SECTOR NO.  6   TAU = 43.3126   TAUWDP = 43.3126   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  105.0000   SECTOR NO.  7   TAU = 43.3126   TAUWDP = 43.3126   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  105.0000   SECTOR NO.  8   TAU = 43.3126   TAUWDP = 43.3126   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  131.7710   SECTOR NO.  4   TAU = 43.3072   TAUWDP = 43.3072   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  131.7710   SECTOR NO.  5   TAU = 43.3072   TAUWDP = 43.3072   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  131.7710   SECTOR NO.  6   TAU = 43.3072   TAUWDP = 43.3072   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  131.7710   SECTOR NO.  7   TAU = 43.3072   TAUWDP = 43.3072   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  131.7710   SECTOR NO.  8   TAU = 43.3072   TAUWDP = 43.3072   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  143.9190   SECTOR NO.  1   TAU = 43.3340   TAUWDP = 43.3340   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  143.9190   SECTOR NO.  4   TAU = 43.3340   TAUWDP = 43.3340   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  158.9190   SECTOR NO.  6   TAU = 43.2258   TAUWDP = 43.2258   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  158.9190   SECTOR NO.  7   TAU = 43.2258   TAUWDP = 43.2258   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  493.2040   SECTOR NO.  1   TAU = 43.1473   TAUWDP = 43.1473   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  493.2040   SECTOR NO.  2   TAU = 43.1473   TAUWDP = 43.1473   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  493.2040   SECTOR NO.  3   TAU = 43.1473   TAUWDP = 43.1473   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  493.2040   SECTOR NO.  4   TAU = 43.1473   TAUWDP = 43.1473   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  508.2040   SECTOR NO.  5   TAU = 43.0389   TAUWDP = 43.0389   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  508.2040   SECTOR NO.  6   TAU = 43.0389   TAUWDP = 43.0389   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  508.2040   SECTOR NO.  7   TAU = 43.0389   TAUWDP = 43.0389   TIME = 117.50
WEB BURNOUT INCREMENT LOCATION =  508.2040   SECTOR NO.  8   TAU = 43.0389   TAUWDP = 43.0389   TIME = 117.50
*PARTBN* TIME=118.00 IS=2 ZCALC(  5)=  60.00 ZCALC(  4)=  45.00 AINCW=  60.12 AINCHI=  45.00 DELZ=15.118 ALP=454.72 ALPHI=454.49
*PARTBN* TIME=118.00 IS=3 ZCALC(  5)=  60.00 ZCALC(  4)=  45.00 AINCW=  62.87 AINCHI=  45.00 DELZ=17.875 ALP=454.72 ALPHI=454.44
*PARTBN* TIME=118.00 IS=1 ZCALC(  6)=  75.00 ZCALC(  5)=  60.00 AINCW=  75.08 AINCHI=  60.00 DELZ=15.083 ALP=454.73 ALPHI=454.50
*PARTBN* TIME=118.00 IS=4 ZCALC(  7)=  90.00 ZCALC(  6)=  75.00 AINCW=  79.26 AINCHI=  75.00 DELZ= 4.256 ALP=454.73 ALPHI=454.71
*PARTBN* TIME=118.00 IS=5 ZCALC(  8)= 105.00 ZCALC(  7)=  90.00 AINCW=  98.75 AINCHI=  90.00 DELZ= 8.751 ALP=454.73 ALPHI=454.63
*PARTBN* TIME=118.00 IS=6 ZCALC(  8)= 105.00 ZCALC(  7)=  90.00 AINCW= 104.64 AINCHI=  90.00 DELZ=14.638 ALP=454.74 ALPHI=454.52
*PARTBN* TIME=118.00 IS=7 ZCALC(  8)= 105.00 ZCALC(  7)=  90.00 AINCW= 103.49 AINCHI=  90.00 DELZ=13.486 ALP=454.74 ALPHI=454.54
*PARTBN* TIME=118.00 IS=8 ZCALC(  8)= 105.00 ZCALC(  7)=  90.00 AINCW=  96.76 AINCHI=  90.00 DELZ= 6.762 ALP=454.73 ALPHI=454.67
*PARTBN* TIME=118.00 IS=5 ZCALC( 12)= 143.92 ZCALC( 11)= 131.77 AINCW= 143.92 AINCHI= 138.40 DELZ= 5.522 ALP=453.97 ALPHI=269.30
*PARTBN* TIME=118.00 IS=6 ZCALC( 12)= 143.92 ZCALC( 11)= 131.77 AINCW= 143.92 AINCHI= 132.32 DELZ=11.598 ALP=453.86 ALPHI= 66.08
```

ORIGINAL PAGE IS OF POOR QUALITY

```
*PARTBN* TIME=118.00 IS=7 ZCALC( 12)= 143.92 ZCALC( 11)= 131.77 AINCW= 143.92 AINCHI= 133.51 DELZ=10.408 ALP=453.88 ALPHI=105.98
*PARTBN* TIME=118.00 IS=5 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 146.22 AINCHI= 143.92 DELZ= 2.296 ALP=454.00 ALPHI=453.97
*PARTBN* TIME=118.00 IS=6 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 148.74 AINCHI= 143.92 DELZ= 4.821 ALP=453.99 ALPHI=453.86
*PARTBN* TIME=118.00 IS=7 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 148.25 AINCHI= 143.92 DELZ= 4.326 ALP=453.99 ALPHI=453.88
*PARTBN* TIME=118.00 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.03 DELZ= 2.176 ALP=453.38 ALPHI=399.61
*PARTBN* TIME=118.00 IS=2 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.65 DELZ= 1.559 ALP=453.66 ALPHI=415.11
*PARTBN* TIME=118.00 IS=3 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.53 DELZ= 1.673 ALP=453.61 ALPHI=412.23
*PARTBN* TIME=118.00 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.86 DELZ= 2.347 ALP=453.31 ALPHI=395.29
*PARTBN* TIME=118.00 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.06 DELZ= 3.144 ALP=452.95 ALPHI=375.26
*PARTBN* TIME=118.00 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.82 DELZ= 3.384 ALP=452.84 ALPHI=369.23
*PARTBN* TIME=118.00 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.87 DELZ= 3.337 ALP=452.86 ALPHI=370.40
*PARTBN* TIME=118.00 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.14 DELZ= 3.062 ALP=452.99 ALPHI=377.31
*PARTBN* TIME=118.00 IS=1 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 488.55 AINCHI= 478.20 DELZ=10.344 ALP=454.24 ALPHI=453.90
*PARTBN* TIME=118.00 IS=2 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 481.82 AINCHI= 478.20 DELZ= 3.617 ALP=454.26 ALPHI=454.18
*PARTBN* TIME=118.00 IS=3 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 483.06 AINCHI= 478.20 DELZ= 4.860 ALP=454.25 ALPHI=454.12
*PARTBN* TIME=118.00 IS=4 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 490.42 AINCHI= 478.20 DELZ=12.212 ALP=454.23 ALPHI=453.82
*PARTBN* TIME=118.00 IS=5 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 499.14 AINCHI= 493.20 DELZ= 5.933 ALP=454.21 ALPHI=454.05
*PARTBN* TIME=118.00 IS=6 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 501.76 AINCHI= 493.20 DELZ= 8.555 ALP=454.21 ALPHI=453.94
*PARTBN* TIME=118.00 IS=7 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 501.25 AINCHI= 493.20 DELZ= 8.041 ALP=454.21 ALPHI=453.96
*PARTBN* TIME=118.00 IS=8 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 498.25 AINCHI= 493.20 DELZ= 5.042 ALP=454.22 ALPHI=454.08
*PARTBN* TIME=118.00 IS=2 ZCALC( 5)= 60.00 ZCALC( 4)= 45.00 AINCW= 60.12 AINCHI= 45.00 DELZ=15.118 ALP=454.72 ALPHI=454.49
*PARTBN* TIME=118.00 IS=3 ZCALC( 5)= 60.00 ZCALC( 4)= 45.00 AINCW= 62.87 AINCHI= 45.00 DELZ=17.875 ALP=454.72 ALPHI=454.44
*PARTBN* TIME=118.00 IS=1 ZCALC( 6)= 75.00 ZCALC( 5)= 60.00 AINCW= 75.08 AINCHI= 60.00 DELZ=15.083 ALP=454.73 ALPHI=454.50
*PARTBN* TIME=118.00 IS=4 ZCALC( 7)= 90.00 ZCALC( 6)= 75.00 AINCW= 79.26 AINCHI= 75.00 DELZ= 4.256 ALP=454.73 ALPHI=454.71
*PARTBN* TIME=118.00 IS=5 ZCALC( 8)= 105.00 ZCALC( 7)= 90.00 AINCW= 98.75 AINCHI= 90.00 DELZ= 8.751 ALP=454.73 ALPHI=454.63
*PARTBN* TIME=118.00 IS=6 ZCALC( 8)= 105.00 ZCALC( 7)= 90.00 AINCW= 104.64 AINCHI= 90.00 DELZ=14.638 ALP=454.74 ALPHI=454.52
*PARTBN* TIME=118.00 IS=7 ZCALC( 8)= 105.00 ZCALC( 7)= 90.00 AINCW= 103.49 AINCHI= 90.00 DELZ=13.486 ALP=454.74 ALPHI=454.54
*PARTBN* TIME=118.00 IS=8 ZCALC( 8)= 105.00 ZCALC( 7)= 90.00 AINCW= 96.76 AINCHI= 90.00 DELZ= 6.762 ALP=454.73 ALPHI=454.67
*PARTBN* TIME=118.00 IS=5 ZCALC( 12)= 143.92 ZCALC( 11)= 131.77 AINCW= 143.92 AINCHI= 138.40 DELZ= 5.522 ALP=453.97 ALPHI=269.30
*PARTBN* TIME=118.00 IS=6 ZCALC( 12)= 143.92 ZCALC( 11)= 131.77 AINCW= 143.92 AINCHI= 132.32 DELZ=11.598 ALP=453.86 ALPHI= 66.08
*PARTBN* TIME=118.00 IS=7 ZCALC( 12)= 143.92 ZCALC( 11)= 131.77 AINCW= 143.92 AINCHI= 133.51 DELZ=10.408 ALP=453.88 ALPHI=105.88
*PARTBN* TIME=118.00 IS=5 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 146.22 AINCHI= 143.92 DELZ= 2.296 ALP=454.00 ALPHI=453.97
*PARTBN* TIME=118.00 IS=6 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 148.74 AINCHI= 143.92 DELZ= 4.821 ALP=453.99 ALPHI=453.86
*PARTBN* TIME=118.00 IS=7 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 148.25 AINCHI= 143.92 DELZ= 4.326 ALP=453.99 ALPHI=453.88
*PARTBN* TIME=118.00 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.03 DELZ= 2.176 ALP=453.38 ALPHI=399.61
*PARTBN* TIME=118.00 IS=2 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.65 DELZ= 1.559 ALP=453.66 ALPHI=415.11
*PARTBN* TIME=118.00 IS=3 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.53 DELZ= 1.673 ALP=453.61 ALPHI=412.23
*PARTBN* TIME=118.00 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.86 DELZ= 2.347 ALP=453.31 ALPHI=395.29
*PARTBN* TIME=118.00 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.06 DELZ= 3.144 ALP=452.95 ALPHI=375.26
*PARTBN* TIME=118.00 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.82 DELZ= 3.384 ALP=452.84 ALPHI=369.23
*PARTBN* TIME=118.00 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.87 DELZ= 3.337 ALP=452.86 ALPHI=370.40
*PARTBN* TIME=118.00 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.14 DELZ= 3.062 ALP=452.99 ALPHI=377.31
*PARTBN* TIME=118.00 IS=1 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 488.55 AINCHI= 478.20 DELZ=10.344 ALP=454.24 ALPHI=453.90
*PARTBN* TIME=118.00 IS=2 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 481.82 AINCHI= 478.20 DELZ= 3.617 ALP=454.26 ALPHI=454.18
*PARTBN* TIME=118.00 IS=3 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 483.06 AINCHI= 478.20 DELZ= 4.860 ALP=454.25 ALPHI=454.12
*PARTBN* TIME=118.00 IS=4 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 490.42 AINCHI= 478.20 DELZ=12.212 ALP=454.23 ALPHI=453.82
*PARTBN* TIME=118.00 IS=5 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 499.14 AINCHI= 493.20 DELZ= 5.933 ALP=454.21 ALPHI=454.05
*PARTBN* TIME=118.00 IS=6 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 501.76 AINCHI= 493.20 DELZ= 8.555 ALP=454.21 ALPHI=453.94
*PARTBN* TIME=118.00 IS=7 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 501.25 AINCHI= 493.20 DELZ= 8.041 ALP=454.21 ALPHI=453.96
*PARTBN* TIME=118.00 IS=8 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 498.25 AINCHI= 493.20 DELZ= 5.042 ALP=454.22 ALPHI=454.08
*PARTBN* TIME=118.00 IS=2 ZCALC( 5)= 60.00 ZCALC( 4)= 45.00 AINCW= 60.12 AINCHI= 45.00 DELZ=15.118 ALP=454.72 ALPHI=454.49
*PARTBN* TIME=118.00 IS=3 ZCALC( 5)= 60.00 ZCALC( 4)= 45.00 AINCW= 62.87 AINCHI= 45.00 DELZ=17.875 ALP=454.72 ALPHI=454.44
*PARTBN* TIME=118.00 IS=1 ZCALC( 6)= 75.00 ZCALC( 5)= 60.00 AINCW= 75.08 AINCHI= 60.00 DELZ=15.083 ALP=454.73 ALPHI=454.50
*PARTBN* TIME=118.00 IS=4 ZCALC( 7)= 90.00 ZCALC( 6)= 75.00 AINCW= 79.26 AINCHI= 75.00 DELZ= 4.256 ALP=454.73 ALPHI=454.71
*PARTBN* TIME=118.00 IS=5 ZCALC( 8)= 105.00 ZCALC( 7)= 90.00 AINCW= 98.75 AINCHI= 90.00 DELZ= 8.751 ALP=454.73 ALPHI=454.63
*PARTBN* TIME=118.00 IS=6 ZCALC( 8)= 105.00 ZCALC( 7)= 90.00 AINCW= 104.64 AINCHI= 90.00 DELZ=14.638 ALP=454.74 ALPHI=454.52
```

```
*PARTBN* TIME=118.00 IS=7 ZCALC( 8)= 105.00 ZCALC( 7)=  90.00 AINCW= 103.49 AINCHI=  90.00 DELZ=13.486 ALP=454.74 ALPHI=454.54
*PARTBN* TIME=118.00 IS=8 ZCALC( 8)= 105.00 ZCALC( 7)=  90.00 AINCW=  96.76 AINCHI=  90.00 DELZ= 6.762 ALP=454.73 ALPHI=454.67
*PARTBN* TIME=118.00 IS=5 ZCALC( 12)= 143.92 ZCALC( 11)= 131.77 AINCW= 143.92 AINCHI= 138.40 DELZ= 5.522 ALP=453.97 ALPHI=269.30
*PARTBN* TIME=118.00 IS=6 ZCALC( 12)= 143.92 ZCALC( 11)= 131.77 AINCW= 143.92 AINCHI= 132.32 DELZ=11.598 ALP=453.86 ALPHI= 66.08
*PARTBN* TIME=118.00 IS=7 ZCALC( 12)= 143.92 ZCALC( 11)= 131.77 AINCW= 143.92 AINCHI= 133.51 DELZ=10.408 ALP=453.88 ALPHI=105.88
*PARTBN* TIME=118.00 IS=5 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 146.22 AINCHI= 143.92 DELZ= 2.296 ALP=454.00 ALPHI=453.97
*PARTBN* TIME=118.00 IS=6 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 148.74 AINCHI= 143.92 DELZ= 4.821 ALP=453.99 ALPHI=453.86
*PARTBN* TIME=118.00 IS=7 ZCALC( 13)= 158.92 ZCALC( 12)= 143.92 AINCW= 148.25 AINCHI= 143.92 DELZ= 4.326 ALP=453.99 ALPHI=453.88
*PARTBN* TIME=118.00 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.03 DELZ= 2.176 ALP=453.38 ALPHI=399.61
*PARTBN* TIME=118.00 IS=2 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.65 DELZ= 1.559 ALP=453.66 ALPHI=415.11
*PARTBN* TIME=118.00 IS=3 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.53 DELZ= 1.673 ALP=453.61 ALPHI=412.23
*PARTBN* TIME=118.00 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.86 DELZ= 2.347 ALP=453.31 ALPHI=395.29
*PARTBN* TIME=118.00 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.06 DELZ= 3.144 ALP=452.95 ALPHI=375.26
*PARTBN* TIME=118.00 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.82 DELZ= 3.384 ALP=452.84 ALPHI=369.23
*PARTBN* TIME=118.00 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 459.87 DELZ= 3.337 ALP=452.86 ALPHI=370.40
*PARTBN* TIME=118.00 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.14 DELZ= 3.062 ALP=452.99 ALPHI=377.31
*PARTBN* TIME=118.00 IS=1 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 488.55 AINCHI= 478.20 DELZ=10.344 ALP=454.24 ALPHI=453.90
*PARTBN* TIME=118.00 IS=2 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 481.82 AINCHI= 478.20 DELZ= 3.617 ALP=454.26 ALPHI=454.18
*PARTBN* TIME=118.00 IS=3 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 483.06 AINCHI= 478.20 DELZ= 4.860 ALP=454.25 ALPHI=454.12
*PARTBN* TIME=118.00 IS=4 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 490.42 AINCHI= 478.20 DELZ=12.212 ALP=454.23 ALPHI=453.82
*PARTBN* TIME=118.00 IS=5 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 499.14 AINCHI= 493.20 DELZ= 5.933 ALP=454.21 ALPHI=454.05
*PARTBN* TIME=118.00 IS=6 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 501.76 AINCHI= 493.20 DELZ= 8.555 ALP=454.21 ALPHI=453.94
*PARTBN* TIME=118.00 IS=7 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 501.25 AINCHI= 493.20 DELZ= 8.041 ALP=454.21 ALPHI=453.96
*PARTBN* TIME=118.00 IS=8 ZCALC( 39)= 508.20 ZCALC( 38)= 493.20 AINCW= 498.25 AINCHI= 493.20 DELZ= 5.042 ALP=454.22 ALPHI=454.08
```

IGNITION TIME, TIME (S) 118.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	820333.66	184418.34
TOTAL VACUUM THRUST (N,LBF)	FTVAC	825224.81	185517.92
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	6554.3749	1473.4821
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.12326469+10	.27711006+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	254.11557	254.11557
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.12826684+10	.28835532+09
THRUST COEFFICIENT	CF	1.6283304	1.6283304
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	327.62893	722.29816
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	505081.67	1113514.5
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	3.5176854	7.7551689
INERT MASS REMAINING (KG,LBM)	MIR	18.402545	40.570668
TOTAL BURN AREA (M**2,IN**2)	ABTOT	35.873749	55604.422
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	2.8570734	174349.32
PROPELLANT MASS REMAINING (KG,LBM)	WF	1576.3757	3475.3136
TOTAL GAS MASS (KG,LBM)	WGTOT	115.60439	254.86405
RATIO OF SPECIFIC HEATS	GAMA	1.1591842	1.1591842
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.696788	27.991627
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1547.2440	5076.2600
MAXIMUM CHAMBER MACH NUMBER	AMPN	.94296186-01	.94296186-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	32067681.	46.510240
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.53241369+11	77220.077
BURN AREA (M**2,IN**2)	AHH	.45720980	708.67661
BURN RATE (M/S,IN/S)	RBZ(1)	.37896158-02	.14919747
DISTANCE BURNED (M,IN)	TAUZ(1)	1.1035960	43.448739
PROPELLANT VOLUME (M**3,IN**3)	VFH	.22474507	13714.786
GAS VOLUME (M**3,IN**3)	VPH	54.879087	3348927.3
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3291.6091	5924.8964
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	35.416539	54895.746
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	2.6303621	160514.54
GAS VOLUME (M**3,IN**3)	VP	283.13935	17278223.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	31630189.	45.875711
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.50827743+11	73719.409
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI*1,1)	.37592088-02	.14800350
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.37559289-02	.14787122
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI*1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19862722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3291.4789	5924.6619
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	13.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.6022414	2483.4792
EXPANSION RATIO	EPR	6.7084240	6.7084240
PRESSURE RATIO	PEPO	.23576823-01	.23576823-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	3.0000000	3.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	46.51	46.51	5924.90	16.14	.005	453.28	16349.56	37.52	6.69	-30.83	.1488	43.449	.0000	.000
15.000	46.51	46.51	5924.83	44.70	.013	453.46	16364.28	103.96	64.19	-2.25	.1488	43.399	.0000	.000
30.000	46.51	46.49	5924.70	73.23	.021	453.75	16378.97	170.45	64.23	-2.25	.1488	43.395	.0000	.000
45.000	46.50	46.48	5924.51	101.77	.029	454.03	16393.63	236.98	64.28	-2.25	.1488	43.391	.0000	.000
60.000	46.49	46.45	5924.24	130.96	.037	454.31	16408.56	305.09	65.94	-2.17	.1488	43.386	.0000	.000
75.000	46.48	46.43	5924.01	152.56	.044	340.83	16422.85	355.54	48.19	-2.26	.1488	43.371	.0000	.000
90.000	46.47	46.41	5923.81	168.20	.048	284.14	16436.32	392.18	34.32	-2.32	.1488	43.346	.0000	.000
105.000	46.46	46.39	5923.67	179.13	.051	227.37	16449.61	417.87	23.30	-2.39	.1488	43.313	.0000	.000
116.761	46.46	46.39	5923.66	179.74	.051	.00	16463.29	419.65	.00	-1.78	.1488	43.366	.0000	.000
116.771	46.46	46.34	5922.85	230.85	.066	.00	12831.49	419.65	.00	-.00	.1487	43.274	.0000	.000
131.771	46.43	46.34	5923.35	200.89	.058	.00	14813.33	421.55	.00	-1.90	.1487	43.307	.0000	.000
143.919	46.41	46.33	5923.57	186.06	.053	170.21	16420.60	432.71	9.30	-1.86	.1487	43.323	.0000	.000
158.919	46.41	46.33	5923.52	189.57	.054	170.25	16429.03	441.05	6.10	-2.25	.1487	43.226	.0000	.000
173.919	46.41	46.33	5923.51	190.36	.054	.00	16444.32	443.31	.00	-2.25	.1487	43.118	.0000	.000
188.919	46.41	46.33	5923.49	191.19	.055	.00	16456.06	445.56	.00	-2.25	.1487	43.009	.0000	.000
203.919	46.41	46.33	5923.48	192.02	.055	.00	16467.74	447.81	.00	-2.25	.1487	42.901	.0000	.000
218.919	46.41	46.33	5923.47	192.85	.055	.00	16479.34	450.07	.00	-2.26	.1487	42.793	.0000	.000
233.919	46.41	46.33	5923.46	193.68	.055	.00	16490.87	452.33	.00	-2.26	.1487	42.685	.0000	.000
248.919	46.41	46.33	5923.44	194.51	.056	.00	16502.32	454.59	.00	-2.26	.1487	42.576	.0000	.000
263.919	46.41	46.33	5923.43	195.35	.056	.00	16513.71	456.85	.00	-2.26	.1487	42.468	.0000	.000
278.919	46.41	46.33	5923.42	196.18	.056	.00	16525.02	459.12	.00	-2.27	.1487	42.360	.0000	.000
293.919	46.41	46.33	5923.41	197.01	.056	.00	16536.26	461.39	.00	-2.27	.1487	42.252	.0000	.000
308.919	46.41	46.33	5923.39	197.85	.057	.00	16547.43	463.65	.00	-2.27	.1487	42.143	.0000	.000
323.919	46.41	46.33	5923.38	198.68	.057	.00	16558.52	465.93	.00	-2.27	.1487	42.035	.0000	.000
338.919	46.42	46.33	5923.37	199.52	.057	.00	16569.54	468.20	.00	-2.27	.1487	41.927	.0000	.000
353.919	46.42	46.33	5923.36	200.36	.057	.00	16580.49	470.47	.00	-2.28	.1487	41.819	.0000	.000
368.919	46.42	46.33	5923.34	201.20	.058	.00	16591.37	472.75	.00	-2.28	.1487	41.710	.0000	.000
383.919	46.42	46.33	5923.33	202.03	.058	.00	16602.18	475.03	.00	-2.28	.1487	41.602	.0000	.000
398.919	46.42	46.33	5923.32	202.87	.058	.00	16612.91	477.31	.00	-2.28	.1487	41.494	.0000	.000
403.048	46.42	46.33	5923.31	203.10	.058	.00	16615.85	477.94	.00	-.63	.1487	41.464	.0000	.000
418.048	46.42	46.33	5923.27	205.89	.059	.00	16469.10	480.21	.00	-2.27	.1487	41.192	.0000	.000
427.061	46.42	46.33	5923.24	207.56	.059	.00	16381.95	481.57	.00	-1.35	.1487	41.174	.0000	.000
427.061	46.42	46.29	5922.65	241.88	.069	.00	14067.75	481.57	.00	-.00	.1486	41.029	.0000	.000
442.061	46.41	46.29	5922.90	228.07	.065	.00	14981.74	483.56	.00	-1.99	.1486	41.998	.0000	.000
457.061	46.39	46.29	5923.12	215.31	.062	.00	15939.50	485.67	.00	-2.11	.1486	42.967	.0000	.000
463.204	46.38	46.28	5923.12	214.81	.062	453.20	16344.51	496.77	10.20	-.90	.1485	43.179	.0000	.000
478.204	46.36	46.23	5922.61	243.73	.070	453.72	16348.47	563.12	64.12	-2.23	.1486	43.158	.0000	.000
493.204	46.34	46.19	5922.17	265.96	.076	454.13	16348.45	614.01	48.60	-2.29	.1486	43.125	.0000	.000
508.204	46.33	46.17	5922.02	273.35	.078	227.11	16349.51	630.92	14.68	-2.23	.1485	43.039	.0000	.000
523.204	46.34	46.17	5922.00	274.27	.079	.00	16352.21	633.14	.00	-2.22	.1485	42.931	.0000	.000
538.204	46.34	46.17	5921.98	275.20	.079	.00	16354.09	635.37	.00	-2.22	.1485	42.822	.0000	.000
553.204	46.34	46.17	5921.96	276.13	.079	.00	16355.94	637.59	.00	-2.23	.1485	42.714	.0000	.000
568.204	46.34	46.17	5921.94	277.06	.079	.00	16357.77	639.82	.00	-2.23	.1485	42.605	.0000	.000
583.204	46.34	46.17	5921.92	278.00	.080	.00	16359.57	642.05	.00	-2.23	.1485	42.497	.0000	.000
593.204	46.34	46.17	5921.90	278.93	.080	.00	16361.36	644.28	.00	-2.23	.1485	42.389	.0000	.000
613.204	46.34	46.17	5921.88	279.87	.080	.00	16363.13	646.51	.00	-2.23	.1485	42.280	.0000	.000

628.204	46.34	46.17	5921.86	280.80	.080	.00	16364.87	648.74	.00	-2.23	.1485	42.172	.0000	.000
643.204	46.34	46.17	5921.84	281.74	.081	.00	16366.59	650.97	.00	-2.23	.1485	42.064	.0000	.000
658.204	46.35	46.17	5921.82	282.67	.081	.00	16368.29	653.21	.00	-2.23	.1485	41.955	.0000	.000
673.204	46.35	46.17	5921.80	283.61	.081	.00	16369.97	655.44	.00	-2.23	.1485	41.847	.0000	.000
688.204	46.35	46.17	5921.78	284.55	.081	.00	16371.63	657.67	.00	-2.24	.1485	41.738	.0000	.000
703.204	46.35	46.17	5921.76	285.48	.082	.00	16373.26	659.91	.00	-2.24	.1485	41.630	.0000	.000
718.204	46.35	46.17	5921.74	286.42	.082	.00	16374.88	662.15	.00	-2.24	.1485	41.522	.0000	.000
726.191	46.35	46.17	5921.73	286.92	.082	.00	16375.73	663.34	.00	-1.19	.1485	41.464	.0000	.000
741.191	46.35	46.17	5921.71	287.77	.082	.00	16382.80	665.58	.00	-2.24	.1485	41.140	.0000	.000
746.336	46.35	46.17	5921.70	288.06	.082	.00	16385.20	666.35	.00	-.77	.1485	41.240	.0000	.000
746.346	46.35	46.11	5920.71	329.29	.094	.00	14349.56	666.35	.00	-.00	.1484	41.029	.0000	.000
761.346	46.33	46.11	5921.03	316.56	.091	.00	14972.15	668.35	.00	-2.00	.1484	41.104	.0000	.000
776.346	46.31	46.11	5921.32	304.84	.087	.00	15597.03	670.43	.00	-2.09	.1484	41.178	.0000	.000
791.346	46.30	46.11	5921.57	294.02	.084	.00	16224.19	672.61	.00	-2.17	.1484	41.253	.0000	.000
794.631	46.30	46.11	5921.62	291.63	.084	.00	16370.23	673.12	.00	-.52	.1484	41.270	.0000	.000
809.631	46.30	46.11	5921.60	292.71	.084	.00	16363.57	675.36	.00	-2.23	.1484	41.093	.0000	.000
824.631	46.30	46.11	5921.57	293.80	.084	.00	16356.92	677.59	.00	-2.23	.1484	40.916	.0000	.000
839.631	46.30	46.11	5921.55	294.88	.084	.00	16350.28	679.82	.00	-2.23	.1484	40.739	.0000	.000
854.781	46.30	46.11	5921.52	295.97	.085	.00	16343.67	682.04	.00	-2.22	.1484	40.563	.0000	.000
869.781	46.30	46.11	5921.49	297.44	.085	.00	16315.82	684.27	.00	-2.23	.1484	39.794	.0000	.000
884.781	46.31	46.11	5921.45	298.91	.086	.00	16287.96	686.50	.00	-2.22	.1484	39.025	.0000	.000
899.781	46.31	46.11	5921.42	300.39	.086	.00	16260.09	688.72	.00	-2.22	.1484	38.255	.0000	.000
914.781	46.31	46.11	5921.39	301.88	.086	.00	16232.22	690.94	.00	-2.22	.1484	37.486	.0000	.000
929.781	46.31	46.11	5921.35	303.36	.087	.00	16204.33	693.15	.00	-2.21	.1484	36.717	.0000	.000
944.781	46.31	46.11	5921.32	304.85	.087	.00	16176.44	695.36	.00	-2.21	.1484	35.948	.0000	.000
959.781	46.32	46.11	5921.28	306.35	.088	.00	16148.55	697.56	.00	-2.21	.1484	35.178	.0000	.000
974.781	46.32	46.11	5921.24	307.84	.088	.00	16120.65	699.77	.00	-2.20	.1484	34.409	.0000	.000
989.781	46.32	46.11	5921.21	309.34	.089	.00	16092.74	701.96	.00	-2.20	.1484	33.640	.0000	.000
1004.781	46.32	46.11	5921.17	310.85	.089	.00	16064.82	704.16	.00	-2.19	.1484	32.871	.0000	.000
1019.781	46.32	46.11	5921.14	312.36	.089	.00	16036.89	706.35	.00	-2.19	.1484	32.101	.0000	.000
1034.781	46.33	46.11	5921.10	313.87	.090	.00	16008.96	708.54	.00	-2.19	.1484	31.332	.0000	.000
1043.791	46.33	46.11	5921.08	314.47	.090	.00	15997.77	709.41	.00	-.88	.1484	31.024	.0000	.000
1055.791	46.33	46.11	5921.05	315.99	.090	.00	15969.84	711.59	.00	-2.18	.1484	30.483	.0000	.000
1070.791	46.33	46.11	5921.01	317.51	.091	.00	15941.86	713.77	.00	-2.18	.1484	29.942	.0000	.000
1084.171	46.33	46.11	5920.98	318.88	.091	.00	15916.69	715.71	.00	-1.94	.1484	29.459	.0000	.000
AFT(4)	45.88	43.77	5886.62	993.34	.285	*****	15823.73	722.30	.00	-4.00	.1480	29.460	****	*****
AFT(8)	45.88	45.88	5924.66	-1.77	.001	*****	10413.12	2.59	.00	-2.59	.1479	20.670	****	*****

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FORWARD	1.1676+02	4.6463+01	4.6392+01	5.9237+03	1.7978+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	4.1965+02
AFT	1.1677+02	4.6411+01	4.6346+01	5.9228+03	1.7996+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	4.1965+02

GAS BUILDUP IN SLOT, DW/DT = -1.5116-03

FORWARD	4.2705+02	4.6423+01	4.6328+01	5.9232+03	2.0755+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.8157+02
AFT	4.2706+02	4.6386+01	4.6292+01	5.9226+03	2.0769+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.8157+02

GAS BUILDUP IN SLOT, DW/DT = -1.5003-03

FORWARD	7.4634+02	4.6352+01	4.6170+01	5.9217+03	2.8809+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.6635+02
AFT	7.4635+02	4.6292+01	4.6110+01	5.9207+03	2.8842+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.6635+02

GAS BUILDUP IN SLOT, DW/DT = -1.4922-03

```
WEB BURNOUT INCREMENT LOCATION =   45.0000   SECTOR NO.  2   TAU = 43.5094   TAUWDP = 43.5094   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =   45.0000   SECTOR NO.  3   TAU = 43.5094   TAUWDP = 43.5094   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =   60.0000   SECTOR NO.  1   TAU = 43.4602   TAUWDP = 43.4602   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =   60.0000   SECTOR NO.  2   TAU = 43.4602   TAUWDP = 43.4602   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =   60.0000   SECTOR NO.  3   TAU = 43.4602   TAUWDP = 43.4602   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =   60.0000   SECTOR NO.  4   TAU = 43.4602   TAUWDP = 43.4602   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =   75.0000   SECTOR NO.  1   TAU = 43.4110   TAUWDP = 43.4110   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =   75.0000   SECTOR NO.  4   TAU = 43.4110   TAUWDP = 43.4110   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =   75.0000   SECTOR NO.  5   TAU = 43.4110   TAUWDP = 43.4110   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =   75.0000   SECTOR NO.  8   TAU = 43.4110   TAUWDP = 43.4110   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =   90.0000   SECTOR NO.  5   TAU = 43.3618   TAUWDP = 43.3618   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =   90.0000   SECTOR NO.  6   TAU = 43.3618   TAUWDP = 43.3618   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =   90.0000   SECTOR NO.  7   TAU = 43.3618   TAUWDP = 43.3618   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =   90.0000   SECTOR NO.  8   TAU = 43.3618   TAUWDP = 43.3618   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =  143.9190   SECTOR NO.  5   TAU = 43.3340   TAUWDP = 43.3340   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =  143.9190   SECTOR NO.  6   TAU = 43.3340   TAUWDP = 43.3340   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =  143.9190   SECTOR NO.  7   TAU = 43.3340   TAUWDP = 43.3340   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =  143.9190   SECTOR NO.  8   TAU = 43.3340   TAUWDP = 43.3340   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =  478.2040   SECTOR NO.  1   TAU = 43.2556   TAUWDP = 43.2556   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =  478.2040   SECTOR NO.  2   TAU = 43.2556   TAUWDP = 43.2556   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =  478.2040   SECTOR NO.  3   TAU = 43.2556   TAUWDP = 43.2556   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =  493.2040   SECTOR NO.  5   TAU = 43.1473   TAUWDP = 43.1473   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =  493.2040   SECTOR NO.  6   TAU = 43.1473   TAUWDP = 43.1473   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =  493.2040   SECTOR NO.  7   TAU = 43.1473   TAUWDP = 43.1473   TIME = 118.00
WEB BURNOUT INCREMENT LOCATION =  493.2040   SECTOR NO.  8   TAU = 43.1473   TAUWDP = 43.1473   TIME = 118.00
*PARTBN* TIME=118.50 IS=2 ZCALC( 4)=  45.00 ZCALC( 3)=  30.00 AINCW=  35.12 AINCHI=  30.00 DELZ= 5.121 ALP=454.71 ALPHI=454.68
*PARTBN* TIME=118.50 IS=3 ZCALC( 4)=  45.00 ZCALC( 3)=  30.00 AINCW=  37.87 AINCHI=  30.00 DELZ= 7.866 ALP=454.71 ALPHI=454.62
*PARTBN* TIME=118.50 IS=1 ZCALC( 5)=  60.00 ZCALC( 4)=  45.00 AINCW=  50.02 AINCHI=  45.00 DELZ= 5.018 ALP=454.72 ALPHI=454.68
*PARTBN* TIME=118.50 IS=4 ZCALC( 5)=  60.00 ZCALC( 4)=  45.00 AINCW=  54.17 AINCHI=  45.00 DELZ= 9.169 ALP=454.72 ALPHI=454.61
*PARTBN* TIME=118.50 IS=5 ZCALC( 6)=  75.00 ZCALC( 5)=  60.00 AINCW=  73.57 AINCHI=  60.00 DELZ=13.571 ALP=454.73 ALPHI=454.53
*PARTBN* TIME=118.50 IS=7 ZCALC( 6)=  75.00 ZCALC( 5)=  60.00 AINCW=  74.20 AINCHI=  60.00 DELZ=14.284 ALP=454.73 ALPHI=454.44
```

```
*PARTBN* TIME=118.50 IS=8 ZCALC( 6)= 75.00 ZCALC( 5)= 60.00 AINCW= 71.60 AINCHI= 60.00 DELZ=11.596 ALP=454.72 ALPHI=454.57
*PARTBN* TIME=118.50 IS=6 ZCALC( 7)= 90.00 ZCALC( 6)= 75.00 AINCW= 79.45 AINCHI= 75.00 DELZ= 4.451 ALP=454.73 ALPHI=454.71
*PARTBN* TIME=118.50 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.06 DELZ= 1.140 ALP=453.85 ALPHI=425.65
*PARTBN* TIME=118.50 IS=2 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.68 DELZ= .522 ALP=454.13 ALPHI=441.18
*PARTBN* TIME=118.50 IS=3 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.57 DELZ= .636 ALP=454.07 ALPHI=438.30
*PARTBN* TIME=118.50 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.89 DELZ= 1.311 ALP=453.77 ALPHI=421.33
*PARTBN* TIME=118.50 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.09 DELZ= 2.110 ALP=453.42 ALPHI=401.25
*PARTBN* TIME=118.50 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.85 DELZ= 2.351 ALP=453.31 ALPHI=395.20
*PARTBN* TIME=118.50 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.90 DELZ= 2.304 ALP=453.33 ALPHI=396.38
*PARTBN* TIME=118.50 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.18 DELZ= 2.028 ALP=453.45 ALPHI=403.31
*PARTBN* TIME=118.50 IS=1 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 477.13 AINCHI= 463.20 DELZ=13.926 ALP=454.27 ALPHI=453.85
*PARTBN* TIME=118.50 IS=2 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 469.58 AINCHI= 463.20 DELZ= 6.378 ALP=454.28 ALPHI=454.13
*PARTBN* TIME=118.50 IS=3 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 470.98 AINCHI= 463.20 DELZ= 7.773 ALP=454.28 ALPHI=454.07
*PARTBN* TIME=118.50 IS=4 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 479.23 AINCHI= 463.20 DELZ=16.022 ALP=454.26 ALPHI=453.77
*PARTBN* TIME=118.50 IS=5 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 487.84 AINCHI= 478.20 DELZ= 9.639 ALP=454.24 ALPHI=453.93
*PARTBN* TIME=118.50 IS=6 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 490.47 AINCHI= 478.20 DELZ=12.264 ALP=454.23 ALPHI=453.82
*PARTBN* TIME=118.50 IS=7 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 489.95 AINCHI= 478.20 DELZ=11.750 ALP=454.24 ALPHI=453.84
*PARTBN* TIME=118.50 IS=8 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 486.95 AINCHI= 478.20 DELZ= 8.748 ALP=454.24 ALPHI=453.97
*PARTBN* TIME=118.50 IS=2 ZCALC( 4)= 45.00 ZCALC( 3)= 30.00 AINCW= 35.12 AINCHI= 30.00 DELZ= 5.121 ALP=454.71 ALPHI=454.68
*PARTBN* TIME=118.50 IS=3 ZCALC( 4)= 45.00 ZCALC( 3)= 30.00 AINCW= 37.87 AINCHI= 30.00 DELZ= 7.866 ALP=454.71 ALPHI=454.62
*PARTBN* TIME=118.50 IS=1 ZCALC( 5)= 60.00 ZCALC( 4)= 45.00 AINCW= 50.02 AINCHI= 45.00 DELZ= 5.018 ALP=454.72 ALPHI=454.68
*PARTBN* TIME=118.50 IS=4 ZCALC( 5)= 60.00 ZCALC( 4)= 45.00 AINCW= 54.17 AINCHI= 45.00 DELZ= 9.169 ALP=454.72 ALPHI=454.61
*PARTBN* TIME=118.50 IS=5 ZCALC( 6)= 75.00 ZCALC( 5)= 60.00 AINCW= 73.57 AINCHI= 60.00 DELZ=13.571 ALP=454.73 ALPHI=454.53
*PARTBN* TIME=118.50 IS=7 ZCALC( 6)= 75.00 ZCALC( 5)= 60.00 AINCW= 78.28 AINCHI= 60.00 DELZ=18.284 ALP=454.73 ALPHI=454.44
*PARTBN* TIME=118.50 IS=8 ZCALC( 6)= 75.00 ZCALC( 5)= 60.00 AINCW= 71.60 AINCHI= 60.00 DELZ=11.596 ALP=454.72 ALPHI=454.57
*PARTBN* TIME=118.50 IS=6 ZCALC( 7)= 90.00 ZCALC( 6)= 75.00 AINCW= 79.45 AINCHI= 75.00 DELZ= 4.451 ALP=454.73 ALPHI=454.71
*PARTBN* TIME=118.50 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.06 DELZ= 1.140 ALP=453.85 ALPHI=425.65
*PARTBN* TIME=118.50 IS=2 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.68 DELZ= .522 ALP=454.13 ALPHI=441.18
*PARTBN* TIME=118.50 IS=3 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.57 DELZ= .636 ALP=454.07 ALPHI=438.30
*PARTBN* TIME=118.50 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.89 DELZ= 1.311 ALP=453.77 ALPHI=421.33
*PARTBN* TIME=118.50 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.09 DELZ= 2.110 ALP=453.42 ALPHI=401.25
*PARTBN* TIME=118.50 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.85 DELZ= 2.351 ALP=453.31 ALPHI=395.20
*PARTBN* TIME=118.50 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.90 DELZ= 2.304 ALP=453.33 ALPHI=396.38
*PARTBN* TIME=118.50 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.18 DELZ= 2.028 ALP=453.45 ALPHI=403.31
*PARTBN* TIME=118.50 IS=1 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 477.13 AINCHI= 463.20 DELZ=13.926 ALP=454.27 ALPHI=453.85
*PARTBN* TIME=118.50 IS=2 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 469.58 AINCHI= 463.20 DELZ= 6.378 ALP=454.28 ALPHI=454.13
*PARTBN* TIME=118.50 IS=3 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 470.98 AINCHI= 463.20 DELZ= 7.773 ALP=454.28 ALPHI=454.07
*PARTBN* TIME=118.50 IS=4 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 479.23 AINCHI= 463.20 DELZ=16.022 ALP=454.26 ALPHI=453.77
*PARTBN* TIME=118.50 IS=5 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 487.84 AINCHI= 478.20 DELZ= 9.639 ALP=454.24 ALPHI=453.93
*PARTBN* TIME=118.50 IS=6 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 490.47 AINCHI= 478.20 DELZ=12.264 ALP=454.23 ALPHI=453.82
*PARTBN* TIME=118.50 IS=7 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 489.95 AINCHI= 478.20 DELZ=11.750 ALP=454.24 ALPHI=453.84
*PARTBN* TIME=118.50 IS=8 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 486.95 AINCHI= 478.20 DELZ= 8.748 ALP=454.24 ALPHI=453.97
*PARTBN* TIME=118.50 IS=2 ZCALC( 4)= 45.00 ZCALC( 3)= 30.00 AINCW= 35.12 AINCHI= 30.00 DELZ= 5.121 ALP=454.71 ALPHI=454.68
*PARTBN* TIME=118.50 IS=3 ZCALC( 4)= 45.00 ZCALC( 3)= 30.00 AINCW= 37.87 AINCHI= 30.00 DELZ= 7.866 ALP=454.71 ALPHI=454.62
*PARTBN* TIME=118.50 IS=1 ZCALC( 5)= 60.00 ZCALC( 4)= 45.00 AINCW= 50.02 AINCHI= 45.00 DELZ= 5.018 ALP=454.72 ALPHI=454.68
*PARTBN* TIME=118.50 IS=4 ZCALC( 5)= 60.00 ZCALC( 4)= 45.00 AINCW= 54.17 AINCHI= 45.00 DELZ= 9.169 ALP=454.72 ALPHI=454.61
*PARTBN* TIME=118.50 IS=5 ZCALC( 6)= 75.00 ZCALC( 5)= 60.00 AINCW= 73.57 AINCHI= 60.00 DELZ=13.571 ALP=454.73 ALPHI=454.53
*PARTBN* TIME=118.50 IS=7 ZCALC( 6)= 75.00 ZCALC( 5)= 60.00 AINCW= 78.28 AINCHI= 60.00 DELZ=18.284 ALP=454.73 ALPHI=454.44
*PARTBN* TIME=118.50 IS=8 ZCALC( 6)= 75.00 ZCALC( 5)= 60.00 AINCW= 71.60 AINCHI= 60.00 DELZ=11.596 ALP=454.72 ALPHI=454.57
*PARTBN* TIME=118.50 IS=6 ZCALC( 7)= 90.00 ZCALC( 6)= 75.00 AINCW= 79.45 AINCHI= 75.00 DELZ= 4.451 ALP=454.73 ALPHI=454.71
*PARTBN* TIME=118.50 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.06 DELZ= 1.140 ALP=453.85 ALPHI=425.65
*PARTBN* TIME=118.50 IS=2 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.68 DELZ= .522 ALP=454.13 ALPHI=441.18
*PARTBN* TIME=118.50 IS=3 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.57 DELZ= .636 ALP=454.07 ALPHI=438.30
*PARTBN* TIME=118.50 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.89 DELZ= 1.311 ALP=453.77 ALPHI=421.33
*PARTBN* TIME=118.50 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.09 DELZ= 2.110 ALP=453.42 ALPHI=401.25
*PARTBN* TIME=118.50 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.85 DELZ= 2.351 ALP=453.31 ALPHI=395.20
```

```
*PARTBN* TIME=118.50 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 460.90 DELZ= 2.304 ALP=453.33 ALPHI=396.38
*PARTBN* TIME=118.50 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.18 DELZ= 2.028 ALP=453.45 ALPHI=403.31
*PARTBN* TIME=118.50 IS=1 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 477.13 AINCHI= 463.20 DELZ=13.926 ALP=454.27 ALPHI=453.85
*PARTBN* TIME=118.50 IS=2 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 469.58 AINCHI= 463.20 DELZ= 6.378 ALP=454.28 ALPHI=454.13
*PARTBN* TIME=118.50 IS=3 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 470.98 AINCHI= 463.20 DELZ= 7.773 ALP=454.28 ALPHI=454.07
*PARTBN* TIME=118.50 IS=4 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 479.23 AINCHI= 463.20 DELZ=16.022 ALP=454.26 ALPHI=453.77
*PARTBN* TIME=118.50 IS=5 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 487.84 AINCHI= 478.20 DELZ= 9.639 ALP=454.24 ALPHI=453.93
*PARTBN* TIME=118.50 IS=6 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 490.47 AINCHI= 478.20 DELZ=12.264 ALP=454.23 ALPHI=453.82
*PARTBN* TIME=118.50 IS=7 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 489.95 AINCHI= 478.20 DELZ=11.750 ALP=454.24 ALPHI=453.84
*PARTBN* TIME=118.50 IS=8 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 486.95 AINCHI= 478.20 DELZ= 8.748 ALP=454.24 ALPHI=453.97
AEB BURNOUT INCREMENT LOCATION =  15.0000   SECTOR NO.  2   TAU = 43.6078   TAUWDP = 43.6078   TIME = 118.50
AEB BURNOUT INCREMENT LOCATION =  30.0000   SECTOR NO.  1   TAU = 43.5586   TAUWDP = 43.5586   TIME = 118.50
AEB BURNOUT INCREMENT LOCATION =  30.0000   SECTOR NO.  2   TAU = 43.5586   TAUWDP = 43.5586   TIME = 118.50
AEB BURNOUT INCREMENT LOCATION =  30.0000   SECTOR NO.  3   TAU = 43.5586   TAUWDP = 43.5586   TIME = 118.50
AEB BURNOUT INCREMENT LOCATION =  45.0000   SECTOR NO.  1   TAU = 43.5094   TAUWDP = 43.5094   TIME = 118.50
AEB BURNOUT INCREMENT LOCATION =  45.0000   SECTOR NO.  4   TAU = 43.5094   TAUWDP = 43.5094   TIME = 118.50
AEB BURNOUT INCREMENT LOCATION =  60.0000   SECTOR NO.  5   TAU = 43.4602   TAUWDP = 43.4602   TIME = 118.50
AEB BURNOUT INCREMENT LOCATION =  60.0000   SECTOR NO.  6   TAU = 43.4602   TAUWDP = 43.4602   TIME = 118.50
AEB BURNOUT INCREMENT LOCATION =  60.0000   SECTOR NO.  7   TAU = 43.4602   TAUWDP = 43.4602   TIME = 118.50
AEB BURNOUT INCREMENT LOCATION =  60.0000   SECTOR NO.  8   TAU = 43.4602   TAUWDP = 43.4602   TIME = 118.50
AEB BURNOUT INCREMENT LOCATION =  75.0000   SECTOR NO.  6   TAU = 43.4110   TAUWDP = 43.4110   TIME = 118.50
AEB BURNOUT INCREMENT LOCATION =  75.0000   SECTOR NO.  7   TAU = 43.4110   TAUWDP = 43.4110   TIME = 118.50
AEB BURNOUT INCREMENT LOCATION = 463.2040   SECTOR NO.  2   TAU = 43.3640   TAUWDP = 43.3640   TIME = 118.50
AEB BURNOUT INCREMENT LOCATION = 463.2040   SECTOR NO.  3   TAU = 43.3640   TAUWDP = 43.3640   TIME = 118.50
AEB BURNOUT INCREMENT LOCATION = 478.2040   SECTOR NO.  4   TAU = 43.2556   TAUWDP = 43.2556   TIME = 118.50
AEB BURNOUT INCREMENT LOCATION = 478.2040   SECTOR NO.  5   TAU = 43.2556   TAUWDP = 43.2556   TIME = 118.50
AEB BURNOUT INCREMENT LOCATION = 478.2040   SECTOR NO.  8   TAU = 43.2556   TAUWDP = 43.2556   TIME = 118.50
*PARTBN* TIME=119.00 IS=2 ZCALC(  2)=  15.00 ZCALC(  1)=   .00 AINCW=  12.88 AINCHI=   .00 DELZ=12.882 ALP=454.70 ALPHI=454.61
*PARTBN* TIME=119.00 IS=3 ZCALC(  2)=  15.00 ZCALC(  1)=   .00 AINCW=  17.19 AINCHI=   .00 DELZ=17.186 ALP=454.71 ALPHI=454.56
*PARTBN* TIME=119.00 IS=1 ZCALC(  3)=  30.00 ZCALC(  2)=  15.00 AINCW=  28.50 AINCHI=  15.00 DELZ=13.497 ALP=454.71 ALPHI=454.51
*PARTBN* TIME=119.00 IS=4 ZCALC(  3)=  30.00 ZCALC(  2)=  15.00 AINCW=  32.63 AINCHI=  15.00 DELZ=17.628 ALP=454.71 ALPHI=454.44
*PARTBN* TIME=119.00 IS=5 ZCALC(  5)=  60.00 ZCALC(  4)=  45.00 AINCW=  51.97 AINCHI=  45.00 DELZ= 6.968 ALP=454.72 ALPHI=454.65
*PARTBN* TIME=119.00 IS=6 ZCALC(  5)=  60.00 ZCALC(  4)=  45.00 AINCW=  57.82 AINCHI=  45.00 DELZ=12.821 ALP=454.72 ALPHI=454.54
*PARTBN* TIME=119.00 IS=7 ZCALC(  5)=  60.00 ZCALC(  4)=  45.00 AINCW=  56.67 AINCHI=  45.00 DELZ=11.675 ALP=454.72 ALPHI=454.56
*PARTBN* TIME=119.00 IS=8 ZCALC(  5)=  60.00 ZCALC(  4)=  45.00 AINCW=  50.00 AINCHI=  45.00 DELZ= 4.998 ALP=454.72 ALPHI=454.68
*PARTBN* TIME=119.00 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.96 DELZ=  .245 ALP=454.25 ALPHI=448.14
*PARTBN* TIME=119.00 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.79 DELZ=  .417 ALP=454.17 ALPHI=443.82
*PARTBN* TIME=119.00 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.99 DELZ= 1.217 ALP=453.82 ALPHI=423.69
*PARTBN* TIME=119.00 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.75 DELZ= 1.459 ALP=453.71 ALPHI=417.63
*PARTBN* TIME=119.00 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.79 DELZ= 1.412 ALP=453.73 ALPHI=418.81
*PARTBN* TIME=119.00 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.07 DELZ= 1.136 ALP=453.85 ALPHI=425.75
*PARTBN* TIME=119.00 IS=1 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 466.20 AINCHI= 463.20 DELZ= 2.994 ALP=454.29 ALPHI=454.25
*PARTBN* TIME=119.00 IS=4 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 468.30 AINCHI= 463.20 DELZ= 5.093 ALP=454.29 ALPHI=454.17
*PARTBN* TIME=119.00 IS=5 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 478.09 AINCHI= 463.20 DELZ=14.881 ALP=454.26 ALPHI=453.62
*PARTBN* TIME=119.00 IS=8 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 477.09 AINCHI= 463.20 DELZ=13.883 ALP=454.27 ALPHI=453.85
*PARTBN* TIME=119.00 IS=6 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 480.73 AINCHI= 478.20 DELZ= 2.524 ALP=454.26 ALPHI=454.22
*PARTBN* TIME=119.00 IS=7 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 480.21 AINCHI= 478.20 DELZ= 2.009 ALP=454.26 ALPHI=454.24
*PARTBN* TIME=119.00 IS=2 ZCALC(  2)=  15.00 ZCALC(  1)=   .00 AINCW=  12.88 AINCHI=   .00 DELZ=12.882 ALP=454.70 ALPHI=454.61
*PARTBN* TIME=119.00 IS=3 ZCALC(  2)=  15.00 ZCALC(  1)=   .00 AINCW=  17.19 AINCHI=   .00 DELZ=17.186 ALP=454.71 ALPHI=454.56
*PARTBN* TIME=119.00 IS=1 ZCALC(  3)=  30.00 ZCALC(  2)=  15.00 AINCW=  28.50 AINCHI=  15.00 DELZ=13.497 ALP=454.71 ALPHI=454.51
*PARTBN* TIME=119.00 IS=4 ZCALC(  3)=  30.00 ZCALC(  2)=  15.00 AINCW=  32.63 AINCHI=  15.00 DELZ=17.628 ALP=454.71 ALPHI=454.44
*PARTBN* TIME=119.00 IS=5 ZCALC(  5)=  60.00 ZCALC(  4)=  45.00 AINCW=  51.97 AINCHI=  45.00 DELZ= 6.968 ALP=454.72 ALPHI=454.65
*PARTBN* TIME=119.00 IS=6 ZCALC(  5)=  60.00 ZCALC(  4)=  45.00 AINCW=  57.82 AINCHI=  45.00 DELZ=12.821 ALP=454.72 ALPHI=454.54
*PARTBN* TIME=119.00 IS=7 ZCALC(  5)=  60.00 ZCALC(  4)=  45.00 AINCW=  56.67 AINCHI=  45.00 DELZ=11.675 ALP=454.72 ALPHI=454.56
*PARTBN* TIME=119.00 IS=8 ZCALC(  5)=  60.00 ZCALC(  4)=  45.00 AINCW=  50.00 AINCHI=  45.00 DELZ= 4.998 ALP=454.72 ALPHI=454.68
*PARTBN* TIME=119.00 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.96 DELZ=  .245 ALP=454.25 ALPHI=448.14
```

```
*PARTBN* TIME=119.00 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.79 DELZ=  .417 ALP=454.17 ALPHI=443.82
*PARTBN* TIME=119.00 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.99 DELZ= 1.217 ALP=453.82 ALPHI=423.69
*PARTBN* TIME=119.00 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.75 DELZ= 1.459 ALP=453.71 ALPHI=417.63
*PARTBN* TIME=119.00 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.79 DELZ= 1.412 ALP=453.73 ALPHI=418.81
*PARTBN* TIME=119.00 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.07 DELZ= 1.136 ALP=453.85 ALPHI=425.75
*PARTBN* TIME=119.00 IS=1 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 466.20 AINCHI= 463.20 DELZ= 2.994 ALP=454.29 ALPHI=454.25
*PARTBN* TIME=119.00 IS=4 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 468.30 AINCHI= 463.20 DELZ= 5.093 ALP=454.29 ALPHI=454.17
*PARTBN* TIME=119.00 IS=5 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 478.09 AINCHI= 463.20 DELZ=14.881 ALP=454.26 ALPHI=453.82
*PARTBN* TIME=119.00 IS=8 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 477.09 AINCHI= 463.20 DELZ=13.883 ALP=454.27 ALPHI=453.85
*PARTBN* TIME=119.00 IS=6 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 480.73 AINCHI= 478.20 DELZ= 2.524 ALP=454.26 ALPHI=454.22
*PARTBN* TIME=119.00 IS=7 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 480.21 AINCHI= 478.20 DELZ= 2.009 ALP=454.26 ALPHI=454.24
*PARTBN* TIME=119.00 IS=2 ZCALC(  2)=  15.00 ZCALC(  1)=    .00 AINCW=  12.88 AINCHI=    .00 DELZ=12.882 ALP=454.70 ALPHI=454.81
*PARTBN* TIME=119.00 IS=3 ZCALC(  2)=  15.00 ZCALC(  1)=    .00 AINCW=  17.19 AINCHI=    .00 DELZ=17.186 ALP=454.71 ALPHI=454.56
*PARTBN* TIME=119.00 IS=1 ZCALC(  3)=  30.00 ZCALC(  2)=  15.00 AINCW=  28.50 AINCHI=  15.00 DELZ=13.497 ALP=454.71 ALPHI=454.51
*PARTBN* TIME=119.00 IS=4 ZCALC(  3)=  30.00 ZCALC(  2)=  15.00 AINCW=  32.63 AINCHI=  15.00 DELZ=17.628 ALP=454.71 ALPHI=454.44
*PARTBN* TIME=119.00 IS=5 ZCALC(  5)=  60.00 ZCALC(  4)=  45.00 AINCW=  51.97 AINCHI=  45.00 DELZ= 6.968 ALP=454.72 ALPHI=454.65
*PARTBN* TIME=119.00 IS=6 ZCALC(  5)=  60.00 ZCALC(  4)=  45.00 AINCW=  57.82 AINCHI=  45.00 DELZ=12.821 ALP=454.72 ALPHI=454.54
*PARTBN* TIME=119.00 IS=7 ZCALC(  5)=  60.00 ZCALC(  4)=  45.00 AINCW=  56.67 AINCHI=  45.00 DELZ=11.675 ALP=454.72 ALPHI=454.56
*PARTBN* TIME=119.00 IS=8 ZCALC(  5)=  60.00 ZCALC(  4)=  45.00 AINCW=  50.00 AINCHI=  45.00 DELZ= 4.998 ALP=454.72 ALPHI=454.68
*PARTBN* TIME=119.00 IS=1 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.96 DELZ=  .245 ALP=454.25 ALPHI=448.14
*PARTBN* TIME=119.00 IS=4 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.79 DELZ=  .417 ALP=454.17 ALPHI=443.82
*PARTBN* TIME=119.00 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.99 DELZ= 1.217 ALP=453.82 ALPHI=423.69
*PARTBN* TIME=119.00 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.75 DELZ= 1.459 ALP=453.71 ALPHI=417.63
*PARTBN* TIME=119.00 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 461.79 DELZ= 1.412 ALP=453.73 ALPHI=418.81
*PARTBN* TIME=119.00 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.07 DELZ= 1.136 ALP=453.85 ALPHI=425.75
*PARTBN* TIME=119.00 IS=1 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 466.20 AINCHI= 463.20 DELZ= 2.994 ALP=454.29 ALPHI=454.25
*PARTBN* TIME=119.00 IS=4 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 468.30 AINCHI= 463.20 DELZ= 5.093 ALP=454.29 ALPHI=454.17
*PARTBN* TIME=119.00 IS=5 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 478.09 AINCHI= 463.20 DELZ=14.881 ALP=454.26 ALPHI=453.82
*PARTBN* TIME=119.00 IS=8 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 477.09 AINCHI= 463.20 DELZ=13.883 ALP=454.27 ALPHI=453.85
*PARTBN* TIME=119.00 IS=6 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 480.73 AINCHI= 478.20 DELZ= 2.524 ALP=454.26 ALPHI=454.22
*PARTBN* TIME=119.00 IS=7 ZCALC( 38)= 493.20 ZCALC( 37)= 478.20 AINCW= 480.21 AINCHI= 478.20 DELZ= 2.009 ALP=454.26 ALPHI=454.24
```

IGNITION TIME, TIME (S) 119.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	321553.23	72288.041
TOTAL VACUUM THRUST (N,LBF)	FTVAC	326073.89	73304.314
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	2220.5164	499.19194
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SNMDTI	.12332011+10	.27723464+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	254.02394	254.02394
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SNMVTI	.12832272+10	.28848096+09
THRUST COEFFICIENT	CF	1.6264789	1.6264789
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	127.70253	285.99519
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	535303.71	1114034.0
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	1.1917350	2.6273260
INERT MASS REMAINING (KG,LBM)	MIR	16.720112	36.861537
TOTAL BURN AREA (M**2,IN**2)	ABTOT	14.415468	22344.021
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	2.6792966	163500.71
PROPELLANT MASS REMAINING (KG,LBM)	WF	1431.7616	3156.4940
TOTAL GAS MASS (KG,LBM)	WGTOT	45.995822	101.40343
RATIO OF SPECIFIC HEATS	GAMA	1.1591574	1.1591574
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.688103	27.972479
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1546.4960	5073.0060
MAXIMUM CHAMBER MACH NUMBER	AMPN	.90733213-01	.90733213-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	12652031.	18.351360
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.53263072+11	77251.556
BURN AREA (M**2,IN**2)	AHH	.32043318	496.67242
BURN RATE (M/S,IN/S)	RBZ(1)	.27386536-02	.10782101
DISTANCE BURNED (M,IN)	TAUZ(1)	1.1071286	43.587739
PROPELLANT VOLUME (M**3,IN**3)	VFH	.22338125	13631.560
GAS VOLUME (M**3,IN**3)	VPH	54.880451	3349010.6
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3285.5771	5914.0387
CYLINDRICAL SECTION PARAMETERS:			
INITIAL BURN AREA (M**2,IN**2)	ABCYL	14.095035	21847.348
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	2.4539492	149749.17
GAS VOLUME (M**3,IN**3)	VP	285.17115	17402211.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	12511753.	18.146764
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.50849172+11	73750.489
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.27172849-02	.10697972
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.27148320-02	.10688315
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74820400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19602722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3285.5478	5913.9861
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.6023203	2483.6014
EXPANSION RATIO	EPR	6.7080939	6.7080939
PRESSURE RATIO	PEPO	.23579873-01	.23579873-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810260-01	.37810260-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	3.0000000	3.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION SECTIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	18.35	18.35	5914.04	26.24	.008	454.15	16412.44	24.18	3.39	-20.79	.1075	43.588	.0000	.000
15.000	18.35	18.35	5913.83	78.33	.022	454.31	16419.02	72.19	46.50	-1.51	.1075	43.537	.0000	.000
30.000	18.35	18.34	5913.53	118.19	.034	340.84	16425.63	108.92	35.22	-1.51	.1075	43.522	.0000	.000
45.000	18.34	18.32	5913.25	144.97	.042	227.36	16432.14	133.58	23.14	-1.53	.1075	43.496	.0000	.000
60.000	18.34	18.32	5913.05	161.91	.046	227.36	16436.70	149.18	14.06	-1.53	.1075	43.460	.0000	.000
75.000	18.34	18.32	5913.03	163.55	.047	.00	16445.21	150.76	.00	-1.59	.1075	43.411	.0000	.000
90.000	18.34	18.32	5913.01	165.14	.047	.00	16451.72	152.29	.00	-1.53	.1075	43.362	.0000	.000
105.000	18.34	18.32	5912.99	166.73	.048	.00	16458.21	153.82	.00	-1.53	.1075	43.313	.0000	.000
116.761	18.34	18.32	5912.98	167.98	.048	.00	16463.29	155.02	.00	-1.20	.1075	43.366	.0000	.000
116.771	18.34	18.30	5912.27	215.71	.062	.00	12831.49	155.02	.00	-.00	.1074	43.274	.0000	.000
131.771	18.33	18.30	5912.70	168.35	.054	.00	14817.96	156.30	.00	-1.28	.1074	43.307	.0000	.000
143.919	18.32	18.30	5912.93	171.17	.049	.00	16429.00	157.48	.00	-1.17	.1074	43.334	.0000	.000
158.919	18.33	18.30	5912.91	172.70	.049	.00	16440.39	159.00	.00	-1.52	.1074	43.226	.0000	.000
173.919	18.33	18.30	5912.89	174.24	.050	.00	16451.70	160.53	.00	-1.53	.1074	43.118	.0000	.000
188.919	18.33	18.30	5912.87	175.78	.050	.00	16462.95	162.05	.00	-1.53	.1074	43.009	.0000	.000
203.919	18.33	18.30	5912.85	177.31	.051	.00	16474.13	163.58	.00	-1.53	.1074	42.901	.0000	.000
218.919	18.33	18.30	5912.83	178.85	.051	.00	16485.23	165.11	.00	-1.53	.1074	42.793	.0000	.000
233.919	18.33	18.30	5912.81	180.39	.052	.00	16496.27	166.64	.00	-1.53	.1074	42.685	.0000	.000
248.919	18.33	18.30	5912.79	181.92	.052	.00	16507.23	168.17	.00	-1.53	.1074	42.576	.0000	.000
263.919	18.33	18.30	5912.77	183.46	.053	.00	16518.13	169.71	.00	-1.53	.1074	42.468	.0000	.000
278.919	18.33	18.30	5912.74	184.99	.053	.00	16528.95	171.24	.00	-1.53	.1074	42.360	.0000	.000
293.919	18.33	18.30	5912.72	186.53	.053	.00	16539.71	172.77	.00	-1.53	.1074	42.252	.0000	.000
308.919	18.33	18.30	5912.70	188.06	.054	.00	16550.39	174.31	.00	-1.54	.1074	42.143	.0000	.000
323.919	18.33	18.30	5912.68	189.60	.054	.00	16561.01	175.84	.00	-1.54	.1074	42.035	.0000	.000
338.919	18.33	18.30	5912.65	191.13	.055	.00	16571.56	177.38	.00	-1.54	.1074	41.927	.0000	.000
353.919	18.33	18.30	5912.63	192.67	.055	.00	16582.03	178.92	.00	-1.54	.1074	41.819	.0000	.000
368.919	18.33	18.30	5912.61	194.20	.056	.00	16592.44	180.46	.00	-1.54	.1074	41.710	.0000	.000
383.919	18.33	18.30	5912.59	195.74	.056	.00	16602.77	182.00	.00	-1.54	.1074	41.602	.0000	.000
398.919	18.33	18.30	5912.56	197.27	.057	.00	16613.04	183.54	.00	-1.54	.1074	41.494	.0000	.000
403.048	18.33	18.30	5912.56	197.70	.057	.00	16615.85	183.96	.00	-.42	.1074	41.464	.0000	.000
418.048	18.33	18.30	5912.53	201.12	.058	.00	16469.10	185.50	.00	-1.54	.1074	41.192	.0000	.000
427.051	18.34	18.30	5912.47	203.19	.058	.00	16381.95	186.41	.00	-.91	.1074	41.174	.0000	.000
427.061	18.33	18.29	5911.90	236.77	.068	.00	14067.75	186.42	.00	-.00	.1074	41.029	.0000	.000
442.061	18.33	18.29	5912.14	223.58	.064	.00	15035.50	187.76	.00	-1.35	.1074	41.998	.0000	.000
457.061	18.32	18.29	5912.34	211.45	.061	.00	15988.20	189.20	.00	-1.43	.1074	42.967	.0000	.000
463.204	18.32	18.28	5912.38	209.17	.060	340.44	16403.62	192.00	2.19	-.61	.1074	43.311	.0000	.000
478.204	18.31	18.26	5911.86	239.16	.069	340.70	16402.21	219.28	25.75	-1.54	.1074	43.252	.0000	.000
493.204	18.31	18.26	5911.79	242.76	.070	113.56	16400.65	222.54	1.74	-1.51	.1073	43.147	.0000	.000
508.204	18.31	18.26	5911.76	244.43	.070	.00	16398.95	224.05	.00	-1.51	.1073	43.039	.0000	.000
523.204	18.31	18.26	5911.73	246.11	.071	.00	16397.39	225.57	.00	-1.51	.1073	42.931	.0000	.000
538.204	18.31	18.26	5911.69	247.78	.071	.00	16395.81	227.08	.00	-1.51	.1073	42.822	.0000	.000
553.204	18.32	18.26	5911.66	249.45	.071	.00	16394.24	228.59	.00	-1.51	.1073	42.714	.0000	.000
568.204	18.32	18.26	5911.63	251.13	.072	.00	16392.66	230.11	.00	-1.51	.1073	42.605	.0000	.000
583.204	18.32	18.26	5911.60	252.80	.072	.00	16391.07	231.62	.00	-1.51	.1073	42.497	.0000	.000
598.204	18.32	18.26	5911.56	254.48	.073	.00	16389.48	233.14	.00	-1.51	.1073	42.389	.0000	.000
613.204	18.32	18.26	5911.53	256.15	.073	.00	16387.89	234.65	.00	-1.51	.1073	42.280	.0000	.000

628.204	18.32	18.26	5911.50	257.83	.074	.00	16386.29	236.16	.00	-1.51	.1073	42.172	.0000	.000
643.204	18.32	18.26	5911.47	259.51	.074	.00	16384.69	237.68	.00	-1.51	.1073	42.064	.0000	.000
658.204	18.32	18.26	5911.43	261.18	.075	.00	16383.08	239.19	.00	-1.51	.1073	41.955	.0000	.000
673.204	18.32	18.26	5911.40	262.86	.075	.00	16381.46	240.70	.00	-1.51	.1073	41.847	.0000	.000
688.204	18.32	18.26	5911.36	264.54	.076	.00	16379.85	242.22	.00	-1.51	.1073	41.738	.0000	.000
703.204	18.32	18.26	5911.33	266.22	.076	.00	16378.22	243.73	.00	-1.51	.1073	41.630	.0000	.000
718.204	18.32	18.26	5911.29	267.90	.077	.00	16376.60	245.25	.00	-1.51	.1073	41.522	.0000	.000
726.191	18.32	18.26	5911.28	268.79	.077	.00	16375.73	246.05	.00	-.81	.1073	41.464	.0000	.000
741.191	18.32	18.26	5911.24	270.33	.077	.00	16382.80	247.57	.00	-1.51	.1073	41.140	.0000	.000
746.336	18.33	18.26	5911.23	270.85	.078	.00	16385.20	248.09	.00	-.52	.1073	41.240	.0000	.000
746.346	18.32	18.24	5910.36	309.59	.089	.00	14349.56	248.09	.00	-.00	.1073	41.029	.0000	.000
761.346	18.32	18.24	5910.63	298.35	.085	.00	14972.15	249.44	.00	-1.35	.1073	41.104	.0000	.000
776.346	18.31	18.24	5910.86	288.03	.083	.00	15597.03	250.85	.00	-1.41	.1073	41.178	.0000	.000
791.346	18.31	18.24	5911.07	278.52	.080	.00	16224.19	252.32	.00	-1.47	.1073	41.253	.0000	.000
794.831	18.31	18.24	5911.12	276.42	.079	.00	16376.23	252.67	.00	-.35	.1073	41.270	.0000	.000
809.831	18.31	18.24	5911.08	278.19	.080	.00	16363.57	254.18	.00	-1.51	.1073	41.093	.0000	.000
824.831	18.31	18.24	5911.04	279.95	.080	.00	16356.92	255.69	.00	-1.51	.1073	40.916	.0000	.000
839.831	18.31	18.24	5911.00	281.72	.081	.00	16350.28	257.20	.00	-1.51	.1073	40.739	.0000	.000
854.781	18.31	18.24	5910.96	283.48	.081	.00	16343.67	258.71	.00	-1.50	.1073	40.563	.0000	.000
869.781	18.31	18.24	5910.92	285.62	.082	.00	16315.82	260.22	.00	-1.51	.1073	39.794	.0000	.000
884.781	18.31	18.24	5910.87	287.76	.082	.00	16287.96	261.72	.00	-1.51	.1073	39.025	.0000	.000
899.781	18.31	18.24	5910.82	289.90	.083	.00	16260.09	263.22	.00	-1.50	.1073	38.255	.0000	.000
914.781	18.31	18.24	5910.77	292.05	.084	.00	16232.22	264.72	.00	-1.50	.1073	37.486	.0000	.000
929.781	18.32	18.24	5910.72	294.21	.084	.00	16204.33	266.22	.00	-1.50	.1073	36.717	.0000	.000
944.781	18.32	18.24	5910.67	296.37	.085	.00	16176.44	267.72	.00	-1.50	.1073	35.948	.0000	.000
959.781	18.32	18.24	5910.62	298.53	.086	.00	16148.55	269.21	.00	-1.49	.1073	35.178	.0000	.000
974.781	18.32	18.24	5910.57	300.70	.086	.00	16120.65	270.70	.00	-1.49	.1073	34.409	.0000	.000
989.781	18.32	18.24	5910.52	302.88	.087	.00	16092.74	272.19	.00	-1.49	.1073	33.640	.0000	.000
1004.781	18.32	18.24	5910.47	305.06	.087	.00	16064.82	273.67	.00	-1.48	.1073	32.871	.0000	.000
1019.781	18.32	18.24	5910.42	307.24	.088	.00	16036.89	275.15	.00	-1.48	.1073	32.101	.0000	.000
1034.781	18.32	18.24	5910.37	309.43	.089	.00	16008.96	276.63	.00	-1.48	.1073	31.332	.0000	.000
1040.791	18.32	18.24	5910.35	310.31	.089	.00	15997.77	277.22	.00	-.59	.1073	31.024	.0000	.000
1055.791	18.33	18.24	5910.29	312.50	.090	.00	15969.84	278.70	.00	-1.48	.1073	30.483	.0000	.000
1070.791	18.33	18.24	5910.24	314.70	.090	.00	15941.80	280.17	.00	-1.47	.1073	29.942	.0000	.000
1085.171	18.33	18.24	5910.19	316.67	.091	.00	15916.69	281.49	.00	-1.31	.1073	29.459	.0000	.000
AFT(A)	18.15	17.31	5875.96	992.82	.285	.....	15823.73	285.95	.00	-2.71	.1070	29.460	....	.....
AFT(B)	18.15	18.15	5913.99	-3.03	.001	.....	10413.12	1.75	.00	-1.75	.1069	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	*SLOT LB/SEC
FORWARD	1.1676+02	1.8342+01	1.8317+01	5.9130+03	1.6801+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.5502+02
AFT	1.1677+02	1.8324+01	1.8299+01	5.9123+03	1.6816+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	1.5502+02

GAS BUILDUP IN SLOT, DW/DT = -1.0189-03

FORWARD	4.2705+02	1.8335+01	1.8299+01	5.9125+03	2.0317+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.8641+02
AFT	4.2706+02	1.8321+01	1.8285+01	5.9119+03	2.0331+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.8642+02

GAS BUILDUP IN SLOT, DW/DT = -1.0134-03

FORWARD	7.4634+02	1.8325+01	1.8261+01	5.9112+03	2.7089+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	2.4809+02
AFT	7.4635+02	1.8304+01	1.8240+01	5.9104+03	2.7116+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	2.4809+02

GAS BUILDUP IN SLOT, DW/DT = -1.0095-03

```
HEB BURNOUT INCREMENT LOCATION =     .0000    SECTOR NO.   2    TAU = 43.6570    TAUWDP = 43.6570    TIME = 119.00
HEB BURNOUT INCREMENT LOCATION =     .0000    SECTOR NO.   3    TAU = 43.6570    TAUWDP = 43.6570    TIME = 119.00
HEB BURNOUT INCREMENT LOCATION =   15.0000    SECTOR NO.   1    TAU = 43.6078    TAUWDP = 43.6078    TIME = 119.00
HEB BURNOUT INCREMENT LOCATION =   15.0000    SECTOR NO.   3    TAU = 43.6078    TAUWDP = 43.6078    TIME = 119.00
HEB BURNOUT INCREMENT LOCATION =   15.0000    SECTOR NO.   4    TAU = 43.6078    TAUWDP = 43.6078    TIME = 119.00
HEB BURNOUT INCREMENT LOCATION =   30.0000    SECTOR NO.   4    TAU = 43.5586    TAUWDP = 43.5586    TIME = 119.00
HEB BURNOUT INCREMENT LOCATION =   45.0000    SECTOR NO.   5    TAU = 43.5094    TAUWDP = 43.5094    TIME = 119.00
HEB BURNOUT INCREMENT LOCATION =   45.0000    SECTOR NO.   6    TAU = 43.5094    TAUWDP = 43.5094    TIME = 119.00
HEB BURNOUT INCREMENT LOCATION =   45.0000    SECTOR NO.   7    TAU = 43.5094    TAUWDP = 43.5094    TIME = 119.00
HEB BURNOUT INCREMENT LOCATION =   45.0000    SECTOR NO.   8    TAU = 43.5094    TAUWDP = 43.5094    TIME = 119.00
HEB BURNOUT INCREMENT LOCATION =  463.2040    SECTOR NO.   1    TAU = 43.3640    TAUWDP = 43.3640    TIME = 119.00
HEB BURNOUT INCREMENT LOCATION =  463.2040    SECTOR NO.   4    TAU = 43.3640    TAUWDP = 43.3640    TIME = 119.00
HEB BURNOUT INCREMENT LOCATION =  478.2040    SECTOR NO.   6    TAU = 43.2556    TAUWDP = 43.2556    TIME = 119.00
HEB BURNOUT INCREMENT LOCATION =  478.2040    SECTOR NO.   7    TAU = 43.2556    TAUWDP = 43.2556    TIME = 119.00
*PARTBN* TIME=119.50 IS=1 ZCALC( 2)=  15.00 ZCALC( 1)=    .00 AINCW=   8.02 AINCHI=    .00 DELZ= 8.024 ALP=454.70 ALPHI=454.67
*PARTBN* TIME=119.50 IS=4 ZCALC( 2)=  15.00 ZCALC( 1)=    .00 AINCW=  14.52 AINCHI=    .00 DELZ=14.522 ALP=454.70 ALPHI=454.59
*PARTBN* TIME=119.50 IS=6 ZCALC( 3)=  30.00 ZCALC( 2)=  15.00 AINCW=  32.00 AINCHI=  15.00 DELZ=16.998 ALP=454.71 ALPHI=454.45
*PARTBN* TIME=119.50 IS=5 ZCALC( 4)=  45.00 ZCALC( 3)=  30.00 AINCW=  33.97 AINCHI=  30.00 DELZ= 3.968 ALP=454.71 ALPHI=454.70
*PARTBN* TIME=119.50 IS=6 ZCALC( 4)=  45.00 ZCALC( 3)=  30.00 AINCW=  39.81 AINCHI=  30.00 DELZ= 9.811 ALP=454.71 ALPHI=454.59
*PARTBN* TIME=119.50 IS=7 ZCALC( 4)=  45.00 ZCALC( 3)=  30.00 AINCW=  38.67 AINCHI=  30.00 DELZ= 8.667 ALP=454.71 ALPHI=454.61
*PARTBN* TIME=119.50 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.73 DELZ=  .470 ALP=454.15 ALPHI=442.48
*PARTBN* TIME=119.50 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.49 DELZ=  .712 ALP=454.04 ALPHI=436.40
*PARTBN* TIME=119.50 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.54 DELZ=  .665 ALP=454.06 ALPHI=437.59
*PARTBN* TIME=119.50 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.82 DELZ=  .389 ALP=454.19 ALPHI=444.53
*PARTBN* TIME=119.50 IS=5 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 468.95 AINCHI= 463.20 DELZ= 5.748 ALP=454.29 ALPHI=454.15
*PARTBN* TIME=119.50 IS=6 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 471.90 AINCHI= 463.20 DELZ= 8.700 ALP=454.28 ALPHI=454.04
*PARTBN* TIME=119.50 IS=7 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 471.33 AINCHI= 463.20 DELZ= 8.122 ALP=454.28 ALPHI=454.06
*PARTBN* TIME=119.50 IS=8 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 467.95 AINCHI= 463.20 DELZ= 4.750 ALP=454.29 ALPHI=454.19
*PARTBN* TIME=119.50 IS=1 ZCALC( 2)=  15.00 ZCALC( 1)=    .00 AINCW=   8.02 AINCHI=    .00 DELZ= 8.024 ALP=454.70 ALPHI=454.67
*PARTBN* TIME=119.50 IS=4 ZCALC( 2)=  15.00 ZCALC( 1)=    .00 AINCW=  14.52 AINCHI=    .00 DELZ=14.522 ALP=454.70 ALPHI=454.59
*PARTBN* TIME=119.50 IS=8 ZCALC( 3)=  30.00 ZCALC( 2)=  15.00 AINCW=  32.00 AINCHI=  15.00 DELZ=16.998 ALP=454.71 ALPHI=454.45
```

```
*PARTBN* TIME=119.50 IS=5 ZCALC( 4)= 45.00 ZCALC( 3)= 30.00 AINCW= 33.97 AINCHI= 30.00 DELZ= 3.968 ALP=454.71 ALPHI=454.70
*PARTBN* TIME=119.50 IS=6 ZCALC( 4)= 45.00 ZCALC( 3)= 30.00 AINCW= 39.81 AINCHI= 30.00 DELZ= 9.811 ALP=454.71 ALPHI=454.59
*PARTBN* TIME=119.50 IS=7 ZCALC( 4)= 45.00 ZCALC( 3)= 30.00 AINCW= 38.67 AINCHI= 30.00 DELZ= 8.667 ALP=454.71 ALPHI=454.61
*PARTBN* TIME=119.50 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.73 DELZ= .470 ALP=454.15 ALPHI=442.48
*PARTBN* TIME=119.50 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.49 DELZ= .712 ALP=454.04 ALPHI=436.40
*PARTBN* TIME=119.50 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.54 DELZ= .665 ALP=454.06 ALPHI=437.59
*PARTBN* TIME=119.50 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.82 DELZ= .389 ALP=454.19 ALPHI=444.53
*PARTBN* TIME=119.50 IS=5 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 468.95 AINCHI= 463.20 DELZ= 5.748 ALP=454.29 ALPHI=454.15
*PARTBN* TIME=119.50 IS=6 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 471.90 AINCHI= 463.20 DELZ= 8.700 ALP=454.28 ALPHI=454.04
*PARTBN* TIME=119.50 IS=7 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 471.33 AINCHI= 463.20 DELZ= 8.122 ALP=454.28 ALPHI=454.06
*PARTBN* TIME=119.50 IS=8 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 467.95 AINCHI= 463.20 DELZ= 4.750 ALP=454.29 ALPHI=454.19
*PARTBN* TIME=119.50 IS=1 ZCALC( 2)= 15.00 ZCALC( 1)= .00 AINCW= 8.02 AINCHI= .00 DELZ= 8.024 ALP=454.70 ALPHI=454.67
*PARTBN* TIME=119.50 IS=4 ZCALC( 2)= 15.00 ZCALC( 1)= .00 AINCW= 14.52 AINCHI= .00 DELZ=14.522 ALP=454.70 ALPHI=454.59
*PARTBN* TIME=119.50 IS=8 ZCALC( 3)= 30.00 ZCALC( 2)= 15.00 AINCW= 32.00 AINCHI= 15.00 DELZ=16.998 ALP=454.71 ALPHI=454.45
*PARTBN* TIME=119.50 IS=5 ZCALC( 4)= 45.00 ZCALC( 3)= 30.00 AINCW= 33.97 AINCHI= 30.00 DELZ= 3.968 ALP=454.71 ALPHI=454.70
*PARTBN* TIME=119.50 IS=6 ZCALC( 4)= 45.00 ZCALC( 3)= 30.00 AINCW= 39.81 AINCHI= 30.00 DELZ= 9.811 ALP=454.71 ALPHI=454.59
*PARTBN* TIME=119.50 IS=7 ZCALC( 4)= 45.00 ZCALC( 3)= 30.00 AINCW= 38.67 AINCHI= 30.00 DELZ= 8.667 ALP=454.71 ALPHI=454.61
*PARTBN* TIME=119.50 IS=5 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.73 DELZ= .470 ALP=454.15 ALPHI=442.48
*PARTBN* TIME=119.50 IS=6 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.49 DELZ= .712 ALP=454.04 ALPHI=436.40
*PARTBN* TIME=119.50 IS=7 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.54 DELZ= .665 ALP=454.06 ALPHI=437.59
*PARTBN* TIME=119.50 IS=8 ZCALC( 36)= 463.20 ZCALC( 35)= 457.06 AINCW= 463.20 AINCHI= 462.82 DELZ= .389 ALP=454.19 ALPHI=444.53
*PARTBN* TIME=119.50 IS=5 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 468.95 AINCHI= 463.20 DELZ= 5.748 ALP=454.29 ALPHI=454.15
*PARTBN* TIME=119.50 IS=6 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 471.90 AINCHI= 463.20 DELZ= 8.700 ALP=454.28 ALPHI=454.04
*PARTBN* TIME=119.50 IS=7 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 471.33 AINCHI= 463.20 DELZ= 8.122 ALP=454.28 ALPHI=454.06
*PARTBN* TIME=119.50 IS=8 ZCALC( 37)= 478.20 ZCALC( 36)= 463.20 AINCW= 467.95 AINCHI= 463.20 DELZ= 4.750 ALP=454.29 ALPHI=454.19
AEB BURNOUT INCREMENT LOCATION = .0000 SECTOR NO. 1 TAU = 43.6570 TAUWDP = 43.6570 TIME = 119.50
AEB BURNOUT INCREMENT LOCATION = .0000 SECTOR NO. 4 TAU = 43.6570 TAUWDP = 43.6570 TIME = 119.50
AEB BURNOUT INCREMENT LOCATION = 30.0000 SECTOR NO. 5 TAU = 43.5586 TAUWDP = 43.5586 TIME = 119.50
AEB BURNOUT INCREMENT LOCATION = 30.0000 SECTOR NO. 6 TAU = 43.5586 TAUWDP = 43.5586 TIME = 119.50
AEB BURNOUT INCREMENT LOCATION = 30.0000 SECTOR NO. 7 TAU = 43.5586 TAUWDP = 43.5586 TIME = 119.50
AEB BURNOUT INCREMENT LOCATION = 30.0000 SECTOR NO. 8 TAU = 43.5586 TAUWDP = 43.5586 TIME = 119.50
AEB BURNOUT INCREMENT LOCATION = 463.2040 SECTOR NO. 5 TAU = 43.3640 TAUWDP = 43.3640 TIME = 119.50
AEB BURNOUT INCREMENT LOCATION = 463.2040 SECTOR NO. 8 TAU = 43.3640 TAUWDP = 43.3640 TIME = 119.50
*PARTBN* TIME=120.00 IS=8 ZCALC( 2)= 15.00 ZCALC( 1)= .00 AINCW= 18.97 AINCHI= .00 DELZ=18.973 ALP=454.71 ALPHI=454.54
*PARTBN* TIME=120.00 IS=5 ZCALC( 3)= 30.00 ZCALC( 2)= 15.00 AINCW= 19.48 AINCHI= 15.00 DELZ= 4.482 ALP=454.71 ALPHI=454.68
*PARTBN* TIME=120.00 IS=6 ZCALC( 3)= 30.00 ZCALC( 2)= 15.00 AINCW= 25.31 AINCHI= 15.00 DELZ=10.312 ALP=454.71 ALPHI=454.57
*PARTBN* TIME=120.00 IS=7 ZCALC( 3)= 30.00 ZCALC( 2)= 15.00 AINCW= 24.17 AINCHI= 15.00 DELZ= 9.171 ALP=454.71 ALPHI=454.60
*PARTBN* TIME=120.00 IS=8 ZCALC( 2)= 15.00 ZCALC( 1)= .00 AINCW= 18.97 AINCHI= .00 DELZ=18.973 ALP=454.71 ALPHI=454.54
*PARTBN* TIME=120.00 IS=5 ZCALC( 3)= 30.00 ZCALC( 2)= 15.00 AINCW= 19.48 AINCHI= 15.00 DELZ= 4.482 ALP=454.71 ALPHI=454.68
*PARTBN* TIME=120.00 IS=6 ZCALC( 3)= 30.00 ZCALC( 2)= 15.00 AINCW= 25.31 AINCHI= 15.00 DELZ=10.312 ALP=454.71 ALPHI=454.57
*PARTBN* TIME=120.00 IS=7 ZCALC( 3)= 30.00 ZCALC( 2)= 15.00 AINCW= 24.17 AINCHI= 15.00 DELZ= 9.171 ALP=454.71 ALPHI=454.60
*PARTBN* TIME=120.00 IS=8 ZCALC( 2)= 15.00 ZCALC( 1)= .00 AINCW= 18.97 AINCHI= .00 DELZ=18.973 ALP=454.71 ALPHI=454.54
*PARTBN* TIME=120.00 IS=5 ZCALC( 3)= 30.00 ZCALC( 2)= 15.00 AINCW= 19.48 AINCHI= 15.00 DELZ= 4.482 ALP=454.71 ALPHI=454.68
*PARTBN* TIME=120.00 IS=6 ZCALC( 3)= 30.00 ZCALC( 2)= 15.00 AINCW= 25.31 AINCHI= 15.00 DELZ=10.312 ALP=454.71 ALPHI=454.57
*PARTBN* TIME=120.00 IS=7 ZCALC( 3)= 30.00 ZCALC( 2)= 15.00 AINCW= 24.17 AINCHI= 15.00 DELZ= 9.171 ALP=454.71 ALPHI=454.60
```

IGNITION TIME, TIME (S) 120.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
ROTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	84751.331	19052.857
TOTAL VACUUM THRUST (N,LBF)	FTVAC	88901.401	19985.830
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	426.95688	95.983725
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.12333892+10	.27727693+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	254.10961	254.10961
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.12834197+10	.28852423+09
THRUST COEFFICIENT	CF	1.6232015	1.6232015
CHAMB DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	35.446090	78.145252
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	505300.33	1114172.9
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	.22914464	.50517750
INERT MASS REMAINING (KG,LBM)	MIR	16.320971	35.981583
TOTAL BURN AREA (M**2,IN**2)	ABTOT	3.4707242	5379.6332
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	2.6181995	159650.29
PROPELLANT MASS REMAINING (KG,LBM)	WP	1397.4680	3080.8896
TOTAL GAS MASS (KG,LBM)	WGTOT	12.663007	27.917152
RATIO OF SPECIFIC HEATS	GAMA	1.1591447	1.1591447
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.683985	27.963401
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1546.1403	5072.6387
MAXIMUM CHAMBER MACH NUMBER	AMPN	.90014896-01	.90014896-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	3447999.7	5.0009007
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.53270538+11	77262.384
BURN AREA (M**2,IN**2)	AHH	.24697974	382.81937
BURN RATE (M/S,IN/S)	RBZ(1)	.17380361-02	.68426618-01
DISTANCE BURNED (M,IN)	TAUZ(1)	1.1088878	43.657001
PROPELLANT VOLUME (M**3,IN**3)	VFH	.22269119	13589.450
GAS VOLUME (M**3,IN**3)	VPH	54.881141	3349052.7
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3282.7813	5908.8623
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	3.2237444	4996.8139
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	2.3915421	145940.85
GAS VOLUME (M**3,IN**3)	VP	288.09527	17580652.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	3418045.2	4.9574555
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.50856562+11	73761.207
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.17259418-02	.67935781-01
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.17238364-02	.67868756-01
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828480	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3282.7266	5908.9078
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.6023536	2483.6530
EXPANSION RATIO	EPR	6.7079545	6.7079545
PRESSURE RATIO	PEPO	.23581242-01	.23581242-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	3.0000000	3.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION SECTIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	5.00	5.00	5908.86	40.39	.012	227.23	16446.07	10.17	1.66	-8.51	.0682	43.657	.0000	.000
15.000	5.00	5.00	5908.50	105.12	.030	227.32	16448.41	26.46	15.66	-.63	.0682	43.598	.0000	.000
30.000	5.00	5.00	5908.26	131.00	.038	170.52	16449.92	32.96	5.87	-.64	.0682	43.559	.0000	.000
45.000	5.00	5.00	5908.24	133.46	.038	.00	16452.74	33.58	.00	-.63	.0682	43.509	.0000	.000
60.000	5.00	5.00	5908.21	135.93	.039	.00	16454.96	34.21	.00	-.63	.0682	43.460	.0000	.000
75.000	5.00	5.00	5908.19	138.40	.040	.00	16457.17	34.84	.00	-.63	.0682	43.411	.0000	.000
90.000	5.00	5.00	5908.16	140.87	.040	.00	16459.37	35.46	.00	-.63	.0682	43.362	.0000	.000
105.000	5.00	5.00	5908.13	143.34	.041	.00	16461.57	36.09	.00	-.63	.0682	43.313	.0000	.000
115.761	5.00	5.00	5908.11	145.28	.042	.00	16463.29	36.58	.00	-.49	.0682	43.366	.0000	.000
116.771	5.00	4.99	5907.58	186.52	.053	.00	12831.49	36.58	.00	-.00	.0682	43.274	.0000	.000
131.771	5.00	4.99	5907.89	163.84	.047	.00	14817.96	37.11	.00	-.53	.0682	43.307	.0000	.000
143.919	5.00	4.99	5908.06	149.76	.043	.00	16429.00	37.59	.00	-.48	.0682	43.334	.0000	.000
158.919	5.00	4.99	5908.03	152.08	.044	.00	16440.39	38.21	.00	-.63	.0682	43.226	.0000	.000
173.919	5.00	4.99	5908.00	154.46	.044	.00	16451.70	38.84	.00	-.63	.0682	43.118	.0000	.000
188.919	5.00	4.99	5907.98	156.85	.045	.00	16462.95	39.47	.00	-.63	.0682	43.009	.0000	.000
203.919	5.00	4.99	5907.95	159.23	.046	.00	16474.13	40.09	.00	-.63	.0682	42.901	.0000	.000
218.919	5.00	4.99	5907.92	161.61	.046	.00	16485.23	40.72	.00	-.63	.0682	42.793	.0000	.000
233.919	5.00	4.99	5907.89	163.99	.047	.00	16496.27	41.35	.00	-.63	.0682	42.685	.0000	.000
248.919	5.00	4.99	5907.86	166.36	.048	.00	16507.23	41.97	.00	-.63	.0682	42.576	.0000	.000
263.919	5.00	4.99	5907.83	168.74	.048	.00	16518.13	42.60	.00	-.63	.0682	42.468	.0000	.000
278.919	5.00	4.99	5907.80	171.12	.049	.00	16528.95	43.23	.00	-.63	.0682	42.360	.0000	.000
293.919	5.00	4.99	5907.76	173.49	.050	.00	16539.71	43.86	.00	-.63	.0682	42.252	.0000	.000
308.919	5.00	4.99	5907.73	175.87	.050	.00	16550.39	44.49	.00	-.63	.0682	42.143	.0000	.000
323.919	5.00	4.99	5907.70	178.24	.051	.00	16561.01	45.12	.00	-.63	.0682	42.035	.0000	.000
338.919	5.00	4.99	5907.67	180.62	.052	.00	16571.56	45.75	.00	-.63	.0682	41.927	.0000	.000
353.919	5.00	4.99	5907.63	182.99	.052	.00	16582.03	46.38	.00	-.63	.0682	41.819	.0000	.000
368.919	5.00	4.99	5907.60	185.36	.053	.00	16592.44	47.01	.00	-.63	.0682	41.710	.0000	.000
383.919	5.00	4.99	5907.57	187.73	.054	.00	16602.77	47.64	.00	-.63	.0682	41.602	.0000	.000
398.919	5.00	4.99	5907.53	190.11	.054	.00	16613.04	48.27	.00	-.63	.0682	41.494	.0000	.000
403.048	5.00	4.99	5907.52	190.76	.055	.00	16615.85	48.45	.00	-.17	.0682	41.464	.0000	.000
418.048	5.00	4.99	5907.46	194.96	.056	.00	16669.10	49.08	.00	-.63	.0682	41.192	.0000	.000
427.051	5.00	4.99	5907.42	197.49	.057	.00	16381.95	49.45	.00	-.38	.0682	41.174	.0000	.000
427.061	5.00	4.99	5906.88	233.12	.066	.00	14067.75	49.45	.00	-.00	.0682	41.029	.0000	.000
442.061	5.00	4.99	5907.09	218.53	.062	.00	15014.56	50.01	.00	-.55	.0682	41.998	.0000	.000
457.061	5.00	4.99	5907.27	206.93	.059	.00	16006.74	50.59	.00	-.59	.0682	42.967	.0000	.000
463.204	5.00	4.99	5907.34	202.65	.058	.00	16426.16	50.85	.00	-.25	.0682	43.362	.0000	.000
478.204	5.00	4.99	5907.30	205.17	.059	.00	16423.27	51.47	.00	-.62	.0682	43.256	.0000	.000
493.204	5.00	4.99	5907.26	207.69	.060	.00	16420.38	52.09	.00	-.62	.0682	43.147	.0000	.000
508.204	5.00	4.99	5907.22	210.21	.060	.00	16417.49	52.72	.00	-.62	.0682	43.039	.0000	.000
523.204	5.00	4.99	5907.18	212.73	.061	.00	16414.61	53.34	.00	-.62	.0682	42.931	.0000	.000
538.204	5.00	4.99	5907.14	215.25	.062	.00	16411.73	53.96	.00	-.62	.0682	42.822	.0000	.000
553.204	5.00	4.99	5907.09	217.77	.062	.00	16408.84	54.58	.00	-.62	.0682	42.714	.0000	.000
568.204	5.00	4.99	5907.05	220.29	.063	.00	16405.96	55.21	.00	-.62	.0682	42.605	.0000	.000
583.204	5.00	4.99	5907.01	222.81	.064	.00	16403.08	55.83	.00	-.62	.0682	42.497	.0000	.000
598.204	5.00	4.99	5906.97	225.34	.065	.00	16400.21	56.45	.00	-.62	.0682	42.389	.0000	.000
613.204	5.00	4.99	5906.92	227.86	.065	.00	16397.33	57.07	.00	-.62	.0682	42.280	.0000	.000

628.204	5.00	4.99	5906.88	230.38	.066	.00	16394.46	57.70	.00	-.62	.0682	42.172	.0000	.000
643.204	5.00	4.99	5906.83	232.91	.067	.00	16391.58	58.32	.00	-.62	.0682	42.064	.0000	.000
658.204	5.00	4.99	5906.79	235.43	.067	.00	16388.71	58.94	.00	-.62	.0682	41.955	.0000	.000
673.204	5.00	4.99	5906.74	237.96	.068	.00	16385.85	59.56	.00	-.62	.0682	41.847	.0000	.000
688.204	5.00	4.99	5906.69	240.48	.069	.00	16382.98	60.19	.00	-.62	.0682	41.738	.0000	.000
703.204	5.00	4.99	5906.65	243.01	.070	.00	16380.11	60.81	.00	-.62	.0682	41.630	.0000	.000
718.204	5.00	4.99	5906.60	245.53	.070	.00	16377.25	61.43	.00	-.62	.0682	41.522	.0000	.000
728.171	5.00	4.99	5906.57	246.88	.071	.00	16375.73	61.76	.00	-.33	.0682	41.464	.0000	.000
741.171	5.00	4.99	5906.53	249.25	.071	.00	16382.80	62.38	.00	-.62	.0682	41.140	.0000	.000
746.336	5.00	4.99	5906.51	250.07	.072	.00	16385.20	62.60	.00	-.21	.0682	41.240	.0000	.000
746.346	5.00	4.98	5905.77	285.79	.082	.00	14349.56	62.60	.00	-.00	.0681	41.029	.0000	.000
761.346	5.00	4.98	5905.98	276.35	.079	.00	14972.35	63.15	.00	-.56	.0681	41.104	.0000	.000
776.346	5.00	4.98	5906.16	267.72	.077	.00	15597.03	63.73	.00	-.58	.0681	41.179	.0000	.000
791.346	5.00	4.98	5906.32	259.81	.074	.00	16224.19	64.33	.00	-.60	.0681	41.253	.0000	.000
794.631	5.00	4.98	5906.35	258.07	.074	.00	16370.23	64.48	.00	-.14	.0681	41.270	.0000	.000
809.631	5.00	4.98	5906.30	263.66	.075	.00	16363.57	65.10	.00	-.62	.0681	41.093	.0000	.000
824.631	5.00	4.98	5906.25	263.25	.075	.00	16356.92	65.72	.00	-.62	.0681	40.916	.0000	.000
839.631	5.00	4.98	5906.20	265.84	.076	.00	16350.28	66.34	.00	-.62	.0681	40.739	.0000	.000
854.781	5.00	4.98	5906.14	268.42	.077	.00	16343.67	66.96	.00	-.62	.0681	40.563	.0000	.000
867.781	5.00	4.98	5906.08	271.36	.078	.00	16315.82	67.58	.00	-.62	.0681	39.794	.0000	.000
884.781	5.00	4.98	5906.02	274.31	.079	.00	16287.96	68.20	.00	-.62	.0681	39.025	.0000	.000
897.781	5.00	4.98	5905.96	277.27	.079	.00	16260.09	68.81	.00	-.62	.0681	38.255	.0000	.000
914.781	5.00	4.98	5905.89	280.23	.080	.00	16232.22	69.43	.00	-.62	.0681	37.486	.0000	.000
927.781	5.00	4.98	5905.83	283.19	.081	.00	16204.33	70.04	.00	-.62	.0681	36.717	.0000	.000
944.781	5.00	4.98	5905.76	286.16	.082	.00	16176.44	70.66	.00	-.61	.0681	35.948	.0000	.000
957.781	5.00	4.98	5905.70	289.14	.083	.00	16148.55	71.27	.00	-.61	.0681	35.178	.0000	.000
974.781	5.00	4.98	5905.63	292.13	.084	.00	16120.65	71.88	.00	-.61	.0681	34.409	.0000	.000
987.781	5.00	4.98	5905.56	295.12	.085	.00	16092.74	72.49	.00	-.61	.0681	33.640	.0000	.000
1004.781	5.00	4.98	5905.50	298.11	.085	.00	16064.82	73.10	.00	-.61	.0681	32.871	.0000	.000
1017.781	5.00	4.98	5905.43	301.12	.086	.00	16036.89	73.71	.00	-.61	.0681	32.101	.0000	.000
1034.781	5.01	4.98	5905.36	304.12	.087	.00	16008.96	74.32	.00	-.61	.0681	31.332	.0000	.000
1047.791	5.01	4.98	5905.33	305.33	.088	.00	15997.77	74.56	.00	-.24	.0681	31.024	.0000	.000
1057.791	5.01	4.98	5905.26	308.35	.088	.00	15969.84	75.17	.00	-.61	.0681	30.483	.0000	.000
1070.791	5.01	4.98	5905.18	311.37	.089	.00	15941.80	75.78	.00	-.61	.0681	29.942	.0000	.000
1087.171	5.01	4.98	5905.12	314.08	.090	.00	15916.69	76.31	.00	-.54	.0681	29.459	.0000	.000
AFT(A)	4.96	4.73	5870.89	992.57	.285	*****	15823.73	78.15	.00	-1.11	.0679	29.460	****	*****
AFT(B)	4.96	4.96	5908.91	-4.55	.001	*****	10413.12	.72	.00	-.72	.0679	20.670	****	*****

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	5.0004+00	4.9954+00	5.9081+03	1.4530+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	3.6581+01
AFT	1.1677+02	4.9968+00	4.9917+00	5.9076+03	1.4540+02	1.6460+04	0.0000	0.0000	0.0000	0.0000	3.6581+01

GAS BUILDUP IN SLOT, DW/DT = -4.1763-04

FOREWARD	4.2705+02	5.0010+00	4.9917+00	5.9074+03	1.9748+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.9452+01
AFT	4.2706+02	4.9974+00	4.9882+00	5.9069+03	1.9765+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	4.9452+01

GAS BUILDUP IN SLOT, DW/DT = -4.1547-04

FOREWARD	7.4634+02	5.0030+00	4.9882+00	5.9065+03	2.5010+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.2595+01
AFT	7.4635+02	4.9982+00	4.9833+00	5.9058+03	2.5032+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	6.2596+01

GAS BUILDUP IN SLOT, DW/DT = -4.1456-04

```
AEB BURNOUT INCREMENT LOCATION =    15.0000    SECTOR NO.  5    TAU = 43.6078    TAUWDP = 43.6078    TIME = 120.00
AEB BURNOUT INCREMENT LOCATION =    15.0000    SECTOR NO.  6    TAU = 43.6078    TAUWDP = 43.6078    TIME = 120.00
AEB BURNOUT INCREMENT LOCATION =    15.0000    SECTOR NO.  7    TAU = 43.6078    TAUWDP = 43.6078    TIME = 120.00
AEB BURNOUT INCREMENT LOCATION =    15.0000    SECTOR NO.  8    TAU = 43.6078    TAUWDP = 43.6078    TIME = 120.00
AEB BURNOUT INCREMENT LOCATION =   463.2040    SECTOR NO.  6    TAU = 43.3640    TAUWDP = 43.3640    TIME = 120.00
AEB BURNOUT INCREMENT LOCATION =   463.2040    SECTOR NO.  7    TAU = 43.3640    TAUWDP = 43.3640    TIME = 120.00
*PARTBN* TIME=120.50 IS=6 ZCALC( 2)=  15.00 ZCALC( 1)=  .00 AINCW=  13.36 AINCHI=   .00 DELZ=13.362 ALP=454.70 ALPHI=454.60
*PARTBN* TIME=120.50 IS=7 ZCALC( 2)=  15.00 ZCALC( 1)=  .00 AINCW=  11.57 AINCHI=   .00 DELZ=11.566 ALP=454.70 ALPHI=454.62
*PARTBN* TIME=120.50 IS=6 ZCALC( 2)=  15.00 ZCALC( 1)=  .00 AINCW=  13.36 AINCHI=   .00 DELZ=13.362 ALP=454.70 ALPHI=454.60
*PARTBN* TIME=120.50 IS=7 ZCALC( 2)=  15.00 ZCALC( 1)=  .00 AINCW=  11.57 AINCHI=   .00 DELZ=11.566 ALP=454.70 ALPHI=454.62
*PARTBN* TIME=120.50 IS=6 ZCALC( 2)=  15.00 ZCALC( 1)=  .00 AINCW=  13.36 AINCHI=   .00 DELZ=13.362 ALP=454.70 ALPHI=454.60
*PARTBN* TIME=120.50 IS=7 ZCALC( 2)=  15.00 ZCALC( 1)=  .00 AINCW=  11.57 AINCHI=   .00 DELZ=11.566 ALP=454.70 ALPHI=454.62
AEB BURNOUT INCREMENT LOCATION =      .0000    SECTOR NO.  5    TAU = 43.6570    TAUWDP = 43.6570    TIME = 120.50
AEB BURNOUT INCREMENT LOCATION =      .0000    SECTOR NO.  6    TAU = 43.6570    TAUWDP = 43.6570    TIME = 120.50
AEB BURNOUT INCREMENT LOCATION =      .0000    SECTOR NO.  7    TAU = 43.6570    TAUWDP = 43.6570    TIME = 120.50
AEB BURNOUT INCREMENT LOCATION =      .0000    SECTOR NO.  8    TAU = 43.6570    TAUWDP = 43.6570    TIME = 120.50
```

IGNITION TIME, TIME (S) 121.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	13012.583	2925.3451
TOTAL VACUUM THRUST (N,LBF)	FTVAC	16671.493	3747.9007
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	26.972298	6.0636139
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.12334319+10	.27728652+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	253.80496	253.80496
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.12834663+10	.28853470+09
THRUST COEFFICIENT	CF	1.6139113	1.6139113
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	6.6836562	14.734940
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	505398.93	1114213.9
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	.14475837-01	.31913757-01
INERT MASS REMAINING (KG,LBM)	MIR	16.275896	35.882208
TOTAL BURN AREA (M**2,IN**2)	ABTOT	.22223643-04	.34446716-01
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	2.6338470	158896.49
PROPELLANT MASS REMAINING (KG,LBM)	WF	1393.5955	3072.3522
TOTAL GAS MASS (KG,LBM)	WGTOT	2.3913109	5.2719381
RATIO OF SPECIFIC HEATS	GAMA	1.1591409	1.1591409
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.682733	27.960640
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1546.0318	5072.2827
MAXIMUM CHAMBER MACH NUMBER	AMPN	.89065015-01	.89065015-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	649110.61	.94145535
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.53272346+11	77265.006
BURN AREA (M**2,IN**2)	AHH	.22223643-04	.34446716-01
BURN RATE (M/S,IN/S)	RBZ(1)	.96875073-03	.38139793-01
DISTANCE BURNED (M,IN)	TAUZ(1)	1.1088878	43.657001
PROPELLANT VOLUME (M**3,IN**3)	VFH	.22245753	13575.191
GAS VOLUME (M**3,IN**3)	VPH	54.881379	3349066.9
GAS STATIC TEMPERATURE (DEG K,DEG R)	PKNT(1,3)	3281.8185	5907.2734
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	.00000000	.00000000
SLOWEST FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	2.3799232	145201.31
GAS VOLUME (M**3,IN**3)	VP	288.68473	17616623.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	644664.37	.93500663
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.50858355+11	73763.809
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.96238696-03	.37889251-01
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.96149669-03	.37854201-01
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74828400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PKNT(NI+2,3)	3281.8658	5907.3583
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	10.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.6323639	2483.6691
EXPANSION RATIO	EPR	6.7079111	6.7079111
PRESSURE RATIO	PEPO	.24451059-01	.24451059-01
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	3.0000000	3.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTO IN/SEC	TAUTO IN.
FORE	.94	.94	5907.27	48.03	.014	.00	16456.72	2.28	.00	-2.28	.0380	43.657	.0000	.000
15.000	.94	.94	5907.26	51.57	.015	.00	16457.57	2.45	.00	-.17	.0380	43.608	.0000	.000
30.000	.94	.94	5907.25	55.11	.016	.00	16458.42	2.61	.00	-.17	.0380	43.559	.0000	.000
45.000	.94	.94	5907.23	58.64	.017	.00	16459.26	2.78	.00	-.17	.0380	43.509	.0000	.000
60.000	.94	.94	5907.21	62.18	.018	.00	16460.11	2.95	.00	-.17	.0380	43.460	.0000	.000
75.000	.94	.94	5907.20	65.71	.019	.00	16460.95	3.12	.00	-.17	.0380	43.411	.0000	.000
90.000	.94	.94	5907.18	69.25	.020	.00	16461.80	3.29	.00	-.17	.0380	43.362	.0000	.000
105.000	.94	.94	5907.16	72.78	.021	.00	16462.64	3.45	.00	-.13	.0380	43.313	.0000	.000
116.761	.94	.94	5907.14	75.55	.022	.00	16463.29	3.58	.00	-.00	.0380	43.274	.0000	.000
116.771	.94	.94	5907.00	96.95	.028	.00	12831.49	3.58	.00	-.14	.0380	43.307	.0000	.000
131.771	.94	.94	5907.07	87.26	.025	.00	14817.96	3.73	.00	-.13	.0380	43.334	.0000	.000
143.919	.94	.94	5907.11	81.43	.023	.00	16429.00	3.85	.00	-.17	.0380	43.226	.0000	.000
158.919	.94	.94	5907.08	84.91	.024	.00	16440.39	4.02	.00	-.17	.0380	43.188	.0000	.000
173.919	.94	.94	5907.06	88.38	.025	.00	16451.70	4.19	.00	-.17	.0380	43.009	.0000	.000
188.919	.94	.94	5907.04	91.86	.026	.00	16462.95	4.36	.00	-.17	.0380	42.901	.0000	.000
203.919	.94	.94	5907.01	95.33	.027	.00	16474.13	4.53	.00	-.17	.0380	42.793	.0000	.000
218.919	.94	.94	5906.99	98.80	.028	.00	16485.23	4.69	.00	-.17	.0380	42.685	.0000	.000
233.919	.94	.94	5906.96	102.27	.029	.00	16496.27	4.86	.00	-.17	.0380	42.576	.0000	.000
248.919	.94	.94	5906.93	105.74	.030	.00	16507.23	5.03	.00	-.17	.0380	42.468	.0000	.000
263.919	.94	.94	5906.90	109.21	.031	.00	16518.13	5.20	.00	-.17	.0380	42.360	.0000	.000
278.919	.94	.94	5906.87	112.67	.032	.00	16528.95	5.37	.00	-.17	.0380	42.252	.0000	.000
293.919	.94	.94	5906.84	116.13	.033	.00	16539.71	5.53	.00	-.17	.0380	42.143	.0000	.000
308.919	.94	.94	5906.81	119.59	.034	.00	16550.39	5.70	.00	-.17	.0380	42.035	.0000	.000
323.919	.94	.94	5906.78	123.05	.035	.00	16561.01	5.87	.00	-.17	.0380	41.927	.0000	.000
338.919	.94	.94	5906.74	126.51	.036	.00	16571.56	6.04	.00	-.17	.0380	41.819	.0000	.000
353.919	.94	.94	5906.71	129.96	.037	.00	16582.03	6.21	.00	-.17	.0380	41.710	.0000	.000
368.919	.94	.94	5906.68	133.42	.038	.00	16592.44	6.38	.00	-.17	.0380	41.602	.0000	.000
383.919	.94	.94	5906.64	136.87	.039	.00	16602.77	6.55	.00	-.17	.0380	41.494	.0000	.000
398.919	.94	.94	5906.60	140.32	.040	.00	16613.04	6.72	.00	-.05	.0380	41.464	.0000	.000
403.048	.94	.94	5906.59	141.27	.040	.00	16615.85	6.76	.00	-.17	.0380	41.192	.0000	.000
418.048	.94	.94	5906.54	146.08	.042	.00	16469.10	6.93	.00	-.10	.0380	41.174	.0000	.000
427.051	.94	.94	5906.51	148.98	.043	.00	16381.95	7.03	.00	-.00	.0380	41.029	.0000	.000
427.061	.94	.94	5906.20	173.56	.050	.00	14067.75	7.03	.00	-.15	.0380	41.998	.0000	.000
442.061	.94	.94	5906.30	166.03	.048	.00	15015.34	7.18	.00	-.16	.0380	42.967	.0000	.000
457.061	.94	.94	5906.38	159.16	.046	.00	16008.32	7.34	.00	-.07	.0380	43.364	.0000	.000
463.204	.94	.94	5906.42	156.53	.045	.00	16428.09	7.41	.00	-.17	.0380	43.256	.0000	.000
478.204	.94	.94	5906.37	163.09	.046	.00	16425.08	7.57	.00	-.17	.0380	43.147	.0000	.000
493.204	.94	.94	5906.33	163.65	.047	.00	16422.08	7.74	.00	-.17	.0380	43.039	.0000	.000
508.204	.94	.94	5906.28	167.22	.048	.00	16419.08	7.91	.00	-.17	.0380	42.931	.0000	.000
523.204	.94	.94	5906.24	170.79	.049	.00	16416.08	8.08	.00	-.17	.0380	42.822	.0000	.000
538.204	.94	.94	5906.19	174.35	.050	.00	16413.08	8.24	.00	-.17	.0380	42.714	.0000	.000
553.204	.94	.94	5906.14	177.92	.051	.00	16410.09	8.41	.00	-.17	.0380	42.605	.0000	.000
568.204	.94	.94	5906.09	181.49	.052	.00	16407.10	8.58	.00	-.17	.0380	42.497	.0000	.000
583.204	.94	.94	5906.04	185.05	.053	.00	16404.11	8.75	.00	-.17	.0380	42.389	.0000	.000
598.204	.94	.94	5905.99	188.62	.054	.00	[illegible]1.12	8.91	.00	-.17	.0380	42.280	.0000	.000
613.204	.94	.94	5905.94	192.19	.055	.00	[illegible]90.14	9.08	.00					

626.204	.94	.94	5905.88	195.76	.056	.00	16395.15	9.25	.00	-.17	.0380	42.172	.0000	.000
653.204	.94	.94	5905.83	199.33	.057	.00	16392.17	9.41	.00	-.17	.0380	42.064	.0000	.000
658.204	.94	.94	5905.77	202.90	.058	.00	16389.20	9.58	.00	-.17	.0380	41.955	.0000	.000
673.204	.94	.94	5905.72	206.47	.059	.00	16386.22	9.75	.00	-.17	.0380	41.847	.0000	.000
688.204	.94	.94	5905.66	210.05	.060	.00	16383.25	9.91	.00	-.17	.0380	41.738	.0000	.000
703.204	.94	.94	5905.60	213.62	.061	.00	16380.28	10.08	.00	-.17	.0380	41.630	.0000	.000
718.204	.94	.94	5905.54	217.19	.062	.00	16377.31	10.25	.00	-.17	.0380	41.522	.0000	.000
726.191	.94	.94	5905.51	219.10	.063	.00	16375.73	10.34	.00	-.09	.0380	41.464	.0000	.000
741.191	.94	.94	5905.45	222.53	.064	.00	16382.80	10.50	.00	-.17	.0380	41.140	.0000	.000
746.336	.94	.94	5905.43	223.71	.064	.00	16385.20	10.56	.00	-.06	.0380	41.240	.0000	.000
745.346	.94	.94	5904.84	255.63	.073	.00	14349.56	10.56	.00	-.00	.0380	41.029	.0000	.000
761.346	.94	.94	5904.98	248.46	.071	.00	14972.15	10.71	.00	-.15	.0380	41.104	.0000	.000
776.346	.94	.94	5905.10	241.98	.069	.00	15597.03	10.87	.00	-.16	.0380	41.176	.0000	.000
791.346	.94	.94	5905.21	236.10	.068	.00	16224.19	11.03	.00	-.16	.0380	41.253	.0000	.000
799.831	.94	.94	5905.23	234.81	.067	.00	16370.23	11.07	.00	-.04	.0380	41.270	.0000	.000
809.831	.94	.94	5905.17	238.44	.068	.00	16363.57	11.23	.00	-.17	.0380	41.093	.0000	.000
829.831	.94	.94	5905.10	242.07	.069	.00	16356.92	11.40	.00	-.17	.0380	40.916	.0000	.000
839.831	.94	.94	5905.03	245.70	.070	.00	16350.28	11.57	.00	-.17	.0380	40.739	.0000	.000
854.781	.94	.94	5904.96	249.32	.071	.00	16343.67	11.73	.00	-.17	.0380	40.563	.0000	.000
869.781	.94	.94	5904.89	253.28	.073	.00	16315.82	11.90	.00	-.17	.0380	39.794	.0000	.000
884.781	.94	.94	5904.81	257.25	.074	.00	16287.96	12.06	.00	-.17	.0380	39.025	.0000	.000
899.781	.94	.94	5904.73	261.23	.075	.00	16260.09	12.23	.00	-.17	.0380	38.255	.0000	.000
914.781	.94	.94	5904.65	265.21	.076	.00	16232.22	12.40	.00	-.17	.0380	37.486	.0000	.000
929.781	.94	.94	5904.57	269.20	.077	.00	16204.33	12.56	.00	-.17	.0380	36.717	.0000	.000
944.781	.94	.94	5904.48	273.20	.078	.00	16176.44	12.73	.00	-.16	.0380	35.948	.0000	.000
959.781	.94	.94	5904.40	277.21	.079	.00	16148.55	12.89	.00	-.16	.0380	35.178	.0000	.000
974.781	.94	.94	5904.31	281.22	.081	.00	16120.65	13.05	.00	-.16	.0380	34.409	.0000	.000
989.781	.94	.94	5904.22	285.24	.082	.00	16092.74	13.22	.00	-.16	.0380	33.640	.0000	.000
1004.781	.94	.94	5904.13	289.28	.083	.00	16064.82	13.38	.00	-.16	.0380	32.871	.0000	.000
1019.781	.94	.94	5904.04	293.31	.084	.00	16036.89	13.55	.00	-.16	.0380	32.101	.0000	.000
1034.781	.94	.94	5903.95	297.36	.085	.00	16008.96	13.71	.00	-.16	.0380	31.332	.0000	.000
1042.791	.94	.94	5903.91	298.98	.086	.00	15997.77	13.77	.00	-.07	.0380	31.024	.0000	.000
1056.791	.94	.94	5903.82	303.04	.087	.00	15969.84	13.94	.00	-.16	.0380	30.483	.0000	.000
1070.791	.94	.94	5903.72	307.11	.088	.00	15941.80	14.10	.00	-.16	.0380	29.942	.0000	.000
1084.171	.94	.94	5903.64	310.74	.089	.00	15916.69	14.24	.00	-.14	.0380	29.459	.0000	.000
AFT(A)	.94	.89	5869.35	992.50	.285	*****	15823.73	14.73	.00	-.30	.0379	29.460	****	*****
AFT(D)	.93	.93	5907.36	-6.48	.002	*****	10413.12	.19	.00	-.19	.0379	20.670	****	*****

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	*SLOT LB/SEC
FOREWARD	1.1676+02	9.4150-01	9.4125-01	5.9071+03	7.5565+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	3.5848+00
AFT	1.1677+02	9.4132-01	9.4106-01	5.9070+03	7.5581+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	3.5849+00

GAS BUILDUP IN SLOT, DW/DT = -1.1188-04

FOREWARD	4.2705+02	9.4206-01	9.4106-01	5.9065+03	1.4898+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	7.0335+00
AFT	4.2706+02	9.4168-01	9.4068-01	5.9062+03	1.4903+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	7.0336+00

GAS BUILDUP IN SLOT, DW/DT = -1.1132-04

FOREWARD	7.4634+02	9.4292-01	9.4068-01	5.9054+03	2.2374+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.0561+01
AFT	7.4635+02	9.4219-01	9.3995-01	5.9048+03	2.2390+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.0561+01

GAS BUILDUP IN SLOT, DW/DT = -1.1126-04

IGNITION TIME, TIME (S) 122.00000

PARAMETER DESCRIPTION (UNITS)	PROGRAM NOMENCLATURE	INTERNATIONAL	ENGLISH
MOTOR PARAMETERS:			
TOTAL DELIVERED THRUST (N,LBF)	FTDEL	1537.2013	345.57661
TOTAL VACUUM THRUST (N,LBF)	FTVAC	2390.8994	537.49558
THRUST CONTRIBUTION OF INERTS (N,LBF)	FI	.00000000	.00000000
DELIVERED TOTAL IMPULSE (N*S,LBF*S)	SRMDTI	.12334378+10	.27729785+09
TOTAL VACUUM SPECIFIC IMPULSE (S,S)	TISP	212.70221	212.70221
VACUUM TOTAL IMPULSE (N*S,LBF*S)	SRMVTI	.12834743+10	.28853649+09
THRUST COEFFICIENT	CF	1.3492766	1.3492766
GRAIN DISCHARGE MASS FLOWRATE (KG/S,LBM/S)	WDOT	1.1962217	2.5269863
FLOWRATE INTEGRAL (KG,LBM)	SWDOTN	555402.27	1114221.3
INERT MASS FLOWRATE (KG/S,LBM/S)	MIF	.00000000	.00000000
INERT MASS REMAINING (KG,LBM)	MIR	16.275896	35.882268
TOTAL BURN AREA (M**2,IN**2)	ABTOT	.22223643-04	.34446716-01
TOTAL PROPELLANT VOLUME (M**3,IN**3)	VF	2.6038470	158896.49
PROPELLANT MASS REMAINING (KG,LBM)	WF	1393.5955	3072.3522
TOTAL GAS MASS (KG,LBM)	WGTOT	.41021626	.90437205
RATIO OF SPECIFIC HEATS	GAMA	1.1591402	1.1591402
MOLECULAR WEIGHT OF GAS (KG/MOLE,LBM/MOLE)	AMW	12.682492	27.960110
CHARACTERISTIC EXHAUST VELOCITY (M/S,FT/S)	CSTAR	1546.0139	5072.2142
MAXIMUM CHAMBER MACH NUMBER	AMPN	.89040121-01	.89040121-01
HEAD END PARAMETERS:			
TOTAL PRESSURE (N/M**2,LBF/IN**2)	PH	111347.68	.16149616
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPHDT	.53272670+11	77265.476
BURN AREA (M**2,IN**2)	AHH	.22223643-04	.34446716-01
BURN RATE (M/S,IN/S)	RBZ(1)	.52268374-03	.20578100-01
DISTANCE BURNED (M,IN)	TAUZ(1)	1.1088878	43.657001
PROPELLANT VOLUME (M**3,IN**3)	VFH	.22245752	13575.190
GAS VOLUME (M**3,IN**3)	VPH	54.881374	3349066.9
GAS STATIC TEMPERATURE (DEG K,DEG R)	PRNT(1,3)	3281.6518	5906.9733
CYLINDRICAL SECTION PARAMETERS:			
RADIAL BURN AREA (M**2,IN**2)	ABCYL	.00000000	.00000000
SEGMENT FACE BURN AREA (M**2,IN**2)	ABSLOT	.00000000	.00000000
PROPELLANT VOLUME (M**3,IN**3)	VFCYL	2.3799232	145201.31
GAS VOLUME (M**3,IN**3)	VP	288.68473	17616623.
AFT END PARAMETERS:			
TOTAL PRESSURE NOZ ENT (N/M**2,LBF/IN**2)	PON	110585.58	.16039082
PRESSURE INTEGRAL (N*S/M**2,LBF*S/IN**2)	SPONDT	.50858677+11	73764.275
BURN AREA (M**2,IN**2)	AAN	.00000000	.00000000
BURN RATE, REGION A (M/S,IN/SEC)	RBZ(NI+1,1)	.51925075-03	.20442943-01
BURN RATE, REGION B (M/S,IN/SEC)	RBZ(NI+2,1)	.51877368-03	.20424043-01
DISTANCE BURNED, REGION A (M,IN)	TAUZ(NI+1,1)	.74820400	29.460000
DISTANCE BURNED, REGION B (M,IN)	TAUZ(NI+2,1)	.52501800	20.670000
PROPELLANT VOLUME (M**3,IN**3)	VFN	.19662722-02	119.98929
GAS VOLUME (M**3,IN**3)	VPN	17.047463	1040300.0
GAS STATIC TEMP, NOZ ENT (DEG K,DEG R)	PRNT(NI+2,3)	3281.7001	5907.0601
PORT AREA, NOZ ENT (M**2,IN**2)	A2A	13.208839	15823.733
NOZZLE PARAMETERS:			
THROAT AREA (M**2,IN**2)	AT	1.4023663	2483.6728
EXPANSION RATIO	EPR	6.7079011	6.7079011
PRESSURE RATIO	PEPO	.16468807	.16468807
MISCELLANEOUS PARAMETERS:			
ANISOTROPIC BURN RATE COEFFICIENT	AKRST	.37810250-01	.37810250-01
NUMBER OF PRESSURE ITERATIONS	ANLOPS	2.0000000	2.0000000

ORIGINAL PAGE IS OF POOR QUALITY

INCREMENT DIVIDING PLANE DATA:

MASS ADDITION REGIONS	PO PSIA	P PSIA	T DEG. R	U FT/SEC	M	LP INCHES	AP SQ. IN.	WDOT LB/SEC	DWDOT LB/SEC	DW/DT LB/SEC	RB IN/SEC	TAU IN.	RBTU IN/SEC	TAUTO IN.
FORE	.16	.16	5906.97	47.98	.014	.00	16456.72	.39	.00	-.39	.0205	43.657	.0000	.000
15.000	.16	.16	5906.96	51.51	.015	.00	16457.57	.42	.00	-.03	.0205	43.608	.0000	.000
35.000	.16	.16	5906.95	55.04	.016	.00	16458.42	.45	.00	-.03	.0205	43.559	.0000	.000
55.000	.16	.16	5906.93	58.57	.017	.00	16459.26	.48	.00	-.03	.0205	43.509	.0000	.000
65.000	.16	.16	5906.91	62.11	.018	.00	16460.11	.51	.00	-.03	.0205	43.460	.0000	.000
75.000	.16	.16	5906.90	65.64	.019	.00	16460.95	.53	.00	-.03	.0205	43.411	.0000	.000
90.000	.16	.16	5906.88	69.17	.020	.00	16461.80	.56	.00	-.03	.0205	43.362	.0000	.000
105.000	.16	.16	5906.86	72.70	.021	.00	16462.64	.59	.00	-.03	.0205	43.313	.0000	.000
116.761	.16	.16	5906.84	75.47	.022	.00	16463.29	.61	.00	-.02	.0205	43.366	.0000	.000
116.771	.16	.16	5906.70	96.86	.028	.00	12331.49	.61	.00	-.00	.0205	43.274	.0000	.000
131.771	.16	.16	5906.77	87.17	.025	.00	14817.96	.64	.00	-.02	.0205	43.307	.0000	.000
143.919	.16	.16	5906.81	81.35	.023	.00	16429.00	.66	.00	-.02	.0205	43.334	.0000	.000
158.919	.16	.16	5906.78	84.83	.024	.00	16440.39	.69	.00	-.03	.0205	43.226	.0000	.000
173.919	.16	.16	5906.76	88.30	.025	.00	16451.70	.72	.00	-.03	.0205	43.118	.0000	.000
188.919	.16	.16	5906.74	91.78	.026	.00	16462.95	.75	.00	-.03	.0205	43.009	.0000	.000
203.919	.16	.16	5906.71	95.25	.027	.00	16474.13	.78	.00	-.03	.0205	42.901	.0000	.000
218.919	.16	.16	5906.69	98.72	.028	.00	16485.23	.80	.00	-.03	.0205	42.793	.0000	.000
233.919	.16	.16	5906.66	102.19	.029	.00	16496.27	.83	.00	-.03	.0205	42.685	.0000	.000
248.919	.16	.16	5906.63	105.65	.030	.00	16507.23	.86	.00	-.03	.0205	42.576	.0000	.000
263.919	.16	.16	5906.60	109.12	.031	.00	16518.13	.89	.00	-.03	.0205	42.468	.0000	.000
278.919	.16	.16	5906.57	112.58	.032	.00	16528.95	.92	.00	-.03	.0205	42.360	.0000	.000
293.919	.16	.16	5906.54	116.04	.033	.00	16539.71	.95	.00	-.03	.0205	42.252	.0000	.000
308.919	.16	.16	5906.51	119.50	.034	.00	16550.39	.98	.00	-.03	.0205	42.143	.0000	.000
323.919	.16	.16	5906.48	122.96	.035	.00	16561.01	1.01	.00	-.03	.0205	42.035	.0000	.000
338.919	.16	.16	5906.45	126.42	.036	.00	16571.56	1.04	.00	-.03	.0205	41.927	.0000	.000
353.919	.16	.16	5906.41	129.87	.037	.00	16582.03	1.06	.00	-.03	.0205	41.819	.0000	.000
368.919	.16	.16	5906.38	133.32	.038	.00	16592.44	1.09	.00	-.03	.0205	41.710	.0000	.000
383.919	.16	.16	5906.34	136.77	.039	.00	16602.77	1.12	.00	-.03	.0205	41.602	.0000	.000
398.919	.16	.16	5906.30	140.22	.040	.00	16613.04	1.15	.00	-.03	.0205	41.494	.0000	.000
404.048	.16	.16	5906.29	141.17	.040	.00	16615.85	1.16	.00	-.01	.0205	41.464	.0000	.000
419.048	.16	.16	5906.24	145.98	.042	.00	16469.13	1.19	.00	-.03	.0205	41.192	.0000	.000
427.061	.16	.16	5906.21	148.89	.043	.00	16381.95	1.21	.00	-.02	.0205	41.174	.0000	.000
427.061	.16	.16	5905.90	173.44	.050	.00	14067.75	1.21	.00	-.00	.0205	41.029	.0000	.000
442.061	.16	.16	5906.00	165.92	.048	.00	15015.34	1.23	.00	-.03	.0205	41.998	.0000	.000
457.061	.16	.16	5906.09	159.06	.046	.00	16008.32	1.26	.00	-.03	.0205	42.967	.0000	.000
463.204	.16	.16	5906.12	156.43	.045	.00	16426.09	1.27	.00	-.01	.0205	43.364	.0000	.000
478.204	.16	.16	5906.07	159.99	.046	.00	16425.08	1.30	.00	-.03	.0205	43.256	.0000	.000
493.204	.16	.16	5906.03	163.56	.047	.00	16422.08	1.33	.00	-.03	.0205	43.147	.0000	.000
508.204	.16	.16	5905.98	167.12	.048	.00	16419.08	1.36	.00	-.03	.0205	43.039	.0000	.000
523.204	.16	.16	5905.94	170.69	.049	.00	16416.08	1.38	.00	-.03	.0205	42.931	.0000	.000
538.204	.16	.16	5905.89	174.25	.050	.00	16413.08	1.41	.00	-.03	.0205	42.822	.0000	.000
553.204	.16	.16	5905.84	177.82	.051	.00	16410.07	1.44	.00	-.03	.0205	42.714	.0000	.000
568.204	.16	.16	5905.79	181.39	.052	.00	16407.10	1.47	.00	-.03	.0205	42.605	.0000	.000
583.204	.16	.16	5905.74	184.96	.053	.00	16404.11	1.50	.00	-.03	.0205	42.497	.0000	.000
598.204	.16	.16	5905.69	188.52	.054	.00	16401.12	1.53	.00	-.03	.0205	42.389	.0000	.000
613.204	.16	.16	5905.64	192.09	.055	.00	16398.14	1.56	.00	-.03	.0205	42.280	.0000	.000

628.204	.16	.16	5905.58	195.66	.056	.00	16395.15	1.59	.00	-.03	.0205	42.172	.0000	.000
643.204	.16	.16	5905.53	199.23	.057	.00	16392.17	1.61	.00	-.03	.0205	42.064	.0000	.000
658.204	.16	.16	5905.47	202.80	.058	.00	16389.20	1.64	.00	-.03	.0205	41.955	.0000	.000
673.204	.16	.16	5905.42	206.37	.059	.00	16386.22	1.67	.00	-.03	.0205	41.847	.0000	.000
688.204	.16	.16	5905.36	209.95	.060	.00	16383.25	1.70	.00	-.03	.0205	41.738	.0000	.000
703.204	.16	.16	5905.30	213.52	.061	.00	16380.28	1.73	.00	-.03	.0205	41.630	.0000	.000
718.204	.16	.16	5905.24	217.09	.062	.00	16377.31	1.76	.00	-.03	.0205	41.522	.0000	.000
726.191	.16	.16	5905.21	219.00	.063	.00	16375.73	1.77	.00	-.02	.0205	41.464	.0000	.000
741.191	.16	.16	5905.15	222.43	.064	.00	16382.80	1.80	.00	-.03	.0205	41.140	.0000	.000
746.336	.16	.16	5905.13	223.61	.064	.00	16385.20	1.81	.00	-.01	.0205	41.240	.0000	.000
746.346	.16	.16	5904.54	255.51	.073	.00	14349.56	1.81	.00	-.00	.0205	41.029	.0000	.000
761.346	.16	.16	5904.68	248.35	.071	.00	14972.15	1.84	.00	-.03	.0205	41.104	.0000	.000
776.346	.16	.16	5904.80	241.87	.069	.00	15597.03	1.86	.00	-.03	.0205	41.178	.0000	.000
791.346	.16	.16	5904.91	236.00	.068	.00	16224.19	1.89	.00	-.03	.0205	41.253	.0000	.000
794.831	.16	.16	5904.94	234.71	.067	.00	16370.23	1.90	.00	-.01	.0205	41.270	.0000	.000
809.831	.16	.16	5904.87	238.34	.068	.00	16363.57	1.93	.00	-.03	.0205	41.093	.0000	.000
824.831	.16	.16	5904.80	241.97	.069	.00	16356.92	1.95	.00	-.03	.0205	40.916	.0000	.000
839.831	.16	.16	5904.73	245.60	.070	.00	16350.28	1.98	.00	-.03	.0205	40.739	.0000	.000
854.781	.16	.16	5904.67	249.22	.071	.00	16343.67	2.01	.00	-.03	.0205	40.563	.0000	.000
869.781	.16	.16	5904.59	253.19	.073	.00	16315.82	2.04	.00	-.03	.0205	39.794	.0000	.000
884.781	.16	.16	5904.51	257.16	.074	.00	16287.96	2.07	.00	-.03	.0205	39.025	.0000	.000
899.781	.16	.16	5904.43	261.13	.075	.00	16260.09	2.10	.00	-.03	.0205	38.255	.0000	.000
914.781	.16	.16	5904.35	265.12	.076	.00	16232.22	2.13	.00	-.03	.0205	37.486	.0000	.000
929.781	.16	.16	5904.27	269.11	.077	.00	16204.33	2.15	.00	-.03	.0205	36.717	.0000	.000
944.781	.16	.16	5904.18	273.11	.078	.00	16176.44	2.18	.00	-.03	.0205	35.948	.0000	.000
959.781	.16	.16	5904.10	277.11	.079	.00	16148.55	2.21	.00	-.03	.0205	35.178	.0000	.000
974.781	.16	.16	5904.01	281.13	.081	.00	16120.65	2.24	.00	-.03	.0205	34.409	.0000	.000
989.781	.16	.16	5903.92	285.15	.082	.00	16092.74	2.27	.00	-.03	.0205	33.640	.0000	.000
1004.781	.16	.16	5903.84	289.18	.083	.00	16064.82	2.29	.00	-.03	.0205	32.871	.0000	.000
1019.781	.16	.16	5903.74	293.22	.084	.00	16036.89	2.32	.00	-.03	.0205	32.101	.0000	.000
1034.781	.16	.16	5903.65	297.27	.085	.00	16008.96	2.35	.00	-.03	.0205	31.332	.0000	.000
1040.791	.16	.16	5903.61	298.89	.086	.00	15997.77	2.36	.00	-.01	.0205	31.024	.0000	.000
1055.791	.16	.16	5903.52	302.95	.087	.00	15969.84	2.39	.00	-.03	.0205	30.483	.0000	.000
1070.791	.16	.16	5903.42	307.01	.088	.00	15941.83	2.42	.00	-.03	.0205	29.942	.0000	.000
1084.171	.16	.16	5903.34	310.65	.089	.00	15916.69	2.44	.00	-.02	.0205	29.459	.0000	.000
AFT(A)	.16	.15	5869.05	992.48	.285	.....	15823.73	2.53	.00	-.05	.0204	29.460	....	.....
AFT(B)	.16	.16	5907.06	-6.48	.002	.....	10413.12	.03	.00	-.03	.0204	20.670	....	.....

	SLOT INTERFACE LOCATION IN.	PO PSIA	P PSIA	T DEG. R	U FT/SEC	AP SQ. IN.	DWDOT LB/SEC	AB SQ. IN.	RB IN/SEC	DELTA TAU IN.	WSLOT LB/SEC
FOREWARD	1.1676+02	1.6150-01	1.6146-01	5.9068+03	7.5488+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	6.1432-01
AFT	1.1677+02	1.6147-01	1.6143-01	5.9067+03	7.5503+01	1.6460+04	0.0000	0.0000	0.0000	0.0000	6.1434-01

GAS BUILDUP IN SLOT, DW/DT = -1.9183-05

FOREWARD	4.2705+02	1.6160-01	1.6143-01	5.9062+03	1.4888+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.2058+00
AFT	4.2706+02	1.6153-01	1.6136-01	5.9059+03	1.4893+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.2058+00

GAS BUILDUP IN SLOT, DW/DT = -1.9092-05

FOREWARD	7.4634+02	1.6175-01	1.6136-01	5.9051+03	2.2364+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.8109+00
AFT	7.4635+02	1.6162-01	1.6124-01	5.9045+03	2.2380+02	1.6383+04	0.0000	0.0000	0.0000	0.0000	1.8109+00

GAS BUILDUP IN SLOT, DW/DT = -1.9082-05

ALL DATA CASES COMPLETED